




Primary* Refugee Arrivals to MN by Region of World 1979-2007



Primary Refugee Arrival, Minnesota, 2003-2007




Primary Refugee Arrivals, Minnesota, 2007



N=2,867


“Other” includes Afghanistan, Chad, China (incl. Tibet), DR Congo, Cuba, Eritrea, France, Indonesia, Ivory Coast, Kenya, Nigeria, Sierra Leone, Sudan, Togo, Uganda and Vietnam.

Primary Refugee Arrivals Screened in Minnesota 1997-2007



*Ineligible if moved out of state/unknown destination, unable to locate or died before screening

Primary Refugees Lost to Follow-up Minnesota, 2007



- | | |
|--------------------------------------|---------------------------------------|
| Moved Out of State* | Unable To Locate* |
| Contact Failed | Screened Elsewhere, No Results |
| Missed Appointment | Refused Screening |
| Moved to Unknown Destination* | Data Not Returned |


*Ineligible for the refugee health assessment

Primary Refugee Screenings by Region of Origin, Minnesota, 2007

World Region	Total arrivals	Ineligible for Screening	Number Screened (%*)
Sub-Saharan Africa	1,981	97	1,850 (98)
E.Asia/SE Asia	705	26	673 (99)
Eastern/Western Europe	168	1	159 (95)
Latin America/ Caribbean	13	4	9 (90)

*Percent screened among the eligible

Refugee Screening Rates by Exam Type Minnesota, 2007



Health Status of New Refugees, Minnesota, 2007

Health status upon arrival	No (%) of refugees screened	No (%) with infection among screened
TB infection*	2,643 (98%)	1,176 (45%)
Hepatitis B infection**	2,652 (99%)	206 (8%)
Parasitic Infection***	2,516 (93%)	382 (15%)
Sexually Transmitted Infections(STIs)****	2,066 (77%)	29 (1%)
Malaria Infection	34 (1%)	1 (3%)
Lead*****	205 (92%)	8 (4%)

Total screened: **N=2,691** (98% of the 2,740 eligible refugees)

* Persons with Latent TB infection or suspect/active TB disease diagnosis

** Positive for Hepatitis B surface antigen (HBsAG)

*** Positive for at least one pathogenic intestinal parasite infection


**** Positive for at least one STI

*****Children <6 year old (N=223 screened)

Refugee Health Program, Minnesota Department of Health

Tuberculosis Infection* Rate Among Refugees By Region Of Origin, Minnesota, 2007

N=2,643 screened




*Diagnosis of Latent TB infection or Suspect/Active TB disease

Refugee Health Program, Minnesota Department of Health


Hepatitis B infection Rate Among Refugees by Region of Origin, Minnesota, 2007

N=2,652 screened



Intestinal Parasitic Infection* Rates Among Refugees by Region of Origin, Minnesota, 2007

N=2,516 screened



* At least one type of pathogenic intestinal parasite

Refugee Health Program, Minnesota Department of Health