




Primary* Refugee Arrivals to MN by Region of World 1979-2008



Primary Refugee Arrival, Minnesota, 2004-2008




2008 Primary Refugee Arrival To Minnesota (N=1,205)



Number of Refugees Arrival By Initial County Of Resettlement



Primary Refugee Arrivals, Minnesota, 2008




N = 1,205

“**Other**” includes Burkina Faso, Cambodia, Cameroon, China (incl. Tibet), Colombia, Congo (DR), Cuba, Djibouti, Eritrea, Gambia, Guinea, Jordan, Kenya, Laos (Hmong), Palestine/West Bank, Sierra Leone, Sudan, Togo, Vietnam and Zimbabwe

“**Former Soviet Union (FSU) Republics**” include Belarus, Kazakhstan, Latvia, Moldova, Russia and Ukraine



Primary Refugee Arrivals Screened in Minnesota 1999-2008



*Ineligible if moved out of state or to an unknown destination, unable to locate or died before screening

Refugee Health Program, Minnesota Department of Health

Primary Refugees Lost to Follow-up Minnesota, 2008




*Ineligible for the refugee health assessment

Primary Refugee Screenings by Region of Origin, Minnesota, 2008

World Region	Total arrivals	Ineligible for Screening	Number Screened (%*)
E.Asia/SE Asia	726	6	720 (100)
Sub-Saharan Africa	351	20	318 (96)
North Africa/ Middle East	76	8	67 (99)
Eastern/Western Europe	45	2	43 (100)
Latin America/ Caribbean	7	1	4 (67)

Refugee Screening Rates by Exam Type Minnesota, 2008



Health Status of New Refugees, Minnesota, 2008

Health status upon arrival	No (%) of refugees screened	No (%) with infection among screened
TB infection*	1,142 (99%)	340 (30%)
Hepatitis B infection**	1,139 (99%)	97 (9%)
Parasitic Infection***	1,032 (90%)	166 (16%)
Sexually Transmitted Infections(STIs)****	832 (72%)	8 (1%)
Malaria Infection	17 (1%)	0 (0%)
Lead*****	117 (92%)	4 (3%)

Total screened: **N=1,152** (99% of the 1,168 eligible refugees)

* Persons with Latent TB infection or suspect/active TB disease diagnosis

** Positive for Hepatitis B surface antigen (HBsAG)

*** Positive for at least one pathogenic intestinal parasite infection


**** Positive for at least one STI

*****Children <6 year old (N=127 screened)

Refugee Health Program, Minnesota Department of Health

Tuberculosis Infection* Rate Among Refugees By Region Of Origin, Minnesota, 2008

N=1,142 screened




*Diagnosis of Latent TB infection (N=335) or Suspect/Active TB disease (N=5)

Latin America/Caribbean not listed due to small number of screened refugees (4)

Refugee Health Program, Minnesota Department of Health

Hepatitis B infection Rate Among Refugees by Region of Origin, Minnesota, 2008


N=1,139 screened



Latin America/Caribbean not listed due to small number of screened refugees (4)

Intestinal Parasitic Infection* Rates Among Refugees by Region of Origin, Minnesota, 2008

N=1,032 screened



*At least one type of pathogenic intestinal parasite

Latin America/Caribbean not listed due to small number of screened refugees (4)

Refugee Health Program, Minnesota Department of Health