



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

December 29, 2021

Administrator
Crest View Lutheran Home
4444 Reservoir Boulevard Northeast
Columbia Heights, MN 55421

RE: CCN: 245018
Survey Cycle Start Date: December 22, 2021

Dear Administrator:

On December 22, 2021 a survey was completed at your facility by the Minnesota Department of Health to investigate complaints to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs. At the time of survey, the complaints were found to be both unsubstantiated and substantiated. However, the facility was found to be in compliance because corrective action was taken prior to the on-site investigation. Therefore, at the time of the investigation, the facility was found to meet federal requirements. A plan of correction is not required.

Also at the time of this survey, the investigator also assessed compliance with Minnesota Department of Health Nursing Home Rules. The investigator from the Minnesota Department of Health, found no violations of these rules promulgated under Minnesota Statute § 144.653 and/or Minnesota Statute § 144A.10.

The Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Please disregard the heading of the fourth column which states, "Provider's Plan of Correction." This applies to federal deficiencies only.

Electronically attached is your copy of the Federal CMS-2567 Form and State Form.

Feel free to contact me if you have questions.

Sincerely,

A handwritten signature in black ink that reads 'Kamala Fiske-Downing'.

Kamala Fiske-Downing
Minnesota Department of Health
Licensing and Certification Program
Program Assurance Unit

An equal opportunity employer.

Health Regulation Division

Telephone: (651) 201-4112 Fax: (651) 215-9697

Email: Kamala.Fiske-Downing@state.mn.us

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/29/2021
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245018	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 12/22/2021
NAME OF PROVIDER OR SUPPLIER CREST VIEW LUTHERAN HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 4444 RESERVOIR BOULEVARD NORTHEAST COLUMBIA HEIGHTS, MN 55421		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS On 12/21/21, to 12/22/21, a standard abbreviated survey was conducted at your facility. Your facility was found to be IN compliance with the requirements of 42 CFR 483, Subpart B, Requirements for Long Term Care Facilities. The following complaint was found to be SUBSTANTIATED: H5018199C (MN78555) however, NO deficiencies were cited due to actions implemented by the facility prior to survey. The following complaint was found to be UNSUBSTANTIATED: H5018198C (MN79458) and H5018200C (MN78240). The facility is enrolled in ePOC and therefore a signature is not required at the bottom of the first page of the CMS-2567 form. Although no plan of correction is required, the facility must acknowledge receipt of the electronic documents.	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00005	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED C 12/22/2021
NAME OF PROVIDER OR SUPPLIER CREST VIEW LUTHERAN HOME		STREET ADDRESS, CITY, STATE, ZIP CODE 4444 RESERVOIR BOULEVARD NORTHEAST COLUMBIA HEIGHTS, MN 55421		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	Initial Comments *****ATTENTION***** NH LICENSING CORRECTION ORDER In accordance with Minnesota Statute, section 144A.10, this correction order has been issued pursuant to a survey. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a fine for each violation not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health. Determination of whether a violation has been corrected requires compliance with all requirements of the rule provided at the tag number and MN Rule number indicated below. When a rule contains several items, failure to comply with any of the items will be considered lack of compliance. Lack of compliance upon re-inspection with any item of multi-part rule will result in the assessment of a fine even if the item that was violated during the initial inspection was corrected. You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance. INITIAL COMMENTS: On 12/21/21, to 12/22/21, a complaint survey was conducted at your facility by surveyors from the Minnesota Department of Health (MDH). Your facility was found to be IN compliance with the MN State Licensure. Please indicate in your electronic plan of correction you have reviewed these orders and identify the date when they will	2 000		

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00005	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____		(X3) DATE SURVEY COMPLETED C 12/22/2021
NAME OF PROVIDER OR SUPPLIER CREST VIEW LUTHERAN HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 4444 RESERVOIR BOULEVARD NORTHEAST COLUMBIA HEIGHTS, MN 55421		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
2 000	Continued From page 1 be completed. The following complaint was found to be SUBSTANTIATED: H5018199C (MN78555), however NO licensing orders were issued due to actions taken by the facility prior to survey. The following complaint was found to be UNSUBSTANTIATED: H5018198C (MN79458) and H5018200C (MN78240). The Minnesota Department of Health is documenting the State Licensing Correction Orders using Federal software. The facility is enrolled in ePOC and therefore a signature is not required at the bottom of the first page of state form. Although no plan of correction is required, it is required that the facility acknowledge receipt of the electronic documents.	2 000			