

Electronically Delivered

March 29, 2021

Administrator  
Interfaith Care Center  
811 Third Street  
Carlton, MN 55718

RE: CCN: 245024  
Survey Cycle Start Date: March 16, 2021

Dear Administrator:

On March 16, 2021 a survey was completed at your facility by the Minnesota Department of Health to investigate complaints to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs. At the time of survey, the complaints were substantiated but no deficiencies were issued, because corrective action was taken prior to the survey. A plan of correction is not required.

Also at the time of this survey, the investigator also assessed compliance with Minnesota Department of Health Nursing Home Rules. The investigator from the Minnesota Department of Health, found no violations of these rules promulgated under Minnesota Statute § 144.653 and/or Minnesota Statute § 144A.10.

The Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Please disregard the heading of the fourth column which states, "Provider's Plan of Correction." This applies to federal deficiencies only.

Electronically attached is your copy of the Federal CMS-2567 Form and State Form.

Feel free to contact me if you have questions.

Sincerely,



Joanne Simon, Enforcement Specialist  
Minnesota Department of Health  
Licensing and Certification Program  
Program Assurance Unit  
Health Regulation Division  
Telephone: 651-201-4161 Fax: 651-215-9697  
Email: joanne.simon@state.mn.us

cc: Licensing and Certification File

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/29/2021  
FORM APPROVED  
OMB NO. 0938-0391

|   |  |   |   |                      |   |
|---|--|---|---|----------------------|---|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION                  |  | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:<br><br><b>245024</b> | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING _____<br><br>B. WING _____  |                      | (X3) DATE SURVEY COMPLETED<br><br><b>C</b><br><b>03/16/2021</b> |
| NAME OF PROVIDER OR SUPPLIER<br><br><b>INTERFAITH CARE CENTER</b> |  |   | STREET ADDRESS, CITY, STATE, ZIP CODE<br><b>811 THIRD STREET</b><br><b>CARLTON, MN 55718</b>                    |                      |   |
| (X4) ID PREFIX TAG  | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)   | ID PREFIX TAG   | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |   |
| F 000   | <p><b>INITIAL COMMENTS</b></p> <p>On 3/12/21, through 3/16/21, an abbreviated survey was completed at your facility to conduct a complaint investigation. Your facility was found NOT to be in compliance with 42 CFR Part 483, Requirements for Long Term Care Facilities.</p> <p>The following complaints were found to be SUBSTANTIATED however, no deficiencies cited due to actions implemented by the facility prior to onsite investigation:<br/>H5024029C (MN65102)<br/>H5024032C (MN62601)<br/>H5024034C (MN54332)</p> <p>The following complaints were found to be UNSUBSTANTIATED:<br/>H5024030C (MN64106)<br/>H5024031C (MN58139)<br/>H5024033C (MN64107)<br/>H5024035C (MN56795)<br/>H5024036C (MN64632)</p> <p>In addition, a COVID-19 Focused Infection Control survey was conducted on 3/12/21, through 3/16/20, at your facility by the Minnesota Department of Health to determine compliance with §483.80 Infection Control. The facility was in full compliance.</p> <p>The facility's plan of correction (POC) will serve as your allegation of compliance upon the Department's acceptance. Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form.</p> <p>Upon receipt of an acceptable electronic POC, an</p> | F 000   |   |                      |   |

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/29/2021  
FORM APPROVED  
OMB NO. 0938-0391

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION                  |   | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:<br><br><b>245024</b> | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING _____<br><br>B. WING _____  |                      | (X3) DATE SURVEY COMPLETED<br><br><b>C</b><br><b>03/16/2021</b> |
|---|---|---|---|----------------------|---|
| NAME OF PROVIDER OR SUPPLIER<br><br><b>INTERFAITH CARE CENTER</b> |   |   | STREET ADDRESS, CITY, STATE, ZIP CODE<br><b>811 THIRD STREET</b><br><b>CARLTON, MN 55718</b>                    |                      |   |
| (X4) ID PREFIX TAG  | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)  | ID PREFIX TAG   | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |   |
| F 000   | Continued From page 1<br>on-site revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification. | F 000   |   |                      |   |

Minnesota Department of Health

|  |  |   |   |
|--|--|---|---|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:<br><br><b>00047</b> | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING: _____<br><br>B. WING _____ | (X3) DATE SURVEY COMPLETED<br><br><b>C</b><br><b>03/16/2021</b> |
|--|--|---|---|

|   |  |
|---|--|
| NAME OF PROVIDER OR SUPPLIER<br><br><b>INTERFAITH CARE CENTER</b> | STREET ADDRESS, CITY, STATE, ZIP CODE<br><b>811 THIRD STREET<br/>CARLTON, MN 55718</b> |
|---|--|

| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)   | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETE DATE |
|--------------------|--|---------------|---|--------------------|
| 2 000              | <p>Initial Comments</p> <p>*****ATTENTION*****</p> <p><b>NH LICENSING CORRECTION ORDER</b></p> <p>In accordance with Minnesota Statute, section 144A.10, this correction order has been issued pursuant to a survey. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a fine for each violation not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.</p> <p>Determination of whether a violation has been corrected requires compliance with all requirements of the rule provided at the tag number and MN Rule number indicated below. When a rule contains several items, failure to comply with any of the items will be considered lack of compliance. Lack of compliance upon re-inspection with any item of multi-part rule will result in the assessment of a fine even if the item that was violated during the initial inspection was corrected.</p> <p>You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.</p> <p><b>INITIAL COMMENTS:</b><br/>On 3/12/21, through 3/16/21, a complaint survey was conducted at your facility by surveyors from the Minnesota Department of Health (MDH). Your facility was found IN compliance with the MN State Licensure.</p> <p>The following complaints were found to be</p> | 2 000         |   |                    |

Minnesota Department of Health  
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE \_\_\_\_\_ TITLE \_\_\_\_\_ (X6) DATE \_\_\_\_\_

Minnesota Department of Health

|  |  |   |   |
|--|--|---|---|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:<br><br><b>00047</b> | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING: _____<br><br>B. WING _____ | (X3) DATE SURVEY COMPLETED<br><br><b>C</b><br><b>03/16/2021</b> |
|--|--|---|---|

|   |  |
|---|--|
| NAME OF PROVIDER OR SUPPLIER<br><br><b>INTERFAITH CARE CENTER</b> | STREET ADDRESS, CITY, STATE, ZIP CODE<br><b>811 THIRD STREET<br/>CARLTON, MN 55718</b> |
|---|--|

| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)   | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETE DATE |
|--------------------|--|---------------|---|--------------------|
| 2 000              | <p>Continued From page 1</p> <p>SUBSTANTIATED however, no deficiencies cited due to actions implemented by the facility prior to onsite investigation:<br/>H5024029C (MN65102)<br/>H5024032C (MN62601)<br/>H5024034C (MN54332)</p> <p>The following complaints were found to be UNSUBSTANTIATED:<br/>H5024030C (MN64106)<br/>H5024031C (MN58139)<br/>H5024033C (MN64107)<br/>H5024035C (MN56795)<br/>H5024036C (MN64632)</p> <p>NO licensing orders were issued. Minnesota Department of Health is documenting the State Licensing Correction Orders using Federal software. The facility is enrolled in ePOC and therefore a signature is not required at the bottom of the first page of state form. Although no plan of correction is required, it is required that the facility acknowledge receipt of the electronic documents.</p> | 2 000         |   |                    |