



*Protecting, Maintaining and Improving the Health of All Minnesotans*

January 21, 2021

Administrator  
The Estates at Bloomington LLC  
9200 Nicollet Avenue South  
Bloomington, MN 55420

RE: CCN: 245324  
Cycle Start Date: January 12, 2021

Dear Administrator

On January 12, 2021, a survey was completed at your facility by the Minnesota Department of Health to investigate a complaint to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs. The investigation resulted in no deficiencies being issued.

Also at the time of the investigation, the investigator also assessed compliance with Minnesota Department of Health Nursing Home Rules. The investigator from the Minnesota Department of Health, found no violations of these rules promulgated under Minnesota Statute section 144.653 and/or Minnesota Statute section 144A.10.

The Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Please disregard the heading of the fourth column which states, "Provider's Plan of Correction". This applies to federal deficiencies only. Electronically attached is your copy of the Federal Form CMS-2567 stating that no violations were noted at the time of this investigation.

Please contact me if you have any questions.

Sincerely,

A handwritten signature in cursive script that reads 'Kamala Fiske-Downing'.

Kamala Fiske-Downing  
Minnesota Department of Health  
Licensing and Certification Program  
Program Assurance Unit  
Health Regulation Division  
Telephone: (651) 201-4112 Fax: (651) 215-9697  
Email: [Kamala.Fiske-Downing@state.mn.us](mailto:Kamala.Fiske-Downing@state.mn.us)

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 01/21/2021  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>245324</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>C</b> <b>01/12/2021</b>
NAME OF PROVIDER OR SUPPLIER  <b>THE ESTATES AT BLOOMINGTON LLC</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>9200 NICOLLET AVENUE SOUTH</b> <b>BLOOMINGTON, MN 55420</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	<p><b>INITIAL COMMENTS</b></p> <p>On 1/11/21 and 1/12/21, an abbreviated survey was completed at your facility by the Minnesota Department of Health to determine if your facility was in compliance with requirements of 42 CFR Part 483, Subpart B, and Requirements for Long Term Care Facilities.</p> <p>The following complaint was found to be substantiated with no deficiencies cited due to actions implemented by the facility prior to survey: H5342104C</p> <p>Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form. Your electronic submission of the POC will be used as verification of compliance.</p>	F 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>00169</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>C</b> <b>01/12/2021</b>
--	--	---	---

NAME OF PROVIDER OR SUPPLIER  <b>THE ESTATES AT BLOOMINGTON LLC</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>9200 NICOLLET AVENUE SOUTH BLOOMINGTON, MN 55420</b>
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
--------------------	--	---------------	---	--------------------

2 000	<p>Initial Comments</p> <p>*****ATTENTION*****</p> <p><b>NH LICENSING CORRECTION ORDER</b></p> <p>In accordance with Minnesota Statute, section 144A.10, this correction order has been issued pursuant to a survey. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a fine for each violation not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.</p> <p>Determination of whether a violation has been corrected requires compliance with all requirements of the rule provided at the tag number and MN Rule number indicated below. When a rule contains several items, failure to comply with any of the items will be considered lack of compliance. Lack of compliance upon re-inspection with any item of multi-part rule will result in the assessment of a fine even if the item that was violated during the initial inspection was corrected.</p> <p>You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.</p> <p><b>INITIAL COMMENTS:</b> On 1/11/21 and 1/12/21, an abbreviated survey was conducted to determine compliance with State Licensure. Your facility was found to NOT be in compliance with the MN State Licensure.</p> <p>The following complaint was found to be <b>SUBSTANTIATED: H5324104C</b></p>	2 000		
-------	---	-------	--	--

Minnesota Department of Health LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>00169</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>C</b> <b>01/12/2021</b>
--	--	---	---

NAME OF PROVIDER OR SUPPLIER  <b>THE ESTATES AT BLOOMINGTON LLC</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>9200 NICOLLET AVENUE SOUTH BLOOMINGTON, MN 55420</b>
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	Continued From page 1  NO licensing orders were issued. The facility is enrolled in ePOC and therefore a signature is not required at the bottom of the first page of state form, however, it is required the facility acknowledge receipt of the electronic documents.	2 000		