

The image is a title slide for a report. It features a dark red to purple gradient background with faint, stylized virus particles scattered across it. The text is centered and reads: "Minnesota Department of Health" in a white sans-serif font, followed by "WEEKLY COVID-19 REPORT" in a larger, bold white sans-serif font, and "12/2/2021" in a white sans-serif font below it.

Minnesota Department of Health

WEEKLY COVID-19 REPORT

12/2/2021

This MDH Weekly COVID-19 Report presents data in an easy to interpret way and enhances the information provided in the daily Situation Update for COVID-19 web page with trends and situational insights as well as trends over time.

- [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)
updated daily at 11 a.m.
- [Coronavirus Disease 2019 \(COVID-19\) \(https://www.cdc.gov/coronavirus/2019-nCoV/\)](https://www.cdc.gov/coronavirus/2019-nCoV/)
- Neighboring states' COVID-19 information:
 - [Wisconsin: COVID-19 \(Coronavirus Disease\) \(https://www.dhs.wisconsin.gov/covid-19/\)](https://www.dhs.wisconsin.gov/covid-19/)
 - [Iowa: Novel Coronavirus \(COVID-19\) \(https://idph.iowa.gov/Emerging-Health-Issues/Novel-Coronavirus\)](https://idph.iowa.gov/Emerging-Health-Issues/Novel-Coronavirus)
 - [North Dakota: Coronavirus \(https://www.health.nd.gov/diseases-conditions/coronavirus/\)](https://www.health.nd.gov/diseases-conditions/coronavirus/)
 - [South Dakota: Novel Coronavirus Updates and Information \(https://doh.sd.gov/news/Coronavirus.aspx\)](https://doh.sd.gov/news/Coronavirus.aspx)



About Minnesota COVID-19 Data

Contents

About Minnesota COVID-19 Data	2	Potential Exposure in Child Care Settings	29
COVID-19 Overview Summary.....	3	Student Cases Associated with PK-12 School Buildings.....	30
Laboratory Tests for COVID-19.....	4	Minnesota IHE Facilities Reporting Cases.....	31
Number of Tests and Percent Positive by Week.....	5	Resident Cases Associated with Congregate Care Settings ..	32
Laboratory Test Rates by County of Residence	6	SARS-CoV-2 Variants Circulating in Minnesota	33
Percent of Tests Positive by County of Residence.....	7	SARS-CoV-2 Variants by Region.....	34
Weekly Percent of Tests Positive by County of Residence..	8	Vaccine Breakthrough (VBT) Cases	35
Testing Demographics: Age	9	VBT Hospitalizations and Deaths.....	36
Testing Demographics: Gender.....	10	VBT Cases, Hospitalizations, and Deaths by Age Group ...	37
Positive COVID-19 Cases	11	VBT Cases among Health Care Workers.....	38
New Cases by Week, 7-Day Average.....	12	Response Metrics: Testing and Interview Timing	39
Cases by County of Residence	13	Syndromic Surveillance	40
Cumulative Case Rate by County of Residence	14		
Weekly Case Rate by County of Residence	15	Archived:	
Hospitalizations, ICU Hospitalizations.....	16	Demographics: Interview Language	41
Hospitalizations by Week, 7-Day Average.....	17	Interview Language by County of Residence	42
ICU Hospitalizations by Week, 7-Day Average	18	Likely Exposure.....	43
COVID-19 Deaths	19	Likely Exposure and Specimen Collection Date	44
Deaths by Week, 7-Day Average.....	20	Residence Type.....	45
Deaths by County of Residence	21	Cases among Health Care Workers	46
Demographics: Age.....	22	High Risk Exposures in Health Care Workers.....	47
Cases by Age Group and Specimen Collection Date	23	Staff with Potential Exposure in Child Care Settings....	48
Case Rate in Children by Specimen Collection Date.....	24	Staff Cases Associated with PK-12 Schools	49
Hospitalization Rate in Children by Specimen Collection ..	25	PreK-12 School Buildings Reporting Cases	50
Demographics: Gender	26	Cases that have an Affiliation with IHE.....	51
Demographics: Race & Ethnicity	27	Staff Cases Associated with Congregate Care Settings ..	52
Age-Adjusted Race & Ethnicity Rates.....	28	Congregate Care Facility Outbreaks.....	53

- Data is for cases that were tested and returned positive.
 - At-home test results are not counted by MDH.
 - Many people with COVID-19 are not tested, so the cases in this report represent only a fraction of the total number of cases in Minnesota.
- All data is preliminary and may change as cases are investigated.
 - Many data points are collected during case interviews. Data presented below is for all cases, regardless of interview status. Data for cases pending interview may be listed as “unknown/missing”.
 - As of 10/28/21, case interviews are prioritized. Priority groups include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants. Therefore, not all cases were contacted for interview.
- Minnesota uses the CSTE standardized surveillance case definition.
 - A person is counted as having a reinfection if they test positive (confirmed or probable) for COVID-19 more than 90 days after a previous lab-confirmed case. Cases include reinfections unless otherwise noted.
 - Positive PCR test results are considered confirmed cases. Positive antigen test results are considered probable cases. All probable cases get the same public health follow up and recommendations as cases confirmed by PCR tests. Total cases includes confirmed and probable cases unless otherwise noted.
 - A person with a positive PCR test result following a positive antigen test result would move from being a probable case to a confirmed case.
- Weekly data is reported by MMWR week, which is the week of the year assigned by the National Notifiable Diseases Surveillance System for the purposes of disease reporting and publishing.
- Numbers listed as cumulative total are cumulative since 1/20/20 for confirmed (PCR) tests and cases, and since 9/1/20 for probable (antigen) tests and cases, unless specified otherwise.


COVID-19 Overview Summary



Laboratory Tests for COVID-19

15,004,118
Total Laboratory Tests
(cumulative)


Testing numbers show how many total tests have been done for cases who live in Minnesota. Some people get tested more than once. Tests are reported per test to account for changes in testing capacity and for individuals who are tested more than once over the course of the pandemic. Tests are reported by the date the test was run in the laboratory.



Current data: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Number of Tests and Percent Positive by Week


Number of tests and percentage positive by date of laboratory testing. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations. Percent positive is the percent of positive tests from the total number of tests.



Laboratory Test Rates by County of Residence

26,471
tests per 10,000 people statewide

Cumulative rate of tests by county of residence per 10,000 people. Only tests reported by laboratories reporting both positive and negative results are included.




County	Number of Tests	Cumulative Rate	County	Number of Tests	Cumulative Rate
Aitkin	31,063	19,618	Martin	53,738	26,917
Anoka	798,389	22,980	McLeod	89,625	25,017
Becker	83,027	24,584	Meeker	55,581	24,083
Beltrami	98,258	21,306	Mille Lacs	67,095	26,079
Benton	117,425	29,519	Morrison	87,017	26,410
Big Stone	18,485	36,852	Mower	106,814	26,972
Blue Earth	183,832	27,718	Murray	19,566	23,424
Brown	75,764	30,052	Nicollet	88,941	26,327
Carlton	112,446	31,639	Nobles	41,333	18,926
Carver	224,518	22,359	Norman	20,686	31,538
Cass	49,795	17,158	Olmsted	396,540	25,907
Chippewa	36,916	30,738	Otter Tail	159,084	27,432
Chisago	138,243	25,260	Pennington	22,626	15,952
Clay	138,605	22,071	Pine	56,843	19,514
Clearwater	15,293	17,355	Pipestone	24,691	26,882
Cook	12,245	23,056	Polk	68,427	21,660
Cottonwood	27,504	24,186	Pope	30,049	27,367
Crow Wing	135,003	21,142	Ramsey	1,407,723	25,997
Dakota	1,012,988	24,223	Red Lake	6,177	15,412
Dodge	55,356	26,895	Redwood	40,114	26,165
Douglas	101,545	27,295	Renville	42,710	29,013
Faribault	43,139	31,044	Rice	249,347	37,915
Fillmore	58,839	28,169	Rock	27,901	29,641
Freeborn	91,429	29,951	Roseau	34,707	22,447
Goodhue	125,326	27,117	Scott	328,635	22,922
Grant	14,246	23,991	Sherburne	260,434	27,934
Hennepin	3,297,211	26,688	Sibley	33,230	22,284
Houston	28,809	15,436	St. Louis	544,283	27,203
Hubbard	30,795	14,761	Stearns	411,806	26,260
Isanti	81,378	20,880	Steele	93,720	25,553
Itasca	113,945	25,207	Stevens	27,388	27,993
Jackson	17,979	17,895	Swift	25,868	27,487
Kanabec	27,920	17,446	Todd	46,904	19,191
Kandiyohi	122,743	28,774	Traverse	9,403	28,178
Kittson	12,492	28,803	Wabasha	64,483	29,992
Koochiching	34,121	26,986	Wadena	48,680	35,673
Lac qui Parle	21,310	31,463	Waseca	47,494	25,251
Lake	28,732	27,185	Washington	659,530	26,036
Lake of the Woods	9,934	26,080	Watonwan	27,407	24,977
Le Sueur	58,467	20,894	Wilkin	11,802	18,606
Lincoln	14,311	25,076	Winona	144,561	28,431
Lyon	61,891	23,953	Wright	284,820	21,456
Mahnomen	10,126	18,391	Yellow Medicine	26,449	26,803
Marshall	14,318	15,245	Unknown/missing	551,100	

Percent of Tests Positive by County of Residence

Positive number of tests and positivity calculations include only tests reported by labs that report both positive and negative results. Percent positive is the percent of positive tests from the total number of tests by county of residence.



6.4%
% positive statewide (cumulative)



County	% Positive	County	% Positive
Aitkin	6.9%	Martin	7.1%
Anoka	8.2%	McLeod	8.1%
Becker	5.6%	Meecker	7.7%
Beltrami	8.0%	Mille Lacs	8.4%
Benton	7.6%	Morrison	7.6%
Big Stone	4.7%	Mower	6.8%
Blue Earth	6.2%	Murray	7.7%
Brown	6.4%	Nicollet	6.0%
Carlton	4.6%	Nobles	12.3%
Carver	7.3%	Norman	4.2%
Cass	8.1%	Olmsted	5.6%
Chippewa	5.9%	Otter Tail	5.8%
Chisago	7.2%	Pennington	9.0%
Clay	6.6%	Pine	8.1%
Clearwater	9.4%	Pipestone	5.9%
Cook	2.6%	Polk	6.0%
Cottonwood	8.1%	Pope	6.6%
Crow Wing	5.6%	Ramsey	5.7%
Dakota	7.0%	Red Lake	9.6%
Dodge	6.4%	Redwood	6.9%
Douglas	7.7%	Renville	6.2%
Faribault	6.1%	Rice	4.6%
Fillmore	5.2%	Rock	5.5%
Freeborn	6.3%	Roseau	9.2%
Goodhue	6.4%	Scott	7.7%
Grant	6.8%	Sherburne	8.0%
Hennepin	5.8%	Sibley	7.5%
Houston	6.1%	St. Louis	5.1%
Hubbard	8.4%	Stearns	8.0%
Isanti	8.4%	Steele	7.4%
Itasca	8.6%	Stevens	5.9%
Jackson	8.6%	Swift	6.8%
Kanabec	9.1%	Todd	9.5%
Kandiyohi	7.9%	Traverse	5.8%
Kittson	5.8%	Wabasha	5.7%
Koochiching	5.1%	Wadena	6.8%
Lac qui Parle	5.3%	Waseca	7.9%
Lake	4.7%	Washington	6.6%
Lake of the Woods	5.3%	Watonwan	6.9%
Le Sueur	7.4%	Wilkin	8.1%
Lincoln	5.7%	Winona	4.8%
Lyon	8.7%	Wright	8.7%
Mahnomen	6.6%	Yellow Medicine	6.6%
Marshall	10.1%	Unknown/missing	3.7%

Weekly Percent of Tests Positive by County of Residence

Percent of positive tests by county of residence in Minnesota by week of specimen collection. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations. Percent positive is the percent of positive tests from the total number of tests by county of residence.




<2% of tests
 2% to <3% of tests
 3% to <5% of tests
 5% to <7% of tests
 7% to <10% of tests
 10% to <15% of tests
 15% to <20% of tests
 20%+ of tests

Downloadable CSV file of current data for these maps is provided at: Minnesota COVID-19 Weekly Report (<https://www.health.state.mn.us/diseases/coronavirus/stats/index.html>)

Testing Demographics: Age


Number of positive and negative tests by age group. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations, inconclusive test results are not included (inconclusive test results are those that are not clearly positive or negative).



Age Group (in years)	Unk./missing	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	Total
Positive	9,774	27,769	43,606	53,050	70,163	81,549	79,801	78,684	76,398	70,140	61,212	62,105	60,508	52,257	35,385	26,023	18,360	14,063	10,412	6,508	2,492	290	940,549
Negative	194,716	491,193	537,485	491,654	879,294	1,149,262	1,067,417	1,108,356	1,058,473	896,407	766,854	823,729	882,779	830,190	589,996	474,643	369,790	342,119	338,273	262,438	110,082	14,946	13,680,096

Testing Demographics: Gender

Number of positive and negative tests by gender. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations, inconclusive test results are not included (inconclusive test results are those that are not clearly positive or negative).




Gender	Male	Female	Other	Unk./missing	Total
Positive	455,053	478,058	18	7,420	940,549
Negative	5,325,169	8,026,757	37	328,133	13,680,096

Positive COVID-19 Cases

921,249
 Total Positive Cases,
 including Reinfections
 (cumulative)

Total positive cases are represented by the date of positive specimen collection.




■ Tables of current data: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

New Cases by Week, 7-Day Average


Cases by week of specimen collection date, and 7-day moving average of new cases.

New Cases by Week of Specimen Collection

Due to the need to confirm reports and reporting delays, data may be incomplete




Seven Day Moving Average of New Cases



Cases by County of Residence

Cumulative number of positive cases by county of residence, cases no longer needing isolation. Cases no longer needing isolation represents individuals with COVID-19 who no longer need to self-isolate. MDH does not track cases over time to determine whether they have fully recovered.




921,249 Total Positive Cases (cumulative)			881,400 No Longer Needing Isolation (cumulative)		
County	Cases	Cases no longer needing isolation	County	Cases	Cases no longer needing isolation
Aitkin	2,237	2,104	Martin	3,882	3,713
Anoka	64,523	61,673	McLeod	7,182	6,840
Becker	6,304	6,090	Meeker	4,354	4,143
Beltrami	8,195	7,885	Mille Lacs	5,351	5,064
Benton	9,098	8,613	Morrison	6,753	6,527
Big Stone	955	923	Mower	7,363	7,138
Blue Earth	11,542	11,141	Murray	1,527	1,496
Brown	4,717	4,571	Nicollet	5,256	5,013
Carlton	5,498	5,185	Nobles	5,269	5,153
Carver	16,775	16,168	Norman	1,056	1,022
Cass	5,032	4,848	Olmsted	22,502	21,403
Chippewa	2,212	2,101	Otter Tail	9,860	9,430
Chisago	9,995	9,622	Pennington	2,534	2,422
Clay	12,183	11,767	Pine	5,179	4,938
Clearwater	1,587	1,527	Pipestone	1,505	1,449
Cook	313	299	Polk	6,061	5,801
Cottonwood	2,312	2,200	Pope	2,094	1,994
Crow Wing	11,275	10,820	Ramsey	74,470	70,945
Dakota	68,081	65,056	Red Lake	716	691
Dodge	3,643	3,454	Redwood	2,821	2,714
Douglas	7,929	7,505	Renville	2,698	2,582
Faribault	2,594	2,484	Rice	11,505	11,021
Fillmore	3,074	2,953	Rock	1,782	1,712
Freeborn	5,648	5,424	Roseau	3,186	3,046
Goodhue	8,168	7,706	Scott	26,116	25,077
Grant	1,018	956	Sherburne	19,117	18,274
Hennepin	179,781	172,418	Sibley	2,544	2,447
Houston	2,724	2,649	St. Louis	29,764	28,166
Hubbard	3,560	3,429	Stearns	33,805	32,294
Isanti	7,047	6,696	Steele	6,892	6,622
Itasca	7,772	7,407	Stevens	1,693	1,619
Jackson	1,617	1,574	Swift	1,734	1,660
Kanabec	2,518	2,369	Todd	4,941	4,748
Kandiyohi	9,861	9,507	Traverse	607	590
Kittson	736	689	Wabasha	3,774	3,625
Koochiching	1,778	1,621	Wadena	3,047	2,915
Lac qui Parle	1,235	1,161	Waseca	3,759	3,592
Lake	1,336	1,264	Washington	40,846	38,856
Lake of the Woods	526	517	Watonwan	2,000	1,913
Le Sueur	4,605	4,408	Wilkin	1,215	1,175
Lincoln	888	861	Winona	7,116	6,947
Lyon	5,309	5,105	Wright	26,105	25,011
Mahnomen	1,064	1,031	Yellow Medicine	1,892	1,814
Marshall	1,542	1,477	Unknown/missing	569	540

- Up to date data for this chart is provided in the Minnesota Situation Update for Coronavirus Disease 2019 (COVID-19) (<https://www.health.state.mn.us/diseases/coronavirus/situation.html>)
- Confirmed cases by USPS zip code of residence is available as a downloadable CSV file at: Minnesota COVID-19 Weekly Report (<https://www.health.state.mn.us/diseases/coronavirus/stats/index.html>)

Cumulative Case Rate by County of Residence

1,667
cases per 10,000 people



Cumulative number of cases by county of residence per 10,000 people.



County	Cumulative Rate	County	Cumulative Rate
Aitkin	1,413	Martin	1,945
Anoka	1,857	McLeod	2,005
Becker	1,867	Meecker	1,887
Beltrami	1,777	Mille Lacs	2,080
Benton	2,287	Morrison	2,050
Big Stone	1,904	Mower	1,859
Blue Earth	1,740	Murray	1,828
Brown	1,871	Nicollet	1,556
Carlton	1,547	Nobles	2,413
Carver	1,671	Norman	1,610
Cass	1,734	Olmsted	1,470
Chippewa	1,842	Otter Tail	1,700
Chisago	1,826	Pennington	1,787
Clay	1,940	Pine	1,778
Clearwater	1,801	Pipestone	1,639
Cook	589	Polk	1,919
Cottonwood	2,033	Pope	1,907
Crow Wing	1,766	Ramsey	1,375
Dakota	1,628	Red Lake	1,786
Dodge	1,770	Redwood	1,840
Douglas	2,131	Renville	1,833
Faribault	1,867	Rice	1,749
Fillmore	1,472	Rock	1,893
Freeborn	1,850	Roseau	2,061
Goodhue	1,767	Scott	1,822
Grant	1,714	Sherburne	2,050
Hennepin	1,455	Sibley	1,706
Houston	1,460	St. Louis	1,488
Hubbard	1,706	Stearns	2,156
Isanti	1,808	Steele	1,879
Itasca	1,719	Stevens	1,730
Jackson	1,609	Swift	1,843
Kanabec	1,573	Todd	2,022
Kandiyohi	2,312	Traverse	1,819
Kittson	1,697	Wabasha	1,755
Koochiching	1,406	Wadena	2,233
Lac qui Parle	1,823	Waseca	1,999
Lake	1,264	Washington	1,612
Lake of the Woods	1,381	Watonwan	1,823
Le Sueur	1,646	Wilkin	1,915
Lincoln	1,556	Winona	1,399
Lyon	2,055	Wright	1,967
Mahnomen	1,932	Yellow Medicine	1,917
Marshall	1,642		

Weekly Case Rate by County of Residence

Number of cases by county of residence in Minnesota per 10,000 people by week of specimen collection.



Cases Per 10,000 People 0 to <10 (lightest blue), 10 to <25 (light blue), 25 to <50 (medium blue), 50 to <75 (dark blue), 75+ (darkest blue)"/> >0 to <10 10 to <25 25 to <50 50 to <75 75+


Downloadable CSV file of current data for these maps is provided at: Minnesota COVID-19 Weekly Report (<https://www.health.state.mn.us/diseases/coronavirus/stats/index.html>)

Hospitalizations, ICU Hospitalizations

46,416
Total Hospitalizations
(cumulative)

9,224
Total ICU Hospitalizations
(cumulative)

Hospitalization data show how many people required admission to a hospital and ICU. Admissions include all Minnesota cases regardless of location of hospitalization. Cases in residents of other states hospitalized in Minnesota are not included.




Tables of current data: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)


Hospitalizations by Week, 7-Day Average

Cases by week of initial hospitalization, and 7-day moving average of new hospitalizations.

New Hospitalization by Week First Hospital Admission




Seven Day Moving Average of New Hospitalizations




ICU Hospitalizations by Week, 7-Day Average

Cases by week of ICU hospital admission, and 7-day moving average of new ICU hospitalizations.

New ICU Hospitalizations by Week of First ICU Hospital Admission




Seven Day Moving Average of New ICU Hospitalizations



COVID-19 Deaths

9,554
Total Deaths
(cumulative)

Total deaths (also known as total deaths with laboratory testing) are deaths due to COVID-19 with a positive PCR test (confirmed case) or antigen test (probable case) for SARS-CoV-2, and either COVID-19 is listed on the death certificate or clinical history/autopsy findings that provide evidence that the death is related to COVID-19 without an alternative cause (i.e. drowning, homicide, trauma, etc.).




■ Tables of current data and more information about total deaths (also known as total deaths with laboratory testing) and non-laboratory-confirmed deaths: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)


Deaths by Week, 7-Day Average

Cases by week of death, and 7-day moving average of deaths.

Deaths by Week of Death




Seven Day Moving Average of Deaths



Deaths by County of Residence

9,554
Total Deaths (cumulative)

Cumulative number of deaths by county of residence.




County	Deaths	County	Deaths
Aitkin	51	Martin	44
Anoka	585	McLeod	84
Becker	74	Meecker	59
Beltrami	98	Mille Lacs	79
Benton	126	Morrison	80
Big Stone	5	Mower	49
Blue Earth	70	Murray	11
Brown	60	Nicollet	61
Carlton	75	Nobles	54
Carver	69	Norman	9
Cass	53	Olmsted	130
Chippewa	42	Otter Tail	129
Chisago	80	Pennington	30
Clay	107	Pine	43
Clearwater	21	Pipestone	29
Cook	1	Polk	87
Cottonwood	32	Pope	10
Crow Wing	124	Ramsey	1,052
Dakota	589	Red Lake	10
Dodge	12	Redwood	45
Douglas	101	Renville	51
Faribault	35	Rice	139
Fillmore	15	Rock	29
Freeborn	47	Roseau	31
Goodhue	99	Scott	187
Grant	10	Sherburne	128
Hennepin	2,046	Sibley	17
Houston	17	St. Louis	413
Hubbard	49	Stearns	283
Isanti	85	Steele	34
Itasca	99	Stevens	11
Jackson	16	Swift	23
Kanabec	37	Todd	43
Kandiyohi	108	Traverse	6
Kittson	23	Wabasha	10
Koochiching	25	Wadena	40
Lac qui Parle	25	Waseca	33
Lake	24	Washington	364
Lake of the Woods	5	Watonwan	21
Le Sueur	34	Wilkin	16
Lincoln	5	Winona	58
Lyon	61	Wright	223
Mahnomen	14	Yellow Medicine	23
Marshall	22	Unknown/missing	0

Up to date data for this chart is provided in the [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html) (<https://www.health.state.mn.us/diseases/coronavirus/situation.html>)

Demographics: Age

Age groups, median age, and range for cases.

	Median Age (Range) in Years
All Cases	36 (<1 month - 110)
Non-Hospitalized Cases	35 (<1 month - 110)
Hospitalizations	63 (<1 month - 105)
ICU Hospitalizations	63 (<1 month - 105)
Deaths	81 (<1 - 109)




Age Group (in years)	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	Unk./missing	Total
All Cases	28,983	44,562	54,149	70,240	79,450	77,542	77,240	75,919	69,865	60,805	61,733	59,838	51,651	34,753	25,586	17,690	13,171	9,462	5,949	2,206	418	37	921,249
Hospitalizations	439	175	283	718	1,187	1,696	2,074	2,035	2,139	2,434	3,225	3,982	4,577	4,386	4,572	4,087	3,635	2,745	1,511	468	46	2	46,416
ICU Hospitalizations	94	44	57	132	118	189	273	352	390	537	730	887	1,149	1,094	1,057	881	640	383	168	45	2	2	9,224
Deaths	1	2	0	2	8	17	37	50	73	131	229	334	563	703	989	1,174	1,482	1,592	1,377	662	128	0	9,554

Cases by Age Group and Specimen Collection Date

Cases by age group by date of specimen collection in Minnesota.

Due to the need to confirm reports and reporting delays, data may be incomplete




Downloadable CSV file of current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Case Rate in Children by Specimen Collection Date

Cases by age group for children in Minnesota (cases 18 years of age and under) per 10,000 people by date of specimen collection.


Due to the need to confirm reports and reporting delays, data may be incomplete



Hospitalization Rate in Children by Specimen Collection Date


Hospitalizations by age group for children in Minnesota (cases 18 years of age and under) per 10,000 people by date of specimen collection.

Due to the need to confirm reports and reporting delays, data may be incomplete



Demographics: Gender

Gender is collected during case interview and is self-reported.




Gender	Male	Female	Other	Unk./missing	Total
All Cases	443,134	469,672	120	8,323	921,249
Hospitalizations	23,959	22,239	1	217	46,416
ICU Hospitalizations	5,655	3,533	0	36	9,224
Deaths	5,131	4,395	0	28	9,554

Demographics: Race & Ethnicity

Race and ethnicity is reported during case interview. Individuals who report more than one race are categorized into the multiple race category.

Race/Ethnicity	Minnesota Population (2018)	% of Population
White, non-Hispanic	4,438,071	80%
Black, non-Hispanic	336,505	6%
Asian, non-Hispanic	260,797	5%
American Indian/Alaska Native, non-Hispanic	53,168	1%
Native Hawaiian/Pacific Islander, non-Hispanic	1,799	<1%
Multiple Races, non-Hispanic	137,233	2%
Other, non-Hispanic	7,021	<1%
Hispanic	292,764	5%


Case interviews are now prioritized, priority groups include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants. Therefore, not all cases were contacted for interview. If cases were not interviewed, race and ethnicity information from disease reporting is included when available.



Race/ethnicity	White, non-Hispanic	Black, non-Hispanic	Asian, non-Hispanic	Amer. Indian/AK Native, NH	Native HI/Pacific Isl., NH	Multiple Races, non-Hispanic	Other, non-Hispanic	Hispanic	Unknown/missing	Total
All Cases	640,519	66,627	34,895	11,299	1,122	18,248	16,376	68,092	64,071	921,249
Hospitalizations	32,187	4,846	2,132	882	70	1,137	492	3,236	1,434	46,416
ICU Hospitalizations	6,057	961	585	237	15	229	106	776	258	9,224
Deaths	8,068	465	356	155	11	99	28	293	79	9,554

Age-Adjusted Race & Ethnicity Rates

Age-adjusted rates allow us to compare rates for racial and ethnic groups that have very different age distributions in Minnesota; they essentially allow us to look at what the rates would be if the underlying population age distribution was the same for all races. Rates have been suppressed when total cases are less than 25. Cumulative case rate is the number of cases by race or ethnicity per 100,000 people in Minnesota. Case interviews are now prioritized, priority groups include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants. Therefore, not all cases were contacted for interview. If cases were not interviewed, race and ethnicity information from disease reporting is included when available.



Age adjusted race/ethnicity	White, non-Hispanic	Black, non-Hispanic	Asian, non-Hispanic	American Indian/Alaskan Native, NH	Native Hawaiian/Pacific Islander, NH	Multiple Races, non-Hispanic	Hispanic
All Cases	13,203	15,669	10,385	16,649	34,288	19,208	22,784
Hospitalizations	533	1,626	931	1,576	2,960	2,365	1,598
ICU Hospitalizations	99	358	280	421	-	461	421
Deaths	122	275	222	363	-	318	265

Potential Exposure in Child Care Settings

Cases of COVID-19 among children who attended child care with potential exposure in child care settings by specimen collection date. Data also include hospitalizations, ICU hospitalizations, and deaths of attendees and staff associated with a childcare program. All adult cases are not routinely interviewed. Child care programs included: licensed child care centers, certified centers, summer day camps, and school-age care during peacetime emergency. Does not include in-home child cares. Cases by week are by specimen collection date.

6,336
Total Child Care Attendees (cumulative)

30
Total Hospitalized Child Care-affiliated Attendee Cases (cumulative)


8
Total ICU Hospitalized Child Care-affiliated Attendee Cases (cumulative)

0
Total Child Care-affiliated Attendee Deaths (cumulative)

100
Total Hospitalized Child Care-affiliated Staff Cases (cumulative)

7
Total ICU Hospitalized Child Care-affiliated Staff Cases (cumulative)

1
Total Child Care-affiliated Staff Deaths (cumulative)



Student Cases Associated with Pre-K through Grade 12

School Buildings

Cases of COVID-19 associated with students attending school and hospitalizations, ICU hospitalizations, and deaths of staff working at a prekindergarten through grade 12 building while they were able to spread COVID-19. All adult cases are not routinely interviewed. These numbers include cases exposed in a school setting, cases exposed in other settings, and cases where the exposure setting was not confirmed. All Minnesota schools are represented including public, nonpublic, and tribal schools. Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

43,197
Total PreK-12 Student Cases (cumulative)

179
Total Hospitalized PreK-12-affiliated Student Cases (cumulative)

23
Total ICU Hospitalized PreK-12-affiliated Student Cases (cumulative)

2
Total PreK-12-affiliated Student Deaths (cumulative)


282
Total Hospitalized PreK-12-affiliated Staff Cases (cumulative)

57
Total ICU Hospitalized PreK-12-affiliated Staff Cases (cumulative)

18
Total PreK-12-affiliated Staff Deaths (cumulative)

Starting this week, MDH changed the process for identifying Pre-K through Grade 12 cases to help will reduce the amount of time between when a school case is reported and when it is marked as a K-12 related case.

Due to the need to confirm reports and reporting delays, data may be incomplete




A list of School buildings reporting 5 or more cases of COVID-19 in students who were in the building while infectious during a two-week reporting period by county is available in the COVID-19 Weekly Report (<https://www.health.state.mn.us/diseases/coronavirus/stats/index.html>)

Minnesota IHE Facilities Reporting Cases

154
Total IHE Facilities that have Reported at Least One Case (cumulative)

Number of facilities that have had cases of COVID-19 in faculty, staff, and students working or enrolled at a Minnesota IHE while they were potentially exposed to or able to spread COVID-19. IHE include colleges, universities, and private career schools. Number of IHE Facilities reporting cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

Due to the need to confirm reports and reporting delays, data may be incomplete



The IHE facility data will be changing in the coming weeks. This information is no longer collected for all cases.


Cases per IHE facility	Number of IHEs reporting cases 11/14-11/27/21
1-10 cases	35
11-30 cases	9
31-99 cases	0
≥100 cases	0
Total	44

Resident Cases Associated with Congregate Care Settings

Cases of COVID-19 associated with residents living in congregate settings by specimen collection date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component.

27,617
Total Congregate Care Residents
(cumulative)

4,963
Deaths among cases that resided in long-term
care or assisted living facilities (cumulative)




A list of congregate care facilities reporting an exposure in the last 28 days from a case in a resident, staff person, or visiting provider and a cumulative list of long-term care facilities reporting a case in a resident, staff person, or visiting service provider are available on: [Minnesota Situation Update for Coronavirus Disease 2019 \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

SARS-CoV-2 Variants Circulating in Minnesota

Lineage distribution of SARS-CoV-2 variants in Minnesota. The line indicates number of specimens sequenced, while the bars show proportions of each variant identified.

SARS-CoV-2 Variants of Concern (VOC) are named using the World Health Organization (WHO) naming conventions, Variants of Interest (VOI) are included as a group. More information about naming variants can be found at [WHO: Tracking SARS-CoV-2 variants \(https://www.who.int/en/activities/tracking-SARS-CoV-2-variants/\)](https://www.who.int/en/activities/tracking-SARS-CoV-2-variants/)




WHO Label
 ■ Other
 ■ VOIs
 ■ Alpha
 ■ Delta
 ■ Beta
 ■ Gamma

Variant Distribution Since 10/17/2021*		
Delta	B.1.617.2	82.69%
	AY.3	16.98%
	AY.1	0.03%
VOIs	B.1.526	0.01%
Other	Other	0.29%

*All VOI and VOC are included in this list, as well as any lineages that account for ≥1% of all specimens sequenced since 10/17/2021. All other lineages are included in the 'Other' category.

SARS-CoV-2 Variants by Region

This map shows the distribution of variants across regions in the past 30 days for the cases that have been sequenced.




A map of counties included in regions can be found at [Map of Field Services Epidemiologists \(https://www.health.state.mn.us/about/org/idepc/epis.html\)](https://www.health.state.mn.us/about/org/idepc/epis.html).

Region & Variant	Variant %	Region & Variant	Variant %
Northwest		Northeast	
Alpha	0.0%	Alpha	0.0%
Beta	0.0%	Beta	0.0%
Delta	99.8%	Delta	99.8%
Gamma	0.0%	Gamma	0.0%
Other	0.2%	Other	0.2%
VOIs	0.0%	VOIs	0.0%
West Central		Central	
Alpha	0.0%	Alpha	0.0%
Beta	0.0%	Beta	0.0%
Delta	99.8%	Delta	99.5%
Gamma	0.0%	Gamma	0.0%
Other	0.2%	Other	0.5%
VOIs	0.0%	VOIs	0.0%
Southwest		Southeast	
Alpha	0.0%	Alpha	0.0%
Beta	0.0%	Beta	0.0%
Delta	99.5%	Delta	99.7%
Gamma	0.0%	Gamma	0.0%
Other	0.5%	Other	0.3%
VOIs	0.0%	VOIs	0.0%
Metro			
Alpha	0.0%		
Beta	0.0%		
Delta	99.7%		
Gamma	0.0%		
Other	0.3%		
VOIs	0.0%		

Vaccine Breakthrough (VBT) Cases

Vaccine breakthrough cases are defined as Minnesota residents with a positive COVID-19 test result (PCR or antigen) with a symptom onset date (or collection date if asymptomatic) 14 or more days after they have completed all recommended doses of a COVID-19 vaccine. VBT data has a lag period of one month for reporting purposes and excludes the rates prior to May since vaccine was not readily available to all Minnesotans prior to that date.

The rate per 100,000 people is calculated as the number of fully vaccinated people who test positive for SARS-CoV-2 divided by the total number of fully vaccinated people, multiplied by 100,000.



3,281,073
Total number of fully vaccinated Minnesotans age 12 and older (as of the week beginning 10/24)

94,671
Total VBT Cases (cumulative)


All VBT data in this report is as of 11/29/21

More information about vaccine breakthrough, and data updated every Monday are available on: [COVID-19 Vaccine Breakthrough Weekly Update](https://www.health.state.mn.us/diseases/coronavirus/stats/vbt.html) (www.health.state.mn.us/diseases/coronavirus/stats/vbt.html)


VBT Hospitalizations and Deaths

These graphs show the rate of hospitalization and death among vaccinated and unvaccinated COVID-19 cases since vaccine was widely available to the general adolescent and adult population in May 2021. Fully vaccinated is defined as 14 or more days after they have completed all recommended doses of a COVID-19 vaccine.

3,922
Total VBT Cases Hospitalized (cumulative)




655
Total VBT Deaths (cumulative)




VBT Cases, Hospitalizations, and Deaths by Age Group

These graphs show vaccine breakthrough cases stratified by age to better illustrate the impact of COVID-19 across different age groups. Fully vaccinated is defined as 14 or more days after they have completed all recommended doses of a COVID-19 vaccine.


Cases: Rate by age group per 100,000 Week starting: 5/2/2021 to 10/24/2021



Hospitalizations: Rate by age group per 100,000 Week starting: 5/2/2021 to 10/24/2021




Deaths: Rate by age group per 100,000 Week starting: 5/2/2021 to 10/24/2021




VBT Cases among Health Care Workers

These data are for all vaccine breakthrough cases who reported their occupation as health care staff in acute care or congregate care facilities. Vaccine breakthrough cases are defined as Minnesota residents with a positive test result (both confirmed and probable) with onset date (or specimen collection date if asymptomatic) 14 or more days post full vaccine series and no positive COVID-19 result in the 90 days prior to their COVID infection.

6,957
VBT Cases among Health Care Workers
(cumulative)




Response Metrics: Testing and Interview Timing



Median number of days from specimen collection to testing (cumulative): **1**

As of 10/28/21 not all cases are interviewed. Cases prioritized for interview include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants.

Seven day moving average of median days from specimen collection to testing





Syndromic Surveillance

These syndromic surveillance data come from the Encounter Alert Service (EAS), which is utilizing an existing service to support and leverage the development of this activity. These data provide situational awareness to help inform public health decision making, resource allocation, and other actions.

Syndromic surveillance is a type of public health surveillance that uses near real-time data to help identify unusual activity that might need further investigation. These data help public health officials detect, monitor, and respond quickly to local public health threats and events of public health importance. The Minnesota Department of Health is currently using data on COVID-19-related symptoms and chief complaints reported during emergency department and inpatient hospital visits to identify trends. This data can provide an early signal that something is happening in a community with the outbreak even if case counts are not increasing at that time.

Data include emergency-department and inpatient hospital visits for COVID-like illness through November 27, 2021. Categories are based upon discharge diagnosis codes. Beginning with the November 27, 2020 Weekly COVID-19 report, conditions are reported from week 30 (July 20, 2020) forward due to a transition in data sources. The gray bar indicates a one week lag period in the data.

Through November 27, 2021, these data represent all patients from about 130 hospitals in Minnesota, covering approximately 88% of the hospital beds statewide. Efforts are underway to expand hospitals to more fully represent the state.




Map of Counties and Infectious Disease Surveillance Regions can be found on: [Field Services Epidemiologists \(https://www.health.state.mn.us/about/org/idepc/epis.html\)](https://www.health.state.mn.us/about/org/idepc/epis.html)

Demographics: Interview Language (Archived)

Language needs for cases interviewed by specimen collection date week. It is assumed that any interview recorded as not needing an interpreter was conducted in English.

This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.




Language	Total % of Interviews
Mandarin	<1%
Cantonese	<1%
Russian	<1%
Arabic	<1%
Vietnamese	<1%
Laotian	<1%
Amharic	<1%
Oromo	<1%
Hmong	<1%
Karen	<1%
Somali	1%
Spanish	4%
English	94%
Other	<1%

Interview Language by County of Residence (Archived)

Percent of interviews by language and week of specimen collection by county of residence.


This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.



Likely Exposure (Archived)

Likely exposure for confirmed and probable cases. Exposure data is collected at case interview. Cases are categorized according to a hierarchy following the order of exposure type: outbreak, travel, LTC staff and residents, corrections, homeless shelter, acute health care, community-exposure with known contact, community-no known exposure.

This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.




Likely Exposure	Travel (outside MN)	Congregate Care	Corrections	Homeless/ Shelter	Health Care	Community (outbreak)	Community (known contact)	Community (no known contact)	Unk./missing	Total
All Cases	48,385	47,534	9,494	1,633	18,857	26,998	137,408	152,229	325,574	768,112
Hospitalizations	1,685	5,664	196	318	620	1,021	4,791	11,383	14,684	40,362
ICU Hospitalizations	342	1,098	45	51	82	217	973	2,308	3,071	8,187
Deaths	117	4,901	14	15	25	69	467	1,095	1,812	8,515

- Community (outbreak): Case was exposed to a known outbreak setting in Minnesota that is not also a congregated living setting (e.g., long-term care, corrections, shelter) or health care setting. This includes restaurant/bars, sports, worksites that are not living settings, etc.
- Travel: Case traveled outside of Minnesota in the 2 weeks before illness.
- Congregate Care Setting: Residents, and staff who are not part of a non-congregate care setting outbreak and did not have an exposure to a positive household member. Congregate care settings include long-term care facilities (LTCF), assisted living facilities, group homes, or residential behavioral health (RBH) facilities.
- Corrections: Inmates who were exposed while incarcerated, and staff of a jail/prison setting who are not part of a non-corrections outbreak and did not have an exposure to a positive household member.
- Homeless/Shelter: Residents/guests, and staff who are not part of a non-shelter outbreak and did not have an exposure to a positive household member.
- Health Care: Patients who were part of nosocomial outbreaks, and staff who are not part of a non-acute health care setting outbreak and did not have an exposure to a positive household member.
- Community (known contact with confirmed case): Case has a known exposure to a positive case and does not fit into any of the previous categories.
- Community (unknown contact with confirmed case): Case has no known exposure to a positive case and does not fit into any of the previous categories.

Cases by Likely Exposure and Specimen Collection Date (Archived)


Cases by likely exposure by specimen collection date. This chart shows how exposure to COVID-19 has changed over time during the pandemic in Minnesota. Numbers include confirmed and probable cases.



Residence Type (Archived)

Cases by residence type. Residence type is collected during case interview and is self-reported. Numbers include confirmed and probable cases.

This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.



Residence Type	Private Residence	Hotel/Motel	Long-term Care/ Assisted Liv.	Group Home/ RBH	Homeless (sheltered)	Homeless (unsheltered)	Jail/Prison	College/ Uni./Camp Dorm	Work Dorm	Other	Unk./ missing	Total
All Cases	414,713	485	19,966	4,269	892	219	7,334	2,180	46	376	317,632	768,112

Cases among Health Care Workers (Archived)

This data is for all cases who reported their occupation as health care staff in acute care or congregate care facilities. Not all cases who are health care workers were exposed at work. Numbers include confirmed and probable cases.


This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

48,946
Total Health Care Workers
(cumulative)

1,247
Total Health Care Staff Hospitalized
(cumulative)

207
Total Health Care Staff Hospitalized in ICU
(cumulative)

47
Total Health Care Staff Deaths
(cumulative)



High Risk Exposures in Health Care Workers (Archived)

MDH works with health care facilities to monitor health care workers who have had high-risk exposures with known positive patients/residents, co-workers, or social contacts. This data shows high-risk exposures experienced by health care workers in Minnesota who have been in contact with individuals with confirmed COVID-19 and the percent of exposures that lead to a positive test within 14 days of high-risk exposure (coworker, household/social, patient or resident). This data does not capture the exposures of all health care workers who become COVID-19 cases.

16,816
Total High Risk Health Care Worker Exposures (cumulative)

The data shown here summarizes high-risk exposures that occurred from March 6, 2020 – October 20, 2021.

Health care workers had 16,816 documented high-risk exposures

52% exposures happened at home or in the community


48% of exposures occurred at work

1,667
Total High Risk Health Care Worker Exposures Resulting in a Positive Test (cumulative)

Risk of infection was highest after exposure at home or in the community

13% HCW tested positive after exposure to a positive household member or social contact

6% HCW tested positive after an exposure at work



Staff with Potential Exposure in Child Care Settings (Archived)

Cases of COVID-19 with potential exposure in child care settings by specimen collection date. Cases included staff that attended a child care program while infectious, or who test positive and attended a child care program that reported a confirmed case in the past 28 days. Child care programs included: licensed child care centers, certified centers, summer day camps, and school-age care during peacetime emergency. Does not include in-home child cares. Cases by week are by specimen collection date. Numbers include confirmed and probable cases.

This information is no longer collected for staff in child care settings. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

4,083
Total Child Care Staff (cumulative)


90
Total Hospitalized Child Care-affiliated Staff Cases (cumulative)

7
Total ICU Hospitalized Child Care-affiliated Staff Cases (cumulative)

0
Total Child Care-affiliated Staff Deaths (cumulative)

1,902
Total Child Care Programs (cumulative)

Cases per program	Programs	Percent
1 case	645	34%
2-4 cases	630	33%
≥5 cases	627	33%



Due to the need to confirm reports and reporting delays, data may be incomplete

Staff Cases Associated with Pre-K through Grade 12 School Buildings (Archived)

Cases of COVID-19 associated with school staff working in school at a prekindergarten through grade 12 building while they were able to spread COVID-19. These numbers include cases exposed in a school setting, cases exposed in other settings, and cases where the exposure setting was not confirmed. All Minnesota schools are represented including public, nonpublic, and tribal schools. Numbers include confirmed and probable cases.

This information is no longer collected for staff in Pre-K through Grade 12 Schools. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.


Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

10,773
Total PreK-12 School Staff Cases (cumulative)

235
Total Hospitalized PreK-12-affiliated Staff Cases (cumulative)

47
Total ICU Hospitalized PreK-12-affiliated Staff Cases (cumulative)

13
Total PreK-12-affiliated Staff Deaths (cumulative)




PreK-12 School Buildings Reporting Cases (Archived)

Schools included are public, non-public, and tribal schools. Number of school buildings reporting cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020. Numbers include confirmed and probable cases.

This data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

2,560
Total PreK-12 School Buildings Reporting Cases (cumulative)



Cases per building	Number of buildings reporting cases 10/3-10/16/21
1 case	405
2-4 cases	324
≥5 cases	99
Total	828

A list of School buildings reporting 5 or more cases of COVID-19 in students who were in the building while infectious during a two-week reporting period by county is available in the [Minnesota Situation Update for Coronavirus Disease 2019 \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Cases that have an Affiliation with Institutes of Higher Education (IHE) (Archived)

Cases of COVID-19 affiliated with faculty, staff, and students working or enrolled at a Minnesota Institute of Higher Education (IHE) while they were potentially exposed to or able to spread COVID-19. IHE include colleges, universities, and private career schools. Numbers include confirmed and probable cases.

Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.


This data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

20,785 Total IHE-affiliated Cases (cumulative)	
Cases infectious while on campus (cumulative)	6,920
Cases living on campus (cumulative)	3,157

183
Total Hospitalized IHE-affiliated Cases
(cumulative)

22
Total ICU Hospitalized IHE-affiliated Case
(cumulative)

7
Total IHE-affiliated Deaths
(cumulative)




Staff Cases Associated with Congregate Care Settings (Archived)

Cases of COVID-19 associated with staff living in congregate settings by specimen collection date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component. Numbers include confirmed and probable cases.

This information is no longer collected for staff in Congregate Care Settings. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

24,127
Total Congregate Care Staff
(cumulative)



Congregate Care Facility Outbreaks (Archived)


Congregate care facilities with confirmed cases in residents, staff, and visiting providers by specimen date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component. Numbers include confirmed and probable cases.

4,411
Total Congregate Care Facilities (cumulative)

Confirmed cases per facility	Number of facilities
1-2 case	1,961
3-20 cases	1,854
≥21 cases	596

This data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

Due to the need to confirm reports and reporting delays, data may be incomplete



Type of facility	Number of outbreak facilities	Number of resident cases	Number of staff cases	Number of deaths in resident cases	Number of facilities with active outbreaks	Percent of outbreak facilities still experiencing an active outbreak
Skilled Nursing Facilities and Transitional Care Units	368	12,715	12,395	3,110	210	57%
Assisted Living and Memory Care Facilities	1,081	8,758	7,185	1,584	209	19%
Group Homes and Adult Foster Care Facilities	2,738	2,863	4,862	116	136	5%
Other Congregate Care Settings	265	1,648	1,527	24	41	15%

A list of congregated care facilities reporting an exposure in the last 28 days from a case in a resident, staff person, or visiting provider and a cumulative list of long-term care facilities reporting a case in a resident, staff person, or visiting service provider are available on: [COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)