

Gaariga Cuntada wareegta

Mobile Food Unit

DIB U EEGISTA QORSHAHA, SHATIYEYNTA IYO SHAQADA BADQABKA LEH

PLAN REVIEW, LICENSING AND SAFE OPERATION

Somali

Qeexitaanka MFU

Gaariga Cuntada wareegta (MFU) waa xarun bixisa adeegga cuntada iyo cabitaanka oo ah qayb gaari ku dhisan, kaasoo ah midkood:

- Mid matoor ku socda ama la riixo, shaqeeyana wax aan ka badnayn 21 maalmood sanadkii kuna shaqeeya hal meel un, ama shaqeeya wax ka badan 21 maalmood sanadkii kuna shaqeeya meel ay ogolaansho siisay maamulka sharciyaynta.

AMA

- Meel ku shaqaysa xariirka goob ganacsi rasmi ah oo ruqsad haysata sida ku cad Xeerka Minnesota, cutubyada 157 ama 28A ee goobta ganacsiga rasmiga ah uuna leeyahay isku qof ama shirkad, una diyaarsan o la kaxayn karo, ayadoon la furfurin, si meel kale loogu raro.

Sida loo bilaabo

Goobaha cuntada iyo cabitaannada ee gudaha Minnesota oo ruqsado ka haysta wakaaladaha kaladuwan ee Minnesota. Dookhyada xarumaha iyo shaqada goobta ayaa go'aamiso wakaalada masuulka ah dib u eegista qorshaha iyo ruqsadaynta. Si aad u ogaato wakaalada masuulka ah, fiiri webseedka [Ruqsadaynta \(Licensing\)](#). La xariir wakaalada ku haboon si aad ugala hadasho qorshaha ganacsigaaga, dib u eegista

English

Definition of MFU

A mobile food unit (MFU) is a food and beverage service establishment that is a vehicle mounted unit, either:

- Motorized or trailered, operating no more than 21 days annually at any one place, or operating more than 21 days annually at any one place with the approval of the regulatory authority.

OR

- Operated in conjunction with a permanent business licensed under Minnesota Statutes, chapters 157 or 28A at the site of the permanent business by the same individual or company, and readily movable, without disassembling, for transport to another location.

How to get started

Food and beverage establishments in Minnesota are licensed by different agencies. The establishment's menu and location of operation determines which agency is responsible for plan review and licensing. To find out which agency is responsible, see the [Licensing](#) website. Contact the appropriate agency to discuss your business plan, plan review and licensing requirements, and obtain applications.

qorshaha iyo shuruudaha ruqsadaynta, aadna u hesho codsiyada.

Shaqo amaan ah

Caafimaadka iyo nadaafada shaqaalaha

Shaqaalaha jiran ee qaba mataga iyo/ama shubanka kama shaqayn karaa xarunta cuntada ugu yaraan 24 saac kadib markay bogsoodaan.

Farxalka

Farxalka ayaa ah qaabka keliya ee ugu haboon ee kahortaga faafida bakteeriyada iyo fayraska keeni kara cudur cuntada ka dhasha.

- Xaqiiji in waaskada farxalku diyaar yahay kahor intaadan bilaabin diyaarinta cuntadaada. Ka dhig mid ay si fudud ku heli karaan dhammaan shaqaalaha oo u adeegso keliya farxalka.
- Waaskooyinka farxalku waxay u baahan yihiin biyo socda, saabuun, iyo shukumaan la tuuri karo iyo qasaca qashinka.
- Si joogto ah u farxalo. Waa muhiim inaad farxalato kahor intaadan ka shaqayn cuntada, aadan nadiifin qalabka iyo maacuunta; kadib markaad sigaar cabto, aad cunto ama cabitaan cabto, ama aad gasho musqusha; ama xili kasta oo ay gacmaha fuulaan jeermis.

Kahortaga ku taabashada gacmo qaawan

Ka ilaali gacmo qaawan in lagu taabto cuntada u diyaarsan in la cuno adoo xiranaaya gacmo gashiyada la tuuri karo ama adeegsanaaya malgacad, tiishka deeli, qaado

Safe operation

Employee health and hygiene

Employees who have been ill with vomiting and/or diarrhea cannot work in a food establishment for at least 24 hours after their symptoms end.

Handwashing

Handwashing is the single most effective means of preventing the spread of bacteria and viruses, which can cause foodborne illness.

- Ensure your handwashing sink is set up before you begin food preparation. Make it easily accessible to all employees and use it only for handwashing.
- Handwashing sinks need running water, soap, disposable towels and a trash container.
- Wash hands often. It is important to wash your hands before working with food, clean equipment and utensils; after smoking, eating or drinking, or using toilet facilities; or any time hands become contaminated.

Preventing bare hand contact

Prevent bare hand contact with ready-to-eat food by wearing disposable gloves or using utensils, deli tissue, spatulas, tongs or other dispensing equipment.

malaas ah, istiraasho ama qalab kale oo cuntada lagu guro.

Ilaha cunada la ansixiyay

Ka qaadashada cuntada, cabitaanka iyo barafka ilo aqoonsi leh ayaa ah talaabada Koobaad ee Xaqiijinta Badqabka Cuntada ee Macaamiishaada.

- Ku diyaari cuntada MFU ama haddii aad u baahan tahay inaad xili hore sii diyaariso la xariiri kormeerahaaga si aad ugala hadasho ku diyaarinta cuntada meel ka baxsan xarunta.
- Cuntada laguma diyaarin karo ama lama dhigi karo guriga.
- Biyuhu waa inay ka yimaadaan il la ansixiyay. Ilaha la ansixiyay qaarkood ayaa ah nidaamka biyaha ee Dadwaynaha ama biyaha dhalooyinka ku jira ee ganacsiga.

Nadiifi oo kala saar

Nadiifinta iyo jeermis dilida

Qalabka sumaysan ayaa ah hal sabab oo badanaa sababta xanuunka cuntada ka dhasha. Bixi sadex qasac oo leh xajmi ku filan in lagu dhaqo, lagu biyo raacsho laguna sifeeyo qalabka.

1. **Ku dhaq** biyo kulul, oo saabuun leh.
2. **Ku biyo raaci** biyo nadiif ah.
3. **Ku sifee** kiimikooyin.

Adeegso nadiifiyaasha kiimikada la ansixiyay sida jiiga koloriinta, kuwaatenari amoodiyam (quaternary ammonium) ama aayodhiin. Mar kasta raac tilmaamaha cabirka. Adeegso xooga loo baahan yahay ee dareeraha jeermis dilaha iyo waqtiga la rabo inuu meesha marsanaado. U adeegso kiishada

Approved sources

Obtaining food, beverages and ice from approved sources is the first step in ensuring safe food for your customers.

- Prepare food in the MFU or if you need to prepare food in advance contact your inspector to discuss off site preparation.
- Food cannot be prepared or stored in a home.
- Water must be from an approved source. Some approved sources are a public water supply system or commercially bottled drinking water.

Clean and separate

Cleaning and sanitizing

Contaminated equipment is one common cause of foodborne illness. Provide three containers of sufficient size to wash, rinse and sanitize equipment.

1. **Wash** in hot, soapy water.
2. **Rinse** in clean water.
3. **Sanitize** in chemicals.

Use approved chemical sanitizers such as chlorine bleach, quaternary ammonium or iodine. Always follow label instructions. Use the required sanitizer solution strength and contact time. Use a test kit to verify the sanitizer concentration.

tijaabada si aad u xaqiijiso baraxa jeermis dilaha.

Kahortaga isku gudbinta jeermiska

Ka ilaali in cuntada u diyaarsan in la cunto ku sumoowdo taabashada cuntada xoolaha ee ceeriinka ah ama qalabka wasaqda ah.

- Ku xaree hilibka ceeriinka ah, digaaga iyo kaluunka hoosta cuntada diyaarsan ee bisil.
- U xaree oo u qaad barafka si badqab leh. Barafka loo adeegsado qaboojinta qasacyada cabitaanka waa in biyaha ka dhalaala bulaacada lagu daraa. Dib ha ugu isticmaalin biyaha barafka ka dhalaala diyaarinta cuntada ama cabitaanka.
- Ku xaree maryaha istiraashada ama tirtista ee qoyan ama wasaqaysan nadiifiye la ogol yahay oo leh awooda loo baahan yahay.

Ilaalinta Waqtiga/Heerkulka Karinta si loo fayo-dhowro Cuntada (TCS)

Ku kari cuntada xoolaha ee ceeriinka ah si waafaqsan [Shuruudaha Waqtiga iyo Heerkulka Gudaha \(Temperature and Time Requirements\) \(PDF\)](#). Kuwaan waxaa kamid ah:

- 165°F ood 15 sikin ku haynayso digaaga
- 155°F ood 15 sikin ku haynayso hilibka shiidan
- 145°F ood 15 sikin ku haynayso hilibka guud ee muruqa iyo kaluunka

Qaboow iyo kulayl ku haynta

Heerkullada haynta ee aan saxda ahayn iyo waqtiyada ayaa ah hal sabab oo ugu badan xanuun cuntada ka dhasha.

Preventing cross-contamination

Prevent cross-contamination of ready-to-eat food from raw animal food or dirty equipment.

- Store raw meat, poultry and fish below ready-to-eat food.
- Store and handle ice safely. Ice used to cool beverage containers must be drained. Do not re-use this ice in drinks or food preparation.
- Store damp or soiled wiping cloths in an approved sanitizer at the required strength.

Cooking time/temperature control for safety (TCS) food

Cook raw animal food according to the internal [Temperature and Time Requirements \(PDF\)](#). These include:

- 165°F for 15 seconds for poultry
- 155°F for 15 seconds for ground meat
- 145°F for 15 seconds for whole muscle meat and fish

Cold and hot holding

Improper holding temperatures and times are one common cause of foodborne illness.

- Cuntada TCS ee qaboow ha ahaato 41°F ama hoos. Cuntada barafka laga dhigay waa inay baraf ahaato.
- Cuntada kulul ha ahaato 135°F ama heer ka sareeya.
- Maintain cold TCS food at 41°F or below. Frozen food must remain frozen.
- Maintain hot TCS food at 135°F or above.

Macluumaadka (Resources)

[Minnesota Department of Health Food Business Safety \(www.health.state.mn.us/foodbizsafety\)](http://www.health.state.mn.us/foodbizsafety)

[Licensing \(www.health.state.mn.us/communities/environment/food/license/index.html\)](http://www.health.state.mn.us/communities/environment/food/license/index.html)

[Temperature and Time Requirements for Food \(PDF\) \(https://www.health.state.mn.us/communities/environment/food/docs/fs/timetempfs.pdf\)](https://www.health.state.mn.us/communities/environment/food/docs/fs/timetempfs.pdf)

[Shuruudaha Waqtiga iyo Heerkulka Gudaha \(Temperature and Time Requirements \(PDF\) \(www.health.state.mn.us/communities/environment/food/docs/fs/timetempfsso.pdf\)](http://www.health.state.mn.us/communities/environment/food/docs/fs/timetempfsso.pdf)

[Mobile Food Unit, Seasonal Temporary Food Stand and Seasonal Permanent Food Stand Construction Guide \(PDF\) \(https://www.health.state.mn.us/communities/environment/food/docs/license/mobseconstgd.pdf\)](https://www.health.state.mn.us/communities/environment/food/docs/license/mobseconstgd.pdf)

[Tusmada dhismaha gaariga cuntada wareegta, miiska ku meel gaarka ah ee cuntada xiliyada gaarka ah, iyo miiska cunto xiliyeedka rasmiga ah \(Mobile Food Unit, Seasonal Temporary Food Stand and Seasonal Permanent Food Stand Construction Guide \(PDF\) \(www.health.state.mn.us/communities/environment/food/docs/license/mobseconstgdso.pdf\)](http://www.health.state.mn.us/communities/environment/food/docs/license/mobseconstgdso.pdf)

Minnesota Department of Health
Food, Pools, and Lodging Services
PO Box 64975
St. Paul, MN 55164-0975
651-201-4500
health.foodlodging@state.mn.us
www.health.state.mn.us

JANAAYO 2019

Si aad xogtan ugu hesho qaab kale, wac: 651-201-4500 or 651-201-6000..

Minnesota Department of Agriculture
Food and Feed Safety Division
625 Robert Street N
St. Paul, MN 55155-2538
651-201-6027 or 1-800-697-AGRI
MDA.FFSD.Info@state.mn.us
www.mda.state.mn.us

JANUARY 2019

To obtain this information in a different format, call: 651-201-4500 or 651-201-6000.