

Office of the Revisor of Statutes

Administrative Rules



TITLE: Adopted Permanent Rules Governing Lead Standards

AGENCY: Department of Health

REVISOR ID: R-4694

MINNESOTA RULES: Chapter 4761

Document Number: 234271
Filed on February 2, 2023
Office of the Minnesota
Secretary of State, Steve Simon

The attached rules are approved for
filing with the Secretary of State

A handwritten signature in cursive script, reading "Sandy Glass-Sirany".

Sandy Glass-Sirany
Senior Assistant Revisor

1.1 **Department of Health**

1.2 **Adopted Permanent Rules Governing Lead Standards**

1.3 **4761.2510 STANDARDS FOR LEAD IN PAINT, DUST, BARE SOIL, DRINKING**
1.4 **WATER.**

1.5 *[For text of subpart 1, see Minnesota Rules]*

1.6 Subp. 2. **Dust.** Dust is lead-contaminated if atomic absorption spectrophotometry or
1.7 quantitative chemical analyses determines that it contains at least:

1.8 A. ten micrograms of lead per square foot on an interior hard-surfaced floor or
1.9 carpet;

1.10 B. 100 micrograms of lead per square foot on an interior window sill; or

1.11 C. 400 micrograms of lead per square foot in a window trough.

1.12 *[For text of subparts 3 and 4, see Minnesota Rules]*

1.13 ~~Subp. 5. **Federal standards govern.** Notwithstanding the standards established in~~
1.14 ~~this part, compliance with this chapter requires compliance with the more protective standards~~
1.15 ~~for detecting lead in paint, dust, or bare soil, if any, in Code of Federal Regulations, title~~
1.16 ~~40, part 745, subpart L. A "more protective standard" means a standard that establishes a~~
1.17 ~~lower threshold than this part for detecting lead in paint, dust, or bare soil.~~

Document Number: 234271
Filed on February 2, 2023
Office of the Minnesota
Secretary of State, Steve Simon