Rum River Watershed (RRW)

Groundwater Restoration and Protection Strategies Report



July 2020 GRAPS Report #11



Rum River Watershed Groundwater Restoration and Protection Strategies Report

Minnesota Department of Health Source Water Protection Unit PO Box 64975, St. Paul, MN 55164-0975 (651) 201-4695 <u>carrie.raber@state.mn.us</u> <u>www.health.state.mn.us</u>

Upon request, this material will be made available in an alternative format such as large print, Braille, or audio recording. Printed on recycled paper.



The development of the GRAPS report was funded by money received from the Clean Water Fund through the Clean Water, Land, and Legacy Amendment. The goal of the Clean Water Fund is to protect, enhance, and restore Minnesota's lakes, rivers, streams, and groundwater.

Contributors

The following agencies dedicated staff time and resources toward the development of the Rum River Watershed GRAPS report:

- Minnesota Board of Water and Soil Resources (BWSR)
- Minnesota Department of Agriculture (MDA)
- Minnesota Department of Health (MDH)
- Minnesota Department of Natural Resources (DNR)
- Minnesota Pollution Control Agency (MPCA)

Photo Credit: The photo on the front page is in the Rum River Watershed, courtesy of the MPCA.

Summary

Groundwater is an important resource in the Rum River Watershed (RRW) One Watershed One Plan (1W1P) planning effort¹. Groundwater use has been trending upward since 1991. More than 63 percent of groundwater withdrawn is for public water supply use, with approximately 15 percent used for agricultural irrigation as the second largest user. In addition, groundwater accounts for 100 percent of the region's drinking water. It is important to ensure adequate supplies of high quality groundwater remain available for the region's residents, businesses, and natural resources.

Consumers in the RRW depends primarily on buried sand and gravel aquifers for drinking water. These aquifers are covered by fine-grained sediment deposited by glaciers during the most recent ice age. The southeastern portion of the watershed also gets drinking water from bedrock aquifers in the Tunnel City Group and Wonewoc sandstones. To a far lesser extent, some drinking water comes from surficial sand and gravel aquifers of glacial origin, which mainly occur in the southeastern part of the watershed.

Groundwater has a greater risk to contamination in areas of high pollution sensitivity². While large parts of the RRW are protected by layers of dense glacial till, much of the southern portion of the watershed has highly permeable sand and gravel at the surface. Understanding pollution sensitivity is a key consideration to prevent groundwater pollution. Many land-use activities (including row crop agriculture, stormwater, septic systems, and tanks/landfills) within the watershed could contaminate groundwater if pollutants are not carefully managed, especially in areas of high pollution sensitivity.

Contamination, both naturally occurring and from human activity, is present in parts of the watershed groundwater, specifically:

- Nitrate less than one percent of tested drinking water wells recorded with MDH had levels at or above the SDWA standard of 10 mg/L. The shallower wells represented all of the exceedances, primarily those less than 50 feet deep.
- MDA TTP sampled two townships drinking water wells for nitrate in two counties in the RRW. Sampling
 occurred in townships where row crop production combined with vulnerable geology increase the risk of
 nitrate samples exceeding the SDWA standard
- There are five MDA ambient monitoring wells in the southern half of the watershed. The sampling data ranged from 25.5 mg/L to 33.6 mg/L of nitrate.
- The MPCA ambient monitoring wells detected nitrate in over 95 percent of the samples collected with three exceedances during the sampling period of 2010 to 2015.
- Arsenic four percent of the 1676 tested wells had levels exceeding the Safe Drinking Water Act (SDWA) of 10 μg/L. The EPA has set a goal of 0 μg/L for arsenic in drinking water because there is no safe level of arsenic in drinking water.

 $^{^{1}}$ For this report, the boundary of the RRW is the HUC 8 major watershed with no changes for planning purposes.

² Areas of high pollution sensitivity allow the rapid downward movement of water into surficial sands (water table) aquifers, increasing the risk for groundwater contamination from surface pollutants.

- Pesticides there are five MDA ambient monitoring wells within the watershed. The monitoring well in Kanabec County has the highest number of different pesticides detected at six. This well also had the highest nitrate concentration recorded at 33.6 mg/L.
- Contaminated sites there are 385 active tank sites that could leak chemicals into the environment and 16 leak sites that may cause localized groundwater pollution if not properly managed. The risk to groundwater is greatest in areas of high pollution sensitivity.
- Four closed landfills with known groundwater contamination plumes are found within the watershed.

These contaminants can affect both private wells and public water systems when levels exceed drinking water standards. Nearly 55 percent of the people living in the watershed get their drinking water from a community public water supply system. Wellhead Protection Plans have been developed for 36 of the 39 community public water suppliers in the RRW and identify land use protections strategies for the approximately 28,000 acres in Drinking Water Supply Management Areas (DWSMAs).

Groundwater is sourced from buried sand and gravel aquifers, along with bedrock aquifers in the southern part of the watershed. There are 18 active groundwater-level monitoring wells in the RRW and of those wells, 16 had enough measurements to calculate a statistical trend. Nine wells have no trend and seven had an upward trend. Seven of the 16 wells with statistical trends are completed in the water table aquifer, either are completed in the buried sand and gravel, and two are completed in the bedrock aquifers.

Activities on the land surface can affect groundwater levels by reducing infiltration (groundwater recharge) especially in the southern portion of the watershed; these activities include changes in vegetation, increased areas of impervious surface, and changing surface water or stormwater flow.

The RRW includes significant natural features, including surface waters that depend on groundwater to sustain them. If groundwater quantity or quality is degraded, these resources are at risk. The following features occur within the watershed:

- Three designated trout streams.
- There are 71 lakes in the RRW with a with a lake ratio of 10 or less and are considered groundwater dependent lakes, susceptible to changing aquifer levels.
- Wetland complexes across the entire watershed are susceptible to changing aquifer levels.
- Thirty-three distinct native plant communities connected to groundwater and two community complexes. In addition, 29 state-listed endangered, threatened, or special concern plant and animal species connected to groundwater that are at risk to changing aquifer levels and degraded groundwater quality.

To address risks both from groundwater overuse and from the introduction of pollutants, this report outlines a broad range of strategies that can be implemented, as well as specific actions that individuals, local government, and other partners can take. The nine categories of strategies highlighted below were selected to address the key risks to groundwater and drinking water within the 1W1P planning area. Areas of higher pollution sensitivity is often an appropriate place to prioritize pollution prevention activities.

- 1. **Education and Outreach:** Educate landowners, private well users, and others about how their actions affect groundwater and how they can conserve, restore, and protect groundwater.
- 2. **SSTS Management:** Monitor, maintain, and/or upgrade SSTS to ensure proper operation and treatment.
- 3. **Irrigation Water Management:** Control the volume, frequency, and application rate of irrigation water to sustain groundwater.

- 4. Land Use Planning and Management: Use city or county government planning and regulations along with land management goals that implement best management practices (BMPs), conserve water, and educate stakeholders to protect groundwater levels, quality, and contributions to groundwater dependent features.
- 5. **Contaminant Planning and Management:** Use land use planning, ordinances, and collaboration with state regulatory agencies to protect groundwater and drinking water supplies from contaminant releases.
- 6. **Conservation Easements:** Maintain and expand the amount of land protected from being converted to high intensity uses, such as row crop agriculture.
- 7. **Cropland Management:** Encourage the implementation of voluntary practices to manage resource concerns while minimizing environmental loss.
- 8. **Nutrient Management:** Assure that application of crop fertilizer or manure follows guidelines for the right source, right rate, right time, and right place.
- 9. **Integrated Pest Management:** Implement a pest management approach that incorporates the many aspects of plant health care/crop protection in ways that mitigate harmful environmental impacts and protect human health.

This GRAPS report was designed to help prioritize and target local efforts to restore and protect groundwater resources in the watershed. Representatives from BWSR, MDA, MDH, DNR, and MPCA compiled existing state and regional data, and developed maps to establish a baseline understanding of groundwater conditions and associated resource management concerns for the 1W1P planning boundary. The team highlighted strategies and supporting actions that can be applied at a county or watershed-level to help restore and protect groundwater. To target local implementation, actions listed in this report are paired with those counties and subwatersheds (HUC-10) where risks have been identified. This report should be used in conjunction with the WRAPS report, which focuses on surface water issues and needs, to ensure that both groundwater and surface water are effectively addressed during the 1W1P planning process.³

³ It is important to note that groundwater science lacks the predictive tools available for surface water analysis and as such cannot provide quantifiable strategies commonly found in WRAPS. BWSR recognizes this challenge and has provided guidance in the Setting Measurable Goals document (https://bwsr.state.mn.us/sites/default/files/2019-09/1W1P_guidebook.pdf) to meet the 1W1P measurability requirement.

Contents

Rum River Watershed (RRW)	1
Groundwater Restoration and Protection Strategies Report	1
Summary	3
Contents	6
Figures	7
Tables	9
Introduction	
What Is the GRAPS Report?	
How to Use this Report	
Rum River Watershed Overview	
Land Use	
Geology and Hydrogeology	
Pollution Sensitivity	
Wellhead Protection Planning and Drinking Water Supply Management Areas	
Private Wells	25
Extreme Weather	
Rum River Watershed Groundwater Issues and Concerns	29
Groundwater Quality Issues and Concerns	29
Nitrate	29
Pesticides	
Arsenic	
Radionuclides	
Ambient Groundwater Monitoring	
Potential Contaminant Sources	
Groundwater Quantity Issues and Concerns	52
Groundwater Use	52
Groundwater Level Monitoring	57
Groundwater Connected Natural Features at Risk	66
How to Address Groundwater Quantity Issues	75
Rum River Watershed Strategies and Actions to Restore and Protect Groundwater	

Tips for Prioritizing and Targeting Strategies and Actions	76
Strategies and Actions for Rum River Watershed	77
How to Use the Table of Actions and Strategies	78
Summary of Key Findings and Issues	80
Table of Actions and Strategies to Restore and Protect Groundwater	82
Descriptions of Supporting Strategies	104
Making Sense of the Regulatory Environment	112
Appendices	115
List of Acronyms	115
Glossary of Key Terms	116
References	129

Figures

Figure 1: Watershed Approach Framework	10
Figure 2: Rum River Watershed - is comprised of seven Subwatersheds (HUC-10)	13
Figure 3: Rum River Watershed - Land Cover	14
Figure 4: Rum River Watershed – Primary Aquifers by Section.	16
Figure 5: Rum River Watershed - Pollution Sensitivity of Near Surface Materials	18
Figure 6: Recharge Travel Time for Near-Surface Materials	19
Figure 7: Rum River Watershed - Pollution Sensitivity of Wells	20
Figure 8: Recharge Travel Time for Buried Aquifers	21
Figure 9: Rum River Watershed - Wellhead Protection Plan Development Status for Community Public Water Systems	23
Systems.	20
Figure 10: Rum River Watershed - Drinking Water Supply Management Areas	
	. 24
Figure 10: Rum River Watershed - Drinking Water Supply Management Areas	. 24 . 26
Figure 10: Rum River Watershed - Drinking Water Supply Management Areas Figure 11: Rum River Watershed - Density of drinking water wells per section	. 24 . 26 . 28
Figure 10: Rum River Watershed - Drinking Water Supply Management Areas Figure 11: Rum River Watershed - Density of drinking water wells per section Figure 12: Rum River Watershed – Drinking water wells and flood zone risk to contamination	. 24 . 26 . 28 . 32
Figure 10: Rum River Watershed - Drinking Water Supply Management Areas Figure 11: Rum River Watershed - Density of drinking water wells per section Figure 12: Rum River Watershed – Drinking water wells and flood zone risk to contamination Figure 13: Rum River Watershed - Nitrate Results and Pollution Sensitivity of Near Surface Materials	. 24 . 26 . 28 . 32 . 33
Figure 10: Rum River Watershed - Drinking Water Supply Management Areas Figure 11: Rum River Watershed - Density of drinking water wells per section Figure 12: Rum River Watershed – Drinking water wells and flood zone risk to contamination Figure 13: Rum River Watershed - Nitrate Results and Pollution Sensitivity of Near Surface Materials Figure 14: Rum River Watershed - MDA Township Testing Program	24 26 28 32 33 33
Figure 10: Rum River Watershed - Drinking Water Supply Management Areas. Figure 11: Rum River Watershed - Density of drinking water wells per section Figure 12: Rum River Watershed – Drinking water wells and flood zone risk to contamination. Figure 13: Rum River Watershed - Nitrate Results and Pollution Sensitivity of Near Surface Materials Figure 14: Rum River Watershed - MDA Township Testing Program. Figure 15: Rum River Watershed – MDA Monitoring Wells and Nitrate Results	24 26 28 32 33 33 34 37

Figure 19: Rum River Watershed – Active Feedlots.	. 46
Figure 20: Rum River Watershed - MPCA Active Tank and Leak Sites and Pollution Sensitivity of Near-Surface Materials	49
Figure 21: Rum River Watershed - MPCA Closed Landfill	50
Figure 22: Reported water use from the DNR permit holders by resource category.	
Figure 23: Reported groundwater use from DNR permit holders by aquifer category. Most permitted groundwater use is drawn from bedrock aquifers	
Figure 24: Reported groundwater use from DNR permit holders by use category.	. 54
Figure 25: Rum River Watershed - Distribution of groundwater appropriation permits for 2017 by volume reported and use category.	56
Figure 26: Rum River Watershed – Distribution of groundwater appropriation permits for 2017 by volume reported and aquifer category.	58
Figure 27: Rum River Watershed – Active Groundwater-Level Monitoring Wells in the Rum Watershed by dec monitoring started.	
Figure 28: Location of active groundwater-level monitoring wells with enough data to calculate a statistical trend.	60
Figure 29: Hydrograph of well 01005 compared to precipitation. The water level has a slight upward trend over the period 1998-2018	
Figure 30: Hydrograph for well 48005 compared to precipitation	. 61
Figure 31: Hydrograph of well 48006 compared to precipitation	. 62
Figure 32: Hydrograph of well 48011 compared to permitted pumping	. 62
Figure 33: Hydrograph of Obwells 71036 and 71003 compared with precipitation	. 63
Figure 34: Hydrograph of Obwell 30005 compared with precipitation.	. 63
Figure 35: Hydrograph of Obwell 30007 compared with precipitation.	. 64
Figure 36: Hydrograph of Obwell 30014 and 30008 compared with precipitation.	. 64
Figure 37: Hydrograph of Obwell 02015 compared with precipitation.	. 65
Figure 38: Hydrograph of Obwell 02024 compared with precipitation.	. 65
Figure 39: Hydrograph of Obwell 02028 vs. permitted pumping	. 66
Figure 40: Rum River Watershed – Trout Streams, Public Waters, and Native Plant Communities Connected w Groundwater	
Figure 41: Rum River Watershed - Rare Plants, Animals, and Native Plant Communities Connected with Groundwater	70
Figure 42: Rum River Watershed - Trout Streams, Public Waters, and Rarity of Native Plant Communities	
Connected with Groundwater. Native Plant Community S-ranks correspond to that community's rarity	
Figure 43: Groundwater-Dominated Lakes in the Rum River Watershed	. 74

Figure 44: Visual representation of the relationship between goals, supporting strategies, and recommended groundwater action	
Figure 45: Rum River Watershed – BWSR RIM easements	105
Figure 46: Minnesota State Agency Roles in Groundwater	112
Figure 47: Roles agencies play within the Minnesota Water Management Framework	114
Figure 48: Sensitivity Assessment and Calculation for Pollution Sensitivity of Wells (Figure 9)	121
Figure 49: Sensitivity Assessment and Calculation for Pollution Sensitivity of Wells (Figure 9) continued	122

Tables

Table 1: Sensitivity rating and the associated recharge travel times for surficial and buried aquifer	. 21
Table 2: Summary of nitrate results in drinking water wells of the Rum River Watershed	. 30
Table 3: Nitrate protection framework and associated land use management goals	. 35
Table 4: Summary of arsenic (As) concentrations in wells of the Rum River Watershed.	. 38
Table 5: Number of registered feedlots and the delegated counties	. 44
Table 6: Reported number of failing SSTS in each county within the Rum River Watershed	. 47
Table 7 : Reported 2017 water use from DNR groundwater permit holders in million gallons per year	. 55
Table 8: HUC 10 subwatersheds within the Rum River Watershed	. 80
Table 9: Actions and Strategies to Restore and Protect Groundwater	. 82
Table 10: Rare Species Connected with Groundwater in the Rum River Watershed 12F	123
Table 11: Rum River Watershed documented wetland native plant communities dependent on groundwaterassociated with consistently high water tables	127
Table 12: Rum River Watershed documented wetland native plant communities dependent on groundwaterassociated with water tables that are high for some portion of the growing season	128

Introduction

What Is the GRAPS Report?

The State of Minnesota adopted a watershed approach to address the state's 80 major watersheds.⁴. Major watersheds are denoted by an 8-digit hydrologic unit code (HUC). This watershed approach incorporates water quality assessment, watershed analysis, civic engagement, planning, implementation, and measurement of results into a 10-year cycle that addresses both watershed restoration and protection (<u>Figure 1</u>).



Figure 1: Watershed Approach Framework

Groundwater Restoration and Protection Strategies (GRAPS) reports are designed to help prioritize and target local efforts to restore and protect groundwater resources in the One Watershed One Plan (1W1P) planning process. While groundwater is not broken into watersheds like surface water, several state agencies have worked together to compile information and strategies for groundwater below surface water watersheds. A GRAPS report uses existing state data and information about groundwater and land-use practices that affect groundwater in the watershed to identify key groundwater quality and quantity concerns. The report also suggests targeted strategies and actions to restore and protect groundwater. GRAPS reports are meant to be used in conjunction with Watershed Restoration and Protection Strategies (WRAPS) reports in the development of 1W1P plans. WRAPS inform how to restore and protect surface water, and GRAPS inform how to restore and protect groundwater in the same geographic area.

WRAPS is initiated through an intensive monitoring effort to determine if a surface water body is meeting its designated use. WRAPS identify actions and the rate of adoption needed to restore water quality, as well as

⁴ You can learn more about the Watershed Approach at <u>Watershed approach to restoring and protecting water quality</u> (www.pca.state.mn.us/water/watershed-approach-restoring-and-protecting-water-quality).

recognizing protection based activities to maintain the health of high quality surface waters. GRAPS is largely protection-based—identifying actions to maintain groundwater quality and quantity. However, if contaminants exist or overuse is suspected, the strategies and actions identified to address the issue can result in restoration as well as protection. In most cases it is very difficult determine the rate of BMP adoption needed to restore groundwater, therefore quantification is not part of GRAPS.

How to Use this Report

This report is a resource and tool for developing local water management plans. The report is divided into six parts to accommodate the different needs and information partners and agencies may seek. This report is not necessarily designed to be read cover to cover. Rather, you can flip to the parts that are most relevant to the issues facing your community. If you are accessing this document electronically, you can click on hyperlinks throughout the report to jump to related information and/or access webpages (all hyperlinks are in blue type).

The report is divided into the following parts:

- 1. <u>Watershed Overview</u>: This section provides a brief overview of the watershed.
- 2. <u>Watershed Groundwater Issues and Concerns</u>: This section highlights the main groundwater quality and quantity concerns, where each concern is most prevalent within the watershed, and general ways to address the concern.
- 3. <u>Watershed Strategies and Actions to Protect and Restore Groundwater</u>: This section provides tips for prioritizing and targeting restoration and protection strategies, makes suggestions about what strategies and actions would be most appropriate in which counties and subwatersheds, describes the suggested strategies, and provides information about existing programs and resources for each strategy.
- 4. <u>Making Sense of the Regulatory Environment</u>: This section provides an overview of the roles state agencies play in managing groundwater and drinking water.
- 5. Appendices

Rum River Watershed Overview

This report provides a brief overview of land use, geology, hydrogeology, pollution sensitivity, wellhead protection planning and drinking water, and water use and groundwater withdrawals affecting the Rum River Watershed (RRW) 1W1P planning boundary groundwater quality and quantity. You can find more detailed information about the RRW and groundwater through the following resources:


Restoration and Protection Plans

MPCA <u>watershed reports</u> (www.pca.state.mn.us/water/watersheds/rum-river)

The Rum River Watershed 1W1P planning boundary covers 1,013,760 acres of the Upper Mississippi River Basin in central Minnesota, stretching from Mille Lacs Lake in the north to the confluence with the Mississippi River in the city of Anoka. The Rum River flows out of Mille Lacs Lake, which drains southwest Aitkin, southeast Crow Wing, and northwest Mille Lacs counties. As the Rum River flows south, mainly within Mille Lacs and Isanti counties, its watershed also includes eastern Morrison, northeast Benton, and eastern Sherburne counties on the western border of the watershed; southwestern Kanabec and northwestern Chisago on its eastern borders; and northwestern Anoka county at the mouth of the Rum River (Figure 2). There are several municipalities in the watershed of which the city of Ramsey is the largest. The RRW has seen a population increase of nearly 15 percent between 2000 and 2010.

Of the roughly 143,880 people living in the watershed, approximately 78,915 (55 percent) utilize community public water and the remaining 45 percent obtain their drinking water from private wells.

Rum River - Subwatersheds and Townships



Basemap: ESRI World Street Map

Figure 2: Rum River Watershed - is comprised of seven subwatersheds (HUC-10)

Land Use

Hardwood forest and large wetland complexes dominate the upper third of the RRW. This area also has two state parks and a wildlife management area. The middle third still has wetland complexes and hardwood forest, but cropland and rangeland make up the majority of the land use. Fenced cattle pastures and forage crops such as alfalfa and hay are more abundant than row crops like soybeans and corn. The lower third of the RRW is the most densely populated area (Figure 3).




Figure 3: Rum River Watershed - Land Cover. Agriculture accounts for nearly 38 percent of land cover in the watershed.

Geology and Hydrogeology

Groundwater sources within the RRW vary based on geologic conditions. Throughout most of the watershed, groundwater comes from sand and gravel, deposited and buried underneath fine-grained sediment from glaciers during the last ice age. In Anoka and southern Isanti counties, groundwater is also supplied by sandstone bedrock below the glacial sediments. Sand and gravel at the land surface is an additional source of groundwater in the southeastern portion of the watershed, but it is used less than the buried aquifers.

Mille Lacs County, which covers much of the northern and central portions of the watershed, does not have a completed County Geologic Atlas, resulting in fewer wells with aquifer interpretations in the County Well Index (CWI) database.

Figure 4 depicts a generalized map of aquifers in the watershed.

Rum River Watershed - Primary Aquifers by Section




Figure 4: Rum River Watershed – Primary Aquifers by Section. Buried aquifers are the primary drinking water source for the watershed. The data gap for Mille Lacs County is due to the lack of a county geologic atlas and verified well logs to inform aquifer type.


Pollution Sensitivity

Understanding pollution sensitivity is important for prioritizing and targeting implementation efforts. Pollution sensitivity (also known as aquifer vulnerability or geologic sensitivity) refers to the time it takes recharge and contaminants at the ground surface to reach the underlying aquifer.

It is important to understand the target aquifer when assessing pollution sensitivity. Certain aquifers may be deeper and more geologically protected than water table aquifers, or surficial sand aquifers, in a given area. Figure 5 depicts the pollution sensitivity of near-surface materials dataset developed by the DNR. This dataset only takes into account the top ten feet of soil and geologic material when assigning a sensitivity rating. This figure shows that the watershed has a mix of pollution sensitivity ratings based on surficial materials. The near-surface geology of much of the southern portion of the watershed (Isanti, Anoka, and Sherburne Counties), as well as a few smaller areas scattered throughout the watershed, is rated as highly sensitive to groundwater pollution due to surficial sand and gravel deposits. Most of the rest of the watershed has "very low" to "moderate" pollution sensitivity ratings that reflect the dense glacial tills covering the land surface. More information on this dataset is available on the DNR website Minnesota Hydrogeology Atlas (MHA) (http://www.dnr.state.mn.us/waters/programs/gw_section/mapping/platesum/mha_ps-ns.html).


The pollution sensitivity of deeper aquifer materials depicted in Figure 7 was created by calculating the sensitivity at individual wells in the watershed and then interpolating between them to create a smooth layer. The wells used to make this figure vary in depth but overall provide a picture of the geologic sensitivity of aquifers below the water table. This method was employed due to the absence of an available statewide dataset depicting pollution sensitivity, or vulnerability, of aquifers. Figure 7 shows that the groundwater pollution sensitivity. Note that the larger patches of "high" pollution sensitivity are mainly in Mille Lacs County, which does not have a completed County Geologic Atlas and therefore has fewer wells with geologic interpretations. More information on the geologic sensitivity calculations used to make this figure is included in the references section of this report as Figure 48 and Figure 49.

It is also important to understand how recharge travel time ratings (Figure 6 and Figure 8) for surficial water table aquifers differ from those used for deeper aquifers (Table 1). For example, a pollution sensitivity rating of 'moderate' for surficial materials reflects vertical travel times on the order of weeks (Figure 5); whereas, for deeper aquifers more commonly used for drinking water, a rating of 'moderate' reflects travel times of years to decades (Figure 8). This difference stems from the fact that infiltrating water and contaminants reach surficial materials more quickly than deeper aquifers. Deeper aquifers often have protective clay layers that make travel time significantly longer. As noted above, this distinction is important when determining the potential impact of various contaminants on surficial materials and drinking water aquifers.



Rum River - Pollution Sensitivity of Near-Surface Materials

Figure 5: Rum River Watershed - Pollution Sensitivity of Near Surface Materials



Rum River Watershed GRAPS Report




Figure 7: Rum River Watershed - Pollution Sensitivity of Wells




Figure 8: Recharge Travel Time for Buried Aquifers

Table 1: Sensitivity rating and the associated recharge travel times for surficial and buried aquifer

Pollution Sensitivity Rating	Aquifer Recharge Time Period ⁵ for Surficial Aquifers	Aquifer Recharge Time Period for Buried Aquifers
High	Hours to a week	Days to months
Moderate A week to weeks		Years up to one or two decades
Low Weeks to a year		Several decades to a century

⁵ Aquifer recharge time periods refer to the time it takes aquifers to receive recharge from the land surface. Aquifer recharge rate informed by the Geologic Sensitivity Project Workgroup, 1991.

Wellhead Protection Planning and Drinking Water Supply Management Areas

Wellhead protection (WHP), planning is the process whereby public water systems examine land uses in the recharge area for their wells and develop strategies for land use management. The strategies are based on vulnerability and are appropriate for safeguarding drinking water supplies. Community public water supplies⁶, including municipal and nonmunicipal systems, are required to prepare Wellhead Protection Plans. As part of this effort, the recharge area that contributes water to the public water supply well(s) is delineated based on physical and chemical characteristics of the aquifer being used. These areas, known as wellhead protection areas (WHPAs), provide an assessment of the aquifer vulnerability (sensitivity) of the public water supply wells. Once the WHPA is established, a Drinking Water Supply Management Area (DWSMA) is created to provide planning boundaries on the land surface in order to manage the groundwater below. Learn more about MDH <u>Source Water Protection</u> (www.health.state.mn.us/communities/environment/water/swp/index.htm).

The word 'sensitivity' is used to describe groundwater generally throughout the state; 'vulnerability' is the term used for wellhead protection planning to protect public sources of drinking water. While there are minor differences between how these words are used as described above, the words are essentially the same for the purposes of planning and management.

Aquifers and wells used for public water supplies vary widely. Some are very shallow and unprotected and can be easily contaminated by activities at the ground surface. Others are deeper or more protected by geologic materials; these tend to exhibit a low vulnerability to overlying land uses. The types of management activities required within WHPAs will vary based largely on the vulnerability assessments. Highly vulnerable WHPAs require a greater level of management to prevent potential contaminants at the ground surface from entering the aquifer. Whereas for WHPAs with low vulnerability the primary focus is on sealing unused/unsealed wells, since this is the primary pathway for contaminants to reach the aquifer.

Thirty-six of the 39 community public water systems, within the RRW are engaged in the wellhead protection planning process or are implementing their plans. Of the 36 systems with approved plans, the vulnerability varies across the watershed from very low to very high. Nine of the approved wellhead protection plans exhibit a very high and/or high vulnerability in all or part of their DWSMA and is considered vulnerable to contamination from the land surface, with all others exhibiting moderate or low vulnerability. Figure 9 shows the status of wellhead protection planning for the public water supply systems in the watershed. Figure 10 shows the DWSMAs delineated at the time the report was compiled in the RRW, covering over 28,000 acres. It is important to note that WHP areas do not follow watershed boundaries and can be located in different watersheds.


⁶ Community public water supplies serve at least 25 persons or 15 service connections year-round. Community public water supplies include municipalities (cities), manufactured mobile home parks, etc. Currently there are almost 1,000 community water supplies in Minnesota.



Rum River - Wellhead Protection Plan Status for Community Systems

Data: MDH

Figure 9: Rum River Watershed - Wellhead Protection Plan Development Status for Community Public Water Systems. Thirty-six of the 39 community public water supply systems are engaged in the wellhead protection planning process or are implementing their




Rum River - DWSMA Vulnerability

Figure 10: Rum River Watershed - Drinking Water Supply Management Areas. There are 36 approved Drinking Water Supply Areas (DWSMA) for community public water supply systems in the watershed.

Private Wells

The RRW has approximately 20,340 private wells with known locations ranging from 17 feet to 620 feet deep with an average depth of 131 feet that provide drinking water to residents. Approximately 14 percent (1,498 wells) of private wells are found in a highly vulnerable setting. Private well users are not afforded the same water quality safeguards as people who get their water from public water systems. While public water systems make sure water is safe for the end-user, private well users are responsible for making sure their water is safe for everyone in the household to drink.

The Minnesota Well Code ensures that private wells are properly located and constructed. However, once the well is put into service, private well users are responsible for properly maintaining their well, testing it regularly, and treating the water when necessary.



Data. MDH County Weil Index (CWI)

Figure 11: Rum River Watershed - Density of drinking water wells per section. There are 20,340 private wells identified.

<u>Figure 11</u> illustrates well density and water use data in the RRW. This figure contains a grid that depicts the number of wells in each six by six-mile section of the watershed. Deeper colors correspond to a higher concentration of wells. Well density is variable across the watershed. Only wells used for drinking water were included in this analysis.


Extreme Weather

Climate records show that across Minnesota there has been an increase in average rainfall, as well as heavy precipitation events. As storms become more frequent and intense, flooding will be an ongoing challenge for public water systems and private wells. Flood events can threaten the safety and availability of drinking water by washing pathogens (bacteria, viruses, and parasites) and chemical contamination into source aquifers or by overwhelming the capacity of treatment systems to clean the water. The full extent of floodwater contamination depends on land use and associated infrastructure in the affected area. Figure 12 displays drinking water wells and flood zone risk to contamination in the RRW.

Extreme weather may also affect drought conditions by changing how and where precipitation falls. Increased rainfall over frozen ground and reduced snowpack from spring melt can decrease infiltration into groundwater when converted to runoff. The <u>Groundwater Quantity Issues and Concerns</u> section of the report assesses aquifer sustainability by evaluating long term monitoring well trends.

For more information on <u>Climate and Health</u>

(www.health.state.mn.us/communities/environment/climate/) or visit the DNR's webpage <u>Climate</u> <u>Change and Minnesota</u> (www.dnr.state.mn.us/climate/climate_change_info/index.html).



Rum River - Drinking Water Wells and Flood Risk

Figure 12: Rum River Watershed – Drinking water wells and flood zone risk to contamination.

Rum River Watershed Groundwater Issues and Concerns

This section of the report describes the key groundwater quality and quantity issues for the RRW. The descriptions each include an overview of the issue, where the issue is most prevalent, and a few key approaches to address the issue. The RRW <u>Strategies and Actions to Protect and Restore Groundwater</u> provides a more detailed list of actions to address groundwater issues and concerns.

Groundwater Quality Issues and Concerns

Both naturally occurring and human-made contaminants affect the RRW groundwater quality. Multiple state agencies monitor different types of groundwater wells and public water systems for contaminants. Nitrate, pesticides, radium and arsenic have been detected in wells sampled in the RRW. This section provides context and data about these contaminants and their occurrence in the watershed. It also provides information about the following land uses: feedlots, row crop production, subsurface sewage treatment systems, contaminated sites (leaky tank sites and closed landfills), and household hazardous waste in the watershed that may affect groundwater quality.

All public water systems in the watersheds strive to meet Safe Drinking Water Act (SDWA)⁷ requirements for the quality of water served to their customers. However, some public water systems may have water quality issues in their untreated source water that requires either blending or treatment to meet SDWA standards.

Nitrate

Nitrate-nitrogen (referred to as nitrate) is a compound that occurs naturally and has many humanmade sources. When nitrate levels are above 3 milligrams per liter (mg/L).⁸ in groundwater, human activity is the likely cause (State of Minnesota Workgroup). Human-induced sources of nitrate include animal manure, fertilizers used on agricultural crops, failing SSTS, fertilizers used at residences and commercially, and nitrous oxides from the combustion of coal and gas.

Nitrate is one of the most common contaminants of groundwater in Minnesota and is a public health concern where found in groundwater used for drinking water. The SDWA standard for nitrate in drinking water is 10 mg/L. Most of the samples taken from wells within the watersheds did not exceed the SDWA standard for nitrate. This dataset includes newly constructed wells, private wells, and other drinking water supply wells. Sampling of newly constructed wells for nitrate began in 1974. Many older

⁷ The Safe Drinking Water Act (SDWA) is the federal law that protects public drinking water supplies throughout the nation. Under the SDWA, EPA sets standards for drinking water quality; MDH is delegated to implement the program in MN to ensure drinking water safety.

⁸ One milligram per liter is the same as 1 part per million (ppm).

wells, pre-well code, are not included in this dataset. Table 2 shows nitrate test results for samples taken from these wells.

Depth Completed Range (feet)	Total samples (nitrate)	Minimum concentration (mg/L)	Maximum concentration (mg/L)	Median concentration (mg/L)	Samples at or above 3 mg/L (%)	Samples at or above 10 mg/L (%)
< 50	413	0	42.2	0.5	12.1	5.1
50 - 99	4691	0	820	0.5	4.1	0.5
100 - 149	3880	0	51.1	0.5	2.2	0.3
150 - 199	2288	0	152	0.5	2.0	0.1
>= 200	1531	0	9	0.5	0.4	0
Total	12803	0	820	0.5	3.0	0.5

of nitrate results in drinking water walls of the

Where Is Nitrate in Rum River Watershed?

High levels of nitrate are present in areas where there are both human-caused sources of nitrate and high pollution sensitivity, which is consistent with MDA findings in the Township Testing Program (TTP). The following images help identify where nitrate is detected and at what levels in the watershed:

- Figure 13 compares nitrate levels in wells in the RRW with the pollution sensitivity of the area. The absence of elevated nitrate concentrations throughout most of the watershed may be a function of low-impact land use near the wells or the presence of favorable geochemical conditions in the aquifers. Nitrate requires relatively oxidizing conditions to persist in groundwater, and the presence of locally reducing conditions can remove nitrate. The dataset used to create this figure is the same as that used in Table 2. These nitrate samples were taken from newly constructed wells, private wells, and other drinking water supply wells sampled by the Minnesota Department of Health (MDH).
- Figure 14 shows the Township Testing Program (TTP) results. The MDA has identified townships throughout the state that are vulnerable to groundwater contamination and have significant row crop production. Two counties in the watershed participated in the TTP. Each selected township offered testing in two steps, the 'initial' sampling and the 'follow-up' sampling. In the initial sampling, all township homeowners using private wells received a nitrate test kit. If the initial sample detected nitrate, the homeowner was offered follow-up tests for nitrate and pesticides and a well site visit. Trained MDA staff visited willing homeowners to resample the well and then conducted a site assessment. The site assessment identified possible nonfertilizer sources of nitrate and assessed the condition of the well. A well with construction problems may be more susceptible to contamination.

Two datasets, 'Initial' and 'Final', are used to evaluate nitrate in the private wells in this program. The initial dataset represents private wells drinking water regardless of the potential source of nitrate. The final dataset was informed through an assessment process to evaluate each well. In the assessment, wells that had nitrate results over 5 mg/L were removed from the final dataset if a potential non-fertilizer source or well problem was identified, there was insufficient information on the construction or condition of the well, or for other reasons which are outlined in the full report (see Appendix E for details). The final dataset represents wells with nitrate attributed to the use of fertilizer.

Benton and Kanabec counties have been through both the initial testing and the follow-up testing. In Figure 14, the left map shows the 'Initial' results and the map on the right shows the 'Final' results. Detailed sampling results are available at Township (Nitrate) Testing Program (http://www.mda.state.mn.us/townshiptesting).

• Figure 15 shows the nitrate concentrations recorded at each MDA ambient monitoring well location in the RRW in 2016. The sampling data collected from southern Kanabec County recorded the highest nitrate result at 33.6 mg/L.






Figure 13: Rum River Watershed - Nitrate Results and Pollution Sensitivity of Near Surface Materials



Rum River - MDA Township Testing Program

Figure 14: Rum River Watershed - MDA Township Testing Program.



Rum River - Nitrate Results from MDA Monitoring Wells

Figure 15: Rum River Watershed – MDA Monitoring Wells and Nitrate Results. Two wells in the southern part of the watershed lack nitrate results.

How to Address Nitrate in Groundwater

The Minnesota Groundwater Protection Act established a prevention goal that groundwater be maintained in its natural condition, free from any degradation caused by human activity. When degradation exists, it is important to understand the reflected level of management required based on the nitrate concentration. <u>Table 3</u> provides a protection framework that identifies management priorities reflective of nitrate concentrations.

Table 3: Nitrate protection framework and associated land use management goals. Implementation activities should build asyou move from one classification to the next.

Nitrate Protection Framework	Nitrate Concentration	Implementation Emphasis
Protection – Maintain	0 – 4.9 mg/L	 Proactive and preventive; Maintain existing land cover by discouraging or preventing land conversion Contaminant source management on existing land uses (Agricultural BMPs, SSTS management, easements, forest management plans)
Protection – Threatened	5.0 – 9.9 mg/L	Contaminant source reduction or elimination; Shifting land uses away from those that may leach excess nitrogen (Alternative Management Tools ⁹ , upgrade failing SSTS, easements)
Restoration – Treatment	10.0 mg/L and above	Active intervention required by public water supplies to avoid drinking water consumption (new sources; treatment) while still aiming for long term

⁹ MN Dept. of Agriculture developed Alternative Management Tools to protect groundwater quality from nitrate contamination. For more information, visit MDA <u>Alternative Management Tools</u> (www.mda.state.mn.us/chemicals/fertilizers/nutrient-mgmt/nitrogenplan/nitrogenmgmt/amts)

Nitrate Protection Framework	Nitrate Concentration	Implementation Emphasis
		contaminant source mitigation through reduction and elimination


<u>Table 9</u> provides a more comprehensive list of specific actions counties and subwatersheds in the RRW can take to restore and protect groundwater quality related to nitrate.

Pesticides

A pesticide is any substance or mixture of substances intended for preventing, destroying, repelling or lessening the damage of any pest and may be a chemical substance or a biological agent. Consuming water with different types of pesticides in it can cause a variety of health problems. MDA monitors for 'common detection pesticides' as a part of the <u>MDA Pesticide Management Plan</u> (www.mda.state.mn.us/protecting/waterprotection/pmp.aspx). Common detection pesticides are pesticides frequently used in row crop production and include acetochlor, alachlor, atrazine, metolachlor and metribuzin.

Where Are Pesticides in Rum River Watershed?

MDA uses nine monitoring wells in the RRW to monitor for common detection pesticides. The monitoring wells are in these regions due to the sensitive geology and row crop agriculture, which increases the potential for pesticides or pesticide degradants to get into groundwater. Figure 20 shows the number of common detection pesticides recorded at each monitoring location in the RRW in 2016. A range of one to three common detection pesticides were detected in the samples from the monitoring wells. No detections exceeded any human health-based drinking water standards or reference values. MDA's monitoring wells only provide information about pesticides at their specific locations. Pesticide sampling of private wells is included as part of the TTP, which is currently underway and will provide more information on the presence of pesticides in other locations in the watersheds.



Rum River - Common Detection Pesticides in MDA Monitoring Wells



Basemap: ESRI World Street Map

How to Address Pesticides in Groundwater

General approaches to reduce the amount of pesticides that may enter groundwater include:

- Providing educational opportunities about pesticide and insecticide BMPs for both agricultural lands and residential/commercial lawns (turf)
- Increasing the adoption of water quality BMPs for pesticides and insecticides

<u>Table 9</u> provides a more comprehensive list of specific actions the counties and subwatersheds in the RRW can take to restore and protect groundwater quality related to pesticides.

Arsenic

Four percent of the 1676 arsenic samples taken from located wells in the RRW have levels of arsenic higher than the SDWA standard of 10 micrograms per liter $(\mu g/L)^{10}$. Arsenic occurs naturally in rocks and soil across Minnesota and can dissolve into groundwater. Consuming water with low levels of arsenic over a long time (chronic exposure) is associated with diabetes and increased risk of cancers of the bladder, lungs, liver and other organs. The SDWA standard for arsenic in drinking water is 10 μ g/L; however, drinking water with arsenic at levels lower than the SDWA standard over many years can still increase the risk of cancer. The EPA has set a goal of 0 μ g/L for arsenic in drinking water because there is no safe level of arsenic in drinking water.

Since 2008, the State of Minnesota has required that water from new water supply wells be tested for arsenic. <u>Table 4</u> outlines the number of well water samples tested for arsenic in the RRW, using the dataset from the Minnesota Well Index (MWI) and well for newly constructed private wells. The table shows the percentage of samples with arsenic levels over the SDWA standard. It is important to remember that arsenic concentrations can be drastically different from nearly identical wells installed on adjoining properties.

Depth Completed Range (feet)	Total samples (n)	Minimum concentration (µg/L)	Maximum concentration (µg/L)	Median concentration (µg/L)	Samples at or above 5 µg/L (%)	Samples at or above 10 µg/L (%)
< 50	118	0.0005	12.78	1	8.5	3.4
50 - 99	688	0.0005	16.5	1.875	15.1	2.6
100 - 149	487	0.0005	28.63	1.51	15.6	4.1
150 - 199	217	0.0005	27.45	1.62	20.7	8.3
>= 200	166	0.0005	19.88	1	15.7	4.8
Total	1676	0.0005	28.63	1.055	32.1	4.1

Table 4: Summary of arsenic (As) concentrations in wells of the Rum River Watershed.


¹⁰ One microgram per liter is the same as 1 part per billion (ppb).

Where Is Arsenic in the Rum River Watershed?

<u>Figure 17</u> shows that arsenic is found in elevated concentrations throughout the watershed. The dataset used to create <u>Figure 17</u> is the same information displayed in <u>Table 4</u>. Theses samples were taken from newly constructed domestic wells.

Arsenic is most prevalent in Quaternary Buried Artesian Aquifers (lenses of sand and gravel enclosed within clay-rich sediments). Arsenic is also found in bedrock wells in the Franconia and St. Lawrence aquifers. Elevated levels are likely related to local geochemical conditions that allow for mobilization of the metal. These geochemical conditions tend to be moderately reducing and are often associated with the contact between sand and gravel aquifers and adjacent clay-rich sediments (Erickson and Barnes, 2004 and 2005).

Rum River - Arsenic Results



Datasets: County Well Index (CWI), MN Drinking Water Information System (MNDWIS), MDH Water Chemistry (WCHEM), MDH Well Management (WELLS)

Figure 17: Rum River Watershed - Arsenic Results

How to Address Arsenic in Groundwater

Unlike nitrate and pesticides, human activity rarely causes arsenic in Minnesota groundwater, except for local releases of insecticides or wood preservatives into the environment. Therefore, few actions can reduce the amount of arsenic in groundwater. Implementation efforts should focus on making private well users aware of the health risks associated with arsenic, encouraging them to test their water for arsenic, and providing them with treatment options to keep their drinking water safe when arsenic is present.

Radionuclides

Radioactive materials, also called radionuclides (Radium), are both naturally occurring and humanmade. Drinking water that has radium exposes individuals to very low doses of radiation every day, increasing your risk of cancer if you drink water with radium in it every day for many years.

Concentrations of naturally occurring radioactive radium is detected in groundwater samples in public water wells in the RRW, in the southern portion of Anoka and Isanti counties. There are not any radium detections in the northern half of the watershed. The exact source of these compounds is not well understood. Radium is associated with granitic and metamorphosed crystalline rocks and sandstone aquifers (Szabo, Z., Fischer, J. M., Hancock, T. C., 2012). It is commonly found the Mt. Simon Aquifer or fractured Sioux Quartzite geologic units. Their presence in the groundwater is related to reducing geochemical conditions with low oxygen, acidic water, high dissolved solids, and the very slow rate of groundwater flow in these bedrock layers (Szabo, Z., Fischer, J. M., Hancock, T. C., 2012).

Where are Radionuclides in the Rum River Watershed?

The public wells with radium above the MCL of 5 pCi/L are completed in the Mt. Simon sandstone aquifer and Mt. Simon-Hinckley aquifer. The Mt. Simon aquifer is well documented having elevated levels of radium in groundwater. Not much information is known about radium (or other radionuclide) in other aquifers. The public well depth ranges from 143 feet deep to 387 feet deep. Since reducing conditions in low oxygen environments are more likely to mobilize radium from the sediment, deep wells in bedrock are more likely to be at risk in RRW. There is not enough information to know the geologic source of radium in this watershed.

How to Address Radionuclides in Groundwater

Human activity is unlikely to be the cause of radionuclides in the RRW groundwater. Therefore, actions cannot reduce the amount of radionuclides present in groundwater. Implementation efforts should focus on awareness that radionuclides may be found in groundwater. The factors that contribute to the presence of radionuclides in the RRW groundwater are not well understood at this point. If private well users are concerned about radionuclides in their well, they can pay to have their water tested through an accredited laboratory. Water softeners and reverse osmosis are effective at removing radium from groundwater. Learn more at <u>Radionuclides (Radium) in Drinking Water</u>

(https://www.health.state.mn.us/communities/environment/water/contaminants/radionuclides.html).

Ambient Groundwater Monitoring

The MPCA's Ambient Groundwater Monitoring Program monitors trends in statewide groundwater quality by sampling for a comprehensive suite of over 100 chemicals including nutrients, metals, anions and cations, and volatile organic compounds. The Ambient Groundwater Network currently consists of

approximately 270 sites that represent a mix of deep domestic wells and shallow monitoring wells in non-agricultural regions across the state. The primary focus is on shallow aquifers that underlie urban areas, due to the higher tendency of sensitivity to pollution, and are predominately located in sand and gravel and Prairie du Chien-Jordan aquifers.

There are currently 18 MPCA ambient groundwater monitoring well (17 monitoring, 1 domestic) within the RRW. Figure 18 displays the locations of ambient groundwater wells within the watershed. Data collection ranged from 2004 to 2015; however, the majority of the wells were added in 2010. Therefore, data analysis was conducted on the current MPCA ambient groundwater wells from 2010 to 2015.

The ambient groundwater wells are primarily located within the southern extent of the watershed, with many near urbanized areas (Figure 18). Urbanized areas tend to pose a greater threat for groundwater pollution due to faulty or leaking sewage and septic systems, close vicinity to roads where salt is often used as a deicing agent, and additional emissions from vehicles and infrastructure. Of the 18 wells, 15 are located in residential areas with subsurface sewage treatment systems (SSTS) (also referred as septic systems), two are located in undeveloped areas, and one is within a sewered residential area. In a study of contaminants of emerging concern (CECs) in ambient groundwater in urbanized areas of Minnesota conducted by USGS and MPCA, samples from wells located in sewered residential land use area were identified to have higher percentages of CEC detections when compared to undeveloped or septic residential land uses (SSTS) (Erickson et al., 2014). CECs are predominantly manmade chemicals, although some may be naturally occurring or endocrine active chemicals, and include pharmaceuticals, fire retardants, pesticides, personal-care products, hormones, and detergents (Erickson et al., 2014). The three most commonly occurring CEC detections for the wells sampled within the RRW from 2010 to 2014 include sulfadimethoxine (10.3%), isophorone (8.4%), and 2-methylanaphthalene (7.5%).

Chloride has become an increasing concern in developed areas where salt is used as a deicing agent, and where higher chloride concentrations can affect the taste of drinking water (Kroening & Ferrey, 2013). Chloride has a secondary MCL set as 250 milligrams per liter for taste. Chloride detection frequency within the watershed was 93.9% with 10 occurrences exceeding the secondary limit.


Like chloride, sodium is a naturally occurring chemical that can also be associated with road salt application. There is no drinking water standard for sodium at this time, but high concentrations can be a concern for those with a low-sodium diet. Sodium was detected in these wells at a 98.7% frequency, and concentrations ranging from 1.45 to 201 mg/L.

Another chemical of concern is nitrate, a form of nitrogen, which has a MCL of 10 milligrams per liter. Nitrate was detected in 95.2% of the samples, with three exceedances of the MCL. Other common chemical and contaminant detections identified in these wells were sulfate, bromide, aluminum, iron, magnesium, manganese, potassium, strontium, barium, boron and phosphorus.

MDH hosts information on a List of Contaminants in Water

(www.health.state.mn.us/communities/environment/water/contaminants/index.html), as well as <u>CECs</u> (www.health.state.mn.us/communities/environment/risk/guidance/dwec/index.html).

Rum River - MPCA Ambient Groundwater Monitoring Well Network



Basemap: ESRI World Street Map



Potential Contaminant Sources

Some land use practices make it easier for contaminants to get into groundwater. Key land uses that are potential contaminant sources in the RRW are described below.

Animal Feedlots

MPCA regulates the land application and storage of manure generated from animal feedlots in accordance with Minnesota Rule Chapter 7020. The MPCA <u>Feedlots Program</u> (https://www.pca.state.mn.us/quick-links/feedlots) requires that the land application and storage of manure be conducted in a manner that prevents nitrate contamination to both groundwater and surface water. Animal manure contains significant quantities of nitrogen and pathogens. Improper management of manure, especially in places with high pollution sensitivity, can contaminate groundwater.

MDA hosts an interactive map that provides information on local ordinances regulating animal agriculture in Minnesota's counties. The information includes the most common areas of regulations, such as setbacks and separation distances, conditional use permits, feedlot size limitations, and minimum acreage requirements. For more information, visit the <u>Local Ordinances Regulating Livestock</u> - <u>Web Mapping</u> (www.mda.state.mn.us/local-ordinances-regulating-livestock-minnesota).

MDA developed a new tool in collaboration with the National Weather Service called the <u>Minnesota</u> <u>Runoff Risk Advisory Forecast (RRAF) system</u>

(www.mda.state.mn.us/protecting/cleanwaterfund/toolstechnology/runoffrisk). RRAF is designed to help farmers and commercial applicators determine the best time to apply manure to reduce the probability of off target movement of valuable nutrients and protect water resources.

Where Are Animal Feedlots in Rum River Watershed?

The RRW has 250 active feedlots. Minnesota Rule 7020 allows the MPCA to transfer or 'delegate' regulatory authority and administration of certain parts of the feedlot program to a county. A delegated county regulates feedlots with less than 1,000 animal units; MPCA regulates anything above that threshold. County feedlot programs have responsibility for implementing state feedlot regulations including: registration, permitting, inspections, education/assistance and complaint follow-up. Morrison County is the only delegated county administering the feedlot program locally, all others rely on the MPCA to execute within their jurisdiction.


<u>Table 5</u> outlines the number of registered feedlots in the RRW for each county. <u>Figure 19</u> contains a grid that depicts the number of active feedlots in each six by six-mile section of the watershed. Darker colors correspond to a higher concentration of active feedlots.

Counties	Number of Registered Feedlots per County	Delegated County
Aitkin	7	No
Anoka	16	No
Benton	32	No

Table 5: Number of registered feedlots and the delegated counties

Counties	Number of Registered Feedlots per County	Delegated County
Chisago	1	No
Crow Wing	0	No
Isanti	37	No
Kanabec	7	No
Mille Lacs	114	No
Morrison	31	Yes
Sherburne	5	No





*All 11 feedlots in this section are located only by the zip code centroid, so their placements in this section may be inaccurate. Basemap: ESRI World Street Map

Figure 19: Rum River Watershed – Active Feedlots. There are 250 active feedlots within the watershed

How to Protect Groundwater from Contamination

Manure management plans, feedlot inspections, permitting, technical assistance and record keeping are all used to manage nitrogen impacts to water quality. It is important to prioritize activities in the areas most sensitive to groundwater first. <u>Table 9</u> provides a more comprehensive list of specific actions partners in can take to protect groundwater from nitrate and pathogen contamination.

Row Crop Agriculture

Row crop agriculture or cultivated crops (Figure 3) are the largest land cover within the RRW covering 34 percent of the watershed. Impacts from row crop production to water resources include nitrogen loss in the form of nitrate to groundwater, which can move downward to aquifers or be laterally dispersed to lakes and rivers. Tile drainage is another pathway for nitrogen to reach surface water systems, however this is not a focus of the GRAPS report being the TMDL and WRAPS reports assess impacts. Agricultural chemicals, including pesticides, are another risk for groundwater contamination from row crop agriculture. Both nitrate and pesticides are addressed in the Groundwater Quality Issues and Concerns section of this report.

Subsurface Sewage Treatment Systems (SSTS)

Of the approximately 450,000 SSTS (commonly called septic systems) across the state, slightly over 100,000 of them are estimated to be failing. As more time passes, additional systems are likely to fail. Failing SSTS can pollute both surface and groundwater. A failing system is one that does not provide adequate separation between the bottom of the drain field and seasonally saturated soil. The wastewater in SSTS contains bacteria, viruses, parasites, nutrients, and some chemicals. SSTS infiltrate treated sewage into the ground, which ultimately travels to groundwater.

Where Are SSTS in the Rum River Watershed?

SSTS are found in all ten counties in the RRW. Information reported by counties indicate a relatively small to high number of failing SSTS in the watershed (<u>Table 6</u>). State regulations require each county to adopt a local SSTS ordinance and that eminent health threats or failing systems be replaced and brought up to current standards. Even with a required ordinance, some counties still have identified gaps in their SSTS program, ranging from lack of records on treatment system age, type or function, known unsewered communities, and lack of a point of sale requirement triggering an inspection through a property sale.

County	Estimated number of failing SSTS per 1,000 acres			
Aitkin	0 -1			
Anoka	0 - 1			
Benton	4 - 7.7			
Chisago	4 – 7.7			
Crow Wing	0 - 1			

 Table 6: Reported number of failing SSTS in each county within the Rum River Watershed (2017)

County	Estimated number of failing SSTS per 1,000 acres			
Isanti	4 - 7.7			
Kanabec	1 – 2			
Mille Lacs	3-4			
Morrison	3 - 4			
Sherburne	1 - 2			

How to Protect Groundwater from SSTS Contamination

SSTS must be properly sited, designed, constructed and maintained to minimize the potential for disease transmission and groundwater contamination. Each county carries out permitting, inspections and operation of the SSTS program locally. <u>Table 9</u> provides a more comprehensive list of specific actions the RRW can take to assure SSTS do not contaminate groundwater. You can find more information about building and maintaining SSTS at <u>Subsurface Sewage Treatment Systems</u> (https://www.pca.state.mn.us/water/subsurface-sewage-treatment-systems).

Contaminated Sites


The MPCA identified 385 active tank, 16 leak sites and four closed landfills in the RRW. These types of contaminated sites (also referred to as point sources) have the potential to contaminate groundwater with a variety of chemicals.

Where Are Contaminated Sites in the Rum River Watershed?

Figure 20, maps active tank and leak sites compared to pollution sensitivity of near-surface materials in the RRW. Figure 21 provides a map of the closed landfill in the RRW. The following sites also provide maps to help identify contaminated sites.

- <u>What's in My Neighborhood (https://www.pca.state.mn.us/data/whats-my-neighborhood)</u>: This app identifies potential contamination sites for water quality, feedlots, hazardous waste, investigation and clean up, air quality and solid waste.
- Landfill Cleanup Act Participants (http://mpca.maps.arcgis.com/apps/Solutions/s2.html?appid= 6470bb44bd83497993da5836333d1cb3): This site has an interactive map that shows closed landfills and the corresponding groundwater plumes and groundwater areas of concern.


Rum River - Active Tanks and Leaks



Data: Tank and Leak Sites from MPCA; Pollution Sensitivity from DNR Basemap: ESRI World Street Map

Figure 20: Rum River Watershed - MPCA Active Tank and Leak Sites and Pollution Sensitivity of Near-Surface Materials

Rum River Watershed - Closed Landfills



Data: Closed Landfills from MPCA; Pollution Sensitivity from MNDNR Basemap: ESRI World Street Map

Figure 21: Rum River Watershed - MPCA Closed Landfill

How to Protect Groundwater from Contaminated Sites

Contaminated sites should be identified before making or changing any land use plans, zoning maps, and/or ordinances. <u>Table 9</u> provides a more comprehensive list of specific actions the RRW can do to assure contamination sites do not further contaminate groundwater.

Stormwater

The MPCA <u>Stormwater Program</u> (https://www.pca.state.mn.us/water/stormwater) regulates the discharge of stormwater and snowmelt runoff from municipal separate storm sewer systems (MS4s), construction activities and industrial facilities, mainly through the administration of the National Pollutant Discharge Elimination System (NPDES)/State Disposal System (SDS) Program. MS4s in Minnesota must satisfy the requirements of the MS4 general permit if they are located in an urbanized area and used by a population of 1,000 or more or owned by a municipality with a population of 10,000 or more, or a population of at least 5,000 and the system discharges to specially classified bodies of water. Entities with an MS4 permit require the treatment and management of stormwater runoff.

The management of stormwater runoff is increasingly reliant on the infiltration of stormwater into the soil to control the volume of runoff. A number of stormwater practices concentrate runoff and force infiltration into the soil where it can recharge groundwater aquifers. The impacts of these practices on groundwater quality have not been thoroughly evaluated.

How to Manage Potential Stormwater Infiltration Risk

Caution should be observed when infiltrating stormwater, especially in areas with vulnerable drinking water sources. Use the MDH <u>Stormwater Guidance for Sites in Drinking Water Supply Management</u> Areas (https://stormwater.pca.state.mn.us/images/d/d3/Flow_Chart_-

_MDH_Stormwater_Guidance_for_Sites_in_Drinking_Water_Supply_Management_Areas.pdf) to better understand when infiltration is appropriate in wellhead protection areas. <u>Table 9</u> provides a more comprehensive list of additional actions the RRW can take to prevent stormwater infiltration from contaminating groundwater.

Household Hazardous Waste

Many household products you use to clean your home, maintain your yard, and control animals and insects contain hazardous materials. When these products are disposed of improperly, it may lead to groundwater contamination.

Minnesota's household hazardous waste (HHW) program is a partnership with the MPCA and the counties. Together, they provide education about HHW storage and disposal as well as maintain a network of regional, local and mobile facilities to collect HHW statewide. In addition, many counties offer temporary collection sites, including one-day events. The MPCA has a searchable database to find HHW collection sites for your county, <u>Household Hazardous Waste Collection Sites</u> (https://www.pca.state.mn.us/living-green/find-your-household-hazardous-waste-collection-site).

Similar to the partnership for HHW, MDA partners with counties to provide a means to safely dispose of unwanted and unusable pesticides through the Waste Pesticide Collection Program. Through this program, pesticide users in every county around the state have opportunities to dispose of unwanted agricultural pesticides through county HHW facilities, mobile collection events or by attending MDA schedule events. Participants can drop off up to 300 pounds free of charge. MDA manages a waste pesticide collection schedule to learn about partnerships and scheduled events, MDA <u>Waste Pesticide</u> <u>Collection Schedule</u> (www.mda.state.mn.us/chemicals/spills/wastepesticides/schedule.aspx).

How to Protect Groundwater from Household Hazardous Waste Contamination

Promote HHW and the pesticide collection program availability to residents, and evaluate opportunities to expand services to increase participation. <u>Table 9</u> provides a more comprehensive list of specific actions the RRW can take to assure consumer products do not contaminate groundwater.

Pharmaceuticals

The presence of pharmaceuticals in water is of increasing concern because they may cause harm to humans and aquatic life. Pharmaceuticals enter rivers, lakes and groundwater when human waste, animal waste or discarded medications move from stormwater systems, sewer systems or septic tanks into water. Wastewater and drinking water treatment may not completely remove pharmaceuticals. As a result, these chemicals can be found in drinking water sources.

How to Protect Groundwater from Pharmaceutical Contamination

Do not flush old or unwanted prescription or over the counter medications down the toilet or drain, and do not put them in the trash. There are more than 240 medication collection boxes located at law enforcement facilities and pharmacies in Minnesota. These collection sites do not charge for disposal. You can use the Earth 911 website to identify collection sites by zip code, *Locations that take medications (https://search.earth911.com/?what=Medications&where=MN)*. If a disposal site is not available, follow the MPCA guidance to minimize risk to the environment, *Medication Disposal Guidance (https://www.pca.state.mn.us/living-green/managing-unwanted-medications*).

Groundwater Quantity Issues and Concerns

Permitted groundwater use has generally increased from a low of about 2000 million gallons in 1991 to about 3000 million gallons in 2017. However, the annual water use values fluctuate significantly from year to year peaking at about 4000 million gallons in 2005 and 2006. Most of the permitted water use is for water supply. Of the 16 observation wells with 20 years of record, water levels in nine wells had no trend and the other seven wells had an upward trend.

Groundwater Use

A water-use appropriation permit is required from the DNR for groundwater users withdrawing more than 10,000 gallons of water per day or 1 million gallons per year. This provides the DNR with the ability to assess which aquifers are being used and for what purpose. Permits require annual water-use reporting. This information is recorded using Minnesota Permitting and Reporting System (MPARS), which helps the DNR track the volume, source aquifer, and type of water use. The DNR has records of reported water use from 1988 to the present.

<u>Figure 22</u> - <u>Figure 24</u> show graphs of water use over time from 1988 to 2017. A summary of reported 2017 water use by use category versus source aquifer is shown in <u>Table 7</u>. <u>Figure 25</u> and <u>Figure 26</u> show the distribution of permitted wells with reported 2017 water use, categorized by use category and aquifer type, respectively.

Annual groundwater use in the Rum River Watershed had a minimum of approximately 2000 million gallons in 1991 and has been trending upward since then and water use totaled approximately 2900 million gallons in 2017 (Figure 22). Surface water use is small compared with groundwater use.

Most permitted groundwater withdrawals are pumped from bedrock aquifers (Figure 23). Water supply is the largest use category in every year from 1988 to present (Figure 25). In 2017, approximately 63 percent of permitted water use was for water supply, and 69 percent of groundwater was pumped from bedrock aquifers (Table 7).




Figure 22: Reported water use from the DNR permit holders by resource category. Groundwater use is generally increasing over time but the amount varies year by year.




Figure 23: Reported groundwater use from DNR permit holders by aquifer category. Most permitted groundwater use is drawn from bedrock aquifers.





Figure 24: Reported groundwater use from DNR permit holders by use category. Most permitted groundwater withdrawals are used for water supply.

Use Category	Surficial Sand Aquifer (Water Table)	Buried Sand and Gravel Aquifer (Confined)	Bedrock Aquifer	Unknown	Total (mgy)	Total (percent)
Agricultural Irrigation	53.5	135.0	216.5	15.6	420.5	14.5
Heating/Cooling	_	1.7	0.8		2.6	0.1
Industrial Processing	1.1	8.4	109.6	1.3	120.3	4.1
Non-Crop Irrigation	39.4	43.1	152.5	18.9	253.9	8.7
Other Categories	45.5	17.7	151.8	_	215.0	7.4
Power Generation	_	_	0.1		0.1	0.0
Water Level Maintenance	_	_	_	67.1	67.1	2.3
Water Supply	121.0	331.8	1369.8	7.5	1830.2	62.9
Total (mgy)	260.4	537.7	2001.2	110.3	2909.7	_
Total (percent)	9.0	18.5	68.8	3.8	_	100 *

Table 7¹¹: Reported 2017 water use from DNR groundwater permit holders in million gallons per year.

¹¹ Data from MPARS; mgy, million gallons per year; dash marks (-) indicate no use in those categories; * percentages may not equal 100 due to rounding.



Rum River - DNR Groundwater Appropriation Permits by Use Category


Figure 25: Rum River Watershed - Distribution of groundwater appropriation permits for 2017 by volume reported and use category. Approximately sixty-three percent of permitted water use in the water shed was for water supply and 15 percent of water use was for agricultural irrigation.

Groundwater Level Monitoring

The DNR maintains a statewide groundwater-level monitoring program for assessing groundwater resources, determining long-term trends, interpreting impacts of pumping and climate, planning for water conservation, evaluating water conflicts, and managing water resources.

There are 18 active groundwater-level monitoring wells in the watershed study area: 2 wells in Crow Wing County, 3 wells in Aitkin County, 5 wells in Mille Lacs County, 3 wells in Isanti County, 1 well in Sherburne County, and 4 wells in Anoka County (Figure 27). Two long-term monitoring wells that have been measured since the 1960s. One well has been measured since the 1970s, 3 wells have been measured since the 1980s, 10 wells have been measured since the 1990s, and 7 wells have been measured starting in the 2010s.


Sixteen wells in the watershed had enough water-level measurements to calculate a statistical trend using the Mann-Kendall non-parametric statistical method (Figure 28). Nine wells have no trend and seven have an upward trend. Seven of the 16 wells with valid statistical trends are completed in the water table aquifer, eight are completed in the buried sand aquifer, and two are completed in bedrock aquifers.



Rum River - DNR Groundwater Appropriation Permits by Aquifer Category

Data: DNR (pumping volume in millions of gallons in 2017) Basemap: ESRI World Street Map


Figure 26: Rum River Watershed – Distribution of groundwater appropriation permits for 2017 by volume reported and aquifer category. Most of the wells with large annual water use are completed in bedrock aquifers.



Basemap: ESRI World Street Map

Figure 27: Rum River Watershed – Active Groundwater-Level Monitoring Wells in the Rum Watershed by decade monitoring started. A few wells have been monitored for decades. Ten of the active monitoring wells were installed in the 1990s; most in the northern part of the watershed. Seven wells are new within the last ten years.

Rum River - Locations of DNR Observation Wells with Hydrographs



Basemap: ESRI World Street Map

Figure 28: Location of active groundwater-level monitoring wells with enough data to calculate a statistical trend. Trends are calculated by the Mann-Kendall non-parametric statistical method. Location of wells with hydrographs are also shown. All wells had either no trend or an upward trend.




Figure 29: Hydrograph for well 01005 compared to precipitation. The water level has a slight upward trend over the period 1998-2018.




Figure 30: Hydrograph for well 48005 compared to precipitation. The water level has no trend over the period 1998-2018.




Figure 31: Hydrograph of well 48006 compared to precipitation. The water level has an upward trend over the period 1998-2018.




Figure 32: Hydrograph of well 48011 compared to permitted pumping. The water level has no trend over the period 1998-2018. Water levels follow an annual cycle with annual lows correlating with peak summer pumping.




Figure 33: Hydrograph of Obwells 71036 and 71003 compared with precipitation. Well 71036 replaced well 71003, which was sealed. There is no statistical trend in water levels over the period 1998-2018.




Figure 34: Hydrograph of Obwell 30005 compared with precipitation. The water level varies with precipitation and has no longterm statistical trend.




Figure 35: Hydrograph of Obwell 30007 compared with precipitation. The water level has an upward trend for the period 1998-2018 and it varies with precipitation.




Figure 36: Hydrograph of Obwell 30014 and 30008 compared with precipitation. Well 30014 replaced well 30008, which was sealed. There is an upward statistical trend in water levels over the period 1998-2018 and the water level varies with precipitation.




Figure 37: Hydrograph of Obwell 02015 compared with precipitation. The water level varies with precipitation and has no longterm statistical trend.




Figure 38: Hydrograph of Obwell 02024 compared with precipitation. The water level varies with precipitation and has no long-term statistical trend.




Figure 39: Hydrograph of Obwell 02028 vs. permitted pumping. The water level in this well appears to be rising over the long term, but the period of record is too short to calculate a statistical trend. The annual variations in water level of more than 40 feet is directly related to nearby pumping of municipal wells.

Groundwater Connected Natural Features at Risk

The RRW boundary includes significant natural features, including surface waters that depend on groundwater to sustain them (Figure 40). Groundwater appropriations and land-use changes can impact the health of these natural resources. If groundwater quantity or quality is degraded, these resources are at risk. The following features occur within the RRW:

- Three designated trout streams
- Wetland complexes across the entire area
- Lakes that may be susceptible to changing aquifer levels
- Thirty-three distinct native plant communities connected to groundwater (and two community complexes)
- Twenty-nine rare plant and animal species connected with groundwater that are listed as endangered, threatened or special concern. This list includes state-listed species.

Rare Natural Features Connected with Groundwater in the Rum River Watershed

Rare natural features (<u>Figure 40</u> through <u>Figure 41</u>) contribute to the health of the habitat and environment. Some even contribute directly to local economies in the form of recreation—including hunting/fishing, wildlife viewing, and camping. Rare natural features can include species of rare plants

and animals as well as native plant communities (habitats). These resources are at risk if groundwater quantity or quality is disrupted.

There are three designated trout streams in the RRW, listed below. These streams are dependent on a constant supply of cold, oxygen-rich groundwater from springs or seeps. These streams are not only unique, but offer excellent recreation opportunities for fishing. Because surrounding land use changes and water appropriations can easily affect them, trout streams are waters designated by the DNR and protected from harm by law (Minnesota Rule 6264.0050).

- Camp Creek (M-063-081-001-002)
- Borden Creek (M-063-087-003)
- Black Bear Brook (M-063-087-003-001-001)




Figure 40: Rum River Watershed – Trout Streams, Public Waters, and Native Plant Communities Connected with Groundwater

There are 33 distinct native plant communities associated with or dependent on groundwater in the RRW. They range from forested communities such as seepage swamp and floodplain forests, to open communities such as marshes and rich fens. Seven of these communities are considered critically imperiled or imperiled and four are considered vulnerable status. Fifteen of the 33 native plant communities associated with or dependent on groundwater are considered apparently secure or secure. To learn more about <u>Conservation Status Ranks for Native Plant Community Types and Subtypes (http://files.dnr.state.mn.us/natural_resources/npc/s_ranks_npc_types_&_subtypes).</u>




Figure 41: Rum River Watershed - Rare Plants, Animals, and Native Plant Communities Connected with Groundwater

There are 29 species of animals and plants that are either endangered, threatened, special concern, a state listed "Species In Greatest Conservation Need," or fall on a State Watchlist, that are dependent on habitats with groundwater or groundwater seepage areas in the RRW. A detailed list of native plant communities and rare features is available in the <u>Additional Resources</u> section at the end of the report in <u>Table 11</u> through <u>Table 12</u>.





Figure 42: Rum River Watershed - Trout Streams, Public Waters, and Rarity of Native Plant Communities Connected with Groundwater. Native Plant Community S-ranks correspond to that community's rarity. S1=Critically Imperiled, S2= Imperiled, S3=Vulnerable to Extirpation, S4=apparently secure; uncommon but not rare, S5=Secure, common, widespread, and abundant. Groundwater connections to wildlife species are many and often complex. Wildlife groups as diverse as birds, bats, spiders, snakes, turtles, frogs, toads, fishes, and snails all contain species that require some form of surface water body to complete their life cycles and persist on the landscape. If groundwater fluctuations or depletions affect a significant number of surface water features in this area, important wildlife habitats may be impacted or lost.

Groundwater Flow Dominated Lakes

All lakes are connected to groundwater, but the specific interaction between lake water and groundwater depends on the geology, topography, and volume of surface-water inflow and outflow associated with the lake. There are three basic lake types (Petersen and Solstad, 2007):

- 1. Lakes dominated by surface water inflow and outflow resulting from a large ratio of contributing surface watershed area to lake area.
- 2. Lakes dominated by groundwater inflow and outflow resulting from a smaller ratio of contributing surface watershed area to lake area (10 or less). This lake type is often landlocked with no surface outlet. Although for the purposes of this GRAPS report, the lake level outlet elevation has not been studied. Lakes have been put into this classification solely by watershed to lake area ratio.
- 3. Lakes intermediate between the first and second types. This applies to lakes that typically have a large watershed to lake area ratio, but during times of drought, the lake level will drop below the outlet level. Groundwater often becomes a significant part of the inflow to these lakes during extended dry periods.

Only the groundwater-dominant lakes as defined in type 2 above are shown in this report (Figure 43). Seventy-one lakes in the RRW have a watershed to lake area ratio of 10 or less and are considered groundwater-flow dominated lakes. Large-scale groundwater pumping near a lake will likely have more impact to groundwater-flow dominated lakes than to surface water-flow dominated lakes. Lake Mille Lacs is considered groundwater-flow dominated because it has a very small watershed to lake area ratio of two.



Rum River - Groundwater Flow Dominated Lakes

Figure 43: Groundwater-Dominated Lakes in the Rum River Watershed. Most groundwater-flow dominated lakes are either in the upper (northern) part of the watershed or the lower (southern) part of the watershed.

Basemap: ESRI World Street Map

How to Address Groundwater Quantity Issues

Most groundwater quantity (sustainability) issues are the result of overuse of groundwater and/or reduction in recharge to the underlying aquifer. Therefore, the strategies to address water quantity issues are similar, regardless of the groundwater quantity issue. The two primary goals to assure water sustainability are:

- Water conservation: Reduce or limit the amount of groundwater used
- Promote or protect recharge: Find ways for water to infiltrate back into the ground

There are a variety of strategies to help meet water conservation and recharge goals. The type of strategy used depends on the primary factor affecting quantity in the area in question. Strategies include: conservation easements, cropland management, education and outreach, irrigation water management and land use planning and management. (Table 9) provides a more comprehensive list of specific actions the RRW can take to conserve water and promote recharge.

Rum River Watershed Strategies and Actions to Restore and Protect Groundwater

This section provides tips for prioritizing and targeting restoration and protection strategies and makes suggestions about what strategies and actions would be most appropriate within different areas of the watershed. Information on the geological, ecological and sociological conditions for each county and subwatershed (HUC-10) informs which strategies and actions would be effective for each HUC-10 and county.

Tips for Prioritizing and Targeting Strategies and Actions

Determine Your Goal

You may decide to address an issue because of known instances or threats in an area, or maybe you are working in a geographic area because of jurisdiction or some other factors. The Actions and Strategies Table (<u>Table 9</u>) will help you focus on the goal, for instance, reducing nitrate in groundwater. Then you will need to decide, using the table, if you would like to focus on conservation easements, outreach and education, nutrient management, or some other strategy.

Match the Right Action with the Right Location

The Actions and Strategies Table (Table 9) will help you determine where the actions would be most effective. For instance, an activity that reduces nitrate in groundwater may be more valuable in sensitive areas or vulnerable wellhead protection areas. Or, if you are focused on a limited geography, the table will help you determine what actions are applicable to that area. Considering the sensitivity combined with the presence of drinking water wells and vulnerable wellhead protection areas can help further focus efforts. In another example, factors such as the presence of groundwater dependent features and a concentration of large appropriation wells can help determine where efforts to promote conservation and recharge would be most effective.

Know the Pollution Sensitivity

Groundwater quality is impacted by both point and non-point source pollution. These potential contaminant sources need to be managed according to the pollution sensitivity of the aquifer (Figure 5). Examining the sensitivity of the aquifer as it relates to contamination risk helps determine the level of management necessary to protect groundwater quality. For example, a failing septic system has a greater potential to contaminate the aquifer in a highly sensitive setting with coarse textured material than an area with low sensitivity that has a protective clay layer that retards the movement of water into the aquifer.

Consider Multiple Benefits

Oftentimes, the restoration and protection strategies identified for both groundwater and drinking water positively influence other ecosystem services, such as surface waters, habitat, and pollinators,

among others. Managing water as 'one water', rather than parceling it out to reflect the different aspects of water as it moves through the hydrologic cycle, allows for better planning and allocation of resources. The far right columns of the Actions and Strategies Table (<u>Table 9</u>) identifies the multiple benefits that could result from implementing the action.

Leverage Other Programs and Practices

Utilize existing Federal and State programs that are already working in the RRW to conserve land, prevent erosion and protect or improve surface water quality. Many of the practices that are being implemented have a benefit for groundwater. You can further target some of these efforts based on the information provided in this report to maximize the benefits by protecting groundwater. (Table 9) includes a column that identifies which agencies can assist with a specific action; the listed agencies typically have some type of program in place that you can leverage. The <u>Descriptions of Supporting</u> <u>Strategies</u> section of this report lists existing programs and resources for each of the suggested strategies.

Emphasize Protection

There is often a bias in groundwater management towards strategies that emphasize protection because of the cost and difficulty of remediating already-contaminated resources. In contrast to surface water bodies, groundwater:

- is difficult to access;
- cannot be observed, sampled or measured easily;
- travels slowly, often along complex pathways and through aquifer media that can absorb and store contaminants over long time periods; and
- is very difficult and expensive to treat if contaminated.

Timeframes associated with groundwater cleanup activities are often measured in decades and cost millions of dollars. Groundwater management strategies that emphasize prevention and protection are critical.

Although the tide is changing within water resources management in Minnesota, many funding streams and priorities are focused on restoration activities that can show measureable outcomes. Even though it is difficult to demonstrate 'improvements' from protection strategies, it is important to stress the need to take a balanced approach and protect groundwater resources.

Strategies and Actions for Rum River Watershed

This section provides a table of strategies and actions local partners in the RRW can take to restore and protect groundwater resources. Many of the proposed actions require the participation of a willing landowner to execute. Other actions reflect opportunities to manage land use through local controls. Many of the proposed strategies and actions align with strategies to protect surface waters.

Each action aligns with one or more supporting strategies and goals.

- **Goals** identify how an action helps restore and/or protect groundwater.
- Supporting Strategies are key approaches to achieving the goal.

 Recommended Groundwater Actions are specific actions prescribed to a specific county or HUC-10 within the watershed that will help achieve the goal and pertains to the supporting strategy.

<u>Figure 44</u> provides a visual representation of the relationship between goals, supporting strategies, and recommended groundwater actions. Note that each goal is supported by many supporting strategies, and each supporting strategy may have a variety of recommended groundwater actions.



Figure 44: Visual representation of the relationship between goals, supporting strategies, and recommended groundwater action.

How to Use the Table of Actions and Strategies

The Table of Actions and Strategies (<u>Table 9</u>) is designed so that you can find actions and strategies related to whatever your priorities may be when it comes to restoring and protecting groundwater. There are a variety of columns to facilitate the following:

- finding actions for specific geographic areas (counties or HUC-10s);
- finding actions or strategies that would help achieve a specific goal;
- learning the additional benefits of implementing a specific action; and
- tips for determining where to target a specific action if you cannot implement the action in the entire recommended area.

The following list defines what each of the columns in <u>Table 9</u> represent:

- Goal: How the action in this row helps restore and/or protect groundwater. The goals have been sorted alphabetically as much as possible. Each goal identifies the main objective—such as whether it protects groundwater quality or sustains the amount of water available—and includes a keyword to explain how the goal is achieved. For example, a goal that is listed as 'Protect Groundwater and Drinking Water Quality: Closed Landfills' can be interpreted as: Protect groundwater and drinking water quality from landfill contamination.
- Supporting Strategies: Identifies and links you to general strategies that help accomplish the goal for the action in this row. Each strategy is hyperlinked to a section of the report that provides more information about the strategy and connects you with existing tools and programs that may assist you in implementing this strategy or implementing actions related to this strategy.
- **Recommended Groundwater Action**: A specific action you can take to help achieve the goal to the left in the row and is informed by the strategy to the left in the same row.
- Target ______ Co.: The 'X's' denote which counties should consider using the action described in the corresponding row. An 'X' denotes the action would be most beneficial for that county. The addition of the counties helps to further prioritize and target where recommended groundwater actions should be implemented, narrowing the focus from a larger subwatershed to a specific geographic area. For example, many of the subwatersheds identify the need to work with irrigators; by adding the additional filter of counties, you are able to eliminate specific counties that do not have irrigators, targeting where implementation should occur. It also works as a quick reference to identify groundwater actions specific to the county in which you work.
- HUC-10s Involved: This column denotes which HUC-10 subwatershed(s) within the RRW to consider using the action described in the corresponding row. There are 19 HUC-10s within the watershed. <u>Table 8</u> provides the name and the HUC-10 number assigned to each major watershed. <u>Figure 2</u> is a map of the HUC-10s.
- Agencies that can assist¹²: This column lists agencies that may be able to assist with implementing the strategy through existing programs or providing more information or technical assistance.
- Tips for Targeting & Helpful Maps: This column helps identify the areas that should be targeted for the specific action if it is not feasible to implement the action in all the recommended counties or HUC-8s. The column also includes links to maps within the GRAPS report that may be helpful in identifying which specific areas within a county or HUC-8 to target. The maps are listed in *italicized font*. You can click on the *blue text* that says the figure number for the map to hyperlink directly to the map being referenced.

 ¹² BWSR=Board of Soil and Water Resources; FSA=Farm Service Agency; MDA=Minnesota Department of Agriculture;
 MDH=Minnesota Department of Health; MPCA=Minnesota Pollution Control Agency; NRCS=Natural Resources Conservation Service; UMN=University of Minnesota Extension (*not a comprehensive list of agencies/partners*)

• **Benefit:**______¹³: This series of 'X' marks whether the corresponding action may have additional benefits. An 'X' denotes the action could create the described additional benefit.

HUC-10 Name	Reference Name in	HUC-10 Number
	Implementation Table	
Cedar Creek	Cedar	0701020706
Lower Rum River	Lower Rum	0701020707
Middle Rum River	Middle Rum	0701020705
Mille Lacs Lake	Mille Lacs	0701020701
Stanchfield Creek	Stanchfield	0701020704
Upper Rum River	Upper Rum	0701020702
West Branch Rum River	West Branch	0701020703

Table 8: HUC 10 subwatersheds within the Rum River Watershed.

Summary of Key Findings and Issues

Below is a summary of key groundwater quality and quantity findings found in the RRW. This summary can be used to help target groundwater actions during the 1W1P exercise.

Key Groundwater Quality Findings and Issues

- Nitrate less than one percent of tested drinking water wells had levels at or above the SDWA standard of 10 mg/L. The shallower wells represented all of the exceedances, primarily those less than 50 feet deep.
- There are five MDA ambient monitoring wells in the southern half of the watershed. The sampling data ranged from 25.5 mg/L to 33.6 mg/L of nitrate.
- MDA TTP sampled two townships drinking water wells for nitrate in two counties in the RRW.
 Sampling occurred in townships where row crop production combined with vulnerable geology increase the risk of nitrate samples exceeding the SDWA standard.
- The MPCA ambient monitoring wells detected nitrate in over 95 percent of the samples collected with three exceedances during the sampling period of 2010 to 2015.
- Arsenic four percent of the 1676 tested wells had levels exceeding the SDWA standard of 10 μg/L. The EPA has set a goal of 0 μg/L for arsenic in drinking water because there is no safe level of arsenic in drinking water.
- Pesticides there are five MDA ambient monitoring wells within the watershed. The monitoring well in Kanabec County has the highest number of different pesticides detected at six. This well also had the highest nitrate concentration recorded at 33.6 mg/L.
- DWSMAs cover over 28,000 acres in the watershed. Thirty-six of the 39 community public water suppliers are engaged in the wellhead protection planning process or are implementing their plans. Of the 36 systems with approved plans, the vulnerability varies across the watershed from very low to very high. Nine of the approved wellhead protection plans exhibit

¹³ Habitat=Improve/Protect Habitat, including pollinators; GWCF=Improve/Protect Groundwater Connected Features; Soil Health=Improve/Protect Soil Health; Erosion=Control Erosion; Carbon=Carbon Sequestration; Nutrient Runoff=Control Nutrient Runoff, including pesticides (*The multiple benefits achieved are dependent on the placement and type of BMPs implemented;* seed mixes planted; and other site conditions).

a high to very high vulnerability in all or part of their DWSMA and are considered vulnerable to contamination from the land surface, with all others exhibiting moderate or low vulnerability.

- Nearly 55 percent of the people living in the watershed get their drinking water from a community public water supply system.
- **Private wells** there are 20,340 private drinking water wells with known locations ranging from 17 ft. to 620 ft. deep.
- Flood events can threaten the safety and availability of drinking water by washing pathogens and chemical contamination into source aquifers. Anoka and Isanti County has the greatest number of wells at risk within the 100 year flood zone.
- Animal feedlots there are 250 active feedlots in the watershed with the greatest concentration in Mille Lacs County. Morrison is the only delegated county in the watershed that manages the feedlot program locally. All others rely on the MPCA to administer the feedlot rule.
- **Row crop agriculture** accounts for approximately 34 percent of land cover in the watershed. In areas with high pollution sensitivity, agricultural inputs can contaminate the underlying aquifer.
- SSTS are found throughout the watershed. Information reported by counties indicate Benton and Chisago County has the highest number of failing SSTS at four to seven per 1,000 acres. Anoka County reported the fewest number of failing SSTS.
- Contaminated sites there are 385 active tank sites that could leak chemicals into the environment and 16 leak sites that may cause localized groundwater pollution if not properly managed. The risk to groundwater is greatest in areas of high pollution sensitivity.
- Four closed landfill with a known groundwater contamination plume is found within the watershed.

Key Groundwater Quantity Findings and Issues

- In 2017, approximately 63 percent of permitted water use was for water supply, and 69 percent of groundwater was pumped from bedrock aquifers. The second largest user is agricultural irrigation.
- The RRW has seen a population increase of nearly 15 percent between 2000 and 2010 correlating with the same period of increased groundwater use.
- Sixteen DNR observation wells with enough water-level measurements to calculate a statistical trend demonstrated nine wells have no trend and seven have an upward trend.
- RRW has three designated trout streams.
- There are 71 lakes in the RRW with a watershed to lake ratio of 10 or less and are considered groundwater dependent lakes, susceptible to changing aquifer levels.
- Wetland complexes across the entire watershed are susceptible to changing aquifer levels.
- Thirty-three distinct native plant communities connected to groundwater and two community complexes. In addition, 29 state-listed endangered, threatened, or special concern plant and animal species connected to groundwater that are at risk to changing aquifer levels and degraded groundwater quality.

Table of Actions and Strategies to Restore and Protect Groundwater

Table 9: Actions and Strategies to Restore and Protect Groundwater

Goal	Supporting Strategy	 Recommended Groundwater Actions 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co.	Target Isanti Co.	Target Isanu CO. Target Kanahar Co		Target Morrison Co.	Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Private Well Users: Arsenic	Education and Outreach	 Educate well users about the health risks of elevated arsenic levels in drinking water. Promote testing of private wells through education or cost share. Provide information from MDH about arsenic in Minnesota's well water to private well users to help answer health related questions and information on arsenic removal. 	×	×	×	×	×	X	×	X	X	x	All	MDH Well MGMT	 Prioritize areas with a high density of private wells and areas with evidence of high levels of arsenic in private wells. Arsenic Map (Figure 17) Drinking Water Wells Map (Figure 11) 						
Protect Private Well Users: Well Testing	Education and Outreach	 Make information available to private well users about local drinking water quality and well testing. Host a well testing clinic or provide resources to well users to have their water tested for: Coliform Bacteria (every year) Nitrate (every other year) Arsenic (at least once) Lead (at least once) Manganese (at least once) 	x	X	X	Х	X	X	x	×	x	X	All	MDH Well MGMT	Prioritize areas with a high density of private wells, high pollution sensitivity and/or where there are known groundwater contaminants. Pollution Sensitivity Map <u>(Figure 5)</u> Pollution Sensitivity Wells <u>(Figure 7)</u> Arsenic Map <u>(Figure 17)</u> Drinking Water Wells Map <u>(Figure 11)</u> Nitrate Map <u>(Figure 13)</u>						

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Morrison Co.	Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Private Well Users: Manage Wells Protect Groundwater and Drinking Water Quality: Manage Wells	Education and Outreach	Promote proper management of wells through MDH tools, such as the 'Well Owners Handbook' in landowner outreach efforts.	X	X	X	X	X	X	X	Х	Х	X	All	MDH Well MGMT	Prioritize areas with a high density of private wells Drinking Water Wells Map <u>(Figure 17)</u>						
Protect Groundwater and Drinking Water Quality: Well Sealing	Education and Outreach	 Provide cost share to well owners for sealing of unsealed, unused wells. Provide educational materials on well sealing. 	х	Х	X	X	X	X	X	Х	Х	x	All	MDH Well MGMT	Prioritize areas with a high density of private wells and DWSMAs. Drinking Water Wells Map <u>(Figure 11)</u> DWSMA Map <u>(Figure 10</u>)						
Protect Groundwater and Drinking Water Quality: Well Inventory	Land Use Planning and Management	To understand water quality trends, establish a well inventory to record baseline data or changes in groundwater quality. An example of a successful model is the Southeast MN Domestic Well Network.	X	Х	Х	X	X	X	X	Х	Х	X	All	MDH Well MGMT	N/A						
Protect Groundwater and Drinking	Contaminant Planning and Management	 Identify MPCA closed landfill locations and groundwater areas of concern in comprehensive land use plans, zoning maps and 	X	Х						х			Mille Lacs West Branch	MPCA CLP Land Manager	Closed Landfill Map <u>(Figure 21)</u>						

Goal	Supporting Strategy	 Recommended Groundwater Actions 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	l arget Morrison Lo. Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Water Quality: Closed Landfills	<u>Land Use</u> <u>Planning and</u> <u>Management</u>	 ordinances. Identifying the location will help assure drinking water and public health implications are considered when evaluating future growth or development near these sites. Consult and review the MPCA Closed Landfill Program to make sure any proposed changes in zoning districts or new land use planning proposals are not in conflict with the State Closed Landfill Plan. Contact the MPCA Closed Landfill Program for current information and any concerns or changes to the groundwater area of concern when considering land use changes or developments near the area. Request to be notified regarding any changes in the migration or movement of contaminants. Educate residents about the proper disposal of HHW, pharmaceuticals and personal 										Cedar								

Goal	Supporting Strategy	 Recommended Groundwater Actions care products that can contaminant landfills. 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lace Co	Target Morrison Co.	Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Leaky Tanks	Contaminant Planning and Management Land Use Planning and Management	 Identify leaky and active tank sites in your area in comprehensive land use plans, zoning maps and ordinances. Identifying these locations will help assure drinking water and public health implications are considered when evaluating future growth or development near these sites. Contact the MPCA Tank Compliance and Assistance Program for current information and any concerns or changes to the groundwater area of concern when considering land use changes or developments near these areas. Request to be notified regarding any changes in the migration or movement of contaminants. 	X	X	X	X	X	X	X	X	X	X	All	MPCA Tanks Program	Focus in areas with high pollution sensitivity and highly vulnerable DWSMAs. <i>Pollution Sensitivity Map (Figure 5)</i> <i>Pollution Sensitivity Wells (Figure 7)</i> DWSMA Map (Figure 10) Tank & Leak Site Map (Figure 20)						

Goal	Supporting Strategy	 Recommended Groundwater Actions 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co.		С С	Target Mille Lacs Co.	Target Morrison Co.	Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Feedlots	<u>Contaminant</u> <u>Planning and</u> <u>Management</u>	Prioritize feedlot inspections, regardless of size, in areas of greatest risk to pollution, to minimize the loss of nitrate and harmful bacteria.	X	Х	х	х	XX	×	x :	X	X	x	All	MPCA Feedlot Program	Focus in areas with high pollution sensitivity and highly vulnerable DWSMAs. Pollution Sensitivity Map <u>(Figure 5)</u> Pollution Sensitivity Wells <u>(Figure 7)</u> DWSMA Map (<u>Figure 10</u>) Active Feedlot Map <u>(Figure 19)</u>						x
Protect Groundwater and Drinking Water Quality: Manure Management	Education and Outreach <u>Nutrient</u> <u>Management</u>	 In delegated counties, all feedlots that apply manure in areas of high risk will conduct a Level 2 records review completed regardless of the size of facility. In delegated counties, conduct annual Level 3 review of manure acres in areas of high risk. Assist feedlot owners, especially sites with 300 or fewer animal units, in the development of a manure management plan. Host field days that promote; emergency response training, manure crediting, calibration of 	X	X	X	X	x		< :	X	X	X	All	MPCA Feedlot Program	Focus in areas with high pollutions sensitivity and highly vulnerable DWSMAs. <i>Pollution Sensitivity Map <u>(Figure 5)</u> Pollution Sensitivity Wells <u>(Figure 7)</u> DWSMA Map (<u>Figure 10</u>) Active Feedlot Map <u>(Figure 19)</u></i>			X	X		X

Goal	Supporting Strategy	 Recommended Groundwater Actions equipment, and the manure testing process. Evaluate local ordinances and revise to include manure timing guidelines to protect from nitrate loss. Follow the UMN 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co.		Target Mille Lacs Co.	Target Morrison Co.	Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
		Extension guidelines, including no summer application and fall application only after soil temperature is below 50 degrees.																		
Protect Groundwater and Drinking Water Quality: Manure Management	Education and Outreach <u>Nutrient</u> <u>Management</u> <u>Contaminant</u> <u>Planning and</u> <u>Management</u>	 Promote actions to prepare for field application of manure: Inspect equipment to ensure everything is functioning properly to avoid leaks or spills Get manure sampled and analyzed for nutrient availability Plan applications for each field Determine any setbacks needed in fields and mark locations of sensitive features to avoid Use the Minnesota Runoff Risk Advisory Forecast system tool to 	X	X	×	× :	K X	X	X	X	X	All	MPCA Feedlot Program	Focus in areas with high pollution sensitivity and highly vulnerable DWSMAs. <i>Pollution Sensitivity Map <u>(Fiqure 5)</u> Pollution Sensitivity Wells <u>(Fiqure 7)</u> DWSMA Map (<u>Fiqure 10)</u> Active Feedlot Map <u>(Fiqure 19)</u></i>			X	X		X

Goal	Supporting Strategy	 Recommended Groundwater Actions determine the best time to apply manure. Put together an emergency action plan that identifies leak and spill containment 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Morrison Co.	Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Nitrate	Nutrient Management	 Promote implementation of nutrient management practices to improve farm profitability and reduce nitrogen loss. Practices include: Improve nitrogen efficiency by practicing the 4 R's of nitrogen stewardship (right source, right rate, right timing, and right place) Adopt and use of the UMN 'Best Management Practices for Nitrogen use in Minnesota Properly credit nitrogen sources (soil/manure tests, past crops, & mineralization) Implement comprehensive nutrient management plans to improve nitrogen crediting, equipment calibration, and record keeping 	X	X	x	X	X	X	X	X	X	×	All	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their township testing program. <i>Pollution Sensitivity Map (Fiqure 5)</i> <i>Pollution Sensitivity Wells (Fiqure 7</i> <i>DWSMA Map (Fiqure 10)</i> <i>Township Testing Map (Fiqure 14)</i>						X

Goal	Supporting Strategy	 Recommended Groundwater Actions Spoon feed nitrogen to sync with 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Morrison Co.	Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
		plant growth through side dressing and split fertilizer application																			
Protect Groundwater and Drinking Water Quality: Nitrate	Nutrient Management Education and Outreach	Increase the number of farmers enrolled in the Nutrient Management Initiative Program to evaluate alternative nutrient management practices.	x	x	x	x	x	x	x	x	х	X	All	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their township testing program. Pollution Sensitivity Map (Figure 5) Pollution Sensitivity Wells (Figure 7 DWSMA Map (Figure 10) Township Testing Map (Figure 14)						Х
Protect Groundwater and Drinking Water Quality: Nitrate	Nutrient Management Education and Outreach Cropland Management	Identify programs and opportunities for growers to test and implement new nitrogen practices, innovative technology or cropping systems that protect groundwater quality that prevent or reduce nitrogen loss. (E.g. Cover Crops, Alternative Crops, Precision Ag / New Technologies, Nutrient Management Initiative, etc.)	X	×	X	X	x	×	X	X	Х	X	All	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their township testing program. Pollution Sensitivity Map (Figure 5) Pollution Sensitivity Wells (Figure 7) DWSMA Map (Figure 10) Township Testing Map (Figure 14)	X		X		X	X

Rum River Watershed GRAPS Report

Goal	Supporting Strategy	 Recommended Groundwater Actions 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co.	Target Isaliu cu. Target Vanahoo Co	Tarret Mille Loc Co.	Target Morrison Co.	Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Nitrate	<u>Nutrient</u> <u>Management</u> <u>Education</u> <u>and Outreach</u>	Promote the adoption of cover crops for scavenging nutrients under row crops.	x	X	X	x	×××	X	×	×	x	All	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, irrigated row crops, highly vulnerable DWSMAs, and vulnerable townships identified by MDA through their township testing program. <i>Pollution Sensitivity Map (Figure 5)</i> <i>Pollution Sensitivity Wells (Figure 7)</i> <i>DWSMA Map (Figure 10)</i> <i>Township Testing Map (Figure 14)</i> <i>Drinking Water Wells Map (Figure 11)</i>	X		X	X	Х	X
Protect Groundwater and Drinking Water Quality: Nitrate	Education and Outreach <u>Nutrient</u> Management <u>Irrigation</u> <u>Water</u> Management	Promote the use of chemigation/fertigation to synchronize nitrogen application to crop demand.	X				X		X		X	West Branch Stanchfield Middle Rum Lower Rum Cedar	MDA Pesticide & Fertilizer Division	Focus on irrigators in areas with high pollution sensitivity and highly vulnerable DWSMAs. <i>Pollution Sensitivity Map <u>(Fiqure 5)</u> Pollution Sensitivity Wells <u>(Fiqure 7)</u> DWSMA Map (<u>Fiqure 10</u>) Township Testing Map <u>(Fiqure 14)</u> Monitoring Wells/Pumping <u>(Fiqure 27)</u></i>						X
Protect Groundwater and Drinking	Education and Outreach	Promote the benefits of farming using soil health principles that increase soil moisture	X		x		×	X	X		X	West Branch	NRCS Field Office	Focus on areas with high pollution sensitivity, highly vulnerable DWMSAs, and vulnerable townships identified			Х	Х	Х	X

Goal	Supporting Strategy	 Recommended Groundwater Actions 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co. Target Icanti Co	Target Kanaher Co	Target Mille Lace Co	Target Morrison Co	Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Water Quality: Nitrate Groundwater Sustainability: Water Conservation	<u>Nutrient</u> <u>Management</u> <u>Cropland</u> <u>Management</u>	holding capacity, organic matter, and nutrient cycling.										Upper Rum Stanchfield Middle Rum Lower Rum Cedar		by MDA through their township testing program. Pollution Sensitivity Map <u>(Fiqure 5)</u> Pollution Sensitivity Wells <u>(Fiqure 7)</u> DWSMA Map (<u>Figure 10</u>) Township Testing Map <u>(Fiqure 14)</u> Nitrate in Wells Maps <u>(Figure 13)</u>						
Protect Groundwater and Drinking Water Quality: Nitrate Groundwater Sustainability: Water Conservation	Education and Outreach Nutrient Management Cropland Management	Contact state and federal agency resource partners and coordinate opportunities for local field days, training and outreach for farmers, co-ops, and crop consultants. Focus on alternative nitrogen management practices, soil health, and second crops.	X	>	<		X	X	X		×	West Branch Upper Rum Stanchfield Middle Rum Lower Rum Cedar	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their Township Testing program. Pollution Sensitivity Map (Figure 5) Pollution Sensitivity Wells (Figure 7) DWSMA Map (Figure 10) Township Testing Map (Figure 14) Nitrate in Wells Maps (Figure 13)						
Protect Groundwater and Drinking	Education and Outreach	Promote the benefits of crop diversity and rotation, which include high yields for each crop in the rotation, pest and weed control, and enhanced soil fertility.	X	>	<		X	X	X		X	West Branch Upper Rum	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, highly vulnerable DWMSAs, and vulnerable townships identified		Х	Х	Х	Х	Х

Goal Water Quality: Nitrate Protect Groundwater and Drinking Water Quality: Pesticides	Supporting Strategy <u>Cropland</u> <u>Management</u> <u>Integrated</u> <u>Pest</u> <u>Management</u>	 Recommended Groundwater Actions 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co.			Morrison C	Target Sherburne Co.	HUC-10s Involved Stanchfield Middle Rum Lower Rum Cedar	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i> by MDA through their township testing program. Pollution Sensitivity Map <u>(Figure 5)</u> Pollution Sensitivity Wells <u>(Figure 7</u> DWSMA Map (<u>Figure 10</u>)	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect	Education	Provide information on best practices for turf	X				X	x	,	×	×	Upper Rum	UMN Lawns	Township Testing Map <u>(Figure 14)</u> Nitrate in Wells Maps <u>(Figure 13)</u> Focus in MS4 communities and			X	x	X	X
Groundwater and Drinking Water Quality: Nitrate Protect Groundwater and Drinking Water Quality: Pesticides Groundwater Sustainability: Water Conservation	<u>and Outreach</u> <u>Irrigation</u> <u>Water</u> <u>Management</u>	management to the public. Include information on fertilizer application, crediting for grass clippings, lawn watering and herbicide and pesticide application.	Λ									Middle Rum Lower Rum Cedar	& Turfgrass MGMT Team	residential developments with high pollution sensitivity, along with highly vulnerable DWSMAs. <i>Pollution Sensitivity Map <u>(Figure 5)</u> Pollution Sensitivity Wells <u>(Figure 7)</u> DWSMA Map (<u>Figure 10</u>)</i>						

Goal	Supporting Strategy	 Recommended Groundwater Actions 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co.	l arget Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Morrison Co.	Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Pesticides	Education and Outreach Integrated Pest Management	Promote the adoption and use of MDA's water quality BMPs for agricultural pesticides and insecticides.	X		X		×		x	x		x	West Branch Upper Rum Stanchfield Middle Rum Lower Rum Cedar	MDA Pesticide & Fertilizer Division	Focus in areas of pesticide detection in MDA's monitoring wells, along with areas of high pollution sensitivity, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their Township Testing program. Pollution Sensitivity Map (Figure 5) Pollution Sensitivity Wells (Figure 7) DWSMA Map (Figure 10) Township Testing Map (Figure 14)						Х
Protect Groundwater and Drinking Water Quality: Pesticides	Education and Outreach	Promote to farmers and area businesses the Agricultural and Non-Agricultural Waste Pesticide Collection Program to dispose of unwanted and unusable pesticides.	×		X		X		x	X		X	West Branch Upper Rum Stanchfield Middle Rum Lower Rum Cedar	MDA Pesticide & Fertilizer Division	Focus in areas of pesticide detection in MDA's monitoring wells, along with areas of high pollution sensitivity, highly vulnerable DWMSAs, and vulnerable townships identified by MDA through their Township Testing program. Pollution Sensitivity Map (Figure 5) Pollution Sensitivity Wells (Figure 7) DWSMA Map (Figure 10) Township Testing Map (Figure 14)						

Goal	Supporting Strategy	 Recommended Groundwater Actions 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co.	Target Isanti Co.		Target Mille Lacs Co.	Target Morrison Co.	Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: SSTS	<u>SSTS</u> <u>Management</u>	 Enforce state and locally adopted SSTS ordinances for the protection of groundwater and drinking water sources. Evaluate existing SSTS ordinances and identify opportunities to enhance groundwater protection. Activities may include adding a Point of Sale requirement to trigger a SSTS inspection during real estate transactions. Improve SSTS records by obtaining information on treatment system; age, type and function to understand potential risks to groundwater. 	X	x	X	x	x	x	x >	X	x	X	All	MPCA SSTS Field Staff	Focus in areas with high pollution sensitivity, highly vulnerable DWSMAs, and areas with a density of SSTS. You can use the Well Density Map as an imperfect surrogate for SSTS density. Drinking Water Wells Map (Figure 17) Pollution Sensitivity Map (Figure 5) Pollution Sensitivity Wells (Figure 7) DWSMA Map (Figure 10)						
Protect Groundwater and Drinking Water Quality: SSTS	Education and Outreach SSTS Management	 Educate citizens about SSTS including: The basic principles of how a septic system works How to operate the system efficiently and effectively Risks to human health and the environment 	X	X	X	x	x	x	x	X	X	X	All	MPCA SSTS Field Staff	Focus in areas with high pollution sensitivity, highly vulnerable DWSMAs, and areas with a density of SSTS. You can use the Well Density Map as an imperfect surrogate for SSTS density. Drinking Water Wells Map (Figure 17) Pollution Sensitivity Map (Figure 5)						

Goal	Supporting Strategy	 Recommended Groundwater Actions Financial options to repair or replace failing or non-compliant 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Morrison Co.	Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i> <i>Pollution Sensitivity Wells</i> (Figure 7) DWGMA Map (Figure 10)	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
		system													DWSMA Map (<u>Figure 10</u>)						
Protect Groundwater and Drinking Water Quality: SSTS	Education and Outreach SSTS Management	Host local SSTS training and workshops for area contractors and citizens regarding SSTS technology, compliance, and maintenance.	X	Х	x	X	X	X	X	X	X	X	All	MPCA SSTS Field Staff	Focus in areas with high pollution sensitivity, highly vulnerable DWSMAs, and areas with a density of SSTS. You can use the Well Density Map as an imperfect surrogate for SSTS density. Drinking Water Wells Map (Figure 17) Pollution Sensitivity Map (Figure 5) Pollution Sensitivity Wells (Figure 7) DWSMA Map (Figure 10)						
Protect Groundwater and Drinking Water Quality: Wellhead Protection (WHP)	Education and Outreach Cropland Management Land Use Planning and Management	Serve on WHP planning teams to assist public water suppliers with planning and implementation activities to address land use planning concerns.	x				×	×		X		X	All	MDH SWP Unit	Wellhead Protection Plan Development Status <u>(Figure 9)</u> DWSMA Map (<u>Figure 10</u>)						

Goal	Supporting Strategy Land Use	 Recommended Groundwater Actions 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.			Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Morrison Co.		HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Wellhead Protection	<u>Planning and</u> <u>Management</u>	Integrate WHP plan strategies into local plans, such as the 1W1P and land use plans.	X				X	Х		Х		Х	All	MDH SWP Unit	DWSMA Map (<u>Figure 10</u>)						
Protect Groundwater and Drinking Water: Household Hazardous Waste (HHW)	Education and Outreach Land Use Planning and Management	 Educate the public about the risks of improperly disposing of HHW and promote community-supported collection sites. Make disposal of HHW easy for the public by expanding collection sites through mobile units by stopping in different communities throughout the summer for free drop off. Promote other recycling options of various products at area businesses throughout the year. 	X	X	X	X	X	X	X	X	X	X	All	MPCA Hazardous Waste Program	Focus on areas with high pollution sensitivity and highly vulnerable DWMSAs <i>Pollution Sensitivity Map <u>(Figure 5)</u> Pollution Sensitivity Wells <u>(Figure 7)</u> DWSMA Map (<u>Figure 10</u>)</i>						
Protect Groundwater and Drinking Water: Pharmaceuticals	Education and Outreach	Keep unused/unwanted medications out of drinking water supplies by educating the public about available safe and secure drop box locations at law enforcement facilities and pharmacies.	X	X	X	X	Х	Х	X	Х	Х	Х	All	MPCA Hazardous Waste Program	Focus on areas with high pollution sensitivity and highly vulnerable DWMSAs Pollution Sensitivity Map <u>(Figure 5)</u>						

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Morrison Co.		HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i> Pollution Sensitivity Wells (Figure 7)	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
															DWSMA Map (<u>Figure 10</u>)						
Protect Groundwater and Drinking Water: Contaminants of Emerging Concern (CEC)	Education and Outreach	Enhance Minnesotans' understanding of CEC's by communicating the health impacts and exposure potential of emerging contaminants in drinking water. Outreach and Education Grants are available through the MDH CEC Initiative. See <u>Outreach and Education Grants</u> (www.health.state.mn.us/divs/eh/risk/guidan ce/dwec/outreachproj.html) for opportunities.	X	Х	X	X	X	x	X	X	X	X	All	MDH CEC Program	Focus on areas with high pollution sensitivity and highly vulnerable DWMSAs <i>Pollution Sensitivity Map</i> <u>(Figure 5)</u> <i>Pollution Sensitivity Wells</i> <u>(Figure 7)</u> DWSMA Map (<u>Figure 10</u>)						
Protect Groundwater and Drinking Water	Education and Outreach	Educate the public and decision makers about the hydrologic connectivity of groundwater and surface water and how this influences the vulnerability of drinking water resources.	x	х	x	Х	Х	Х	x	Х	Х	X	All	DNR Ecological & Water Resources	Focus in areas with high pollution sensitivity. Pollution Sensitivity Map <u>(Fiqure 5)</u> Pollution Sensitivity Wells <u>(Fiqure 7)</u>						
Protect Groundwater and Drinking Water Quality Water Sustainability	Education and Outreach	Develop a 'drinking water protection' page on the SWCD or county website or other communication tools that can be used to share information with citizens on what they can do to protect both public and private sources of drinking water. Include information about the connection between	X	Х	X	X	Х	X	X	X	X	X	All	MDH Well MGMT & SWP Unit	N/A						

Rum River Watershed GRAPS Report

Goal	Supporting Strategy	 Recommended Groundwater Actions surface and groundwater, well sealing and water conservation. Dakota County's 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Morrison Co.	Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
		webpage <u>Water Quality</u> (https://www.co.dakota.mn.us/Environment/ WaterQuality/WellsDrinkingWater/Pages/def ault.aspx) is a good example.																			
Protect Groundwater and Drinking Water Quality Water Sustainability	<u>Land Use</u> <u>Planning and</u> <u>Management</u>	Develop ordinances, overlay districts, performance standards, etc. to further protect drinking water and groundwater connected features from future land use impacts for their long-term sustainability and use.	X	X	X	X	X	x	Х	X	х	X	All	MN Assoc. of Counties	Focus in areas with high pollution sensitivity, highly vulnerable DWSMAs and groundwater connected natural features Pollution Sensitivity Map (Fiqure 5) Pollution Sensitivity Wells (Fiqure 7) DWSMA Map (Fiqure 10) GWC Plants, Animals, Native Plant Communities Map (Figure 41) Mapped Native Plant Communities (Fiqure 40)		X				
Protect Groundwater and Drinking Water Quality Water Sustainability	<u>Land Use</u> <u>Planning and</u> <u>Management</u>	 Incorporate basic groundwater and drinking water information into local comprehensive plans and ordinances including: Local geology and aquifer information 	Х	Х	X	X	X	Х	Х	Х	Х	X	All	MDH SWP Unit	Pollution Sensitivity Map <u>(Fiqure 5)</u> Pollution Sensitivity Wells <u>(Fiqure 7</u> DWSMA Map (<u>Figure 10</u>) GWC Plants, Animals, Native Plant Communities Map <u>(Figure 41)</u>						

Goal	Supporting Strategy	 Recommended Groundwater Actions 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co.	Target Isaliu CO. Target Vanahoo Co	Target Kanabec Lo.	Target Mille Lacs Co.	Target Morrison Co.	Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
		 The sources of drinking water and the pollution sensitivity of public and private wells Maps of state approved WHP areas Groundwater dependent natural features Contaminant areas of concern Other local information needed to consider and protect groundwater and drinking water resources in local land use planning decisions 													Mapped Native Plant Communities (<u>Figure 40)</u> Tank & Leak Site Map <u>(Figure 24)</u>						
Groundwater Sustainability: Water Conservation	<u>Land Use</u> <u>Planning and</u> <u>Management</u>	Plan for future population growth by reflecting drinking water quality and quantity issues in land use plans. Use planning tools such as setbacks, performance standards, conditional use permits, zoning districts, etc. that protect aquifer health and yield.	x				×		X	(x	Upper Rum Middle Rum Lower Rum Cedar	MN Assoc. of Counties	Prioritize highly vulnerable DWSMAs and areas of high water use: <i>DWSMA Map</i> (<u>Fiqure 10</u>) Monitoring Wells/Pumping <u>(Fiqure 27)</u>		Х				
Protect Groundwater and Drinking Water Quality	<u>Land Use</u> <u>Planning and</u> <u>Management</u>	Conduct a survey of property owners within the flood plain to identify unused/unsealed wells. Seal those wells identified to prevent contamination of the aquifer.	X	X	X	X	x x	X	X		X	X	All	MDH Well MGMT	Prioritize areas of greatest risk to flooding: <i>Drinking Water Wells and Flood Risk</i> <u>(Figure 12</u>)						

Goal	Supporting Strategy	 Recommended Groundwater Actions 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Morrison Co.	Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality	Land Use Planning and Management	Request flooded well test kits from MDH Well Management to distribute to private well owners after a flood event.		Х	×	х	x	Х					All	MDH Well MGMT	Prioritize areas impacted by recent flooding that may be at risk to contamination: Drinking Water Wells and Flood Risk <u>(Figure 12</u>)						
Protect Groundwater and Drinking Water Quality Water Sustainability: Recharge	Conservation Easements	Enroll private lands in land acquisition programs or conservation easements. Programs may include: Continuous CRP, RIM Reserve for wellhead protection, and CREP.	X	X	X	X	X	X	X	X	X	X	All	BWSR	 Prioritize areas of high pollution sensitivity and highly vulnerable DWSMAs. Target areas of high water use, known groundwater connected natural features. Examine areas where you can expand on existing easements and protected lands to increase protections. Pollution Sensitivity Map (Figure 5) Pollution Sensitivity Wells (Figure 7) DWSMA Map (Figure 10) Monitoring Wells/Pumping (Figure 27) GWC Plants, Animals, Native Plant Communities Map (Figure 41) Mapped Native Plant Communities (Figure 40) RIM Easements Map (Figure 45) 	X	X	X	X	X	X

Goal	Supporting Strategy	 Recommended Groundwater Actions 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	larget Urow Wing Co. Target Isanti Co	Target Kanabec Co.	Target Mille Lacs Co.	Target Morrison Co.	Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality Water Sustainability: Recharge	<u>Conservation</u> <u>Easements</u>	Maintain and expand set-aside acres in sensitive areas, including areas in publicly supported conservation programs like CRP, from being converted to high intensity uses, such as corn and soybeans.	X	X	X	x x	X	x	X	X	X	All	FSA	Prioritize private lands with existing CRP contracts, along with state and federal easement, such as RIM and DNR and USFW habitat easements. Target areas of known groundwater dependent features, areas of high pollution sensitivity, and highly vulnerable DWSMAs. <i>RIM Easements Map (Fiqure 45)</i> <i>GWC Plants, Animals, Native Plant Communities Map (Fiqure 41)</i> <i>Mapped Native Plant Communities (Fiqure 40)</i> <i>Pollution Sensitivity Map (Fiqure 5)</i> <i>DWSMA Map (Fiqure 10)</i>	x	X	X	X	X	X
Protect Groundwater and Drinking Water Quality: Stormwater Management Water Sustainability: Recharge	Land Use Planning and Management Education and Outreach	Manage stormwater runoff to minimize adverse impacts to groundwater. Refer to the Minnesota Stormwater Manual for infiltration guidance on project sites located in wellhead protection areas.	X				X		X		X	Upper Rum Middle Rum Lower Rum Cedar	MPCA MS4 Program	Prioritize MS4 communities, target highly sensitive areas and highly vulnerable DWSMAs. <i>Pollution Sensitivity Map</i> <u>(Figure 5)</u> DWSMA Map (<u>Figure 10</u>)	X	X		X		X

Rum River Watershed GRAPS Report

Goal	Supporting Strategy	 Recommended Groundwater Actions 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing co. Target Isanti Co.	Target Kanahec Co.	Target Mille Lacs Co.	Target Morrison Co.	Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Nitrate Groundwater Sustainability: Water Conservation	Education and Outreach <u>Irrigation</u> <u>Water</u> <u>Management</u>	 Promote and encourage the adoption of irrigation water management BMPs that increase water conservation and decrease conditions for nitrogen loss beyond the root zone by utilizing: Irrigation water scheduling to control the volume, frequency, and application of irrigation water Conversion to low flow pressure irrigation nozzles Proper timing of irrigation through the use of online tools that identify local climate, growing degree days (GDD) and evapotranspiration (ET) conditions Test irrigation water and take credit for nitrate present as a fertilizer source 	X				×		x		X	Upper Rum Middle Rum Lower Rum Cedar	MDA Pesticide & Fertilizer Division	Prioritize areas of high water use intensity by agricultural irrigators, highly sensitive areas and highly vulnerable DWSMAs. <i>Monitoring Wells/Pumping (Figure 27)</i> <i>Pollution Sensitivity Map (Figure 5)</i> <i>Pollution Sensitivity Wells (Figure 7)</i> <i>DWSMA Map (Figure 10)</i>		X		X		X
Groundwater Sustainability: Water Conservation	Education and Outreach	Provide education on water conservation practices that can be adopted in people's homes and businesses. Use the Met Council's Water Conservation Toolbox.	х	X	Х	X X	X	Х	×	X	x	All	DNR Ecological & Water Resources	N/A		Х				

Goal	Supporting Strategy	 Recommended Groundwater Actions 	Target Anoka Co.	Target Aitkin Co.	Target Benton Co.	Target Chisago Co.	Target Crow Wing Co.	Target Isanti Co.	Target Kanabec Co.	Target Mille Lacs Co.	Target Morrison Co.	Target Sherburne Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Groundwater Sustainability: Water Conservation	<u>Land Use</u> <u>Planning and</u> <u>Management</u>	Assist communities serving over 1,000 people with water conservation measures outlined in their DNR municipal water supply plans.	х					х		х		x	Upper Rum Middle Rum Lower Rum	DNR Ecological & Water Resources	N/A		х				
Groundwater Sustainability: Water Conservation	Land Use Planning and Management Education and Outreach	Assist farmers with a water appropriation permit by developing a water resource plan that identifies water conservation measures that improve water use efficiencies and reduce water demand.	X					X		X		Х	Upper Rum Middle Rum Stanchfield Lower Rum Cedar	DNR Ecological & Water Resources	Prioritize areas of high water use intensity by agricultural irrigators. <i>Monitoring Wells/Pumping <u>(Figure 27)</u></i>		X				X
Water Sustainability: Recharge Water Sustainability: Rare or Declining Habitats	<u>Land Use</u> <u>Planning and</u> <u>Management</u>	Promote and increase the adoption of recharge BMPs including wetland construction/restoration, perennial establishment, riparian buffers, and conservation easements.	X	X	×	X	X	X	X	X	X	X	All	DNR Ecological & Water Resources	Target areas near sensitive features and groundwater fed lakes. <i>GWC Plants, Animals, Native Plant Communities Map <u>(Figure 41)</u> <i>Mapped Native Plant Communities</i> <u>(Figure 40)</u> Groundwater Dominated Lakes Map <u>(Figure 43)</u></i>	X	X	X	х	X	X


Descriptions of Supporting Strategies

Conservation Easements

Conservation easements are a legal agreement between a landowner and a land trust or government agency that permanently limits uses of the land in order to protect its conservation values. Easements allow landowners to continue to own and use their land. They can also sell it or pass it on to heirs. Maintaining and expanding set-aside acres, including areas in publicly supported conservation programs (like CRP) from being converted to high intensity land uses, such as row crop agriculture, will help protect groundwater quantity and quality.

Existing Programs and Resources

- BWSR <u>Conservation Reserve Program</u> (https://bwsr.state.mn.us/conservation-reserveprogram): A voluntary program designed to help farmers restore and protect environmentally sensitive land.
- BWSR <u>Conservation Reserve Enhancement Program CREP</u> (https://bwsr.state.mn.us/mncrep-landowners): This project is a federal, state and local partnership and will voluntarily retire environmentally sensitive land using the nationally-recognized Reinvest in Minnesota (RIM) Reserve. <u>Figure 45</u> shows where RIM easements are in the watershed.



Rum River - BWSR Reinvest in Minnesota (RIM) Easements

Figure 45: Rum River Watershed – BWSR RIM easements

Basemap: ESRI World Street Map Data: BWSR

Contaminant Planning and Management

Protect groundwater and drinking water supplies from contaminant releases in the environment through land use planning, ordinances, and collaboration with state regulatory agencies.

Existing Programs and Resources

MDA <u>What's in My Neighborhood? Agricultural Interactive Mapping</u>

(www.mda.state.mn.us/chemicals/spills/incidentresponse/neighborhood.aspx): A tool that tracks and maps spills of agricultural chemicals and sites contaminated with agricultural chemicals.

- MPCA <u>Manure Management</u> (https://www.pca.state.mn.us/quick-links/feedlot-nutrient-andmanure-management): Resources such as fact sheets, guidelines, computer tools and forms for feedlot nutrient and manure management.
- MPCA Tank Compliance and Assistance Program--<u>Storage Tanks</u> (https://www.pca.state.mn.us/waste/storage-tanks): A program that provides information and assistance to tank owners and others regarding technical standards required of all regulated underground storage tanks and aboveground storage tank systems.
- MPCA <u>Closed Landfill Program</u> (https://www.pca.state.mn.us/waste/closed-landfill-program): A voluntary program to properly close, monitor, and maintain Minnesota's closed municipal sanitary landfills.
- MPCA <u>Feedlots</u> (https://www.pca.state.mn.us/quick-links/feedlot-program): Information about feedlot rules, permits, and management.
- MPCA <u>What's in My Neighborhood</u> (https://www.pca.state.mn.us/data/whats-myneighborhood): An online tool for searching information about contaminated sites and facilities all around Minnesota.
- UMN Extension <u>Manure Management in Minnesota</u> (https://extension.umn.edu/animals-andlivestock#manure-management): Information about manure characteristics, application, and economics.
- MDH <u>Contaminants of Emerging Concern</u> (www.health.state.mn.us/cec): A program that
 investigates and communicates the health and exposure potential of contaminants of emerging
 concern (CECs) in drinking water.

Cropland Management

Voluntary practices to manage resource concerns while minimizing environmental loss. Practices may include conservation tillage, cover crops, soil health and other agricultural BMPs.

Existing Programs and Resources

- MDA <u>The Agricultural BMP Handbook for Minnesota</u> (https://www.mda.state.mn.us/protecting/cleanwaterfund/research/handbookupdate): A literature review of empirical research on the effectiveness of 30 conservation practices.
- NRCS <u>Conservation Stewardship Program</u> (www.nrcs.usda.gov/wps/portal/nrcs/main/mn/programs/financial/csp/): A voluntary conservation program that encourages producers to address resource concerns in a comprehensive manner.
- NRCS Environmental Quality Incentives Program (https://www.nrcs.usda.gov/wps/portal/nrcs/main/mn/programs/financial/eqip/): A program that provides financial and technical assistance to agricultural producers so they can implement

structural and management conservation practices that optimize environmental benefits on working agricultural land.

- NRCS <u>Cover Crops</u> (www.nrcs.usda.gov/wps/portal/nrcs/detail/mn/technical/?cid=nrcs142p2_023671): Provides information, fact sheets, and tools about cover crops.
- NRCS <u>Soil Health</u> (https://www.nrcs.usda.gov/wps/portal/nrcs/main/mn/soils/health/): Provides information about the basics and benefits of soil health.
- <u>Midwest Cover Crop Council</u> (mccc.msu.edu/statesprovince/minnesota/): Provides resources to help with technical support and answer questions from a local perspective at no cost.
- MDA <u>Minnesota Agricultural Water Quality Certification Program</u> ()https://www.mda.state.mn.us/environment-sustainability/minnesota-agricultural-waterquality-certification-program A voluntary program for farmers to implement conservation practices to protect water quality.

Education and Outreach

Educate landowners, private well users, and other stakeholders about how their actions impact groundwater quality and quantity. Provide information about potential health risks related to groundwater quality. Identify actions individuals, households, and partner agencies can take to sustain groundwater and protect or improve drinking water quality. Some ideas include managing household hazardous waste, maintaining household septic systems, and household water conservation measures.

For educational materials and programs related to a specific topic, go to the strategy about that topic. For example, go to 'nutrient management' to learn more about potential education opportunities regarding reducing nitrogen use. The list below provides some additional tools that may be helpful.

Existing Programs and Resources

- Metropolitan Council <u>Water Conservation Toolbox</u> (https://metrocouncil.org/Wastewater-Water/Planning/Water-Supply-Planning/Guidance-Planning-Tools/Water-Conservation/Toolbox.aspx): Information about how residents and businesses, suppliers, learners, and communities can conserve water.
- Minnesota Rural Water Association <u>Source Water Protection Resources</u> (www.mrwa.com/sourcewater.html): Resources to help public water suppliers develop plans to use local community resources to protect drinking water quality.
- MPCA <u>Waste</u> (https://www.pca.state.mn.us/waste): Information about managing waste, recycling, composting, and preventing waste and pollution.
- MPCA <u>Manual for Turfgrass Maintenance with Reduced Environmental Impacts</u> (https://www.pca.state.mn.us/sites/default/files/p-tr1-04.pdf): Practical advice for those who manage turfgrass (golf courses and athletic fields excluded).
- MDH <u>Wells Laws and Rules</u> (www.health.state.mn.us/divs/eh/wells/rules/index.html): Minnesota State Well Code (MR 4725.0050 – 4725.7605).
- MDH <u>Wells and Borings—Well Management Program</u> (www.health.state.mn.us/divs/eh/wells/index.html): Information about proper well construction, maintenance, testing, and sealing.
- MDH <u>Wellowner's Handbook</u> (www.health.state.mn.us/divs/eh/wells/construction/handbook.pdf): A consumer's guide to water wells in Minnesota.
- MDH <u>Arsenic in Minnesota's Well Water</u> (www.health.state.mn.us/divs/eh/wells/waterquality/arsenic.html): Information about arsenic in Minnesota.

- MDH <u>Water Treatment Units for Arsenic Reduction</u> (http://www.health.state.mn.us/divs/eh/wells/waterquality/arsenictreat.pdf)
- MDA <u>Waste Pesticide Collection Program</u> (https://www.mda.state.mn.us/chemicals/spills/wastepesticides.aspx): Information about the safe disposal of unwanted and unusable pesticides from farms and area businesses.
- MPCA <u>Managing Unwanted Medications</u> (https://www.pca.state.mn.us/livinggreen/managing-unwanted-medications): Information about the safe disposal of unwanted or unused medications from households.

Integrated Pest Management

Integrated Pest Management (IPM) is a balanced approach to pest management which incorporates the many aspects of plant health care/crop protection in ways that mitigate harmful environmental impacts and protect human health. Some of the IPM program activities include generating and distributing IPM information for growers, producers, land managers, schools, and the general public. Information should help them make alternative choices in their pest management decisions.

Existing Programs and Resources

- MDA <u>Integrated Pest Management Program</u> (www.mda.state.mn.us/pesticidefertilizer/pesticide-best-management-practices): A program that develops and implements statewide strategies for the increased use of IPM on private and state managed lands.
- MDA <u>Groundwater and Surface Water Protection from Agricultural Chemicals</u> (www.mda.state.mn.us/protecting/bmps/herbicidebmps.aspx): Information to address pesticide use and water resource protection.

Irrigation Water Management

The process of determining and controlling the volume, frequency, and application rate of irrigation water in a planned, efficient manner (NRCS Codes 442 & 449).

Existing Programs and Resources

- MDA <u>Irrigation Management</u> (https://www.mda.state.mn.us/irrigation-outreach-farmnitrogen-management-central-minnesota): Provides information about irrigation management, similar practices, guidance from NRCS, and links to additional resources.
- DNR Minnesota Water Use Data (www.dnr.state.mn.us/waters/watermgmt_section/appropriations/wateruse.html): Data gathered from permit holders who report the volume of water used each year.

Land Use Planning and Management

This broad strategy encompasses many different concepts including regulations, ordinances, BMP implementation, conservation measures, and education to protect groundwater levels, quality, and contributions to groundwater-dependent features.

Land use planning focuses on the application of city or county government planning and regulations to restore and protect groundwater and groundwater levels. Local planning and regulations can help restrict land uses in groundwater sensitive areas, areas of high aquifer sensitivity, or regions of limited water supply to prevent conflict.

Land management implements voluntary practices that manage resource concerns while minimizing environmental loss. This may include the efficient use of groundwater through conservation measures and use of emerging technology to increase water conservation at the field or local level.

Existing Programs and Resources

- Association of Minnesota Counties (www.mncounties.org/): A voluntary, non-partisan statewide organization that helps provide effective county governance to Minnesotans. The Association works closely with the legislative and administrative branches of government in seeing that legislation and policies favorable to counties are enacted.
- DNR <u>Water Supply Plans</u> (www.dnr.state.mn.us/waters/watermgmt_section/appropriations/eandc_plan.html): Provides information about Minnesota public water supply plans.
- DNR <u>MPARS (MNDNR Permitting and Reporting System)</u> (www.dnr.state.mn.us/mpars/index.html): DNR is the permitting authority for high capacity water use.
- DNR <u>Water Conservation</u> (www.dnr.state.mn.us/waters/watermgmt_section/appropriations/conservation.html): Provides tips and tools for promoting water conservation at home, public water supply systems, and other environments.
- League of Minnesota Cities (https://www.lmc.org): Promotes excellence in local government through effective advocacy, expert analysis, and trusted guidance for all Minnesota cities.
- MPCA <u>Condition Groundwater Monitoring</u> (https://www.pca.state.mn.us/water/conditiongroundwater-monitoring).
- MPCA <u>Stormwater and Wellhead Protection</u> (stormwater.pca.state.mn.us/index.php/Stormwater_and_wellhead_protection): Guidance and recommendations for determining the appropriateness of infiltrating stormwater in a Drinking Water Supply Management Area.
- MPCA <u>Minnesota Stormwater Manual</u> (stormwater.pca.state.mn.us/index.php/Main_Page): A manual to help the everyday user better manage stormwater.
- MPCA <u>Enhancing Stormwater Management in Minnesota</u> (https://www.pca.state.mn.us/water/enhancing-stormwater-management-minnesota): Information about standards and tools for minimal impact designs for stormwater management.
- MPCA <u>Stormwater</u> (https://www.pca.state.mn.us/water/stormwater): MPCA regulates the discharge of stormwater and snowmelt runoff from municipal separate storm sewer systems, construction activities, and industrial facilities.
- MDH <u>Source Water Protection</u> (www.health.state.mn.us/divs/eh/water/swp/): MDH works with communities to protect the source(s) of their drinking water.
- DNR and Minnesota Geological Survey <u>County Geologic Atlas Program</u> (www.dnr.state.mn.us/waters/groundwater_section/mapping/index.html): Provides additional information on the groundwater resources and hydrogeology of the watershed through maps and reports of geology, groundwater, pollution sensitivity, and special studies.
- MPCA <u>Household Hazardous Waste</u> (www.pca.state.mn.us/waste/household-hazardouswaste-managers-and-operators): Resources for HHW managers and operators, education resources, searchable by county HHW facilities.

Nutrient Management

This strategy addresses both nutrient and manure management.

Nutrient management concepts are centered on applying crop fertilizer or manure using the right source, right rate, right time, and right place (NRCS Codes 327, 340, 345, 393, 590, 656).

Manure management targets the collection, transportation, storage, processing, and disposal of animal manure.

Existing Programs and Resources

- MDA <u>Fertilizer</u> (https://www.mda.state.mn.us/pesticide-fertilizer/fertilizers). MDA is the lead state agency for all aspects of pesticide and fertilizer environmental and regulatory functions. This page provides information on nutrient management programs, reports, publications, factsheets, and related external sources.
- MDA <u>Nutrient Management Initiative Program in Minnesota</u> (www.mda.state.mn.us/protecting/cleanwaterfund/onfarmprojects/nmi): The program assists farmers and crop advisers in evaluating alternative nutrient management practices for their fields.
- MDA <u>Township Testing Program</u> (www.mda.state.mn.us/township-testing-program): The program tests private wells for nitrate and pesticides in areas of the state with the greatest potential for nitrate and pesticide contamination.
- MDA <u>Nitrogen Fertilizer Best Management Practices</u> (www.mda.state.mn.us/pesticidefertilizer/nitrogen-fertilizer-best-management-practices-agricultural-lands)): Provides nitrogen BMPs for various areas within Minnesota.
- MDA <u>Minnesota Nitrogen Fertilizer Management Plan</u> (www.mda.state.mn.us/pesticidefertilizer/minnesota-nitrogen-fertilizer-management-plan): The state's blueprint for preventing or minimizing impacts of nitrogen fertilizer on groundwater.
- MDA Monitoring & Assessment for Agricultural Chemicals in the Environment (www.mda.state.mn.us/node/2696): Information about agricultural chemical monitoring and assessment programs and additional resources.
- UMN Extension <u>Nutrient Management</u> (https://extension.umn.edu/crop-production#nutrientmanagement): The page focuses on helping farmers and agriculture professionals optimize crop production using appropriate nutrient inputs while minimizing effects on the environment.
- UMN Extension <u>Nitrogen Application with Irrigation Water: Chemigation</u> (https://extension.umn.edu/irrigation/applying-nitrogen-irrigation-water-chemigation): Information about risks, benefits, and methods.
- MDA <u>The Agricultural BMP Handbook for Minnesota</u> (https://www.mda.state.mn.us/protecting/cleanwaterfund/research/handbookupdate): A literature review of empirical research on the effectiveness of 30 conservation practices.
- Nutrient Stewardship <u>What are the 4Rs</u> (www.nutrientstewardship.com/4rs): Information about the 4Rs of Nutrient Stewardship.
- MPCA <u>Manure Management (https://www.pca.state.mn.us/quick-links/feedlot-nutrient-and-manure-management)</u>: Resources such as fact sheets, guidelines, computer tools, and forms for feedlot nutrient and manure management.
- UMN Extension <u>Manure Management in Minnesota</u> (https://extension.umn.edu/animals-and-livestock#manure-management): Information about manure characteristics, application, and economics.

SSTS Management

Monitoring, maintenance, and/or upgrading of individual septic treatment systems to maintain proper operation and treatment of septage by the system. In some areas, the intensity of use may require upgrading to a sanitary sewer to eliminate risks to the environment.

Existing Programs and Resources

MPCA Subsurface Sewage Treatment Systems

(https://www.pca.state.mn.us/water/subsurface-sewage-treatment-systems). This program protects public health and the environment through adequate dispersal and treatment of domestic sewage from dwellings or other establishments generating volumes less than 10,000 gallons per day.

 UMN Extension <u>Septic System Owner's Guide</u> (https://septic.umn.edu/septic-system-owners): Provides information about the basic principles of how a septic systems works and how to operate and maintain the system.

Making Sense of the Regulatory Environment

State agencies and programs play a variety of roles in restoring and protecting groundwater. Understanding the groundwater-related authorities and resources available at the state level and leveraging strengths of local water resource professionals are key to implementing effective groundwater protection strategies. <u>Figure 46</u> provides a very basic introduction into the roles Minnesota state agencies have for groundwater.

- MDA works with groundwater that is or could be affected by pesticides and/or fertilizers.
- MDH focuses on proper well construction, assessing health risks related to groundwater, and protecting drinking water supplies.
- MPCA works with groundwater that is or could be affected by chemical releases and/or industrial pollutants.
- DNR focuses on assuring the availability of groundwater and protecting groundwater dependent features.




Figure 46: Minnesota State Agency Roles in Groundwater

Each of the state agencies listed above has a variety of programs to help meet their role in groundwater restoration and protection. Programs each of the agencies manage are referenced in the <u>Descriptions of Supporting Strategies</u> Section. Programs are listed under the restoration or protection strategy they mostly closely correspond to.

<u>Figure 47</u> provides a more detailed overview of the different roles agencies play within Minnesota's Water Management Framework. Principal water resource management agencies are DNR, MPCA, MDA, BWSR, and MDH. These agencies are responsible for state or federal programs, including:

- the Clean Water Act for MPCA,
- the Safe Drinking Water Act for MDH, and
- Appropriation Permitting for the DNR.

The strength of these programs is that they provide technical assistance and regulatory oversight (including enforcement) to safeguard public health, natural resources, ecological needs, and the environment. These programs are generally effective at managing most types of point sources of contamination in the state and at managing quantity issues at the local and regional level. In addition, these programs often set standards for performance that can be used to drive action.

Two weaknesses of state or federal programs are that they (with few exceptions) are ineffective against non-point sources of contamination and lack authority relative to managing general land use practices. Non-point source management is a difficult issue for water resource managers at all levels. With few regulatory options available, the most common approaches involve the use of financial incentives, technical assistance, and education and communication about sound land and water stewardship. Seldom are representatives from state agencies able to spend the necessary time in the local community to build trust among landowners. As a result, these approaches benefit greatly from the perspectives and relationships that local water resource professionals can forge by working locally.

C	Ongoing Implementation	Monitoring and Assessment	Watershed Characterization & Problem Investigation	Restoration and Protection Strategy Development	Comprehensive Watershed Management Plan
BWSR	Funding and technical assistance for locally implemented watershed restoration and protection projects	Monitor progress of local implementation goals	Conservation targeting tools (e.g.,, Environmental Benefits Index) BMP guidance (e.g., drainage water management)	Participate on interagency watershed teams developing WRAPS (with all agencies)	Comprehensive Watershed Management Planning (One Watershed, One Plan) Local water and watershed plans
MNDNR	Appropriations and Public Waters Permitting Shoreland and floodplain management Technical assistance for projects	Stream flow Fish and plants (lakes) Mercury in fish tissue Aquifer levels (with Met Council)	Stream hydrology and geomorphology (support MPCA) Small scale watershed modeling and groundwater level modeling County Geologic Atlas	Advise on conservation actions based on holistic view of watershed health (hydrology, geomorphology, connectivity, biology, water quality)	Input on local conservation actions informed by statewide plans for prairies, forests, etc. Water supply planning and groundwater management areas (with Met Council)
MDH	Funding for source water protection, contaminants of emerging concern Well sealing cost share	Source water and finished drinking water Bacteria monitoring on Lake Superior beaches	Guidance for contaminants of emerging concern Data analysisand modeling to support WHPA delineation and vulnerability assessments for public water supplies	Source water protection planning (identification of problems, Issues, and opportunities) Well construction management	Guidance for infiltration in DWSMAs Source water protection planning (local measures and strategies)
PFA	Loans and grants for water infrast	ructure projects based on priorities	set by MDH and PCA		
MPCA	NPDES permit programs, SSTS compliance Grants for Clean Water Partnership, Great Lakes Restoration, stormwater and wastewater treatment (PFA)	Water chemistry (surface and groundwater) Fish and macroinvertebrates (streams) Surface water assessment grants	Stressor Identification for biological impairments Watershed Modeling (8-HUC) TMDLs Civic engagement	Stakeholder agreement on broad watershed restoration and protection strategies (WRAPS) WRAPS report – includes implementation table TMDLs to EPA	Provide WRAPS for incorporation into local plans Input on management strategies informed by statewide nutrient plan
MDA	Ag BMP Ioans MN AgriculturalWater Quality Certification Program Implement Pesticide and Nitrogen Fertilizer Management Plans	Pesticides in surface and groundwater Nitrate ingroundwater	Research/evaluation on ag sources, practices and solutions Technical assistance on ag sources and practices, BMP demonstration/evaluation sites Stressor ID for pesticides	Ag practices and management options, nitrogen fertilizer and pesticide use Participate on interagency teams developing WRAPS Vegetative cover	Input on management strategies informed by pesticide and nitrogen fertilizer management plans
Metropolitan Council	Technical assistance and demonstration projects	Lake, stream, river monitoring: flow, chemistry, biology Effluent monitoring (WWTPs) Impervious surface and land cover assessments	Modeling and trend assessments (surface water) Pollutant load calculations Groundwater mapping and characterization	Participate in WRAPS and local water planning teams Master water supply plan Groundwater management areas (with DNR)	Participate in review of local water and watershed plans (metro area): local water supply plans; and comprehensive land use plans (metro area)

Figure 47: Roles agencies play within the Minnesota Water Management Framework

Appendices

List of Acronyms

BMP	Best Management Practices
BWSR	Board of Soil and Water Resources
CAFO	Concentrated Animal Feeding Operation
CRP	Conservation Reserve Program
DWSMA	Drinking Water Supply Management Area
EPA	United States Environmental Protection Agency
GRAPS	Groundwater Restoration and Protection Strategies
HUC	Hydrologic Unit Code
IPM	Integrated Pest Management
MCL	Maximum Contaminant Level
MDA	Minnesota Department of Agriculture
MDH	Minnesota Department of Health
DNR	Minnesota Department of Natural Resources
MPCA	Minnesota Pollution Control Agency
MS4	Municipal Separate Storm Sewer Systems
MWI	Minnesota Well Index
NRCS	United States Department of Agriculture Natural Resources Conservation Service
NLCD	National Land Cover Database
NPDES	National Pollutant Discharge Elimination System
PFA	Public Facilities Authority
QBAA	Quaternary Buried Artesian Aquifer
QWTA	Quaternary Water Table Aquifer
RIM	Reinvest in Minnesota Program
SSTS	Subsurface Sewage Treatment System
SDWA	Safe Drinking Water Act
SWCD	Soil and Water Conservation District
ТТР	MDA Township Testing Program
UMN	University of Minnesota Extension
USDA	United States Department of Agriculture
USGS	United States Geological Survey

WIMN	What's in My Neighborhood
WHP	Wellhead Protection
WHPAS	Wellhead Protection Areas
WRAPS	Watershed Restoration and Protection Strategy

Glossary of Key Terms

Aquifer

An aquifer is an underground layer of water-bearing permeable rock, rock fractures or unconsolidated materials (gravel, sand, or silt) from which groundwater can be extracted using a water well.

Aquifer Vulnerability

Defined as the ease with which recharge and contaminants from the ground surface can be transmitted into the subsurface aquifer. MDH uses the terminology 'vulnerability'; whereas the MNDNR references 'sensitivity'. Both terms cite the risk to groundwater degradation.

Community Public Water Supply System

A public water supply system that serves at least 25 persons or 15 service connections year-round, which includes municipalities (cities), manufactured mobile home parks, nursing homes, etc.

Drinking Water Supply Management Area (DWSMA)

The surface and subsurface area surrounding a public water supply well, including the wellhead protection area that must be managed by the entity identified in a wellhead protection plan. The boundaries of the DWSMA are roads, public land survey and fractions thereof, property lines, political boundaries, etc. (See MN WHP Rules 4720.5100, Subp. 13.)

Groundwater recharge

The process through which water moves downward from surface water to groundwater. Groundwater recharge is the main way water enters an aquifer.

Hydrologic Unit Code (HUC)

HUCs are assigned by the USGS for each watershed. HUCs are organized in a nested hierarchy by size. For example, the St. Croix River Basin is assigned a HUC-4 of 0703 and the Sunrise River Watershed is assigned a HUC-8 of 07030005.

Maximum Contaminant Level (MCL)

The highest level of a contaminant that EPA allows in drinking water. MCLs ensure that drinking water does not pose either a short-term or long-term health risk. EPA sets MCLs at levels that are economically and technologically feasible.

Protection

This term is used to characterize actions taken in watersheds to maintain conditions and beneficial uses of waters not known to be impaired.

Pollution Sensitivity

The ease with which recharge and contaminants from the ground surface can be transmitted into the subsurface.

Public Water System

A water system with 15 or more service connections or regularly serves at least 25 people for 60 or more days a year. A system that serves water 60 or mores day a year is considered to 'regularly serve' water. Public water systems can be publicly or privately owned. Public water systems are subdivided into two categories: community and noncommunity water systems. This division is based on the type of consumer served and the frequency the consumer uses the water.

Restoration

This term is used to characterize actions taken in watersheds to improve conditions to eventually meet water quality standards and achieve beneficial uses of impaired waters.

Source (or Pollutant Source)

Actions, places, or entities that deliver/discharge pollutants (e.g., sediment, phosphorus, nitrogen, pathogens).

Source Water Protection

Protecting sources of water used for drinking, such as streams, rivers, lakes, or underground aquifers.

Transient Noncommunity System

A public water system that serves at least 25 people at least 60 days of the year but does not serve the same 25 people over 6 months of the year (places such as restaurants, campgrounds, hotels, and churches).

Water Budget

An accounting of all the water that flows into and out of a particular area. This area can be a watershed, wetland, lake, or any other point of interest.

Water Table

The boundary between the water filled rock and sediment of an aquifer and the dry rock and sediment above it. The depth to the water table is highly variable. It can range from zero when it is at land surface, such as at a lake or wetland, to hundreds or even thousands of feet deep. In Minnesota, the water table is generally close to the land surface, typically within a few tens of feet in much of the state.

Wellhead Protection (WHP)

A method of preventing well contamination by effectively managing potential contaminant sources in all or a portion of a well's recharge area. This recharge area is known as the wellhead protection area.

Wellhead Protection Area (WHPA)

The surface and subsurface area surrounding a well or well field that supplies a public water system, through which contaminants are likely to move toward and reach the well or well field. This definition is the same for

the federal Safe Drinking Water Act (40 Code of Federal Regulations, Section 1428) and the Minnesota Groundwater Protection Act (Minnesota Statute 103I).

Dataset Sources

 Adams, R., (2016), *Pollution sensitivity of near-surface materials* [electronic file], Minnesota Department of Natural Resources, St. Paul, Minn., Minnesota Hydrogeology Atlas Series HG-02, 15 p., 1 plate, scale 1:1,000,000. Available via Minnesota Department of Natural Resources: <u>Minnesota</u> <u>Hydrogeology Atlas (MHA)</u>

(www.dnr.state.mn.us/waters/programs/gw_section/mapping/platesum/mha_ps-ns.html). [August 8, 2016].

- Jirsa, M.A., Boerboom, T.J., Chandler, V.W., Mossler, J.H., Runkel, A.C., and Setterholm, D.R. (2011), Geologic Map of Minnesota-Bedrock Geology [electronic file], Minnesota Geological Survey, St. Paul, Minn., State Map Series S-21, 1 plate, scale 1:500,000. Available via University of Minnesota Digital Conservancy: <u>S-21 Geologic Map of Minnesota-Bedrock Geology</u> (http://hdl.handle.net/11299/101466). [August 9, 2011].
- Minnesota Board of Water and Soil Resources (2018), State Funded Conservation Easement (RIM Reserve) [electronic file], St. Paul, Minn.
- Minnesota Department of Health (2017), Minnesota Drinking Water Information System [electronic file], St. Paul, Minn.
- Minnesota Department of Health (2017), *Water Chemistry Database* [electronic file], St. Paul, Minn.
- Minnesota Department of Health (2017), Well Management Section Data System [electronic file], St. Paul, Minn.
- Minnesota Department of Natural Resources (2017), MNDNR Permitting and Reporting System 1988-2016 [electronic file], St. Paul, Minn. Available via Minnesota Department of Natural Resources: <u>Minnesota Water Use Data</u>

(dnr.state.mn.us/waters/watermgmt_section/appropriations/wateruse.html). [August 7, 2017].

- Minnesota Geological Survey and Minnesota Department of Health (2017), Minnesota County Well Index [electronic file], Minnesota Department of Health, St. Paul, Minn. Available via Minnesota Geological Survey: <u>Index of /pub2/cwi4/</u> (ftp://mgssun6.mngs.umn.edu/pub2/cwi4/). [2016-2017].
- Minnesota Pollution Control Agency (2017), *Closed Landfill Program Facilities* [electronic file], St. Paul, Minn. Available via Minnesota Geospatial Commons: <u>MPCA Closed Landfill Facilities</u> (https://gisdata.mn.gov/dataset/env-closed-landfill). [June 15, 2017].
- Minnesota Pollution Control Agency (2016), What's In My Neighborhood [electronic file], St. Paul, Minn. Available via Minnesota Pollution Control Agency: <u>What's in My Neighborhood</u> (https://www.pca.state.mn.us/data/whats-my-neighborhood). [December 19, 2016].
- Multi-Resolution Land Characteristics Consortium (2011), National Land Cover Database 2011 [electronic file], U.S. Geological Survey, Reston, Va. Available via USDA-NRCS Geospatial Data Gateway: <u>1-Where (http://datagateway.nrcs.usda.gov/GDGOrder.aspx/).</u> [August 25, 2014].

Additional Resources

The following resources may be helpful for gathering data and learning more about groundwater in the watershed. The resources are listed alphabetically by the topic they address.

Type of Information	Where you can get more information
Aquifer Vulnerability	 For information on aquifer vulnerability ratings or DWSMAs, please contact MDH or the public water supplier in question. <u>Protecting Drinking Water Sources</u> (www.health.state.mn.us/communities/environment/water/swp/about.htm) 651-201-4700
Groundwater Quality Data	 Find water-related monitoring data on Minnesota streams, lakes, wells, Superfund Program, closed landfills, other remediation sites, open landfills, data from MDA, MPCA, and USGS. <u>Environmental Quality Information System (EQuIS)</u> (https://www.pca.state.mn.us/quick-links/environmental-quality-information- system-equis) <u>Environmental data</u> (https://www.pca.state.mn.us/environmental-data) <u>Groundwater</u> (www.pca.state.mn.us/water/state-groundwater)
Drinking Water Annual Reports	 MDH has issued a report regarding the state of drinking water in Minnesota each year since 1995. These reports provide test results, an overview on the role of the Department's drinking water program in monitoring and protecting drinking water, and an examination emerging issues. <u>Drinking Water Protection Annual Reports</u> (www.health.state.mn.us/communities/environment/water/dwar.html)
DWSMA maps and Shapefiles	 PDF maps and shape files of the DWSMAs can be downloaded from the MDH website. <u>Source Water Assessments</u> (www.health.state.mn.us/communities/environment/water/swp/swa.html) <u>Maps and Geospatial Data</u> (www.health.state.mn.us/communities/environment/water/swp/maps/index.htm)
Point Source Pollution	 Visit the following sites for more information on point source pollution: <u>Nonpoint Source Pollution</u> (oceanservice.noaa.gov/education/kits/pollution/03pointsource.html) <u>Point Source Pollution</u> (www.mncenter.org/point-source-pollution.html) <u>Water Permits and Forms</u> (https://www.pca.state.mn.us/water/water-permits- and-forms)
Well Construction and Use Data	Most of the construction and use data pertaining to wells in the state is housed in the Minnesota Well Index (MWI), an online database. All of the key data in the MWI is also available in spatial datasets, designed for use in geographic information systems (GIS). The Minnesota Geological Survey and MDH work together to maintain and update the

Type of Information	Where you can get more information
	data in the Index. MWI provides basic information, such as location, depth, geology, construction and static water level, for many wells and borings drilled in Minnesota. It by no means contains information for all the wells and borings and the absence of information about a well on a property does not mean there is no well on that property.
	 <u>Minnesota Well Index (MWI)</u> (www.health.state.mn.us/communities/environment/water/mwi/index.html)
Wellhead Protection Plans	 These plans can be obtained directly from the communities or from MDH with permission from the communities. Water chemistry data collected from these systems can be provided by request to MDH. <u>Protecting Drinking Water Sources</u> (www.health.state.mn.us/communities/environment/water/swp/about.htm) 651-201-4700




Figure 48: Sensitivity Assessment and Calculation for Pollution Sensitivity of Wells (Figure 9)




Figure 49: Sensitivity Assessment and Calculation for Pollution Sensitivity of Wells (Figure 9) continued

Scientific Name	Common Name	Species Class	Listing Status ¹⁵	AQUATIC (Y OR N)	WETLAND (Y OR N)	GROUND-WATER DEPENDENT (Y OR N)	General Habitat Type
Rare Plant: Cladium mariscoides	Twig rush	Terrestrial Plant	SPC	N	Y	Y	Fens: prairie rich, northern rich, and calcareous are preferred fen types
Rare Plant: Floerkea proserpinacoides	False mermaid	Terrestrial Plant	THR	N	Y	Y	Cold, spring-fed seeps dependent on groundwater input; along wooded hillsides and in narrow valleys; some populations extend from the seep into adjacent seepage swamps
Rare Plant: Hydrocotyle americana	American water- pennywort	Terrestrial Plant	SPC	N	Y	Y	Small, sensitive wetlands typically imbedded in upland forests along streams or rivers, and often dependent on local discharge of groundwater; wet margins of small, cold, groundwater streams that emerge from small ravines, and these streams may broaden into open meadows or sedgy seeps with shallow pools
Rare Plant: Lycopus virginicus	Virginia water horehound	Terrestrial Plant	Watch List	N	Y	Maybe	A forest floodplain species; floodplains, moist woods, along shores, wet meadows
Rare Plant: Platanthera clavellata	Small green wood orchid	Terrestrial Plant	SPC	N	Y	Y	Swamp forests; non-forested poor fens that often ring peatland lakes
Rare Plant: Platanthera flava var. herbiola	Tubercled Rein-orchid	Terrestrial Plant	THR	N	Y	Y	Wet meadows or sunny swales in savannas; also occurs at the margins of shallow marshy lakes, especially where there is a turf of low-growing native grasses or sedges; with ground water is usually at, or near the surface

Table 10: Rare Species Connected with Groundwater in the Rum River Watershed.¹⁴

¹⁴ Last Updated 06/6/2019

¹⁵ END =State Endangered; THR = State Threatened; SPC = State Special Concern; Watch list = Species the DNR is tracking because they are in suspected decline SGCN= Species of Greatest Conservation Need

Scientific Name	Common Name	Species Class	Listing Status ¹⁵	AQUATIC (Y OR N)	WETLAND (Y OR N)	GROUND-WATER DEPENDENT (Y OR N)	General Habitat Type
Rare Plant: Poa paludigena	Bog bluegrass	Terrestrial Plant	THR	N	Y	Y	Wetland habitats that are maintained by groundwater seeps; often at the base of a slope or sandstone escarpment where the groundwater seeps out, sometimes on moss or sphagnum hummocks
Rare Plant: Polygala cruciata	Cross-leaved milkwort	Terrestrial Plant	END	N	Y	Y	Wet, sandy shores of shallow lakes in the Anoka Sand Plain, and in sandy or peaty meadows or swales that may be in low depressions or at the margins of emergent wetlands; open and sunny with acidic soils and fluctuating water tables
Rare Plant: Rubus semisetosus	Swamp blackberry	Terrestrial Plant	THR	N	Y	Y	Fens, meadows, swamps and prairie/savanna-like habitats. When occurring prairie/savanna-like habitat, often found near ecotone edge of wetland areas
Rare Plant: Rubus stipulatus	Big horseshoe lake dewberry	Terrestrial Plant	END	N	Y	Y	Wet meadow/carr
Rare Plant: Rubus vermontanus	Vermont bristle-berry	Terrestrial Plant	SPC	N	Y	Y	Mesic hardwood forests, partially wooded and woodland edges; shallow wetlands in oak and pine woodlands
Rare Plant: Xyris torta	Twisted yellow-eyed grass	Terrestrial Plant	END	N	Y	Y	Wet, sandy shores of shallow lakes in the Anoka Sand Plain and in sandy or peaty meadows or swales; open and sunny with acidic soils and fluctuating water tables
Rare Fungus: Lactarius fuliginellus	A Species of Fungus	Fungus	SPC	N	Y	Y?	Anoka Sand Plain shallow wetlands, possibly with groundwater influence
Rare Animal: Hemidactylium scutatum		Amphibian	SPC; SGCN	Y	Y	Possibly	Nest sites include shrub swamps and conifer swamps near hardwood forests; sites often include 0.5meter water depth and sphagnum moss
Rare Animal: Botaurus lentiginosus	American bittern	Bird	Watch List; SGCN	N	Y	Sometimes	Marshes/ wetlands; emergent marsh
Rare Animal: Coturnicops noveboracensis	Yellow rail	Bird	SPC; SGCN	N	Y	Y?	Dependent on open rich fens, wet meadow, and wet prairie; requires very narrow range of water depth (~2-10 cm)

Scientific Name	Common Name	Species Class	Listing Status ¹⁵	AQUATIC (Y OR N)	WETLAND (Y OR N)	GROUND-WATER DEPENDENT (Y OR N)	General Habitat Type
Rare Animal: Parkesia motacilla	Louisiana Waterthrush	Bird	SPC; SGCN	N	Y	Maybe	Mature, riparian forests; needs relatively high-quality forest adjoining: (a) coldwater stream, (b) seepage areas associated with larger streams/rivers, or (c) small channels associated with larger streams/rivers
Rare Animal: Etheostoma microperca	Least darter	Fish	SPC; SGCN	Y	Sometimes	N?	Freshwater streams and lakes with excellent water clarity; prefer pools with dense aquatic vegetation; occupies areas of still water, possibly using wetlands which are permanently or seasonally connected to streams
Rare Animal: Notropis anogenus	Pugnose shiner	Fish	THR; SGCN	Y	N	N?	Glacial lakes and streams with good water clarity and an abundance of submerged vegetation; prefers clear glacial lakes and streams with dense vegetation
Rare Animal: Hydroptila metoeca	A Caddisfly	Insect	SPC; SGCN	Y	Y	Y	Larval stages aquatic; known from a single specimen in MN
Rare Animal: Hydroptila waskesia	A Caddisfly	Insect	END, SGCN	Y	Y	Y	Larval stages aquatic; small streams
Rare Animal: Lycaena epixanthe michiganensis	Bog copper	Insect	Watch List	N	Y	Probably	Occurs in acid bogs with cranberry (host plant); peatland; lowland coniferous forest
Rare Animal: Marpissa formosa	A jumping spider	Arthropod	SPC; SGCN	N	Y	Probably	Occurs in marsh, mixed prairie/meadow, wet meadow/carr, and upland prairie
Rare Animal: Paradamoetas fontanus	A Jumping Spider	Arthropod	SPC; SGCN	N	Y	Probably	Occurs in bogs, marsh edges, mesic prairie, and upland prairie
Rare Animal: Lasmigona compressa	Creek heelsplitter	Mussel	SPC; SGCN	Y	N	Y	Creeks, small rivers, and the upstream portions of large rivers with sand, fine gravel, or mud substrates; found mostly in headwaters.

Scientific Name	Common Name	Species Class	Listing Status ¹⁵	AQUATIC (Y OR N)	WETLAND (Y OR N)	GROUND-WATER DEPENDENT (Y OR N)	General Habitat Type
							Populations are susceptible to lower water table or decline ground water input that affect stream permanence
Rare Animal: Emydoidea blandingii	Blanding's turtle	Reptile	THR; SGCN	Y	Y	Possibly	Wetland complexes, small streams, and adjacent uplands, typically, but not always mapped as sandy soils; if groundwater levels impact wetland and/or river levels, then this species is groundwater dependent
Rare Animal: Glyptemys insculpta	Wood turtle	Reptile	THR; SGCN	Y	Y	Possibly	Forested riverine systems and well-drained soils; If groundwater levels impact the river level, then this species is groundwater dependent
Rare Animal: Heterodon nasicus	Plains hog- nosed snake	Reptile	SPC; SGCN	N	Y	Possibly	Dry prairies; sometimes found in oak-savannas; may forage within or adjacent to wetlands; need to improve our knowledge of moisture requirements for overwintering
Rare Animal: Pituophis catenifer	Gopher snake	Reptile	SPC; SGCN	N	Y	Possibly	Dry sand prairies or bluff prairies; may forage within or adjacent to wetlands

Tables 11-12¹⁶ show the documented wetland native plant communities connected to groundwater in the Rum River Watershed.

Native Plant Community Code	Native Plant Community Name	Conservation Status Rank
Forested Wetlands		
FPs63a	Tamarack Swamp (Southern)	S2S3 - Between Imperiled and Vulnerable to Extirpation
FPn82	Northern Rich Tamarack Swamp (Western Basin)	S4 or S5 - Apparently Secure or Secure, Common, Widespread, and Abundant
FPn72	Northern Rich Tamarack Swamp (Eastern Basin)	S3 - Vulnerable to Extirpation
FPn72a	Rich Tamarack Swamp (Eastcentral)	S3 - Vulnerable to Extirpation
WFn53	Northern Wet Cedar Forest	S3 or S4 - Vulnerable to Extirpation or Apparently Secure
WFn53b	Lowland White Cedar Forest (Northern)	S3 - Vulnerable to Extirpation
WFn55	Northern Wet Ash Swamp	S3 or S4 - Vulnerable to Extirpation or Apparently Secure
WFn55b	Black Ash - Yellow Birch - Red Maple - Basswood Swamp (Eastcentral)	S3 - Vulnerable to Extirpation
WFn64	Northern Very Wet Ash Swamp	S4 - Apparently Secure; Uncommon but not Rare
WFn64b	Black Ash - Yellow Birch - Red Maple - Alder Swamp (Eastcentral)	S4 - Apparently Secure; Uncommon but not Rare
WFs57a	Black Ash - (Red Maple) Seepage Swamp	S1S2 - Between Critically Imperiled and Imperiled
Shrub Swamps		
FPn73	Northern Rich Alder Swamp	S5 - Secure, Common, Widespread, and Abundant
FPn73a	Alder - (Maple - Loosestrife) Swamp	S5 - Secure, Common, Widespread, and Abundant
OPn81	Northern Shrub Shore Fen	S5 - Secure, Common, Widespread, and Abundant
OPn81a	Bog birch - Alder Shore Fen	S5 - Secure, Common, Widespread, and Abundant
WFn74	Northern Wet Alder Swamp	S3 - Vulnerable to Extirpation
Wet Meadow/Shrub Carr Wetlands		

Table 11: Rum River Watershed documented wetland native plant communities dependent on groundwater associated with consistently high water tables

¹⁶ Updated 05/7/2019

Native Plant Community Code	Native Plant Community Name	Conservation Status Rank
OPn92	Northern Rich Fen (Basin)	S4 - Apparently Secure; Uncommon but not Rare
OPn92a	Graminoid Rich Fen (Basin)	S4 - Apparently Secure; Uncommon but not Rare
OPn92b	Graminoid - Sphagnum Rich Fen (Basin)	S4 - Apparently Secure; Uncommon but not Rare
Peatland/Bog		
APn91	Northern Poor Fen	Between S3 and S5 - Between Vulnerable to Extirpation and Secure, Common, Widespread, and Abundant
APn91a	Low Shrub Poor Fen	S5 - Secure, Common, Widespread, and Abundant
APn91b	Graminoid Poor Fen (Basin)	S3 - Vulnerable to Extirpation
Marshes		
MRn83	Northern Mixed Cattail Marsh	S2 - Imperiled
MRn83a	Cattail - Sedge Marsh (Northern)	S2 - Imperiled
MRn93	Northern Bulrush-Spikerush Marsh	S2 or S3 - Imperiled or Vulnerable to Extirpation
MRn93b	Spikerush - Bur Reed Marsh (Northern)	S2 - Imperiled

Table 12: Rum River Watershed documented wetland native plant communities dependent on groundwater associated with water tables that are high for some portion of the growing season

Native Plant Community Code	Native Plant Community Name	Conservation Status Rank
Forested Wetlands		
FFs59	Southern Terrace Forest	Between S1 and S3 - Between Imperiled and Vulnerable to Extirpation
FFs59a	Silver Maple - Green Ash - Cottonwood Terrace Forest	S3 - Vulnerable to Extirpation
FFs68a	Silver Maple - (Virginia Creeper) Floodplain Forest	S3 - Vulnerable to Extirpation
WFs55	Southern Wet Aspen Forest	S4 - Apparently Secure; Uncommon but not Rare
Wet Meadow/Shrub Carr Wetlands		
WMn82	Northern Wet Meadow/Carr	Between S4 and S5 - Between Apparently Secure and Secure, Common, Widespread, and Abundant
WMn82a	Willow - Dogwood Shrub Swamp	S5 - Secure, Common, Widespread, and Abundant
WMn82b	Sedge Meadow	S4 or S5 - Apparently Secure or Secure, Common, Widespread, and Abundant

References

Adams, Roberta; Barry, John; and Green, Jeff (2016). Minnesota Regions Prone to Surface Karst Feature Development (PDF) (files.dnr.state.mn.us/waters/groundwater_section/mapping/gw/gw01_report.pdf). Series GW-01.

Geologic Sensitivity Project Workgroup (1991), *Criteria and guidelines for assessing pollution sensitivity of ground water resources in Minnesota*, Minnesota Department of Natural Resources, Division of Waters, St. Paul, Minn., 122 p.

Gergel, S.E., Turner, M.G, and Kratz, T.K., 1999, Dissolved Organic Carbon as an Indicator of the Scale of Watershed Influence on Lakes and Rivers: Ecological Applications, v. 9, No. 4, p.1377-1390.

Harris, K.L.. (2003). C-15 Geologic atlas of Pope County, Minnesota [Part A]. Minnesota Geological Survey. Retrieved from the University of Minnesota Digital Conservancy, http://hdl.handle.net/11299/58560.

Kroening, S. and Ferrey, M. (2013), The Condition of Minnesota's Groundwater, 2007-2011. Document number: wq-am1-06

Meyer, G.N. (1995). C-10 Geologic Atlas of Stearns County, Minnesota [Parts A and C]. Minnesota Geological Survey.Retrieved from the University of Minnesota Digital Conservancy, http://hdl.handle.net/11299/58515.

Minnesota State Agency Workgroup under the direction of the U.S. EPA (1998), Guidance or Mapping Nitrate in Minnesota Groundwater, p 7.

M.L. Erickson and R.J. Barnes, 'Arsenic in Groundwater: Recent Research and Implications for Minnesota,' CURA Reporter 34,2 (2004): 1–7; and M.L. Erickson and R.J. Barnes, 'Glacial Sediment Causing Regional-Scale Elevated Arsenic in Drinking Water,' Ground Water 43 (2005): 796–805.

Minnesota Department of Agriculture (2014), 2014 Water Quality Monitoring Report.

Minnesota Department of Agriculture (2015), 2015 Nitrogen Fertilizer Management Plan.

Minnesota Department of Natural Resource, MGS, UMD (1997), *Geomorphology of Minnesota, Scale* 1:100,000.

Morey, G.B.; Meints, J.P.. (2000). S-20 Geologic map of Minnesota, bedrock geology. Minnesota Geological Survey. Retrieved from the University of Minnesota Digital Conservancy, <u>S-20 Geologic map</u> of <u>Minnesota</u>, <u>bedrock geology</u> (http://hdl.handle.net/11299/60086).

Mueller, D.K., and Helsel, D.R., 1996, Nutrients in the Nation's water--Too much of a good thing?: U.S. Geological Survey Circular 1136, 24 p.

Petersen, T.P. and Solstad, J.A., 2007, Interaction of Lakes and Ground Water in Geologic atlas of Crow Wing County, Minnesota: Minnesota Department of Natural Resources, County Atlas Series C-16, Part B, pl. 10.

Setterholm, D.R.. (2007). C-18 Geologic atlas of Todd County, Minnesota [Part A]. Minnesota Geological Survey.Retrieved from the University of Minnesota Digital Conservancy, http://hdl.handle.net/11299/58719.

USGS. 2017. National Land Cover Database (NLCD) Land Cover Collection. Available at <u>NLCD Land Cover</u> <u>Collection</u> (https://catalog.data.gov/dataset/national-land-cover-database-nlcd-land-cover-collection).

Warner, K.L. and Arnold, T.L., 2010, <u>Relations that affect the probability and prediction of nitrate</u> <u>concentration in private wells in the glacial aquifer system in the United States</u> (https://pubs.usgs.gov/sir/2010/5100/): U.S. Geological Survey Scientific Investigations Report 2010-5100, 73 p.