# Le Sueur River Watershed (LRW)

# Groundwater Restoration and Protection Strategies Report



October 2021 GRAPS Report # 19



Le Sueur River Watershed Groundwater Restoration and Protection Strategies Report

Minnesota Department of Health Source Water Protection Unit PO Box 64975, St. Paul, MN 55164-0975 (651) 201-4695 carrie.raber@state.mn.us www.health.state.mn.us

Upon request, this material will be made available in an alternative format such as large print, Braille, or audio recording. Printed on recycled paper.



The development of the GRAPS report was funded by money received from the Clean Water Fund through the Clean Water, Land, and Legacy Amendment. The goal of the Clean Water Fund is to protect, enhance, and restore Minnesota's lakes, rivers, streams, and groundwater.

#### **Contributors**

The following agencies dedicated staff time and resources toward the development of the Le Sueur River Watershed GRAPS report:

- Minnesota Board of Water and Soil Resources (BWSR)
- Minnesota Department of Agriculture (MDA)
- Minnesota Department of Health (MDH)
- Minnesota Department of Natural Resources (DNR)
- Minnesota Pollution Control Agency (MPCA)

Photo Credit: The photo on the front page is in the Le Sueur River Watershed, courtesy of the MPCA.

# Summary

Groundwater is an important resource in the Le Sueur River Watershed (LRW) One Watershed One Plan (1W1P) planning effort<sup>1</sup>. Permitted groundwater use reached its peak in 2010 at 1470 million per year declining to 820 million gallons per year in 2019. Approximately 63 percent of groundwater use is for water supply and 30 percent is used for industrial processing. Furthermore, groundwater accounts for 100 percent of the region's drinking water. It is important to ensure adequate supplies of high quality groundwater remain available for the region's residents, businesses, and natural resources.

Consumers in the LRW depend primarily on bedrock aquifers for drinking water. These sandstone and carbonate aquifers are covered by sediment deposited by glaciers during the most recent ice age. Many consumers, especially private well users, get their drinking water from glacial sand and gravel deposits that are buried under finer-grained sediment.

Groundwater has a greater risk to contamination in areas of high pollution sensitivity<sup>2</sup> and karst geology. Although the majority of the LRW is protected by layers of dense glacial till, areas along river channels have permeable sand and gravel at the surface making them more vulnerable to contamination. Understanding pollution sensitivity is a key consideration to prevent groundwater pollution. Many land-use activities (including row crop agriculture, stormwater, septic systems, and tanks/landfills) within the watershed could contaminate groundwater if pollutants are not carefully managed, especially in areas of high pollution sensitivity.

Contamination, both naturally occurring and from human activity, is present in parts of the watershed groundwater, specifically:

- Nitrate only 2 of the 1390 tested drinking water wells (less than one percent) had nitrate levels at or above the SDWA standard of 10 mg/L.
- Arsenic over 14 percent of the 266 tested drinking water wells had arsenic levels exceeding the SDWA of 10  $\mu$ g/L. The EPA has set a goal of 0  $\mu$ g/L for arsenic in drinking water because there is no safe level of arsenic in drinking water.
- Contaminated sites there are 672 active tank sites that could leak chemicals into the environment and 36 leak sites that may cause localized groundwater pollution if not properly managed. The risk to groundwater is greatest in areas of high pollution sensitivity.
- One closed landfill with known groundwater contamination plume is found within the watershed.

These contaminants can affect both private wells and public water systems when levels exceed drinking water standards. About 63 percent of the people living in the watershed get their drinking water from a community public water supply system. Wellhead Protection Plans have been developed or are in development for 17 of

 $<sup>^{1}</sup>$  For this report, the boundary of the LRW is the HUC 8 major watershed with no changes for planning purposes.

<sup>&</sup>lt;sup>2</sup> Areas of high pollution sensitivity allow the rapid downward movement of water into surficial sands (water table) aquifers, increasing the risk for groundwater contamination from surface pollutants. Karst material is more likely to have rapid exchange between surface water and groundwater increasing the risk of surface contaminants polluting groundwater.

the 19 community public water systems in the LRW and identify land use protections strategies for the approximately 8200 acres in Drinking Water Supply Management Areas (DWSMAs).

Permitted groundwater is primarily sourced from bedrock aquifers in the watershed. There are two active groundwater-level monitoring wells in the LRW, but neither of the wells have long enough records of water-level data to calculate a statistical trend.

Activities on the land surface can affect groundwater levels by reducing infiltration (groundwater recharge) especially in the northwestern portion of the watershed; these activities include changes in vegetation, increased areas of impervious surface, and changing surface water or stormwater flow.

The LRW includes significant natural features, including surface waters that depend on groundwater to sustain them. If groundwater quantity or quality is degraded, these resources are at risk. The following features occur within the watershed:

- There are 28 lakes in the LRW with a with a lake ratio of 10 or less and are considered groundwater dependent lakes, susceptible to changing aquifer levels.
- Wetland complexes across the entire watershed are susceptible to changing aquifer levels.
- There are five kinds of native plant communities associated or dependent on groundwater in the LRW.
   The watershed has lost almost all its native plant communities so those that remain are a high priority for preservation to achieve healthy groundwater systems.
  - Additionally, 25 species of rare plant and animal species that are either state-listed endangered, threatened, or special concern plant and animal species connected to groundwater that are at risk to changing aguifer levels and degraded groundwater quality.

To address risks both from groundwater overuse and from the introduction of pollutants, this report outlines a broad range of strategies that can be implemented, as well as specific actions that individuals, local government, and other partners can take. The nine categories of strategies highlighted below were selected to address the key risks to groundwater and drinking water within the 1W1P planning area. Areas of higher pollution sensitivity is often an appropriate place to prioritize pollution prevention activities.

- 1. **Education and Outreach:** Educate landowners, private well users, and others about how their actions affect groundwater and how they can conserve, restore, and protect groundwater.
- 2. **SSTS Management:** Monitor, maintain, and/or upgrade SSTS to ensure proper operation and treatment.
- 3. **Irrigation Water Management:** Control the volume, frequency, and application rate of irrigation water to sustain groundwater.
- 4. **Land Use Planning and Management:** Use city or county government planning and regulations along with land management goals that implement best management practices (BMPs), conserve water, and educate stakeholders to protect groundwater levels, quality, and contributions to groundwater dependent features.
- 5. **Contaminant Planning and Management:** Use land use planning, ordinances, and collaboration with state regulatory agencies to protect groundwater and drinking water supplies from contaminant releases.
- 6. **Conservation Easements:** Maintain and expand the amount of land protected from being converted to high intensity uses, such as row crop agriculture.
- 7. **Cropland Management:** Encourage the implementation of voluntary practices to manage resource concerns while minimizing environmental loss.

- 8. **Nutrient Management:** Assure that application of crop fertilizer or manure follows guidelines for the right source, right rate, right time, and right place.
- 9. **Integrated Pest Management:** Implement a pest management approach that incorporates the many aspects of plant health care/crop protection in ways that mitigate harmful environmental impacts and protect human health.

This GRAPS report was designed to help prioritize and target local efforts to restore and protect groundwater resources in the watershed. Representatives from BWSR, MDA, MDH, DNR, and MPCA compiled existing state and regional data, and developed maps to establish a baseline understanding of groundwater conditions and associated resource management concerns for the 1W1P planning boundary. The team highlighted strategies and supporting actions that can be applied at a county or watershed-level to help restore and protect groundwater. To target local implementation, actions listed in this report are paired with those counties and subwatersheds (HUC-10) where risks have been identified. This report should be used in conjunction with the WRAPS report, which focuses on surface water issues and needs, to ensure that both groundwater and surface water are effectively addressed during the 1W1P planning process.<sup>3</sup>

<sup>&</sup>lt;sup>3</sup> It is important to note that groundwater science lacks the predictive tools available for surface water analysis and as such cannot provide quantifiable strategies commonly found in WRAPS. BWSR recognizes this challenge and has provided guidance in the Setting Measurable Goals document (https://bwsr.state.mn.us/sites/default/files/2019-09/1W1P\_guidebook.pdf) to meet the 1W1P measurability requirement.

# **Contents**

Le	Sueur River Watershed (LRW)	1
Gro	oundwater Restoration and Protection Strategies Report	1
	Summary	3
	Contents	6
	Figures	7
	Tables	8
	Introduction	10
	What Is the GRAPS Report?	10
	How to Use this Report	11
	Le Sueur River Watershed Overview	12
	Land Use	13
	Geology and Hydrogeology	14
	Pollution Sensitivity	16
	Wellhead Protection Planning and Drinking Water Supply Management Areas	22
	Groundwater Protection Rule	24
	Part 1 of the Rule	25
	Part 2 of the Rule	25
	Private Wells	26
	Extreme Weather	27
	Le Sueur River Watershed Groundwater Issues and Concerns	28
	Groundwater Quality Issues and Concerns	28
	Nitrate	29
	Pesticides	33
	Arsenic	34
	Radionuclides	36
	Ambient Groundwater Monitoring	37
	Potential Contaminant Sources	38
	Groundwater Quantity Issues and Concerns	45
	Groundwater Use	45
	Groundwater Level Monitoring	50

Groundwater Connected Natural Features at Risk	53
How to Address Groundwater Quantity Issues	57
Le Sueur River Watershed Strategies and Actions to Restore and Protect Groundwater	58
Tips for Prioritizing and Targeting Strategies and Actions	58
Strategies and Actions for Le Sueur River Watershed	59
How to Use the Table of Actions and Strategies	60
Summary of Key Findings and Issues	62
Table of Actions and Strategies to Restore and Protect Groundwater	64
Descriptions of Supporting Strategies	85
Making Sense of the Regulatory Environment	92
Appendices	95
List of Acronyms	95
Glossary of Key Terms	96
Dataset Sources	98
Additional Resources	99
References1	.07
igures	
igure 1: Watershed Approach Framework	10
igure 2: Le Sueur River Watershed - is comprised of six subwatersheds (HUC-10)	13
igure 3: Le Sueur River Watershed - Land Cover	14
igure 4: Le Sueur River Watershed – Primary Aquifers by Section.	16
igure 5: Le Sueur River Watershed - Pollution Sensitivity of Near Surface Materials	18
igure 6: Recharge Travel Time for Near-Surface Materials	19
igure 7: Le Sueur River Watershed - Pollution Sensitivity of Wells.	20
igure 8: Recharge Travel Time for Buried Aquifers	21
igure 9: Le Sueur River Watershed - Wellhead Protection Plan Development Status for Community Public Vater Systems	23
igure 10: Le Sueur River Watershed - Drinking Water Supply Management Areas	24
igure 11: Le Sueur River Watershed – MDA Fall Nitrogen Fertilizer Restrictions	25
igure 12: Le Sueur River Watershed - Density of drinking water wells per section	26
igure 13: Le Sueur River Watershed – Drinking water wells and flood zone risk to contamination	28

Figure 14: Le Sueur River Watershed - Nitrate results from drinking water wells
Figure 15: Le Sueur River Watershed – MDA Township Testing Program 'Initial' results
Figure 16: Le Sueur River Watershed - Arsenic Results
Figure 17: Le Sueur River Watershed – MPCA Ambient Groundwater Monitoring Well Network
Figure 18: Le Sueur River Watershed – Active Feedlots
Figure 19: Le Sueur River Watershed - MPCA Active Tank and Leak Sites and Pollution Sensitivity of Near-Surface Materials
Figure 20: Le Sueur River Watershed - MPCA Closed Landfill
Figure 21: Reported water use from the DNR permit holders by resource category
Figure 22: Reported groundwater use from DNR permit holders by aquifer category
Figure 23: Reported groundwater use from DNR permit holders by use category
Figure 24: Le Sueur River Watershed - Distribution of groundwater appropriation permits for 2019 by volume reported and use category
Figure 25: Le Sueur River Watershed – Distribution of groundwater appropriation permits for 2019 by volume reported and aquifer category
Figure 26: Le Sueur River Watershed – Active Groundwater-Level Monitoring Wells by decade monitoring started
Figure 27: Hydrograph of well 24005 compared to precipitation
Figure 28: Hydrographs of well 24006 compared to precipitation
Figure 29: Le Sueur River Watershed – Native Plant Communities Connected with Groundwater 54
Figure 30: Le Sueur River Watershed - Rare Plants, Animals, and Native Plant Communities Connected with Groundwater
Figure 31: Groundwater-Dominated Lakes in the Le Sueur River Watershed
Figure 32: Visual representation of the relationship between goals, supporting strategies, and recommended groundwater action
Figure 33: Le Sueur River Watershed – BWSR RIM easements
Figure 34: Minnesota State Agency Roles in Groundwater
Figure 35: Role's agencies play within the Minnesota Water Management Framework
Figure 36: Sensitivity Assessment and Calculation for Pollution Sensitivity of Wells (Figure 9)
Figure 37: Sensitivity Assessment and Calculation for Pollution Sensitivity of Wells (Figure 9) continued 102
Tables
Table 1: Sensitivity rating and the associated recharge travel times for surficial and buried aquifer

Table 2: Summary of nitrate results in drinking water wells of the Le Sueur River Watershed	. 29
Table 3: Nitrate protection framework and associated land use management goals	. 32
Table 4: Summary of arsenic (As) concentrations in wells of the Le Sueur River Watershed	. 34
Table 5: Number of registered feedlots and the delegated counties	. 39
Table 7 : Reported 2019 water use from DNR groundwater permit holders in million gallons per year	. 48
Table 8: HUC 10 subwatersheds within the Le Sueur River Watershed	. 62
Table 9: Actions and Strategies to Restore and Protect Groundwater	. 64
Table 9: Rare Species Connected with Groundwater in the Le Sueur River Watershed	103
Table 10: Le Sueur River Watershed documented wetland native plant communities dependent on groundwater associated with consistently high water tables	105
Table 11: Lower Minnesota River West Watershed documented wetland native plant communities depende on groundwater associated with water table that are high for some portion of the growing season	

# Introduction

# What Is the GRAPS Report?

The State of Minnesota adopted a watershed approach to address the state's 80 major watersheds.<sup>4</sup> Major watersheds are denoted by an 8-digit hydrologic unit code (HUC). This watershed approach incorporates water quality assessment, watershed analysis, civic engagement, planning, implementation, and measurement of results into a 10-year cycle that addresses both watershed restoration and protection (Figure 1).



Figure 1: Watershed Approach Framework

Groundwater Restoration and Protection Strategies (GRAPS) reports are designed to help prioritize and target local efforts to restore and protect groundwater resources in the One Watershed One Plan (1W1P) planning process. While groundwater is not broken into watersheds like surface water, several state agencies have worked together to compile information and strategies for groundwater below surface water watersheds. A GRAPS report uses existing state data and information about groundwater and land-use practices that affect groundwater in the watershed to identify key groundwater quality and quantity concerns. The report also suggests targeted strategies and actions to restore and protect groundwater. GRAPS reports are meant to be used in conjunction with Watershed Restoration and Protection Strategies (WRAPS) reports in the development of 1W1P plans. WRAPS inform how to restore and protect surface water, and GRAPS inform how to restore and protect groundwater in the same geographic area.

WRAPS is initiated through an intensive monitoring effort to determine if a surface water body is meeting its designated use. WRAPS identify actions and the rate of adoption needed to restore water quality, as well as

<sup>&</sup>lt;sup>4</sup> You can learn more about the Watershed Approach at <u>Watershed approach to restoring and protecting water quality</u> (www.pca.state.mn.us/water/watershed-approach-restoring-and-protecting-water-quality).

recognizing protection based activities to maintain the health of high quality surface waters. GRAPS is largely protection-based—identifying actions to maintain groundwater quality and quantity. However, if contaminants exist or overuse is suspected, the strategies and actions identified to address the issue can result in restoration as well as protection. In most cases it is very difficult determine the rate of BMP adoption needed to restore groundwater, therefore quantification is not part of GRAPS.

# **How to Use this Report**

This report is a resource and tool for developing local water management plans. The report is divided into six parts to accommodate the different needs and information partners and agencies may seek. This report is not necessarily designed to be read cover to cover. Rather, you can flip to the parts that are most relevant to the issues facing your community. If you are accessing this document electronically, you can click on hyperlinks throughout the report to jump to related information and/or access webpages (all hyperlinks are in blue type).

The report is divided into the following parts:

- 1. Watershed Overview: This section provides a brief overview of the watershed.
- 2. <u>Watershed Groundwater Issues and Concerns</u>: This section highlights the main groundwater quality and quantity concerns, where each concern is most prevalent within the watershed, and general ways to address the concern.
- Watershed Strategies and Actions to Protect and Restore Groundwater: This section provides tips for
  prioritizing and targeting restoration and protection strategies, makes suggestions about what
  strategies and actions would be most appropriate in which counties and subwatersheds, describes the
  suggested strategies, and provides information about existing programs and resources for each
  strategy.
- 4. <u>Making Sense of the Regulatory Environment:</u> This section provides an overview of the roles state agencies play in managing groundwater and drinking water.
- 5. Appendices

# Le Sueur River Watershed Overview

This report provides a brief overview of land use, geology, hydrogeology, pollution sensitivity, wellhead protection planning and drinking water, and water use and groundwater withdrawals affecting the Le Sueur River Watershed (LRW) 1W1P planning boundary groundwater quality and quantity. You can find more detailed information about the LRW and groundwater through the following resources:

#### **Restoration and Protection Plans**

MPCA watershed reports (www.pca.state.mn.us/water/watersheds/le-sueur-river)

The LRW drains nearly 711,838 acres to the Le Sueur River, in the Minnesota River Basin. Located in south-central Minnesota, LRW encompasses approximately a third of Blue Earth and Waseca counties, a fifth of Faribault County and small parts of Freeborn and Steele counties (Figure 2). The watershed experienced minimal population growth between the 2000 and 2010 census. Eagle Lake is the largest city in the LRW followed by Wells and Janesville. The LRW plays an important role as a drinking water source to the city of Mankato.

Of the roughly 40,102 people living in the watershed, approximately 25,107 (63 percent) utilize community public water and the remaining 37 percent obtain their drinking water from private wells.




Figure 2: Le Sueur River Watershed - is comprised of six subwatersheds (HUC-10)

# **Land Use**

The majority of the LRW is located in the Western Corn Belt Plains with a small section in the northern part of the watershed in the North Central Hardwood Forests ecoregion. Over 80 percent of the watershed is in agricultural production, <u>Figure 3</u>. Nitrate concentrations from agricultural runoff are a primary concern for the city of Mankato, of which one-third of its drinking water is supplied by the Le Sueur River.




Figure 3: Le Sueur River Watershed - Land Cover. Row-crop agriculture is the predominant land cover in the watershed.

# **Geology and Hydrogeology**

Groundwater sources within the LRW vary according to the underlying geology, which is the result of sedimentary, glacial, and chemical processes that have taken place in the region over millions of years.

The oldest mapped bedrock layers are mostly sandstone and are largely able to store water in interconnected pore spaces. These are overlain by younger shale and carbonate (limestone/dolostone) rocks, which can transport water via cracks and fractures. The St Peter Sandstone occurs across the center of the watershed in a broad strip oriented NE/SW.

Overlying the bedrock is sediment that reflects the advance and retreat of glaciers during the last ice age. Most of the land surface is covered in sediment with a high proportion of clay and silt. This is mostly glacial till (unsorted sediment deposited directly by ice), but much of the western half of the watershed is fine-grained sediment that settled at the bottom of a glacial lake. These fine-grained deposits tend to impede water infiltration, and the widespread use of agricultural drain tiling in the region has the potential to further limit groundwater recharge.

Buried underneath the surficial deposits of till there are sand and gravel beds deposited by glacial meltwater. These sand and gravel bodies form aquifers that supply water to many of the wells within the watershed. Surficial sand and gravel can be found in and around modern-day streams, as well as some glacial outwash deposits.

There are several main types of aquifers used for drinking water in the LRW watershed:

- Buried sand and gravel aquifers of glacial origin. About 41% of wells with interpreted aquifer codes draw from these aquifers.
- Carbonate bedrock aquifers. About 39% of wells use these aquifers.
- Sandstone bedrock aquifers. About 17% of wells draw from these aquifers, including about 44% of public water supply wells.
- Surficial (water table) sand and gravel aquifers only serve less than 1% of wells.

<u>Figure 4</u> depicts a generalized map of aquifers in the watershed. More information on the bedrock and surficial geology can be found in the Geologic Atlas for Blue Earth County. Atlases have not yet been created for the other counties.




Figure 4: Le Sueur River Watershed — Primary Aquifers by Section. Buried sand and gravel aquifers are the primary drinking water source for Blue Earth County, with carbonate bedrock as the primary source for the rest of the watershed. Completed County Geologic Atlases will further inform this dataset. Blue Earth County has the only completed County Geologic Atlas for the watershed.

# **Pollution Sensitivity**

Understanding pollution sensitivity is important for prioritizing and targeting implementation efforts. Pollution sensitivity (also known as aquifer vulnerability or geologic sensitivity) refers to the time it takes for groundwater to recharge and for contaminants at the ground surface to reach the underlying aquifer.

It is important to understand the target aquifer when assessing pollution sensitivity. Certain aquifers may be deeper and more geologically protected than others in a given area. Figure 5 depicts the pollution sensitivity of near-surface materials dataset developed by the DNR. This dataset only takes into account the top ten feet of soil and geologic material when assigning a sensitivity rating. This figure shows that the near-surface pollution sensitivity rating is mainly "low" to "very low", reflecting the dense tills covering most of the land surface. There are some areas of higher pollution sensitivity along river channels. Additionally small pockets of karst material have been identified in Blue Earth and Faribault counties. Areas with karst conditions are more

likely to have rapid exchange between surface water and groundwater. The rapid exchange increases the risk of surface contaminants polluting groundwater (Adams, Barry, Green, et. al, 2016).

More information on this dataset is available on the DNR website Minnesota Hydrogeology Atlas (MHA) (http://www.dnr.state.mn.us/waters/programs/gw\_section/mapping/platesum/mha\_ps-ns.html).

The pollution sensitivity of deeper aquifer materials depicted in Figure 7 was created by calculating the sensitivity at individual wells in the watershed and then interpolating between them to create a smooth layer. The wells used to make this figure vary in depth but overall provide a picture of the geologic sensitivity of aquifers below the water table. This method was employed due to the absence of an available statewide dataset depicting pollution sensitivity, or vulnerability, of aquifers. Figure 7 shows that the groundwater pollution sensitivity rating is mostly low or very low across the watershed due to fairly thick layers of glacial till over buried aquifers. Areas of higher vulnerability tend to be located in and around river channels. More information on the geologic sensitivity calculations used to make this figure is included in the references section of this report as Figure 36 and Figure 37.

It is also important to understand how recharge travel time ratings (Figure 6 and Figure 8) for surficial water table aquifers differ from those used for deeper aquifers (Table 1). For example, a pollution sensitivity rating of 'moderate' for surficial materials reflects vertical travel times on the order of weeks (Figure 5); whereas, for deeper aquifers more commonly used for drinking water, a rating of 'moderate' reflects travel times of years to decades (Figure 8). This difference stems from the fact that infiltrating water and contaminants reach surficial materials more quickly than deeper aquifers. Deeper aquifers often have protective clay layers that make travel time significantly longer. As noted above, this distinction is important when determining the potential impact of various contaminants on surficial materials and drinking water aquifers.




Figure 5: Le Sueur River Watershed - Pollution Sensitivity of Near Surface Materials




Figure 6: Recharge Travel Time for Near-Surface Materials




Figure 7: Le Sueur River Watershed - Pollution Sensitivity of Wells.




Figure 8: Recharge Travel Time for Buried Aquifers

Table 1: Sensitivity rating and the associated recharge travel times for surficial and buried aquifer

Pollution Sensitivity Rating	Aquifer Recharge Time Period <sup>5</sup> for Surficial Aquifers	Aquifer Recharge Time Period for Buried Aquifers	
High Hours to a week		Days to months	
Moderate	A week to weeks	Years up to one or two decades	
Low	Weeks to a year	Several decades to a century	

<sup>&</sup>lt;sup>5</sup> Aquifer recharge time periods refer to the time it takes aquifers to receive recharge from the land surface. Aquifer recharge rate informed by the Geologic Sensitivity Project Workgroup, 1991.

# Wellhead Protection Planning and Drinking Water Supply Management Areas

Wellhead protection (WHP) planning is the process whereby public water systems examine land uses in the recharge area for their wells and develop strategies for land use management. The strategies are based on vulnerability and are appropriate for safeguarding drinking water supplies. Community public water supplies<sup>6</sup>, including municipal and nonmunicipal systems, are required to prepare Wellhead Protection Plans. As part of this effort, the recharge area that contributes water to the public water supply well(s) is delineated based on physical and chemical characteristics of the aquifer being used. These areas, known as wellhead protection areas (WHPAs), provide an assessment of the aquifer vulnerability (sensitivity) of the public water supply wells. Once the WHPA is established, a Drinking Water Supply Management Area (DWSMA) is created to provide planning boundaries on the land surface in order to manage the groundwater below. Learn more about MDH Source Water Protection (www.health.state.mn.us/communities/environment/water/swp/index.htm).

The word 'sensitivity' is used to describe groundwater generally throughout the state; 'vulnerability' is the term used for wellhead protection planning to protect public sources of drinking water. While there are minor differences between how these words are used as described above, the words are essentially the same for the purposes of planning and management.

Aquifers and wells used for public water supplies vary widely. Some are very shallow and unprotected and easily contaminated by activities at the ground surface. Others are deeper or more protected by geologic materials; these tend to exhibit a low vulnerability to overlying land uses. The types of management activities required within WHPAs will vary based largely on the vulnerability assessments. Highly vulnerable WHPAs require a greater level of management to prevent potential contaminants at the ground surface from entering the aquifer, whereas for WHPAs with low vulnerability the primary focus is on sealing unused/unsealed wells since this is the primary pathway for contaminants to reach the aquifer. The PWSs within the LRW are almost all drawing from fairly protected aquifers (buried glacial or bedrock aquifers).

All except two of the 19 community public water systems within the LRW are engaged in the wellhead protection planning process or are implementing their plans. The DWSMA vulnerabilities range from "very low" to "moderate", with the majority demonstrating low vulnerability. Figure 9 shows the status of wellhead protection planning for the public water supply systems in the watershed. Figure 10 shows the DWSMAs delineated at the time the report was compiled, which covers over 8200 acres in the watershed. It is important to note that WHP areas do not follow watershed boundaries and can be located in different watersheds.

<sup>&</sup>lt;sup>6</sup> Community public water supplies serve at least 25 persons or 15 service connections year-round. Community public water supplies include municipalities (cities), manufactured mobile home parks, etc. Currently there are almost 1,000 community water supplies in Minnesota.




Figure 9: Le Sueur River Watershed - Wellhead Protection Plan Development Status for Community Public Water Systems. All except two of the 19 community public water supply systems are engaged in the wellhead protection planning process or are implementing their plans.




Figure 10: Le Sueur River Watershed - Drinking Water Supply Management Areas. There are 17 approved Drinking Water Supply Areas (DWSMA) for community public water supply systems in the watershed.

# **Groundwater Protection Rule**

The <u>Groundwater Protection Rule</u> (www.mda.state.mn.us/nfr) minimizes potential sources of nitrate pollution to groundwater and protects drinking water. The rule restricts the application of nitrogen fertilizer in the fall and on frozen soils in areas vulnerable to contamination, and it outlines steps to reduce the severity of the problem in areas where nitrate in public water supply wells is already elevated.

The rule is intended to promote appropriate <u>nitrogen fertilizer best management practices</u> (www.mda.state.mn.us/pesticide-fertilizer/nitrogen-fertilizer-bmps-agricultural-lands) and to involve local farmers and agronomists in adopting the most current science-based and economically viable practices that can reduce nitrate in groundwater. These other practices are called <u>alternative management tools - AMTs</u> (www.mda.state.mn.us/chemicals/fertilizers/nutrient-mgmt/nitrogenplan/nitrogenmgmt/amts).

The rule is implemented by MDA and contains two parts. Each part contains separate criteria and requirements.

## Part 1 of the Rule

Part 1 of the Groundwater Protection Rule restricts the application of nitrogen fertilizer in the fall and on frozen soils on farmland in 1) an area with vulnerable groundwater or 2) those protection areas around a municipal public well (DWMSA) with high nitrate. <u>Figure 11</u> shows the nitrogen fertilizer restrictions in the LRW.




Figure 11: Le Sueur River Watershed – MDA Fall Nitrogen Fertilizer Restrictions

## Part 2 of the Rule

Part 2 of the rule responds to DWSMAs which already have elevated nitrate. The goal is to take action to reduce nitrate in groundwater before a public well exceeds the Safe Drinking Water Act (SDWA) standard for nitrate of 10 mg/L. The rule is structured using a sliding scale of voluntary and regulatory actions based on the concentration of nitrate in the well and the use of the BMPs.

There are four mitigation levels used to determine voluntary and regulatory actions, two voluntary levels and two regulatory levels. The MDA uses monitoring provided by MDH to determine mitigation levels. Wells that have nitrate levels greater than or equal to 5.4 mg/L but less than 8 mg/L at any point

in the previous ten years fall within the guidelines for a Mitigation Level 1 determination. Wells with nitrate at or above 8 mg/L at any point in the last ten years or are projected to exceed 10 mg/L in the next ten years are within the guidelines for Mitigation Level 2.

There are no Groundwater Protection Rule DWSMAs in the LRW.

## **Private Wells**

The LRW has approximately 2,270 private wells with known locations, ranging from 47 feet to 517 feet deep with an average depth of 196 feet that provide drinking water to residents. Approximately 11 percent (254 wells) of private wells are in highly vulnerable settings. Private well users are not afforded the same water quality safeguards as people who get their water from public water systems. While public water systems make sure water is safe for the end-user, private well users are responsible for making sure their water is safe for everyone in the household to drink.

The Minnesota Well Code ensures that private wells are properly located and constructed. However, once the well is put into service, private well users are responsible for properly maintaining their well, testing it regularly, and treating the water when necessary.




Figure 12: Le Sueur River Watershed - Density of drinking water wells per section. There are 2.270 private wells identified.

<u>Figure 12</u> illustrates well density and water use data in the LRW. This figure contains a grid that depicts the number of wells in each six by six-mile section of the watershed. Deeper colors correspond to a higher concentration of wells. Well density is variable across the watershed. Only wells used for drinking water were included in this analysis.

## **Extreme Weather**

Climate records show that across Minnesota there has been an increase in average rainfall, as well as heavy precipitation events. As storms become more frequent and intense, flooding will be an ongoing challenge for public water systems and private wells. Flood events can threaten the safety and availability of drinking water by washing pathogens (bacteria, viruses, and parasites) and chemical contamination into source aquifers or by overwhelming the capacity of treatment systems to clean the water. The full extent of floodwater contamination depends on land use and associated infrastructure in the affected area. Figure 13 displays drinking water wells and flood zone risk to contamination in the LRW.

Extreme weather may also affect drought conditions by changing how and where precipitation falls. Increased rainfall over frozen ground and reduced snowpack from spring melt can decrease infiltration into groundwater when converted to runoff. The <u>Groundwater Quantity Issues and Concerns</u> section of the report assesses aguifer sustainability by evaluating long term monitoring well trends.

For more information on Climate and Health

(www.health.state.mn.us/communities/environment/climate/) or visit the DNR's webpage <u>Climate</u> <u>Change and Minnesota</u> (www.dnr.state.mn.us/climate/climate\_change\_info/index.html).




Figure 13: Le Sueur River Watershed – Drinking water wells and flood zone risk to contamination.

# Le Sueur River Watershed Groundwater Issues and Concerns

This section of the report describes the key groundwater quality and quantity issues for the LRW. The descriptions each include an overview of the issue, where the issue is most prevalent, and a few key approaches to address the issue. The LRW <u>Strategies and Actions to Protect and Restore Groundwater</u> provides a more detailed list of actions to address groundwater issues and concerns.

# **Groundwater Quality Issues and Concerns**

Both naturally occurring and human-made contaminants affect the LRW groundwater quality. Multiple state agencies monitor different types of groundwater wells and public water systems for contaminants. Nitrate, radium, and arsenic have been detected in wells sampled in the LRW. This

section provides context and data about these contaminants and their occurrence in the watershed. It also provides information about the following land uses: feedlots, row crop production, subsurface sewage treatment systems, contaminated sites (leaky tank sites and closed landfills), and household hazardous waste in the watershed that may affect groundwater quality.

All public water systems in the watersheds strive to meet Safe Drinking Water Act (SDWA)<sup>7</sup> requirements for the quality of water served to their customers. However, some public water systems may have water quality issues in their untreated source water that requires either blending or treatment to meet SDWA standards.

## **Nitrate**

Nitrate-nitrogen (referred to as nitrate) is a compound that occurs naturally and has many human-made sources. When nitrate levels are above 3 milligrams per liter (mg/L).<sup>8</sup> in groundwater, human activity is the likely cause (State of Minnesota Workgroup). Human-induced sources of nitrate include animal manure, fertilizers used on agricultural crops, failing SSTS, fertilizers used at residences and commercially, and nitrous oxides from the combustion of coal and gas.

Nitrate is one of the most common contaminants of groundwater in Minnesota and is a public health concern where found in groundwater used for drinking water. The SDWA standard for nitrate in drinking water is 10 mg/L. Most of the samples taken from wells within the watersheds did not exceed the SDWA standard for nitrate. This dataset includes newly constructed wells, private wells, and other drinking water supply wells. Sampling of newly constructed wells for nitrate began in 1974. Many older wells, pre-well code, are not included in this dataset. Table 2 shows nitrate test results for samples taken from these wells.

Table 2: Summary of nitrate results in drinking water wells of the Le Sueur River Watershed.

Depth Completed Range (feet)	Total samples (nitrate)	Minimum concentration (mg/L)	Maximum concentration (mg/L)	Median concentration (mg/L)	Samples at or above 3 mg/L (%)	Samples at or above 10 mg/L (%)
< 50	7	0.025	0.25	0.025	0	0
50 - 99	150	0	1.6	0.1	0	0
100 - 149	377	0	439	0.1	0.5	0.3
150 - 199	292	0	8.352	0.1	0.3	0
>= 200	597	0	1.36	0.1	0	0
Total	1,423	0	439	0.1	0.2	0.1

<sup>&</sup>lt;sup>7</sup> The Safe Drinking Water Act (SDWA) is the federal law that protects public drinking water supplies throughout the nation. Under the SDWA, EPA sets standards for drinking water quality; MDH is delegated to implement the program in MN to ensure drinking water safety.

<sup>&</sup>lt;sup>8</sup> One milligram per liter is the same as 1 part per million (ppm).

#### Where Is Nitrate in the Le Sueur River Watershed?

High levels of nitrate are present in areas where there are both human-caused sources of nitrate and high pollution sensitivity, which is consistent with MDA findings in the Township Testing Program (TTP). The following image helps identify where nitrate is detected and at what levels in the watershed:

Figure 14 shows the nitrate levels in wells in the LRW. When compared with the areas with high pollution sensitivity (Figure 5) there is a correlation between pollution risk and nitrate detections above 3 mg/L. In other instances, the absence of elevated nitrate concentrations may be a function of low-impact land use near the well or the presence of favorable geochemical conditions in the aquifer. Nitrate requires relatively oxidizing conditions to persist in groundwater, and the presence of locally reducing conditions can remove nitrate. The dataset used to create this figure is the same as that used in Table 2. These nitrate samples were taken from newly constructed wells, private wells, and other drinking water supply wells sampled by the Minnesota Department of Health (MDH).

Figure 15 show the Township Testing Program (TTP) results. The MDA has identified townships throughout the state that are vulnerable to groundwater contamination and have significant row crop production. Three counties in the watershed participated in the TTP. Each selected township offered testing in two steps, the 'initial' sampling and the 'follow-up' sampling. In the initial sampling, all township homeowners using private wells received a nitrate test kit. If the initial sample detected nitrate, the homeowner was offered follow-up tests for nitrate and pesticides and a well site visit. Trained MDA staff visited willing homeowners to resample the well and then conducted a site assessment. The site assessment identified possible nonfertilizer sources of nitrate and assessed the condition of the well. A well with construction problems may be more susceptible to contamination.

Two datasets, 'Initial' and 'Final', are used to evaluate nitrate in the private wells in this program. The initial dataset represents private wells drinking water regardless of the potential source of nitrate. The final dataset was informed through an assessment process to evaluate each well. In the assessment, wells that had nitrate results over 5 mg/L were removed from the final dataset if a potential non-fertilizer source or well problem was identified, there was insufficient information on the construction or condition of the well, or for other reasons which are outlined in the full report (see Appendix E for details). The final dataset represents wells with nitrate attributed to the use of fertilizer.

Blue Earth, Faribault, and Steele counties had the 'Initial' testing completed in 2018 and 2019 with the 'Final' results still pending. Figure 15 shows that < 5% of wells exceeding the drinking water standard for nitrate in LRW. Detailed sampling results are available at Township (Nitrate) Testing Program (http://www.mda.state.mn.us/townshiptesting).




Figure 14: Le Sueur River Watershed - Nitrate results from drinking water wells.




Figure 15: Le Sueur River Watershed – MDA Township Testing Program 'Initial' results.

## **How to Address Nitrate in Groundwater**

The Minnesota Groundwater Protection Act established a prevention goal that groundwater be maintained in its natural condition, free from any degradation caused by human activity. When degradation exists, it is important to understand the reflected level of management required based on the nitrate concentration. <u>Table 3</u> provides a protection framework that identifies management priorities reflective of nitrate concentrations.

Table 3: Nitrate protection framework and associated land use management goals. Implementation activities should build as you move from one classification to the next.

Nitrate Protection Framework	Nitrate Concentration	Implementation Emphasis
Protection – Maintain	0 – 4.9 mg/L	Proactive and preventive;  Maintain existing land cover by discouraging or preventing land conversion

Nitrate Protection Framework	Nitrate Concentration	Implementation Emphasis		
		<ul> <li>Contaminant source management on existing land uses (Agricultural BMPs, SSTS management, easements, forest management plans)</li> </ul>		
		Contaminant source reduction or elimination;		
Protection – Threatened	5.0 – 9.9 mg/L	<ul> <li>Shifting land uses away from those that may leach excess nitrogen (Alternative Management Tools<sup>9</sup>, upgrade failing SSTS, easements)</li> </ul>		
Restoration – Treatment	10.0 mg/L and above	Active intervention required by public water supplies to avoid drinking water consumption (new sources; treatment) while still aiming for long term contaminant source mitigation through reduction and elimination		

<u>Table 8</u> provides a more comprehensive list of specific actions counties and subwatersheds in the LRW can take to restore and protect groundwater quality related to nitrate.

## **Pesticides**

A pesticide is any substance or mixture of substances intended for preventing, destroying, repelling or lessening the damage of any pest and may be a chemical substance or a biological agent. Consuming water with different types of pesticides in it can cause a variety of health problems. MDA monitors for 'common detection pesticides' as a part of the MDA Pesticide Management Plan (www.mda.state.mn.us/protecting/waterprotection/pmp.aspx). Common detection pesticides are

<sup>&</sup>lt;sup>9</sup> MN Dept. of Agriculture developed Alternative Management Tools to protect groundwater quality from nitrate contamination. For more information, visit MDA <u>Alternative Management Tools</u> (www.mda.state.mn.us/chemicals/fertilizers/nutrient-mgmt/nitrogenplan/nitrogenpmt/amts)

pesticides frequently used in row crop production and include acetochlor, alachlor, atrazine, metolachlor and metribuzin.

#### Where Are Pesticides in the Le Sueur River Watershed?

MDA has no monitoring wells in the LRW to monitor for common detection pesticides due to the lack of sensitive geology.

#### **How to Address Pesticides in Groundwater**

General approaches to reduce the amount of pesticides that may enter groundwater include:

- Providing educational opportunities about pesticide and insecticide BMPs for both agricultural lands and residential/commercial lawns (turf)
- Increasing the adoption of water quality BMPs for pesticides and insecticides

<u>Table 8</u> provides a more comprehensive list of specific actions the counties and subwatersheds in the LRW can take to restore and protect groundwater quality related to pesticides.

#### **Arsenic**

Over fourteen percent of the 266 arsenic samples taken from located wells in the LRW have levels of arsenic higher than the SDWA standard of 10 micrograms per liter ( $\mu g/L$ ). Arsenic occurs naturally in rocks and soil across Minnesota and can dissolve into groundwater. Consuming water with low levels of arsenic over a long time (chronic exposure) is associated with diabetes and increased risk of cancers of the bladder, lungs, liver and other organs. The SDWA standard for arsenic in drinking water is 10  $\mu g/L$ ; however, drinking water with arsenic at levels lower than the SDWA standard over many years can still increase the risk of cancer. The EPA has set a goal of 0  $\mu g/L$  for arsenic in drinking water because there is no safe level of arsenic in drinking water.

Since 2008, the State of Minnesota has required that water from new water supply wells be tested for arsenic. <u>Table 4</u> outlines the number of well water samples tested for arsenic in the LRW, using the dataset from the Minnesota Well Index (MWI) and well for newly constructed private wells. The table shows the percentage of samples with arsenic levels over the SDWA standard. It is important to remember that arsenic concentrations can be drastically different from nearly identical wells installed on adjoining properties.

Table 4: Summary of arsenic (As) concentrations in wells of the Le Sueur River Watershed.

Depth Completed Range (feet)	Total samples (n)	Minimum concentration (μg/L)	Maximum concentration (μg/L)	Median concentration (μg/L)	Samples at or above 5 µg/L (%)	Samples at or above 10 µg/L (%)
< 50	1	3.20	3.20	3.20	0	0
50 - 99	16	0.25	45.7	14.5	62.5	56.3
100 - 149	55	0.0005	38.8	5.8	60.0	29.1
150 - 199	49	0.0108	45.4	3.35	34.7	10.2

<sup>&</sup>lt;sup>10</sup> One microgram per liter is the same as 1 part per billion (ppb).

Depth Completed Range (feet)	Total samples (n)	Minimum concentration (μg/L)	Maximum concentration (μg/L)	Median concentration (μg/L)	Samples at or above 5 µg/L (%)	Samples at or above 10 µg/L (%)
>= 200	145	0.0005	23.3	1	14.5	5.5
Total	266	0.0005	45.7	2.21	30.5	14.3

#### Where Is Arsenic in the Le Sueur River Watershed?

<u>Figure 16</u> shows that arsenic is found in elevated concentrations throughout the watershed. The dataset used to create <u>Figure 16</u> is the same information displayed in <u>Table 4</u>. Theses samples were taken from newly constructed domestic wells.

Arsenic is more prevalent in the glacial Quaternary Buried Artesian aquifer, and bedrock St. Peter, Galena/Stewartville Member, Stewartville-Cummingsville aquifers. Typically, elevated arsenic in Minnesota groundwater is associated with glacial lobes originating from northwest Canada. Elevated arsenic is correlated with clay layers and reducing geochemical conditions that release arsenic into the groundwater (Erickson and Barnes, 2004 and 2005). Well depths with elevated arsenic range from 71 to 305 feet in the LRW. For wells with arsenic detected but below the drinking water standard, the wells were completed in the Quaternary Buried Artesian aquifer and in the bedrock Prairie Du Chien, St. Peter, Stewartville-Prosser, Galena/Stewartville Member and Stewartville-Cummingsville aquifers.




Figure 16: Le Sueur River Watershed - Arsenic Results

#### **How to Address Arsenic in Groundwater**

Unlike nitrate and pesticides, human activity rarely causes arsenic in Minnesota groundwater, except for local releases of insecticides or wood preservatives into the environment. Therefore, few actions can reduce the amount of arsenic in groundwater. Implementation efforts should focus on making private well users aware of the health risks associated with arsenic, encouraging them to test their water for arsenic, and providing them with treatment options to keep their drinking water safe when arsenic is present.

## **Radionuclides**

Radioactive materials, also called radionuclides (Radium), are both naturally occurring and human-made. Drinking water that has radium exposes individuals to very low doses of radiation every day, increasing your risk of cancer if you drink water with radium in it every day for many years.

Concentrations of naturally occurring radioactive radium has been detected in some groundwater samples in the LRW. There are elevated levels of combined radium 226/228 above the drinking water standard of 5 pCi/L. Wells with exceeding combined radium range in well depth from 310 to 504 feet, completed in the bedrock Prairie Du Chien-Jordan, Platteville-St. Peter, Jordan-Wonewoc, Tunnel City-

Wonewoc aquifers. The exact source of these compounds is not well understood. They may originate in the clay-rich glacial sediments or may be part of the original mineral composition of the Mt. Simon or fractured Sioux Quartzite geologic units. What is known is that their presence in the groundwater is related to reducing geochemical conditions and the very slow rate of groundwater flow in theses bedrock layers (Szabo, Z., Fischer, J. M., Hancock, T. C., 2012).

#### Where are Radionuclides in the Le Sueur River Watershed?

Not enough is known about radium (or other radionuclide) distribution in the aquifers beneath the LRW. The few results indicate combined radium may be a problem in wells drilled in the bedrock Prairie Du Chien-Jordan, St. Peter, Jordan-Wonewoc, Tunnel City-Wonewoc aquifers at this time.

#### How to Address Radionuclides in Groundwater

Human activity is unlikely to be the cause of radionuclides in the LRW groundwater. Therefore, actions cannot reduce the amount of radionuclides present in groundwater. Implementation efforts should focus on awareness that radionuclides may be found in groundwater. The factors that contribute to the presence of radionuclides in the LRW groundwater are not well understood at this point. If private well users are concerned about radionuclides in their well, they can pay to have their water tested through an accredited laboratory. Water softeners and reverse osmosis are effective at removing radium from groundwater. Learn more at <a href="Radionuclides (Radium)">Radionuclides (Radium)</a> in Drinking Water (https://www.health.state.mn.us/communities/environment/water/contaminants/radionuclides.html).

## **Ambient Groundwater Monitoring**

The MPCA's Ambient Groundwater Monitoring Program monitors trends in statewide groundwater quality by sampling for a comprehensive suite of over 100 chemicals including nutrients, metals, anions and cations, and volatile organic compounds. The Ambient Groundwater Network currently consists of approximately 270 sites that represent a mix of deep domestic wells and shallow monitoring wells in non-agricultural regions across the state. The primary focus is on shallow aquifers that underlie urban areas, due to the higher tendency of sensitivity to pollution, and are predominately located in sand and gravel and Prairie du Chien-Jordan aquifers.

Between the period of 2005 and 2019, three ambient network wells were sampled within the LRW. Of all the chemicals sampled for, nitrate and chloride are of particular concern due to the health risks (nitrate) and ecological risks (chloride). Nitrate results were well below the MDH limit of 10 mg/L. Chloride is naturally found in groundwater but elevated levels can be caused by things like road salt and water softener salt. It can also be damaging to plants and aquatic life but is a categorized as a nuisance chemical in drinking water. There are no established health risk limits for it in drinking water, but it can produce an unpleasant taste, therefore the US EPA has set a secondary maximum contaminant level of 250 mg/L (US EPA, 2020) for chloride. Results from all wells were below this level if it was detected at all.

MDH hosts information on a List of Contaminants in Water

(www.health.state.mn.us/communities/environment/water/contaminants/index.html), as well as <a href="https://example.com/centaminants/index.html">CECs</a> (www.health.state.mn.us/communities/environment/risk/guidance/dwec/index.html).




Figure 17: Le Sueur River Watershed – MPCA Ambient Groundwater Monitoring Well Network

## **Potential Contaminant Sources**

Some land use practices make it easier for contaminants to get into groundwater. Key land uses that are potential contaminant sources in the LRW are described below.

## **Animal Feedlots**

MPCA regulates the land application and storage of manure generated from animal feedlots in accordance with Minnesota Rule Chapter 7020. The MPCA <u>Feedlots Program</u> (https://www.pca.state.mn.us/quick-links/feedlots) requires that the land application and storage of manure be conducted in a manner that prevents nitrate contamination to both groundwater and surface water. Animal manure contains significant quantities of nitrogen and pathogens. Improper management of manure, especially in places with high pollution sensitivity, can contaminate groundwater.

MDA hosts an interactive map that provides information on local ordinances regulating animal agriculture in Minnesota's counties. The information includes the most common areas of regulations, such as setbacks and separation distances, conditional use permits, feedlot size limitations, and

minimum acreage requirements. For more information, visit the <u>Local Ordinances Regulating Livestock</u> <u>- Web Mapping</u> (www.mda.state.mn.us/local-ordinances-regulating-livestock-minnesota).

MDA developed a new tool in collaboration with the National Weather Service called the Minnesota Runoff Risk Advisory Forecast (RRAF) system

(www.mda.state.mn.us/protecting/cleanwaterfund/toolstechnology/runoffrisk). RRAF is designed to help farmers and commercial applicators determine the best time to apply manure to reduce the probability of off target movement of valuable nutrients and protect water resources.

## Where Are Animal Feedlots in the Le Sueur River Watershed?

The LRW has 787 active feedlots. Minnesota Rule 7020 allows the MPCA to transfer or 'delegate' regulatory authority and administration of certain parts of the feedlot program to a county. A delegated county regulates feedlots with less than 1,000 animal units; MPCA regulates anything above that threshold. County feedlot programs have responsibility for implementing state feedlot regulations including: registration, permitting, inspections, education/assistance and complaint follow-up. All counties in the LRW are delegated counties administering the feedlot program locally.

<u>Table 5</u>: Number of registered feedlots and the delegated counties outlines the number of registered feedlots in the LRW for each county. <u>Figure 18</u> contains a grid that depicts the number of active feedlots in each six by six-mile section of the watershed. Darker colors correspond to a higher concentration of active feedlots.

Table 5: Number of registered feedlots and the delegated counties

Counties	Number of Registered Feedlots per County	Delegated County
Blue Earth	257	Yes
Faribault	166	Yes
Freeborn	74	Yes
Le Sueur	1	Yes
Steele	26	Yes
Waseca	263	Yes




Figure 18: Le Sueur River Watershed – Active Feedlots. There are 787 active feedlots within the watershed.

#### **How to Protect Groundwater from Contamination**

Manure management plans, feedlot inspections, permitting, technical assistance and record keeping are all used to manage nitrogen impacts to water quality. It is important to prioritize activities in the areas most sensitive to groundwater first. <u>Table 8</u> provides a more comprehensive list of specific actions partners in can take to protect groundwater from nitrate and pathogen contamination.

## **Row Crop Agriculture**

Row crop agriculture or cultivated crops (Figure 3) are the largest land cover within the LRW covering over 80 percent of the watershed. Impacts from row crop production to water resources include nitrogen loss in the form of nitrate to groundwater, which can move downward to aquifers or be laterally dispersed to lakes and rivers. Tile drainage is another pathway for nitrogen to reach surface water systems, however this is not a focus of the GRAPS report being the TMDL and WRAPS reports assess impacts. Agricultural chemicals, including pesticides, are another risk for groundwater contamination from row crop agriculture. Both nitrate and pesticides are addressed in the Groundwater Quality Issues and Concerns section of this report.

## Subsurface Sewage Treatment Systems (SSTS)

Of the approximately 450,000 SSTS (commonly called septic systems) across the state, slightly over 100,000 of them are estimated to be failing. As more time passes, additional systems are likely to fail. Failing SSTS can pollute both surface and groundwater. A failing system is one that does not provide adequate separation between the bottom of the drain field and seasonally saturated soil. The wastewater in SSTS contains bacteria, viruses, parasites, nutrients, and some chemicals. SSTS infiltrate treated sewage into the ground, which ultimately travels to groundwater.

#### Where Are SSTS in the Le Sueur River Watershed?

SSTS are found in all six counties in the LRW. Information reported by counties indicate a relatively small to high number of failing SSTS in the watershed. State regulations require each county to adopt a local SSTS ordinance and that eminent health threats or failing systems be replaced and brought up to current standards. Even with a required ordinance, some counties still have identified gaps in their SSTS program, ranging from lack of records on treatment system age, type or function, known unsewered communities, and lack of a point of sale requirement triggering an inspection through a property sale.

## **How to Protect Groundwater from SSTS Contamination**

SSTS must be properly sited, designed, constructed and maintained to minimize the potential for disease transmission and groundwater contamination. Each county carries out permitting, inspections and operation of the SSTS program locally. <a href="Table 8">Table 8</a> provides a more comprehensive list of specific actions the LRW can take to assure SSTS do not contaminate groundwater. You can find more information about building and maintaining SSTS at <a href="Subsurface Sewage Treatment Systems">Subsurface Sewage Treatment Systems</a> (https://www.pca.state.mn.us/water/subsurface-sewage-treatment-systems).

#### **Contaminated Sites**

The MPCA identified 672 active tanks, 36 leak sites and one closed landfill in the LRW. These types of contaminated sites (also referred to as point sources) have the potential to contaminate groundwater with a variety of chemicals.

#### Where Are Contaminated Sites in the Le Sueur River Watershed?

<u>Figure 19</u>, maps active tank and leak sites compared to pollution sensitivity of near-surface materials in the LRW. <u>Figure 20</u> provides a map of the closed landfill in the LRW. The following sites also provide maps to help identify contaminated sites.

- What's in My Neighborhood (https://www.pca.state.mn.us/data/whats-my-neighborhood):
   This app identifies potential contamination sites for water quality, feedlots, hazardous waste, investigation and clean up, air quality and solid waste.
- Landfill Cleanup Act Participants (http://mpca.maps.arcgis.com/apps/Solutions/s2.html?appid=6470bb44bd83497993da5836333d1cb3): This site has an interactive map that shows closed landfills and the corresponding groundwater plumes and groundwater areas of concern.




Figure 19: Le Sueur River Watershed - MPCA Active Tank and Leak Sites and Pollution Sensitivity of Near-Surface Materials




Figure 20: Le Sueur River Watershed - MPCA Closed Landfill

#### **How to Protect Groundwater from Contaminated Sites**

Contaminated sites should be identified before making or changing any land use plans, zoning maps, and/or ordinances. <u>Table 8</u> provides a more comprehensive list of specific actions the LRW can do to assure contamination sites do not further contaminate groundwater.

## Stormwater

The MPCA <u>Stormwater Program</u> (https://www.pca.state.mn.us/water/stormwater) regulates the discharge of stormwater and snowmelt runoff from municipal separate storm sewer systems (MS4s), construction activities and industrial facilities, mainly through the administration of the National Pollutant Discharge Elimination System (NPDES)/State Disposal System (SDS) Program. MS4s in Minnesota must satisfy the requirements of the MS4 general permit if they are located in an urbanized area and used by a population of 1,000 or more or owned by a municipality with a population of 10,000 or more, or a population of at least 5,000 and the system discharges to specially classified bodies of water. Entities with an MS4 permit require the treatment and management of stormwater runoff.

The management of stormwater runoff is increasingly reliant on the infiltration of stormwater into the soil to control the volume of runoff. Several stormwater practices concentrate runoff and force

infiltration into the soil where it can recharge groundwater aquifers. The impacts of these practices on groundwater quality have not been thoroughly evaluated.

## How to Manage Potential Stormwater Infiltration Risk

Caution should be observed when infiltrating stormwater, especially in areas with vulnerable drinking water sources. Use the MDH <u>Stormwater Guidance for Sites in Drinking Water Supply Management Areas</u> (https://stormwater.pca.state.mn.us/images/d/d3/Flow\_Chart\_-

\_MDH\_Stormwater\_Guidance\_for\_Sites\_in\_Drinking\_Water\_Supply\_Management\_Areas.pdf) to better understand when infiltration is appropriate in wellhead protection areas. <u>Table 8</u> provides a more comprehensive list of additional actions the LRW can take to prevent stormwater infiltration from contaminating groundwater.

#### **Household Hazardous Waste**

Many household products you use to clean your home, maintain your yard, and control animals and insects contain hazardous materials. When these products are disposed of improperly, it may lead to groundwater contamination.

Minnesota's household hazardous waste (HHW) program is a partnership with the MPCA and the counties. Together, they provide education about HHW storage and disposal as well as maintain a network of regional, local and mobile facilities to collect HHW statewide. In addition, many counties offer temporary collection sites, including one-day events. The MPCA has a searchable database to find HHW collection sites for your county, <a href="Household Hazardous Waste Collection Sites">Household Hazardous Waste Collection Sites</a> (https://www.pca.state.mn.us/living-green/find-your-household-hazardous-waste-collection-site).

Similar to the partnership for HHW, MDA partners with counties to provide a means to safely dispose of unwanted and unusable pesticides through the Waste Pesticide Collection Program. Through this program, pesticide users in every county around the state have opportunities to dispose of unwanted agricultural pesticides through county HHW facilities, mobile collection events or by attending MDA schedule events. Participants can drop off up to 300 pounds free of charge. MDA manages a waste pesticide collection schedule to learn about partnerships and scheduled events, MDA Waste Pesticide Collection Schedule (www.mda.state.mn.us/chemicals/spills/wastepesticides/schedule.aspx).

## How to Protect Groundwater from Household Hazardous Waste Contamination

Promote HHW and the pesticide collection program availability to residents, and evaluate opportunities to expand services to increase participation. <u>Table 8</u> provides a more comprehensive list of specific actions the LRW can take to assure consumer products do not contaminate groundwater.

## **Pharmaceuticals**

The presence of pharmaceuticals in water is of increasing concern because they may cause harm to humans and aquatic life. Pharmaceuticals enter rivers, lakes and groundwater when human waste, animal waste or discarded medications move from stormwater systems, sewer systems or septic tanks into water. Wastewater and drinking water treatment may not completely remove pharmaceuticals. As a result, these chemicals can be found in drinking water sources.

## How to Protect Groundwater from Pharmaceutical Contamination

Do not flush old or unwanted prescription or over the counter medications down the toilet or drain, and do not put them in the trash. There are more than 240 medication collection boxes located at law

enforcement facilities and pharmacies in Minnesota. These collection sites do not charge for disposal. You can use the Earth 911 website to identify collection sites by zip code, <u>Locations that take</u> <u>medications (https://search.earth911.com/?what=Medications&where=MN)</u>. If a disposal site is not available, follow the MPCA guidance to minimize risk to the environment, <u>Medication Disposal</u> <u>Guidance (https://www.pca.state.mn.us/living-green/managing-unwanted-medications)</u>.

## **Groundwater Quantity Issues and Concerns**

Permitted groundwater use was between 1200 and 1400 million gallons per year from 1988 to 2019. Approximately 63 percent of groundwater use is for water supply and 30 percent is used for industrial processing. The watershed has only two DNR groundwater-level monitoring wells. Both wells have relatively long periods of record but only five readings per year, so water-level trends could not be calculated from those wells.

## **Groundwater Use**

A water-use appropriation permit is required from the DNR for groundwater users withdrawing more than 10,000 gallons of water per day or 1 million gallons per year. This provides the DNR with the ability to assess which aquifers are being used and for what purpose. Permits require annual water-use reporting. This information is recorded using Minnesota Permitting and Reporting System (MPARS), which helps the DNR track the volume, source aquifer, and type of water use. The DNR has records of reported water use from 1988 to the present.

<u>Figure 21</u> - <u>Figure 23</u> show graphs of reported water use by calendar year from 1988 to 2019. A summary of reported 2019 water use by use category versus source aquifer is shown in <u>Table 6</u>. <u>Figure 24</u> and <u>Figure 25</u> show the distribution of permitted wells with reported 2019 water use, categorized by use category and aquifer type, respectively.

Annual groundwater use in the LRW had a between 1200 and 1400 million gallons per year over the period of 1988-2019 (<u>Figure 21</u>). Groundwater use peaked in 2010 at 1470 million gallons per year and has gently declined to about 820 million gallons per year in 2019.




Figure 21: Reported water use from the DNR permit holders by resource category. Groundwater use increased from about 1200 million gallons per year in 1998 to about 1400 million gallons per year in 2010 and then gently declined slightly.

Most permitted groundwater withdrawals are pumped from bedrock aquifers (<u>Figure 22</u>). Most permitted groundwater use is for water supply (<u>Figure 23</u>).




Figure 22: Reported groundwater use from DNR permit holders by aquifer category. Most permitted groundwater use is drawn from bedrock aquifers. Pumping from bedrock aquifers varied from about 1000 million gallons per year to 1400 million gallons per year.

In 2019, approximately 62 percent of permitted groundwater use was for water supply, approximately 30 percent was used for industrial processing, 6 percent for other categories, and the remainder spread among other use categories <u>Figure 23</u>. Approximately 96 percent of permitted groundwater was sourced from the bedrock aquifers, 1.8 percent from buried sand and gravel aquifers, and 2.5 percent from unknown aquifers (<u>Table 6</u>).




Figure 23: Reported groundwater use from DNR permit holders by use category. Most permitted groundwater withdrawals are used for water supply. Pumping for water supply declined from approximately 1200 million gallons per year in 1988 to approximately 800 million gallons per year in 2016, and then stayed fairly level. Industrial processing increased from 200 to 600 million gallons per year in 2010.

Table 6  $\frac{11}{2}$ : Reported 2019 water use from DNR groundwater permit holders in million gallons per year.

Use Category	Surficial Sand Aquifer (Water Table)	Buried Sand and Gravel Aquifer (Confined)		Unknown	Total (mgy)	Total (percent)
Agricultural Irrigation	_	0.0	0.3	_	0.3	0.0
Heating/Cooling	_	_	_	_	_	_
Industrial Processing	_	<del>-</del>	391.0	_	391.0	29.7
Non-Crop Irrigation	_	_	22.4	_	22.4	1.7
Other Categories	_	16.6	32.8	28.4	77.7	5.9
Power Generation	_	_	_	_	_	_
Water Level Maintenance	_	_	_	0.0	0.0	0.0
Water Supply	_	6.8	812.6	4.3	823.7	62.6
Total (mgy)	_	23.4	1259.1	32.7	1315.1	_
Total (percent)	_	1.8	95.7	2.5	_	100 *

<u>Figure 24</u> shows the distribution of groundwater appropriation permits for 2019 by volume reported and use category. <u>Figure 25</u> shows the same information by volume reported and aquifer category. The largest water users are the City of Eagle Lake in the north part of the watershed, the City of Waseca in the northeast part of the watershed, and two ethanol plants.

 $<sup>^{11}</sup>$  Data from MPARS; mgy, million gallons per year; dash marks (-) indicate no use in those categories; \* percentages may not equal 100 due to rounding.




Figure 24: Le Sueur River Watershed - Distribution of groundwater appropriation permits for 2019 by volume reported and use category. The largest water users in the watershed are the cities of Waseca, Eagle Lake, and Wells and two ethanol plants. All the wells with use category other are used for livestock watering.




Figure 25: Le Sueur River Watershed – Distribution of groundwater appropriation permits for 2019 by volume reported and aquifer category. Bedrock aquifers supply 96 percent of the reported water use.

## **Groundwater Level Monitoring**

The DNR maintains a statewide groundwater-level monitoring program for assessing groundwater resources, determining long-term trends, interpreting impacts of pumping and climate, planning for water conservation, evaluating water conflicts, and managing water resources.

There are two active groundwater-level monitoring wells in the planning area. Of these two wells, one has been monitored since 1980 and the other since 2000 (<u>Figure 26</u>).

None of the groundwater-level monitoring wells have long enough records of water-level data to calculate a statistical trend. Only five readings were collected per year and a minimum of six per year are required to calculate a water-level trend. Hydrographs from two of the wells are shown in <u>Figures 25</u> through <u>Figure 30</u>.




Figure 26: Le Sueur River Watershed – Active Groundwater-Level Monitoring Wells by decade monitoring started. Two wells are measured for groundwater levels in the watershed. One of the groundwater-level monitoring wells in the watershed has been monitored since the 1980s and one since the 1990s. Both wells have hydrographs.




Figure 27: Hydrograph of well 24005 compared to precipitation. The water level in the Stewartville aquifer has been rising since 1990 due to many wet years with higher than normal precipitation.




Figure 28: Hydrographs of well 24006 compared to precipitation. The water level in the buried sand and gravel aquifer has been rising since the start of the continuous record in 2000.

## **Groundwater Connected Natural Features at Risk**

The LRW boundary includes significant natural features, including surface waters that depend on groundwater to sustain them (Figure 29). Groundwater appropriations and land-use changes can impact the health of these natural resources. If groundwater quantity or quality is degraded, these resources are at risk. The following features occur within the LRW:

- Wetland complexes across the entire area
- Lakes that may be susceptible to changing aquifer levels including 12 lakes of biological significance
- Five kinds of native plant communities connected to groundwater
- Twenty-five rare plant and animal species connected with groundwater that are listed as threatened, special concern, or species of greatest conservation need in the state of Minnesota
- Four animal clusters that are vulnerable to a single catastrophic event
- Other significant natural features that help maintain a healthy, functional landscape occur in the watershed, but are not included in this report.

The LRW retains a small percentage of its groundwater-connected native systems. Integrating native systems into our land and water use is extremely important for maintaining and achieving healthy, resilient watersheds that are able to provide for current and future generations.

## Rare Natural Features Connected with Groundwater in the Le Sueur River Watershed

Rare features can include species of unique plants and animals as well as <u>native plant communities</u> (<u>habitats</u>) (www.dnr.state.mn.us/npc/index.html) and geologic features. In Minnesota, <u>rare species</u> (www.dnr.state.mn.us/ets/index.html) are categorized as endangered, threatened, special concern, and species of greatest conservation need based on how uncommon the species is (its rarity), their distribution in the state, and their vulnerability to extinction. Rare natural features (<u>Figure 29</u> and <u>Figure 30</u>) contribute to the health of our environment. Some even contribute directly to local economies in the form of recreation—including hunting/fishing, wildlife viewing, and camping. These resources are at risk if groundwater quantity or quality is disrupted.

There are 5 kinds of native plant communities associated with groundwater in the LeSueur (Figure 29). They range from wet prairies to marshes, floodplain forests, and terrace forests. The LeSueur has lost almost all of its native plant communities so those that remain are a high priority for preservation in order to achieve healthy groundwater systems. Of those still present on the landscape, none are considered secure, all are classified as critically imperiled, imperiled, or vulnerable to extirpation. There are 25 species of birds, mussels, amphibians, reptiles, invertebrates and plants that are either threatened, special concern, or a state listed "Species in Greatest Conservation Need," and four colonial waterbird nesting sites (where different species cluster together to nest) that are vulnerable to a single catastrophic event (Figure 30). These species and animal clusters are connected to habitats with groundwater or groundwater seepage areas for all or part of their life cycles, which means these habitats are important refuges in the LeSueur. A detailed list of native plant communities and rare features is available in the Additional Resources section at the end of the report in Error! Reference source not found. through Table 10.




Figure 29: Le Sueur River Watershed – Native Plant Communities Connected with Groundwater




Figure 30: Le Sueur River Watershed - Rare Plants, Animals, and Native Plant Communities Connected with Groundwater

Groundwater connections to wildlife species are many and often complex. Wildlife groups as diverse as birds, bats, spiders, snakes, turtles, frogs, toads, fishes, and snails all contain species that require some form of surface water body to complete their life cycles and persist on the landscape. If groundwater fluctuations or depletions affect a significant number of surface water features in this area, important wildlife habitats may be impacted or lost.

## **Groundwater Flow Dominated Lakes**

All lakes are connected to groundwater, but the specific interaction between lake water and groundwater depends on the geology, topography, and volume of surface-water inflow and outflow associated with the lake. There are three basic lake types (Petersen and Solstad, 2007):

- 1. Lakes dominated by surface water inflow and outflow resulting from a large ratio of contributing surface watershed area to lake area.
- 2. Lakes dominated by groundwater inflow and outflow resulting from a smaller ratio of contributing surface watershed area to lake area (10 or less). This lake type is often landlocked with no surface outlet. Although for the purposes of this GRAPS report, the lake level outlet

- elevation has not been studied. Lakes have been put into this classification solely by watershed to lake area ratio.
- 3. Lakes intermediate between the first and second types. This applies to lakes that typically have a large watershed to lake area ratio, but during times of drought, the lake level will drop below the outlet level. Groundwater often becomes a significant part of the inflow to these lakes during extended dry periods.

Only the groundwater-dominant lakes as defined in type 2 above are shown in this report (<u>Figure 31</u>). There are 28 groundwater-flow dominated lakes in the LRW. Large-scale groundwater pumping near a lake will likely have more impact to groundwater-flow dominated lakes than to surface water-flow dominated lakes.




Figure 31: Groundwater-Dominated Lakes in the Le Sueur River Watershed. There are 28 groundwater-flow dominated lakes in the planning area. Of these lakes, 13 have a watershed area to lake area ratio less than 5 and are likely groundwater dominated and 15 have a watershed area to lake area ratio between 5 and 10 and may be groundwater dominated. Lake specific data should be collected before making a final determination on the amount of influence groundwater has on a particular lake.

## **How to Address Groundwater Quantity Issues**

Most groundwater quantity (sustainability) issues are the result of overuse of groundwater and/or reduction in recharge to the underlying aquifer. Therefore, the strategies to address water quantity issues are similar, regardless of the groundwater quantity issue. The two primary goals to assure water sustainability are:

- Water conservation: Reduce or limit the amount of groundwater used
- **Promote or protect recharge:** Find ways for water to infiltrate back into the ground

There are a variety of strategies to help meet water conservation and recharge goals. The type of strategy used depends on the primary factor affecting quantity in the area in question. Strategies include: conservation easements, cropland management, education and outreach, irrigation water management and land use planning and management. (<u>Table 8</u>) provides a more comprehensive list of specific actions the LRW can take to conserve water and promote recharge.

# Le Sueur River Watershed Strategies and Actions to Restore and Protect Groundwater

This section provides tips for prioritizing and targeting restoration and protection strategies and makes suggestions about what strategies and actions would be most appropriate within different areas of the watershed. Information on the geological, ecological and sociological conditions for each county and subwatershed (HUC-10) informs which strategies and actions would be effective for each HUC-10 and county.

## **Tips for Prioritizing and Targeting Strategies and Actions**

## **Determine Your Goal**

You may decide to address an issue because of known instances or threats in an area, or maybe you are working in a geographic area because of jurisdiction or some other factors. The Actions and Strategies Table (<u>Table 8</u>) will help you focus on the goal, for instance, reducing nitrate in groundwater. Then you will need to decide, using the table, if you would like to focus on conservation easements, outreach and education, nutrient management, or some other strategy.

## Match the Right Action with the Right Location

The Actions and Strategies Table (Table 8) will help you determine where the actions would be most effective. For instance, an activity that reduces nitrate in groundwater may be more valuable in sensitive areas or vulnerable wellhead protection areas. Or, if you are focused on a limited geography, the table will help you determine what actions are applicable to that area. Considering the sensitivity combined with the presence of drinking water wells and vulnerable wellhead protection areas can help further focus efforts. In another example, factors such as the presence of groundwater dependent features and a concentration of large appropriation wells can help determine where efforts to promote conservation and recharge would be most effective.

## **Know the Pollution Sensitivity**

Groundwater quality is impacted by both point and non-point source pollution. These potential contaminant sources need to be managed according to the pollution sensitivity of the aquifer (Figure 5). Examining the sensitivity of the aquifer as it relates to contamination risk helps determine the level of management necessary to protect groundwater quality. For example, a failing septic system has a greater potential to contaminate the aquifer in a highly sensitive setting with coarse textured material than an area with low sensitivity that has a protective clay layer that retards the movement of water into the aquifer.

## **Consider Multiple Benefits**

Oftentimes, the restoration and protection strategies identified for both groundwater and drinking water positively influence other ecosystem services, such as surface waters, habitat, and pollinators,

among others. Managing water as 'one water', rather than parceling it out to reflect the different aspects of water as it moves through the hydrologic cycle, allows for better planning and allocation of resources. The far right columns of the Actions and Strategies Table (<u>Table 8</u>) identifies the multiple benefits that could result from implementing the action.

## **Leverage Other Programs and Practices**

Utilize existing Federal and State programs that are already working in the LRW to conserve land, prevent erosion and protect or improve surface water quality. Many of the practices that are being implemented have a benefit for groundwater. You can further target some of these efforts based on the information provided in this report to maximize the benefits by protecting groundwater. (Table 8) includes a column that identifies which agencies can assist with a specific action; the listed agencies typically have some type of program in place that you can leverage. The Descriptions of Supporting Strategies section of this report lists existing programs and resources for each of the suggested strategies.

## **Emphasize Protection**

There is often a bias in groundwater management towards strategies that emphasize protection because of the cost and difficulty of remediating already-contaminated resources. In contrast to surface water bodies, groundwater:

- is difficult to access;
- cannot be observed, sampled or measured easily;
- travels slowly, often along complex pathways and through aquifer media that can absorb and store contaminants over long time periods; and
- is very difficult and expensive to treat if contaminated.

Timeframes associated with groundwater cleanup activities are often measured in decades and cost millions of dollars. Groundwater management strategies that emphasize prevention and protection are critical.

Although the tide is changing within water resources management in Minnesota, many funding streams and priorities are focused on restoration activities that can show measurable outcomes. Even though it is difficult to demonstrate 'improvements' from protection strategies, it is important to stress the need to take a balanced approach and protect groundwater resources.

# Strategies and Actions for Le Sueur River Watershed

This section provides a table of strategies and actions local partners in the LRW can take to restore and protect groundwater resources. Many of the proposed actions require the participation of a willing landowner to execute. Other actions reflect opportunities to manage land use through local controls. Many of the proposed strategies and actions align with strategies to protect surface waters.

Each action aligns with one or more supporting strategies and goals.

- Goals identify how an action helps restore and/or protect groundwater.
- Supporting Strategies are key approaches to achieving the goal.

 Recommended Groundwater Actions are specific actions prescribed to a specific county or HUC-10 within the watershed that will help achieve the goal and pertains to the supporting strategy.

<u>Figure 32</u> provides a visual representation of the relationship between goals, supporting strategies, and recommended groundwater actions. Note that each goal is supported by many supporting strategies, and each supporting strategy may have a variety of recommended groundwater actions.




Figure 32: Visual representation of the relationship between goals, supporting strategies, and recommended groundwater action.

## How to Use the Table of Actions and Strategies

The Table of Actions and Strategies (<u>Table 8</u>) is designed so that you can find actions and strategies related to whatever your priorities may be when it comes to restoring and protecting groundwater. There are a variety of columns to facilitate the following:

- finding actions for specific geographic areas (counties or HUC-10s);
- finding actions or strategies that would help achieve a specific goal;
- learning the additional benefits of implementing a specific action; and
- tips for determining where to target a specific action if you cannot implement the action in the entire recommended area.

The following list defines what each of the columns in <u>Table 8</u> represent:

- Goal: How the action in this row helps restore and/or protect groundwater. The goals have been sorted alphabetically as much as possible. Each goal identifies the main objective—such as whether it protects groundwater quality or sustains the amount of water available—and includes a keyword to explain how the goal is achieved. For example, a goal that is listed as 'Protect Groundwater and Drinking Water Quality: Closed Landfills' can be interpreted as: Protect groundwater and drinking water quality from landfill contamination.
- **Supporting Strategies**: Identifies and links you to general strategies that help accomplish the goal for the action in this row. Each strategy is hyperlinked to a section of the report that provides more information about the strategy and connects you with existing tools and programs that may assist you in implementing this strategy or implementing actions related to this strategy.
- **Recommended Groundwater Action**: A specific action you can take to help achieve the goal to the left in the row and is informed by the strategy to the left in the same row.
- Target \_\_\_\_\_\_ Co.: The 'X's' denote which counties should consider using the action described in the corresponding row. An 'X' denotes the action would be most beneficial for that county. The addition of the counties helps to further prioritize and target where recommended groundwater actions should be implemented, narrowing the focus from a larger subwatershed to a specific geographic area. For example, many of the subwatersheds identify the need to work with irrigators; by adding the additional filter of counties, you are able to eliminate specific counties that do not have irrigators, targeting where implementation should occur. It also works as a quick reference to identify groundwater actions specific to the county in which you work.
- **HUC-10s Involved**: This column denotes which HUC-10 subwatershed(s) within the LRW to consider using the action described in the corresponding row. There are 19 HUC-10s within the watershed. <u>Table 7</u> provides the name and the HUC-10 number assigned to each major watershed. Figure 2 is a map of the HUC-10s.
- Agencies that can assist.<sup>12</sup>: This column lists agencies that may be able to assist with implementing the strategy through existing programs or providing more information or technical assistance.
- Tips for Targeting & Helpful Maps: This column helps identify the areas that should be targeted for the specific action if it is not feasible to implement the action in all the recommended counties or HUC-8s. The column also includes links to maps within the GRAPS report that may be helpful in identifying which specific areas within a county or HUC-8 to target. The maps are listed in italicized font. You can click on the blue text that says the figure number for the map to hyperlink directly to the map being referenced.

<sup>&</sup>lt;sup>12</sup> BWSR=Board of Soil and Water Resources; FSA=Farm Service Agency; MDA=Minnesota Department of Agriculture; MDH=Minnesota Department of Health; MPCA=Minnesota Pollution Control Agency; NRCS=Natural Resources Conservation Service; UMN=University of Minnesota Extension (not a comprehensive list of agencies/partners)

Benefit: \_\_\_\_\_\_13: This series of 'X' marks whether the corresponding action may have additional benefits. An 'X' denotes the action could create the described additional benefit.

Table 7: HIIC 10	) subwatersheds withii	n the Le Sueur A	River Watershed

HUC-10 Name	Reference Name in Implementation Table	HUC-10 Number
Cobb River	Cobb	0702001103
Little Cobb River	Little Cobb	0702001102
Lower Le Sueur River	Lower Le Sueur	0702001106
Maple River	Maple	0702001105
Rice Creek	Rice	0702001104
Upper Le Sueur River	Upper Le Sueur	0702001101

## **Summary of Key Findings and Issues**

Below is a summary of key groundwater quality and quantity findings found in the LRW. This summary can be used to help target groundwater actions during the 1W1P exercise.

## **Key Groundwater Quality Findings and Issues**

- Nitrate only 2 of the 1390 tested drinking water wells (less than one percent) had levels at or above the SDWA standard of 10 mg/L.
- There are no MDA ambient monitoring wells in the watershed.
- Blue Earth, Faribault, and Steele counties had the 'Initial' MDA TTP testing completed in 2018 and 2019 with the 'Final' results still pending. Sampled drinking water wells show that < 5% of wells exceeded the drinking water standard for nitrate in LRW.</li>
- Between the period of 2005 and 2019, three MPCA ambient network wells were sampled within the LRW. Of all the chemicals sampled for, nitrate and chloride are of particular concern due to the health risks (nitrate) and ecological risks (chloride).
- Arsenic over 14 percent of the 266 tested drinking water wells had levels exceeding the SDWA standard of 10  $\mu$ g/L. The EPA has set a goal of 0  $\mu$ g/L for arsenic in drinking water because there is no safe level of arsenic in drinking water.
- **Pesticides** there are no MDA ambient monitoring wells within the watershed.
- DWSMAs cover over 8,200 acres in the watershed. Seventeen of the 19 community public
  water suppliers are engaged in the wellhead protection planning process or are implementing
  their plans. The DWSMA vulnerabilities range from "very low" to "moderate", with the majority
  demonstrating low vulnerability.
- Nearly 63 percent of the people living in the watershed get their drinking water from a community public water supply system.

<sup>&</sup>lt;sup>13</sup> Habitat=Improve/Protect Habitat, including pollinators; GWCF=Improve/Protect Groundwater Connected Features; Soil Health=Improve/Protect Soil Health; Erosion=Control Erosion; Carbon=Carbon Sequestration; Nutrient Runoff=Control Nutrient Runoff, including pesticides (*The multiple benefits achieved are dependent on the placement and type of BMPs implemented; seed mixes planted; and other site conditions*).

- Private wells there are 2270 private drinking water wells with known locations ranging from 47 ft. to 517 ft. deep, with an average depth of 196 ft. Approximately 11 percent (254 wells) of private wells are in a highly vulnerable setting.
- **Flood events** can threaten the safety and availability of drinking water by washing pathogens and chemical contamination into source aquifers. Blue Earth County has the greatest risk flooding with several sites identified in the 100-year flood zone.
- Animal feedlots there are 787 active feedlots in the watershed, with the greatest concentration in Waseca and Blue Earth counties. All counties in the LRW have a delegated feedlot program and administer the feedlot rule locally.
- Row crop agriculture land cover is almost exclusively row-crop agriculture in the watershed.
   In areas with high pollution sensitivity, agricultural inputs can contaminate the underlying aguifer.
- **SSTS** are found throughout the watershed. Managing SSTS, especially in areas of high pollution sensitivity, is important to minimize the risk of bacteria, viruses, parasites, nutrients, and some chemicals from entering groundwater.
- Contaminated sites there are 672 active tank sites that could leak chemicals into the
  environment and 36 leak sites that may cause localized groundwater pollution if not properly
  managed. The risk to groundwater is greatest in areas of high pollution sensitivity.
- One closed landfill in Waseca County with a known groundwater contamination plume is found within the watershed.

## **Key Groundwater Quantity Findings and Issues**

- In 2019, approximately 63 percent of permitted water use was for water supply, approximately 30 percent was used for industrial processing, 6 percent for Other Categories, and the remainder spread among other use categories. Approximately 96 percent of permitted groundwater was sourced from the bedrock aquifers, 1.8 percent from buried sand and gravel aquifers, and 2.5 percent from unknown aquifers.
- There are two active groundwater-level monitoring wells in the LRW. Of these 2 wells, one has been monitored since 1980 and the other since 2000. None of the groundwater-level monitoring wells have enough water-level data to calculate a statistical trend. Only five readings were collected per year and a minimum of six per year are required to calculate a water-level trend.
- There are 28 groundwater-flow dominated lakes in the LRW. Of these lakes, 13 have a watershed area to lake area ratio less than 5 and are likely groundwater dominated and 15 have a watershed area to lake area ratio between 5 and 10 and may be groundwater dominated. Lake specific data should be collected before making a final determination on the amount of influence groundwater has on a particular lake.
- Wetland complexes across the entire watershed are susceptible to changing aquifer levels.
- There are five kinds of native plant communities connected to groundwater in the LRW. Along
  with twenty-five rare plant and animal species connected to groundwater that are listed as
  threatened, special concern, or species of greatest conservation need in the state of
  Minnesota.
- Four animal clusters that are vulnerable to a single catastrophic event.
- The LRW retains a small percentage of its groundwater-connected native systems so those that remain are a high priority for preservation to achieve healthy groundwater systems.

# **Table of Actions and Strategies to Restore and Protect Groundwater**

Table 8: Actions and Strategies to Restore and Protect Groundwater

			arget Blue Earth Co.	Farget Faribault Co.	arget Freeborn Co.	arget Le Sueur Co.		ġ		Lead		Habitat	GWCF	Benefit: Soil Health	Erosion	Carbon	Ben: Nutrient Runoff
Goal	Supporting Strategy	<ul><li>Recommended Groundwater Actions</li></ul>	Target Bl	Target Fa	Target Fı	Target Le	Target St	Target Waseca	HUC-10s Involved	Agency that can assist	Tip(s) for Targeting & <i>Helpful Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: 3	Benefit: Erosion	Benefit: Carbon	Ben: Nut
Protect Private Well Users: Arsenic	Education and Outreach	<ul> <li>Educate well users about the health risks of elevated arsenic levels in drinking water.</li> <li>Promote testing of private wells through education or cost share.</li> <li>Provide information from MDH about arsenic in Minnesota's well water to private well users to help answer health related questions and information on arsenic removal.</li> </ul>	X	X	X	X	X	X	All	MDH Well MGMT	Prioritize areas with a high density of private wells and areas with evidence of high levels of arsenic in private wells.  Arsenic Map (Figure 16)  Drinking Water Wells Map (Figure 12)						
Protect Private Well Users: Well Testing	Education and Outreach	Make information available to private well users about local drinking water quality and well testing. Host a well testing clinic or provide resources to well users to have their water tested for:  Coliform Bacteria (every year) Nitrate (every other year) Arsenic (at least once) Lead (at least once) Manganese (at least once)	X	X	X	X	X	Х	All	MDH Well MGMT	Prioritize areas with a high density of private wells, high pollution sensitivity and/or where there are known groundwater contaminants.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Arsenic Map (Figure 16)						

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful</i> <i>Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
											Drinking Water Wells Map (Figure 12) Nitrate Map <u>(Figure 14)</u>						
Protect Private Well Users: Manage Wells Protect Groundwater and Drinking Water Quality: Manage Wells	Education and Outreach	Promote proper management of wells through MDH tools, such as the 'Well Owners Handbook' in landowner outreach efforts.	X	X	X	X	X	X	All	MDH Well MGMT	Prioritize areas with a high density of private wells.  Drinking Water Wells Map  (Figure 16)						
Protect Groundwater and Drinking Water Quality: Well Sealing	Education and Outreach	<ul> <li>Provide cost share to well owners for sealing of unsealed, unused wells.</li> <li>Provide educational materials on well sealing.</li> </ul>	X	X	X	X	X	X	All	MDH Well MGMT	Prioritize areas with a high density of private wells and DWSMAs.  Drinking Water Wells Map (Figure 12)  DWSMA Map (Figure 10)						
Protect Groundwater and Drinking Water Quality: Well Inventory	Land Use Planning and Management	To understand water quality trends, establish a well inventory to record baseline data or changes in groundwater quality. An example of a successful model is the Southeast MN Domestic Well Network.	Х	Х	X	Х	X	Х	All	MDH Well MGMT	N/A						

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful</i> <i>Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Closed Landfills	Contaminant Planning and Management  Land Use Planning and Management	<ul> <li>Identify MPCA closed landfill locations and groundwater areas of concern in comprehensive land use plans, zoning maps and ordinances. Identifying the location will help assure drinking water and public health implications are considered when evaluating future growth or development near these sites.</li> <li>Consult and review the MPCA Closed Landfill Program to make sure any proposed changes in zoning districts or new land use planning proposals are not in conflict with the State Closed Landfill Plan.</li> <li>Contact the MPCA Closed Landfill Program for current information and any concerns or changes to the groundwater area of concern when considering land use changes or developments near the area. Request to be notified regarding any changes in the migration or movement of contaminants.</li> <li>Educate residents about the proper disposal of HHW,</li> </ul>						X	Upper Le Sueur	MPCA CLP Land Manager	Closed Landfill Map (Figure 20)						

Goal	Supporting Strategy	<ul> <li>Recommended Groundwater         Actions     </li> <li>pharmaceuticals and personal care products that can contaminant</li> </ul>	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful</i> <i>Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect	Contaminant Planning and	landfills.  Identify leaky and active tank sites	X						Lower Le Sueur	MPCA Tanks	Focus in areas with high pollution						
Groundwater and Drinking Water Quality: Leaky Tanks	Management  Land Use Planning and Management	in your area in comprehensive land use plans, zoning maps and ordinances. Identifying these locations will help assure drinking water and public health implications are considered when evaluating future growth or development near these sites.  Contact the MPCA Tank Compliance and Assistance Program for current information and any concerns or changes to the groundwater area of concern when considering land use changes or developments near these areas. Request to be notified regarding any changes in the migration or movement of contaminants.							Maple	Tanks Program	sensitivity, karst geology and highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Primary Aquifers by Section (Figure 4)  Tank & Leak Site Map (Figure 19)  DWSMA Map (Figure 10)						
Protect Groundwater and Drinking	Contaminant Planning and Management	Prioritize feedlot inspections, regardless of size, in areas of greatest risk to pollution, to minimize the loss of nitrate and harmful bacteria.	X	X				X	Cobb Lower Le Sueur Maple	MPCA Feedlot Program	Focus in areas with high pollution sensitivity, karst geology and highly vulnerable DWSMAs.						X

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful</i> <i>Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Water Quality: Feedlots									Rice Upper Le Sueur		Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Primary Aquifers by Section (Figure 4)  Active Feedlot Map (Figure 18)  DWSMA Map (Figure 10)						
Protect Groundwater and Drinking Water Quality: Manure Management	Education and Outreach  Nutrient Management	<ul> <li>In delegated counties, all feedlots that apply manure in areas of high risk will conduct a Level 2 records review completed regardless of the size of facility.</li> <li>In delegated counties, conduct annual Level 3 review of manure acres in areas of high risk.</li> <li>Assist feedlot owners, especially sites with 300 or fewer animal units, in the development of a manure management plan.</li> <li>Host field days that promote; emergency response training, manure crediting, calibration of equipment, and the manure testing process.</li> </ul>	X	X				X	Cobb Lower Le Sueur Maple Rice Upper Le Sueur	MPCA Feedlot Program	Focus in areas with high pollution sensitivity, karst geology, and highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  DWSMA Map (Figure 10)  Primary Aquifers by Section (Figure 4)  Active Feedlot Map (Figure 18)			X	X		X

Goal	Supporting Strategy	<ul> <li>Recommended Groundwater Actions</li> <li>Evaluate local ordinances and revise to include manure timing guidelines to protect from nitrate loss. Follow the UMN Extension guidelines, including no summer application and fall application only after soil temperature is below 50 degrees.</li> </ul>	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful</i> <i>Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Manure Management	Education and Outreach  Nutrient Management  Contaminant Planning and Management	Promote actions to prepare for field application of manure:  Inspect equipment to ensure everything is functioning properly to avoid leaks or spills  Get manure sampled and analyzed for nutrient availability  Plan applications for each field  Determine any setbacks needed in fields and mark locations of sensitive features to avoid  Use the Minnesota Runoff Risk Advisory Forecast system tool to determine the best time to apply manure.  Put together an emergency action plan that identifies leak and spill containment	X	X				X	Cobb  Lower Le Sueur  Maple  Rice  Upper Le Sueur	MPCA Feedlot Program	Focus in areas with high pollution sensitivity, karst geology, and highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Primary Aquifers by Section (Figure 4)  DWSMA Map (Figure 10)  Active Feedlot Map (Figure 18)			X	X		X

Goal	Supporting Strategy	<ul><li>Recommended Groundwater Actions</li></ul>	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful</i> <i>Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Nitrate	Nutrient Management  Education and Outreach	Promote implementation of nutrient management practices to improve farm profitability and reduce nitrogen loss. Practices include:  Improve nitrogen efficiency by practicing the 4 R's of nitrogen stewardship (right source, right rate, right timing, and right place)  Adopt and use of the UMN 'Best Management Practices for Nitrogen use in Minnesota Properly credit nitrogen sources (soil/manure tests, past crops, & mineralization)  Implement comprehensive nutrient management plans to improve nitrogen crediting, equipment calibration, and record keeping Spoon feed nitrogen to sync with plant growth through side dressing and split fertilizer application	X	X				X	Cobb  Lower Le Sueur  Maple  Rice  Upper Le Sueur	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, karst geology, and highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Primary Aquifers by Section (Figure 4)  DWSMA Map (Figure 10)						X
Protect Groundwater and Drinking	Nutrient Management	Increase the number of farmers enrolled in the Nutrient Management Initiative Program to evaluate alternative nutrient management practices.	Х	X				Х	Cobb Lower Le Sueur Maple	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, karst geology, and highly vulnerable DWSMAs.						X

Goal Water Quality:	Supporting Strategy Education and	<ul><li>Recommended Groundwater Actions</li></ul>	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved Rice	Lead Agency that can assist	Tip(s) for Targeting & Helpful  Maps	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Nitrate	Outreach								Upper Le Sueur		Pollution Sensitivity Map ( <u>Figure 5)</u> Pollution Sensitivity Wells ( <u>Figure 7)</u> Primary Aquifers by Section ( <u>Figure 4)</u> DWSMA Map ( <u>Figure 10</u> )						
Protect Groundwater and Drinking Water Quality: Nitrate	Nutrient Management  Education and Outreach  Cropland Management	Identify programs and opportunities for growers to test and implement new nitrogen practices, innovative technology or cropping systems that protect groundwater quality that prevent or reduce nitrogen loss. (E.g. Cover Crops, Alternative Crops, Precision Ag / New Technologies, Nutrient Management Initiative, etc.)	X	X				X	Cobb Lower Le Sueur Maple Rice Upper Le Sueur	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, karst geology, and highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Primary Aquifers by Section (Figure 4)  DWSMA Map (Figure 10)	X		X		X	X
Protect Groundwater and Drinking Water Quality: Nitrate	Nutrient Management	Promote the adoption of cover crops for scavenging nutrients under row crops.	Х	Х				X	Cobb Lower Le Sueur Maple	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, karst geology, irrigated row crops, and highly vulnerable DWSMAs.	Х		X	Х	X	X

Goal	Supporting Strategy Education and Outreach	Recommended Groundwater Actions	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved Rice Upper Le Sueur	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Primary Aquifers by Section (Figure 4)  DWSMA Map (Figure 10)  Drinking Water Wells Map	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Nitrate Groundwater Sustainability: Water Conservation	Education and Outreach  Nutrient Management  Cropland Management	Promote the benefits of farming using soil health principles that increase soil moisture holding capacity, organic matter, and nutrient cycling.	X	X				X	Cobb  Lower Le Sueur  Maple  Rice  Upper Le Sueur	NRCS Field Office	Focus on areas with high pollution sensitivity, karst geology, and highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Primary Aquifers by Section (Figure 4)  DWSMA Map (Figure 10)  Nitrate in Wells Maps (Figure 14)			X	X	X	X

Goal	Supporting Strategy	<ul><li>Recommended Groundwater Actions</li></ul>	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful</i> <i>Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Nitrate Groundwater Sustainability: Water Conservation	Education and Outreach  Nutrient Management  Cropland Management	Contact state and federal agency resource partners and coordinate opportunities for local field days, training and outreach for farmers, co-ops, and crop consultants. Focus on alternative nitrogen management practices, soil health, and second crops.	X	X				X	Cobb Lower Le Sueur Maple Rice Upper Le Sueur	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, karst geology, and highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Primary Aquifers by Section (Figure 4)  DWSMA Map (Figure 10)  Nitrate in Wells Maps (Figure 14)						
Protect Groundwater and Drinking Water Quality: Nitrate Protect Groundwater and Drinking Water Quality: Pesticides	Education and Outreach  Cropland Management  Integrated Pest Management	Promote the benefits of crop diversity and rotation, which include high yields for each crop in the rotation, pest and weed control, and enhanced soil fertility.	X	X				X	Cobb Lower Le Sueur Maple Rice Upper Le Sueur	MDA Pesticide & Fertilizer Division	Focus on areas with high pollution sensitivity, karst geology, and highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Primary Aquifers by Section (Figure 4)		X	X	X	X	X

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps DWSMA Map ( <u>Figure 10</u> ) Nitrate in Wells Maps ( <u>Figure 14</u> )	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Pesticides	Education and Outreach  Integrated Pest Management	Promote the adoption and use of MDA's water quality BMPs for agricultural pesticides and insecticides.	X	X				X	Cobb Lower Le Sueur Maple Rice Upper Le Sueur	MDA Pesticide & Fertilizer Division	Focus in areas of high pollution sensitivity, karst geology, and highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Primary Aquifers by Section (Figure 4)  DWSMA Map (Figure 10)						X
Protect Groundwater and Drinking Water Quality: Pesticides	Education and Outreach	Promote to farmers and area businesses the Agricultural and Non-Agricultural Waste Pesticide Collection Program to dispose of unwanted and unusable pesticides.	X	X				X	Cobb Lower Le Sueur Maple Rice Upper Le Sueur	MDA Pesticide & Fertilizer Division	Focus in areas of pesticide detection in MDA's monitoring wells, along with areas of high pollution sensitivity, karst geology, and highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)						

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps Primary Aquifers by Section (Figure 4)	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: SSTS	SSTS Management	<ul> <li>Enforce state and locally adopted SSTS ordinances for the protection of groundwater and drinking water sources.</li> <li>Evaluate existing SSTS ordinances and identify opportunities to enhance groundwater protection. Activities may include adding a Point of Sale requirement to trigger a SSTS inspection during real estate transactions.</li> <li>Improve SSTS records by obtaining information on treatment system; age, type and function to understand potential risks to groundwater.</li> </ul>	X	X				X	Cobb  Lower Le Sueur  Maple  Rice  Upper Le Sueur	MPCA SSTS Field Staff	Focus in areas with high pollution sensitivity, karst geology, highly vulnerable DWSMAs, and areas with a density of SSTS. You can use the Well Density Map as an imperfect surrogate for SSTS density.  Drinking Water Wells Map (Figure 16)  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Primary Aquifers by Section (Figure 4)  DWSMA Map (Figure 10)						
Protect Groundwater and Drinking	Education and Outreach	Educate citizens about SSTS including:     The basic principles of how a septic system works	X	X				X	Cobb Lower Le Sueur Maple	MPCA SSTS Field Staff	Focus in areas with high pollution sensitivity, highly vulnerable DWSMAs, and areas with a density of SSTS. You can use the Well Density Map as an						

Goal	Supporting Strategy	<ul><li>Recommended Groundwater Actions</li></ul>	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful</i> <i>Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Water Quality: SSTS	SSTS Management	<ul> <li>How to operate the system efficiently and effectively</li> <li>Risks to human health and the environment</li> <li>Financial options to repair or replace failing or non-compliant system</li> </ul>							Rice Upper Le Sueur		imperfect surrogate for SSTS density.  Drinking Water Wells Map (Figure 16)  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Primary Aquifers by Section (Figure 4)  DWSMA Map (Figure 10)						
Protect Groundwater and Drinking Water Quality: SSTS	Education and Outreach  SSTS  Management	Host local SSTS training and workshops for area contractors and citizens regarding SSTS technology, compliance, and maintenance.	X	X				X	Cobb Lower Le Sueur Maple Rice Upper Le Sueur	MPCA SSTS Field Staff	Focus in areas with high pollution sensitivity, highly vulnerable DWSMAs, and areas with a density of SSTS. You can use the Well Density Map as an imperfect surrogate for SSTS density.  Drinking Water Wells Map (Figure 16)  Pollution Sensitivity Map (Figure 5)						

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps  Pollution Sensitivity Wells ( <u>Figure</u> 7)  Primary Aquifers by Section ( <u>Figure 4)</u> DWSMA Map ( <u>Figure 10</u> )	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality: Wellhead Protection (WHP)	Education and Outreach  Cropland Management  Land Use Planning and Management	Serve on WHP planning teams to assist public water suppliers with planning and implementation activities to address land use planning concerns.	X	X				X	All	MDH SWP Unit	Wellhead Protection Plan Development Status <u>(Figure 9)</u> DWSMA Map <u>(Figure 10)</u>						
Protect Groundwater and Drinking Water Quality: Wellhead Protection	Land Use Planning and Management	Integrate WHP plan strategies into local plans, such as the 1W1P and land use plans.	X	X				X	All	MDH SWP Unit	DWSMA Map ( <u>Figure 10</u> )						

Goal	Supporting Strategy	<ul><li>Recommended Groundwater Actions</li></ul>	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful</i> <i>Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water: Household Hazardous Waste (HHW)	Education and Outreach  Land Use Planning and Management	<ul> <li>Educate the public about the risks of improperly disposing of HHW and promote community-supported collection sites.</li> <li>Make disposal of HHW easy for the public by expanding collection sites through mobile units by stopping in different communities throughout the summer for free drop off.</li> <li>Promote other recycling options of various products at area businesses throughout the year.</li> </ul>	×	×				X	Cobb Lower Le Sueur Maple Rice Upper Le Sueur	MPCA Hazardous Waste Program	Focus on areas with high pollution sensitivity, karst geology, and highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Primary Aquifers by Section (Figure 4)  DWSMA Map (Figure 10)						
Protect Groundwater and Drinking Water: Pharmaceutica Is	Education and Outreach	Keep unused/unwanted medications out of drinking water supplies by educating the public about available safe and secure drop box locations at law enforcement facilities and pharmacies.	X	X				X	Cobb Lower Le Sueur Maple Rice Upper Le Sueur	MPCA Hazardous Waste Program	Focus on areas with high pollution sensitivity, karst geology, and highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Primary Aquifers by Section (Figure 4)  DWSMA Map (Figure 10)						

Goal	Supporting Strategy	<ul><li>Recommended Groundwater Actions</li></ul>	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful</i> <i>Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water: Contaminants of Emerging Concern (CEC)	Education and Outreach	Enhance Minnesotans' understanding of CEC's by communicating the health impacts and exposure potential of emerging contaminants in drinking water. Outreach and Education Grants are available through the MDH CEC Initiative. See Outreach and Education Grants (www.health.state.mn.us/divs/eh/risk/guida nce/dwec/outreachproj.html) for opportunities.	X	X				X	Cobb Lower Le Sueur Maple Rice Upper Le Sueur	MDH CEC Program	Focus on areas with high pollution sensitivity, karst geology and highly vulnerable DWSMAs.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Primary Aquifers by Section (Figure 4)  DWSMA Map (Figure 10)						
Protect Groundwater and Drinking Water	Education and Outreach	Educate the public and decision makers about the hydrologic connectivity of groundwater and surface water and how this influences the vulnerability of drinking water resources.	X	X				X	Cobb Lower Le Sueur Maple Rice Upper Le Sueur	DNR Ecological & Water Resources	Focus in areas with high pollution sensitivity and karst geology.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Primary Aquifers by Section (Figure 4)						

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful</i> <i>Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality Water Sustainability	Education and Outreach	Develop a 'drinking water protection' page on the SWCD or county website or other communication tools that can be used to share information with citizens on what they can do to protect both public and private sources of drinking water. Include information about the connection between surface and groundwater, well sealing and water conservation. Dakota County's webpage Water Quality (https://www.co.dakota.mn.us/Environmen t/WaterQuality/WellsDrinkingWater/Pages/ default.aspx) is a good example.	X	X	X	X	X	X	All	MDH Well MGMT & SWP Unit	N/A						
Protect Groundwater and Drinking Water Quality Water Sustainability	Land Use Planning and Management	Develop ordinances, overlay districts, performance standards, etc. to further protect drinking water and groundwater connected features from future land use impacts for their long-term sustainability and use.	X	X	X	X	X	X	All	MN Assoc. of Counties	Focus in areas with high pollution sensitivity, karst geology, highly vulnerable DWSMAs and groundwater connected natural features.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Primary Aquifers by Section (Figure 4)  DWSMA Map (Figure 10)		X				

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & Helpful Maps GWC Plants, Animals, Native	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
											Plant Communities Map (Figure 30)  Mapped Native Plant Communities (Figure 29)						
Protect Groundwater and Drinking Water Quality Water Sustainability	Land Use Planning and Management	Incorporate basic groundwater and drinking water information into local comprehensive plans and ordinances including:  Local geology and aquifer information The sources of drinking water and the pollution sensitivity of public and private wells Maps of state approved WHP areas Groundwater dependent natural features Contaminant areas of concern Other local information needed to consider and protect groundwater and drinking water resources in local land use planning decisions	X	X	X	X	X	X	All	MDH SWP Unit	Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  Primary Aquifers by Section (Figure 4)  DWSMA Map (Figure 10)  GWC Plants, Animals, Native Plant Communities Map (Figure 30)  Mapped Native Plant Communities (Figure 29)  Tank & Leak Site Map (Figure 19)						
Protect Groundwater and Drinking Water Quality	Land Use Planning and Management	Conduct a survey of property owners within the flood plain to identify unused/unsealed wells. Seal those wells identified to prevent contamination of the aquifer.	X						Cobb Lower Le Sueur Maple	MDH Well MGMT	Prioritize areas of greatest risk to flooding:  Drinking Water Wells and Flood Risk (Figure 13)						

Goal	Supporting Strategy	<ul> <li>Recommended Groundwater Actions</li> </ul>	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful</i> <i>Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Protect Groundwater and Drinking Water Quality	Land Use Planning and Management	Request flooded well test kits from MDH Well Management to distribute to private well owners after a flood event.	X						Cobb Lower Le Sueur Maple	MDH Well MGMT	Prioritize areas impacted by recent flooding that may be at risk to contamination:  Drinking Water Wells and Flood Risk (Figure 13)						
Protect Groundwater and Drinking Water Quality Water Sustainability: Recharge	<u>Conservation</u> <u>Easements</u>	Enroll private lands in land acquisition programs or conservation easements. Programs may include: Continuous CRP, RIM Reserve for wellhead protection, and CREP.	X	X	X	X	X	X	All	BWSR	Prioritize areas of high pollution sensitivity, karst geology, and highly vulnerable DWSMAs.  Target areas of high water use, known groundwater connected natural features. Examine areas where you can expand on existing easements and protected lands to increase protections.  Pollution Sensitivity Map (Figure 5)  Pollution Sensitivity Wells (Figure 7)  DWSMA Map (Figure 10)  Monitoring Wells/Pumping (Figure 26)	X	X	X	X	X	X

Goal	Supporting Strategy	<ul><li>Recommended Groundwater Actions</li></ul>	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	ומו שבר עימארים כיט.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful</i> <i>Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
												GWC Plants, Animals, Native Plant Communities Map (Figure 30) Mapped Native Plant Communities (Figure 29) RIM Easements Map (Figure 33)						
Protect Groundwater and Drinking Water Quality Water Sustainability: Recharge	<u>Conservation</u> <u>Easements</u>	Maintain and expand set-aside acres in sensitive areas, including areas in publicly supported conservation programs like CRP, from being converted to high intensity uses, such as corn and soybeans.	X	X	X	X	X	X		All	FSA	Prioritize private lands with existing CRP contracts, along with state and federal easement, such as RIM and DNR and USFW habitat easements. Target areas of known groundwater dependent features, areas of high pollution sensitivity, and highly vulnerable DWSMAs.  RIM Easements Map (Figure 33)  GWC Plants, Animals, Native Plant Communities Map (Figure 30)  Mapped Native Plant Communities (Figure 29)  Pollution Sensitivity Map (Figure 5)  DWSMA Map (Figure 10)	X	X	X	X	X	X

Goal	Supporting Strategy	Recommended Groundwater Actions	Target Blue Earth Co.	Target Faribault Co.	Target Freeborn Co.	Target Le Sueur Co.	Target Steele Co.	Target Waseca Co.	HUC-10s Involved	Lead Agency that can assist	Tip(s) for Targeting & <i>Helpful</i> <i>Maps</i>	Benefit: Habitat	Benefit: GWCF	Benefit: Soil Health	Benefit: Erosion	Benefit: Carbon	Ben: Nutrient Runoff
Groundwater Sustainability: Water Conservation	Education and Outreach	Provide education on water conservation practices that can be adopted in people's homes and businesses. Use the Met Council's Water Conservation Toolbox.	X	Х	Х	Х	X	X	All	DNR Ecological & Water Resources	N/A		Х				
Groundwater Sustainability: Water Conservation	Land Use Planning and Management	Assist communities serving over 1,000 people with water conservation measures outlined in their DNR municipal water supply plans.	X	X				X	All	DNR Ecological & Water Resources	N/A		X				
Water Sustainability: Recharge Water Sustainability: Rare or Declining Habitats	Land Use Planning and Management	Promote and increase the adoption of recharge BMPs including wetland construction/restoration, perennial establishment, riparian buffers, and conservation easements.	X	X	X	X	X	X	All	DNR Ecological & Water Resources	Target areas near sensitive features and groundwater fed lakes.  GWC Plants, Animals, Native Plant Communities Map (Figure 30)  Mapped Native Plant Communities (Figure 29)  Groundwater Dominated Lakes Map (Figure 31)	X	X	X	X	X	X

# **Descriptions of Supporting Strategies**

#### **Conservation Easements**

Conservation easements are a legal agreement between a landowner and a land trust or government agency that permanently limits uses of the land in order to protect its conservation values. Easements allow landowners to continue to own and use their land. They can also sell it or pass it on to heirs. Maintaining and expanding set-aside acres, including areas in publicly supported conservation programs (like CRP) from being converted to high intensity land uses, such as row crop agriculture, will help protect groundwater quantity and quality.

- BWSR <u>Conservation Reserve Program</u> (https://bwsr.state.mn.us/conservation-reserve-program): A voluntary program designed to help farmers restore and protect environmentally sensitive land.
- BWSR <u>Conservation Reserve Enhancement Program CREP</u> (https://bwsr.state.mn.us/mn-crep-landowners): This project is a federal, state and local partnership and will voluntarily retire environmentally sensitive land using the nationally-recognized Reinvest in Minnesota (RIM) Reserve. <u>Figure 33</u> shows where RIM easements are in the watershed.




Figure 33: Le Sueur River Watershed – BWSR RIM easements

### **Contaminant Planning and Management**

Protect groundwater and drinking water supplies from contaminant releases in the environment through land use planning, ordinances, and collaboration with state regulatory agencies.

#### **Existing Programs and Resources**

- MDA What's in My Neighborhood? Agricultural Interactive Mapping
   (www.mda.state.mn.us/chemicals/spills/incidentresponse/neighborhood.aspx): A tool that
   tracks and maps spills of agricultural chemicals and sites contaminated with agricultural
   chemicals.
- MPCA <u>Manure Management</u> (https://www.pca.state.mn.us/quick-links/feedlot-nutrient-and-manure-management): Resources such as fact sheets, guidelines, computer tools and forms for feedlot nutrient and manure management.
- MPCA Tank Compliance and Assistance Program--<u>Storage Tanks</u>
   (https://www.pca.state.mn.us/waste/storage-tanks): A program that provides information and assistance to tank owners and others regarding technical standards required of all regulated underground storage tanks and aboveground storage tank systems.
- MPCA <u>Closed Landfill Program</u> (https://www.pca.state.mn.us/waste/closed-landfill-program):
   A voluntary program to properly close, monitor, and maintain Minnesota's closed municipal sanitary landfills.
- MPCA <u>Feedlots</u> (https://www.pca.state.mn.us/quick-links/feedlot-program): Information about feedlot rules, permits, and management.
- MPCA <u>What's in My Neighborhood</u> (https://www.pca.state.mn.us/data/whats-my-neighborhood): An online tool for searching information about contaminated sites and facilities all around Minnesota.
- UMN Extension <u>Manure Management in Minnesota</u> (https://extension.umn.edu/animals-and-livestock#manure-management): Information about manure characteristics, application, and economics.
- MDH <u>Contaminants of Emerging Concern</u> (www.health.state.mn.us/cec): A program that
  investigates and communicates the health and exposure potential of contaminants of emerging
  concern (CECs) in drinking water.

# **Cropland Management**

Voluntary practices to manage resource concerns while minimizing environmental loss. Practices may include conservation tillage, cover crops, soil health and other agricultural BMPs.

- MDA <u>The Agricultural BMP Handbook for Minnesota</u> (https://www.mda.state.mn.us/protecting/cleanwaterfund/research/handbookupdate): A literature review of empirical research on the effectiveness of 30 conservation practices.
- NRCS <u>Conservation Stewardship Program</u>
   (www.nrcs.usda.gov/wps/portal/nrcs/main/mn/programs/financial/csp/): A voluntary conservation program that encourages producers to address resource concerns in a comprehensive manner.
- NRCS <u>Environmental Quality Incentives Program</u>
   (https://www.nrcs.usda.gov/wps/portal/nrcs/main/mn/programs/financial/eqip/): A program that provides financial and technical assistance to agricultural producers so they can implement

structural and management conservation practices that optimize environmental benefits on working agricultural land.

- NRCS <u>Cover Crops</u>
   (www.nrcs.usda.gov/wps/portal/nrcs/detail/mn/technical/?cid=nrcs142p2\_023671):\_Provides information, fact sheets, and tools about cover crops.
- NRCS <u>Soil Health</u> (https://www.nrcs.usda.gov/wps/portal/nrcs/main/mn/soils/health/):
   Provides information about the basics and benefits of soil health.
- Midwest Cover Crop Council (mccc.msu.edu/statesprovince/minnesota/): Provides resources to help with technical support and answer questions from a local perspective at no cost.
- MDA Minnesota Agricultural Water Quality Certification Program
   ()https://www.mda.state.mn.us/environment-sustainability/minnesota-agricultural-water-quality-certification-program A voluntary program for farmers to implement conservation practices to protect water quality.

#### **Education and Outreach**

Educate landowners, private well users, and other stakeholders about how their actions impact groundwater quality and quantity. Provide information about potential health risks related to groundwater quality. Identify actions individuals, households, and partner agencies can take to sustain groundwater and protect or improve drinking water quality. Some ideas include managing household hazardous waste, maintaining household septic systems, and household water conservation measures.

For educational materials and programs related to a specific topic, go to the strategy about that topic. For example, go to 'nutrient management' to learn more about potential education opportunities regarding reducing nitrogen use. The list below provides some additional tools that may be helpful.

- Metropolitan Council <u>Water Conservation Toolbox</u> (https://metrocouncil.org/Wastewater-Water/Planning/Water-Supply-Planning/Guidance-Planning-Tools/Water-Conservation/Toolbox.aspx): Information about how residents and businesses, suppliers, learners, and communities can conserve water.
- Minnesota Rural Water Association <u>Source Water Protection Resources</u>
   (www.mrwa.com/sourcewater.html): Resources to help public water suppliers develop plans to use local community resources to protect drinking water quality.
- MPCA <u>Waste</u> (https://www.pca.state.mn.us/waste): Information about managing waste, recycling, composting, and preventing waste and pollution.
- MPCA <u>Manual for Turfgrass Maintenance with Reduced Environmental Impacts</u>
   (https://www.pca.state.mn.us/sites/default/files/p-tr1-04.pdf): Practical advice for those who manage turfgrass (golf courses and athletic fields excluded).
- MDH <u>Wells Laws and Rules</u> (www.health.state.mn.us/divs/eh/wells/rules/index.html): Minnesota State Well Code (MR 4725.0050 – 4725.7605).
- MDH <u>Wells and Borings—Well Management Program</u>
   (www.health.state.mn.us/divs/eh/wells/index.html): Information about proper well construction, maintenance, testing, and sealing.
- MDH <u>Wellowner's Handbook</u> (www.health.state.mn.us/divs/eh/wells/construction/handbook.pdf): A consumer's guide to water wells in Minnesota.
- MDH <u>Arsenic in Minnesota's Well Water</u> (www.health.state.mn.us/divs/eh/wells/waterquality/arsenic.html): Information about arsenic in Minnesota.

- MDH <u>Water Treatment Units for Arsenic Reduction</u>
   (http://www.health.state.mn.us/divs/eh/wells/waterquality/arsenictreat.pdf)
- MDA <u>Waste Pesticide Collection Program</u>
   (https://www.mda.state.mn.us/chemicals/spills/wastepesticides.aspx): Information about the safe disposal of unwanted and unusable pesticides from farms and area businesses.
- MPCA <u>Managing Unwanted Medications</u> (https://www.pca.state.mn.us/living-green/managing-unwanted-medications): Information about the safe disposal of unwanted or unused medications from households.

#### **Integrated Pest Management**

Integrated Pest Management (IPM) is a balanced approach to pest management which incorporates the many aspects of plant health care/crop protection in ways that mitigate harmful environmental impacts and protect human health. Some of the IPM program activities include generating and distributing IPM information for growers, producers, land managers, schools, and the general public. Information should help them make alternative choices in their pest management decisions.

#### **Existing Programs and Resources**

- MDA <u>Integrated Pest Management Program</u> (www.mda.state.mn.us/pesticidefertilizer/pesticide-best-management-practices): A program that develops and implements statewide strategies for the increased use of IPM on private and state managed lands.
- MDA <u>Groundwater and Surface Water Protection from Agricultural Chemicals</u> (www.mda.state.mn.us/protecting/bmps/herbicidebmps.aspx): Information to address pesticide use and water resource protection.

## **Irrigation Water Management**

The process of determining and controlling the volume, frequency, and application rate of irrigation water in a planned, efficient manner (NRCS Codes 442 & 449).

#### **Existing Programs and Resources**

- MDA <u>Irrigation Management</u> (https://www.mda.state.mn.us/irrigation-outreach-farm-nitrogen-management-central-minnesota): Provides information about irrigation management, similar practices, guidance from NRCS, and links to additional resources.
- DNR Minnesota Water Use Data
   (www.dnr.state.mn.us/waters/watermgmt\_section/appropriations/wateruse.html): Data gathered from permit holders who report the volume of water used each year.

## **Land Use Planning and Management**

This broad strategy encompasses many different concepts including regulations, ordinances, BMP implementation, conservation measures, and education to protect groundwater levels, quality, and contributions to groundwater-dependent features.

Land use planning focuses on the application of city or county government planning and regulations to restore and protect groundwater and groundwater levels. Local planning and regulations can help restrict land uses in groundwater sensitive areas, areas of high aquifer sensitivity, or regions of limited water supply to prevent conflict.

Land management implements voluntary practices that manage resource concerns while minimizing environmental loss. This may include the efficient use of groundwater through conservation measures and use of emerging technology to increase water conservation at the field or local level.

- Association of Minnesota Counties (www.mncounties.org/): A voluntary, non-partisan statewide organization that helps provide effective county governance to Minnesotans. The Association works closely with the legislative and administrative branches of government in seeing that legislation and policies favorable to counties are enacted.
- DNR <u>Water Supply Plans</u>
   (www.dnr.state.mn.us/waters/watermgmt\_section/appropriations/eandc\_plan.html): Provides information about Minnesota public water supply plans.
- DNR MPARS (MNDNR Permitting and Reporting System)
   (www.dnr.state.mn.us/mpars/index.html): DNR is the permitting authority for high capacity water use.
- DNR <u>Water Conservation</u>
   (www.dnr.state.mn.us/waters/watermgmt\_section/appropriations/conservation.html):

   Provides tips and tools for promoting water conservation at home, public water supply systems, and other environments.
- League of Minnesota Cities (https://www.lmc.org): Promotes excellence in local government through effective advocacy, expert analysis, and trusted guidance for all Minnesota cities.
- MPCA <u>Condition Groundwater Monitoring</u> (https://www.pca.state.mn.us/water/condition-groundwater-monitoring).
- MPCA <u>Stormwater and Wellhead Protection</u>
  (stormwater.pca.state.mn.us/index.php/Stormwater\_and\_wellhead\_protection): Guidance and recommendations for determining the appropriateness of infiltrating stormwater in a Drinking Water Supply Management Area.
- MPCA <u>Minnesota Stormwater Manual</u> (stormwater.pca.state.mn.us/index.php/Main\_Page): A
  manual to help the everyday user better manage stormwater.
- MPCA <u>Enhancing Stormwater Management in Minnesota</u>
   (https://www.pca.state.mn.us/water/enhancing-stormwater-management-minnesota):
   Information about standards and tools for minimal impact designs for stormwater management.
- MPCA <u>Stormwater</u> (https://www.pca.state.mn.us/water/stormwater): MPCA regulates the discharge of stormwater and snowmelt runoff from municipal separate storm sewer systems, construction activities, and industrial facilities.
- MDH <u>Source Water Protection</u> (www.health.state.mn.us/divs/eh/water/swp/): MDH works with communities to protect the source(s) of their drinking water.
- DNR and Minnesota Geological Survey <u>County Geologic Atlas Program</u>
   (www.dnr.state.mn.us/waters/groundwater\_section/mapping/index.html): Provides additional information on the groundwater resources and hydrogeology of the watershed through maps and reports of geology, groundwater, pollution sensitivity, and special studies.
- MPCA <u>Household Hazardous Waste</u> (www.pca.state.mn.us/waste/household-hazardouswaste-managers-and-operators): Resources for HHW managers and operators, education resources, searchable by county HHW facilities.

#### **Nutrient Management**

This strategy addresses both nutrient and manure management.

Nutrient management concepts are centered on applying crop fertilizer or manure using the right source, right rate, right time, and right place (NRCS Codes 327, 340, 345, 393, 590, 656).

Manure management targets the collection, transportation, storage, processing, and disposal of animal manure.

- MDA <u>Fertilizer</u> (https://www.mda.state.mn.us/pesticide-fertilizer/fertilizers). MDA is the lead state agency for all aspects of pesticide and fertilizer environmental and regulatory functions. This page provides information on nutrient management programs, reports, publications, factsheets, and related external sources.
- MDA <u>Nutrient Management Initiative Program in Minnesota</u> (www.mda.state.mn.us/protecting/cleanwaterfund/onfarmprojects/nmi): The program assists farmers and crop advisers in evaluating alternative nutrient management practices for their fields.
- MDA <u>Township Testing Program</u> (www.mda.state.mn.us/township-testing-program): The
  program tests private wells for nitrate and pesticides in areas of the state with the greatest
  potential for nitrate and pesticide contamination.
- MDA <u>Nitrogen Fertilizer Best Management Practices</u> (www.mda.state.mn.us/pesticidefertilizer/nitrogen-fertilizer-best-management-practices-agricultural-lands)): Provides nitrogen BMPs for various areas within Minnesota.
- MDA Minnesota Nitrogen Fertilizer Management Plan (www.mda.state.mn.us/pesticide-fertilizer/minnesota-nitrogen-fertilizer-management-plan): The state's blueprint for preventing or minimizing impacts of nitrogen fertilizer on groundwater.
- MDA Monitoring & Assessment for Agricultural Chemicals in the Environment (www.mda.state.mn.us/node/2696): Information about agricultural chemical monitoring and assessment programs and additional resources.
- UMN Extension <u>Nutrient Management</u> (https://extension.umn.edu/crop-production#nutrient-management): The page focuses on helping farmers and agriculture professionals optimize crop production using appropriate nutrient inputs while minimizing effects on the environment.
- UMN Extension <u>Nitrogen Application with Irrigation Water: Chemigation</u>
   (https://extension.umn.edu/irrigation/applying-nitrogen-irrigation-water-chemigation):
   Information about risks, benefits, and methods.
- MDA <u>The Agricultural BMP Handbook for Minnesota</u>
   (https://www.mda.state.mn.us/protecting/cleanwaterfund/research/handbookupdate): A
   literature review of empirical research on the effectiveness of 30 conservation practices.
- Nutrient Stewardship What are the 4Rs (www.nutrientstewardship.com/4rs): Information about the 4Rs of Nutrient Stewardship.
- MPCA <u>Manure Management</u> (https://www.pca.state.mn.us/quick-links/feedlot-nutrient-and-manure-management): Resources such as fact sheets, guidelines, computer tools, and forms for feedlot nutrient and manure management.
- UMN Extension <u>Manure Management in Minnesota</u> (https://extension.umn.edu/animals-and-livestock#manure-management): Information about manure characteristics, application, and economics.

#### **SSTS Management**

Monitoring, maintenance, and/or upgrading of individual septic treatment systems to maintain proper operation and treatment of septage by the system. In some areas, the intensity of use may require upgrading to a sanitary sewer to eliminate risks to the environment.

- MPCA <u>Subsurface Sewage Treatment Systems</u>
   (https://www.pca.state.mn.us/water/subsurface-sewage-treatment-systems). This program protects public health and the environment through adequate dispersal and treatment of domestic sewage from dwellings or other establishments generating volumes less than 10,000 gallons per day.
- UMN Extension <u>Septic System Owner's Guide</u> (https://septic.umn.edu/septic-system-owners): Provides information about the basic principles of how a septic systems works and how to operate and maintain the system.

# Making Sense of the Regulatory Environment

State agencies and programs play a variety of roles in restoring and protecting groundwater. Understanding the groundwater-related authorities and resources available at the state level and leveraging strengths of local water resource professionals are key to implementing effective groundwater protection strategies. Figure 34 provides a very basic introduction into the roles Minnesota state agencies have for groundwater.

- MDA works with groundwater that is or could be affected by pesticides and/or fertilizers.
- MDH focuses on proper well construction, assessing health risks related to groundwater, and protecting drinking water supplies.
- MPCA works with groundwater that is or could be affected by chemical releases and/or industrial pollutants.
- DNR focuses on assuring the availability of groundwater and protecting groundwater dependent features.




Figure 34: Minnesota State Agency Roles in Groundwater

Each of the state agencies listed above has a variety of programs to help meet their role in groundwater restoration and protection. Programs each of the agencies manage are referenced in the <u>Descriptions of Supporting Strategies</u> Section. Programs are listed under the restoration or protection strategy they mostly closely correspond to.

<u>Figure 35</u> provides a more detailed overview of the different roles agencies play within Minnesota's Water Management Framework. Principal water resource management agencies are DNR, MPCA, MDA, BWSR, and MDH. These agencies are responsible for state or federal programs, including:

- the Clean Water Act for MPCA,
- the Safe Drinking Water Act for MDH, and
- Appropriation Permitting for the DNR.

The strength of these programs is that they provide technical assistance and regulatory oversight (including enforcement) to safeguard public health, natural resources, ecological needs, and the environment. These programs are generally effective at managing most types of point sources of contamination in the state and at managing quantity issues at the local and regional level. In addition, these programs often set standards for performance that can be used to drive action.

Two weaknesses of state or federal programs are that they (with few exceptions) are ineffective against non-point sources of contamination and lack authority relative to managing general land use practices. Non-point source management is a difficult issue for water resource managers at all levels. With few regulatory options available, the most common approaches involve the use of financial incentives, technical assistance, and education and communication about sound land and water stewardship. Seldom are representatives from state agencies able to spend the necessary time in the local community to build trust among landowners. As a result, these approaches benefit greatly from the perspectives and relationships that local water resource professionals can forge by working locally.




Figure 35: Role's agencies play within the Minnesota Water Management Framework

# **Appendices**

# **List of Acronyms**

BMP Best Management Practices

BWSR Board of Soil and Water Resources

CAFO Concentrated Animal Feeding Operation

CRP Conservation Reserve Program

DWSMA Drinking Water Supply Management Area

EPA United States Environmental Protection Agency

GRAPS Groundwater Restoration and Protection Strategies

HUC Hydrologic Unit Code

IPM Integrated Pest Management

MCL Maximum Contaminant Level

MDA Minnesota Department of Agriculture

MDH Minnesota Department of Health

DNR Minnesota Department of Natural Resources

MPCA Minnesota Pollution Control Agency

MS4 Municipal Separate Storm Sewer Systems

MWI Minnesota Well Index

NRCS United States Department of Agriculture Natural Resources Conservation Service

NLCD National Land Cover Database

NPDES National Pollutant Discharge Elimination System

PFA Public Facilities Authority

QBAA Quaternary Buried Artesian Aquifer

QWTA Quaternary Water Table Aquifer

RIM Reinvest in Minnesota Program

SSTS Subsurface Sewage Treatment System

SDWA Safe Drinking Water Act

SWCD Soil and Water Conservation District

TTP MDA Township Testing Program

UMN University of Minnesota Extension

USDA United States Department of Agriculture

USGS United States Geological Survey

WIMN What's in My Neighborhood

WHP Wellhead Protection

WHPAS Wellhead Protection Areas

WRAPS Watershed Restoration and Protection Strategy

# **Glossary of Key Terms**

#### **Aquifer**

An aquifer is an underground layer of water-bearing permeable rock, rock fractures or unconsolidated materials (gravel, sand, or silt) from which groundwater can be extracted using a water well.

#### **Aquifer Vulnerability**

Defined as the ease with which recharge and contaminants from the ground surface can be transmitted into the subsurface aquifer. MDH uses the terminology 'vulnerability'; whereas the MNDNR references 'sensitivity'. Both terms cite the risk to groundwater degradation.

#### **Community Public Water Supply System**

A public water supply system that serves at least 25 persons or 15 service connections year-round, which includes municipalities (cities), manufactured mobile home parks, nursing homes, etc.

## **Drinking Water Supply Management Area (DWSMA)**

The surface and subsurface area surrounding a public water supply well, including the wellhead protection area that must be managed by the entity identified in a wellhead protection plan. The boundaries of the DWSMA are roads, public land survey and fractions thereof, property lines, political boundaries, etc. (See MN WHP Rules 4720.5100, Subp. 13.)

# **Groundwater recharge**

The process through which water moves downward from surface water to groundwater. Groundwater recharge is the main way water enters an aquifer.

# **Hydrologic Unit Code (HUC)**

HUCs are assigned by the USGS for each watershed. HUCs are organized in a nested hierarchy by size. For example, the St. Croix River Basin is assigned a HUC-4 of 0703 and the Sunrise River Watershed is assigned a HUC-8 of 07030005.

# **Maximum Contaminant Level (MCL)**

The highest level of a contaminant that EPA allows in drinking water. MCLs ensure that drinking water does not pose either a short-term or long-term health risk. EPA sets MCLs at levels that are economically and technologically feasible.

#### **Protection**

This term is used to characterize actions taken in watersheds to maintain conditions and beneficial uses of waters not known to be impaired.

#### **Pollution Sensitivity**

The ease with which recharge and contaminants from the ground surface can be transmitted into the subsurface.

#### **Public Water System**

A water system with 15 or more service connections or regularly serves at least 25 people for 60 or more days a year. A system that serves water 60 or mores day a year is considered to 'regularly serve' water. Public water systems can be publicly or privately owned. Public water systems are subdivided into two categories: community and noncommunity water systems. This division is based on the type of consumer served and the frequency the consumer uses the water.

#### Restoration

This term is used to characterize actions taken in watersheds to improve conditions to eventually meet water quality standards and achieve beneficial uses of impaired waters.

#### **Source (or Pollutant Source)**

Actions, places, or entities that deliver/discharge pollutants (e.g., sediment, phosphorus, nitrogen, pathogens).

#### **Source Water Protection**

Protecting sources of water used for drinking, such as streams, rivers, lakes, or underground aquifers.

# **Transient Noncommunity System**

A public water system that serves at least 25 people at least 60 days of the year but does not serve the same 25 people over 6 months of the year (places such as restaurants, campgrounds, hotels, and churches).

#### **Water Budget**

An accounting of all the water that flows into and out of a particular area. This area can be a watershed, wetland, lake, or any other point of interest.

#### **Water Table**

The boundary between the water filled rock and sediment of an aquifer and the dry rock and sediment above it. The depth to the water table is highly variable. It can range from zero when it is at land surface, such as at a lake or wetland, to hundreds or even thousands of feet deep. In Minnesota, the water table is generally close to the land surface, typically within a few tens of feet in much of the state.

# Wellhead Protection (WHP)

A method of preventing well contamination by effectively managing potential contaminant sources in all or a portion of a well's recharge area. This recharge area is known as the wellhead protection area.

# Wellhead Protection Area (WHPA)

The surface and subsurface area surrounding a well or well field that supplies a public water system, through which contaminants are likely to move toward and reach the well or well field. This definition is the same for

the federal Safe Drinking Water Act (40 Code of Federal Regulations, Section 1428) and the Minnesota Groundwater Protection Act (Minnesota Statute 103I).

#### **Dataset Sources**

- Adams, R., (2016), Pollution sensitivity of near-surface materials [electronic file], Minnesota
  Department of Natural Resources, St. Paul, Minn., Minnesota Hydrogeology Atlas Series HG-02, 15
  p., 1 plate, scale 1:1,000,000. Available via Minnesota Department of Natural Resources: Minnesota
  Hydrogeology Atlas (MHA)
  - (www.dnr.state.mn.us/waters/programs/gw\_section/mapping/platesum/mha\_ps-ns.html). [August 8, 2016].
- Jirsa, M.A., Boerboom, T.J., Chandler, V.W., Mossler, J.H., Runkel, A.C., and Setterholm, D.R. (2011), Geologic Map of Minnesota-Bedrock Geology [electronic file], Minnesota Geological Survey, St. Paul, Minn., State Map Series S-21, 1 plate, scale 1:500,000. Available via University of Minnesota Digital Conservancy: S-21 Geologic Map of Minnesota-Bedrock Geology (http://hdl.handle.net/11299/101466). [August 9, 2011].
- Minnesota Board of Water and Soil Resources (2018), State Funded Conservation Easement (RIM Reserve) [electronic file], St. Paul, Minn.
- Minnesota Department of Health (2017), Minnesota Drinking Water Information System [electronic file], St. Paul, Minn.
- Minnesota Department of Health (2017), Water Chemistry Database [electronic file], St. Paul, Minn.
- Minnesota Department of Health (2017), Well Management Section Data System [electronic file], St. Paul, Minn.
- Minnesota Department of Natural Resources (2017), MNDNR Permitting and Reporting System 1988-2016 [electronic file], St. Paul, Minn. Available via Minnesota Department of Natural Resources: Minnesota Water Use Data
  - (dnr.state.mn.us/waters/watermgmt section/appropriations/wateruse.html). [August 7, 2017].
- Minnesota Geological Survey and Minnesota Department of Health (2017), Minnesota County Well Index [electronic file], Minnesota Department of Health, St. Paul, Minn. Available via Minnesota Geological Survey: <a href="Index of /pub2/cwi4/">Index of /pub2/cwi4/</a> (ftp://mgssun6.mngs.umn.edu/pub2/cwi4/). [2016-2017].
- Minnesota Pollution Control Agency (2017), Closed Landfill Program Facilities [electronic file], St. Paul, Minn. Available via Minnesota Geospatial Commons: MPCA Closed Landfill Facilities (https://gisdata.mn.gov/dataset/env-closed-landfill). [June 15, 2017].
- Minnesota Pollution Control Agency (2016), What's In My Neighborhood [electronic file], St. Paul, Minn. Available via Minnesota Pollution Control Agency: What's in My Neighborhood (https://www.pca.state.mn.us/data/whats-my-neighborhood). [December 19, 2016].
- Multi-Resolution Land Characteristics Consortium (2011), National Land Cover Database 2011
  [electronic file], U.S. Geological Survey, Reston, Va. Available via USDA-NRCS Geospatial Data
  Gateway: 1-Where (http://datagateway.nrcs.usda.gov/GDGOrder.aspx/). [August 25, 2014].

# **Additional Resources**

The following resources may be helpful for gathering data and learning more about groundwater in the watershed. The resources are listed alphabetically by the topic they address.

Type of Information	Where you can get more information
Aquifer Vulnerability	For information on aquifer vulnerability ratings DWSMA, please contact MDH or the public water supplier in question.  • Protecting Drinking Water Sources (www.health.state.mn.us/communities/environment/water/swp/about.htm)  • 651-201-4700
Groundwater Quality Data	Find water-related monitoring data on Minnesota streams, lakes, wells, Superfund Program, closed landfills, other remediation sites, open landfills, data from MDA, MPCA, and USGS.  Environmental Quality Information System (EQuIS) (https://www.pca.state.mn.us/quick-links/environmental-quality-information-system-equis) Environmental data (https://www.pca.state.mn.us/environmental-data) Groundwater (www.pca.state.mn.us/water/state-groundwater)
Drinking Water Annual Reports	MDH has issued a report regarding the state of drinking water in Minnesota each year since 1995. These reports provide test results, an overview on the role of the Department's drinking water program in monitoring and protecting drinking water, and an examination emerging issues.  Drinking Water Protection Annual Reports (www.health.state.mn.us/communities/environment/water/dwar.html)
DWSMA maps and Shapefiles	PDF maps and shape files of the DWSMAs can be downloaded from the MDH website.  Source Water Assessments (www.health.state.mn.us/communities/environment/water/swp/swa.html)  Maps and Geospatial Data (www.health.state.mn.us/communities/environment/water/swp/maps/index.htm)
Point Source Pollution	Visit the following sites for more information on point source pollution:  Nonpoint Source Pollution (oceanservice.noaa.gov/education/kits/pollution/03pointsource.html) Point Source Pollution (www.mncenter.org/point-source-pollution.html) Water Permits and Forms (https://www.pca.state.mn.us/water/water-permits-and-forms)
Well Construction and Use Data	Most of the construction and use data pertaining to wells in the state is housed in the Minnesota Well Index (MWI), an online database. All of the key data in the MWI is also available in spatial datasets, designed for use in geographic information systems (GIS). The Minnesota Geological Survey and MDH work together to maintain and update the

Type of Information	Where you can get more information
	data in the Index. MWI provides basic information, such as location, depth, geology, construction and static water level, for many wells and borings drilled in Minnesota. It by no means contains information for all the wells and borings and the absence of information about a well on a property does not mean there is no well on that property.  Minnesota Well Index (MWI) (www.health.state.mn.us/communities/environment/water/mwi/index.html)
Wellhead Protection Plans	These plans can be obtained directly from the communities or from MDH with permission from the communities. Water chemistry data collected from these systems can be provided by request to MDH.  Protecting Drinking Water Sources (www.health.state.mn.us/communities/environment/water/swp/about.htm)  651-201-4700




Figure 36: Sensitivity Assessment and Calculation for Pollution Sensitivity of Wells (Figure 9)




Figure 37: Sensitivity Assessment and Calculation for Pollution Sensitivity of Wells (Figure 9) continued

Table 9: Rare Species Connected with Groundwater in the Le Sueur River Watershed. 14

Scientific Name		Species Class	Listing Status <sup>15</sup>	AQUATIC (Y OR N)	WETLAND (Y OR N)	GROUND-WATER DEPENDENT	General Habitat Type
						(Y OR N)	
Rare Plant:	Tuberous	Terrestrial	THR	N	N	Sometimes	Native, moist prairies in southern MN
Arnoglossum	Indian-	Plant					
plantagineum	plantain						
Rare Plant:	Sullivant's	Terrestrial	THR	N	N	Sometimes	Mesic tallgrass prairies; sometime wet prairies
Asclepias sullivantii	Milkweed	Plant					
Rare Plant:	Small White	Terrestrial	SPC	N	Υ	Sometimes	Calcareous seeps, wet prairie
Cypripedium candidum	Lady's- slipper	Plant					
Rare Plant: Oxypolis rigidior	Cowbane	Terrestrial Plant	NL	N	Y	Sometimes	Calcareous fens, wet prairies, sedge meadows, swamps, and marshes
Rare Plant: Valeriana edulis var. ciliata	Valerian	Terrestrial Plant	THR	N	Y	Sometimes	Moist, sunny, calcareous fens, springs, seeps
Rare Amphibians: Necturus maculosus	Mudpuppy	Amphibian	SPC, SGCN	Υ	N	Sometimes	Freshwater lakes, rivers, streams, and ponds
Rare Reptile: Emydoidea blandingii	Blanding's Turtle	Reptile	THR, SGCN	Y	Y	Sometimes	Wetland complexes, small streams, and adjacent uplands, typically, but not always mapped as sandy soils
Rare Reptile:	Western Fox	Reptile	NL	N	Sometimes	Possibly	Woodland and woodland edges, prairies, lowland
Pantherophis	Snake						meadows, and rocky outcroppings near rivers
ramspotti							

<sup>&</sup>lt;sup>14</sup> Last Updated 12/1/2020

<sup>15</sup> END =State Endangered; THR = State Threatened; SPC = State Special Concern; Watch list = Species the DNR is tracking because they are in suspected decline SGCN= Species of Greatest Conservation Need

Rare Bird:							Fresh water lakes and marshes with extensive areas
Aechmophorus	Western						of open water bordered by emergent vegetation
occidentalis	Grebe	Bird	SGCN	Υ	Y	Sometimes	(breeding)
							(1 - 1 - 1 - 1 )
Rare Bird:	Northern						
Anas acuta	Pintail	Bird	NL, SGCN	Υ	Υ	Sometimes	Shallow, seasonal wetlands with low vegetation
							Breeding and foraging: Open prairies, grasslands,
Rare Bird:	Sandhill						and wetlands; Outside of the breeding season: Often
Antigone canadensis	Crane	Bird	NL	N	Υ	Sometimes	roost in deeper water of ponds or lakes
Rare Bird:							Lakes/Wetlands with lots of amphipods
Aythya affinis	Lesser Scaup	Bird	SGCN	Υ	Υ	Sometimes	(crustaceans)
Rare Bird:							
Botaurus lentiginosus	American						
	Bittern	Bird	NL, SGCN	Υ	Υ	Sometimes	Marshes/wetlands
Rare Bird:							
Chlidonias niger							
	Black Tern	Bird	NL, SGCN	Υ	Y	Sometimes	Marshes/wetlands
Rare Bird:							
Cistothorus platensis		n: 1					Summer: Wet meadows, prairies, and marshes;
	Sedge Wren	Bird	NL, SGCN	N	Y	Sometimes	Winter: grassy marshes and dry grasslands
Rare Bird:			Bald Eagle				
Haliaeetus			and Golden				
leucocephalus			Eagle				
		n: 1	Protection				
	Bald Eagle	Bird	Act (Federal)	N	Y	Sometimes	Areas with dense or scattered trees and wet areas
Rare Bird:	Belted						Rivers, streams, lakes, and ponds with clear water;
Megaceryle alcyon		Bird	NI SCCN	N.	V	V	
Rare Bird:	Kingfisher Black-	DITU	NL, SGCN	N	Υ	Y	Vertical earthen banks are used for nesting
	crowned						Motlanda marchae etropres vivians and labor vitte
Nycticorax nycticorax		Dird	NI SCCN	N.	V	V	Wetlands, marshes, streams, rivers, and lakes with
Dava Bind.	Night-heron	DIIU	NL, SGCN	N	Ť	Y	adjacent vegetation for cover
Rare Bird:							Freshwater marshes with dense, emergent
Rallus limicola	Virginia Rail	Bird	NL, SGCN	N	v	v	vegetation
Rare Bird:	Yellow-	טווע	INE, SUCIN	14	I <u>I</u>		vegetation
Xanthocephalus	headed						Breeding: Prairie wetlands, shallow marshes, ponds,
xanthocephalus	Blackbird	Bird	NL, SGCN	V	v	Sometimes	and rivers
ματιτιοτεριταίας	שומכאטווע	טווע	INL, JUCIN	ı	Ī	pomennes	and nivers

Rare Bird:	-	Grouping of	-	-	-	-	Large, shallow lakes; marsh complex
Colonial Waterbird		a variety of					
Nesting Area		nesting bird					
		species					
Rare Mussels:	Mucket	Mussel	THR, SGCN	Υ	N	Υ	Medium to large rivers with sand and gravel
Actinonaias							substrates
ligamentina							
Rare Mussels:	Elktoe	Mussel	THR, SGCN	Υ	N	Υ	Medium to large rivers with sand and gravel
Alasmidonta							substrates
marginata							
Rare Mussels:	Round	Mussel	SPC, SGCN	Υ	N	Υ	Medium to large rivers with sand, gravel, or mud
Pleurobema sintoxia	Pigtoe						substrates
Rare Invertebrates:	A Jumping	Spider	SPC, SGCN	N	Υ	Possibly	Near freshwater bodies of water; cattail marshes
Marpissa formosa	Spider					·	
Rare Invertebrates:	A Jumping	Spider	NL	N	Υ	Possibly	Wetlands, ponds, and rivers that contains sedges or
Marpissa grata	Spider						emergent vegetation

Tables 10-11.16 show the documented wetland native plant communities connected to groundwater in the Le Sueur River Watershed.

Table 10: Le Sueur River Watershed documented wetland native plant communities dependent on groundwater associated with consistently high water tables

Native Plant Community Code	Native Plant Community Name	Conservation Status Rank
Marshes	-	-
MRp83	Prairie Mixed Cattail Marsh	S1 – Critically Imperiled
MRp93	Prairie Bulrush – Arrowhead Marsh	S1

Table 11: Lower Minnesota River West Watershed documented wetland native plant communities dependent on groundwater associated with water table that are high for some portion of the growing season

Native Plant Community Code	Native Plant Community Name	Conservation Status Rank
Forested Wetlands	-	-
FFs68	Southern Floodplain Forest	S3 – vulnerable to extirpation

<sup>&</sup>lt;sup>16</sup> Updated 12/01/2020

FFs59	Southern Terrace Forest	S1, S2, or S3 depending on community subtype
Wet Prairies	-	-
WPs54	Southern Wet Prairie	S2 - Imperiled

# References

Adams, R., 2016, Pollution sensitivity of near-surface materials: St. Paul, Minnesota Department of Natural Resources, Minnesota Hydrogeology Atlas Series HG-02, report and plate, accessible at https://www.dnr.state.mn.us/waters/programs/gw section/mapping/platesum/mha ps-ns.html.

Adams, Roberta; Barry, John; and Green, Jeff (2016). Minnesota Regions Prone to Surface Karst Feature Development (PDF) (files.dnr.state.mn.us/waters/groundwater\_section/mapping/gw/gw01\_report.pdf). Series GW-01.

Baratta, V.M. and Petersen, T.A., 2016, Geologic atlas of Blue Earth County, Minnesota (Part B): Minnesota Department of Natural Resources, County Atlas Series C-25, report and pls. 7–8, www.dnr.state.mn.us/waters/programs/gw\_section/mapping/meta/cga/c26\_blue/index.html.

Geologic Sensitivity Project Workgroup (1991), *Criteria and guidelines for assessing pollution sensitivity of ground water resources in Minnesota*, Minnesota Department of Natural Resources, Division of Waters, St. Paul, Minn., 122 p.

Gergel, S.E., Turner, M.G, and Kratz, T.K., 1999, Dissolved Organic Carbon as an Indicator of the Scale of Watershed Influence on Lakes and Rivers: Ecological Applications, v. 9, No. 4, p.1377-1390.

Kroening, S. and Ferrey, M. (2013), The Condition of Minnesota's Groundwater, 2007-2011. Document number: wq-am1-06

Minnesota State Agency Workgroup under the direction of the U.S. EPA (1998), Guidance or Mapping Nitrate in Minnesota Groundwater, p 7.

M.L. Erickson and R.J. Barnes, 'Arsenic in Groundwater: Recent Research and Implications for Minnesota,' CURA Reporter 34,2 (2004): 1–7; and M.L. Erickson and R.J. Barnes, 'Glacial Sediment Causing Regional-Scale Elevated Arsenic in Drinking Water,' Ground Water 43 (2005): 796–805.

Minnesota Department of Agriculture (2014), 2014 Water Quality Monitoring Report.

Minnesota Department of Agriculture (2015), 2015 Nitrogen Fertilizer Management Plan.

Minnesota Department of Natural Resource, MGS, UMD (1997), Geomorphology of Minnesota, Scale 1:100,000.

Minnesota Groundwater Association (2018), Drain tiles and groundwater resources: Understanding the relations. Retrieved from www.mgwa.org/documents/white-papers/Drain Tiles and Groundwater Resources.pdf

Morey, G.B.; Meints, J.P.. (2000). S-20 Geologic map of Minnesota, bedrock geology. Minnesota Geological Survey. Retrieved from the University of Minnesota Digital Conservancy, <u>S-20 Geologic map of Minnesota, bedrock geology</u> (http://hdl.handle.net/11299/60086).

Mueller, D.K., and Helsel, D.R., 1996, Nutrients in the Nation's water--Too much of a good thing?: U.S. Geological Survey Circular 1136, 24 p.

Petersen, T.P. and Solstad, J.A., 2007, Interaction of Lakes and Ground Water in Geologic atlas of Crow Wing County, Minnesota: Minnesota Department of Natural Resources, County Atlas Series C-16, Part B, pl. 10.

Runkel, A.C.; Meyer, G.N.; Lusardi, B.A.. (2011). C-26 Geologic Atlas of Blue Earth County, Minnesota [Part A]. Minnesota Geological Survey. Retrieved from the University of Minnesota Digital Conservancy, https://hdl.handle.net/11299/116097.

USGS. 2017. National Land Cover Database (NLCD) Land Cover Collection. Available at <u>NLCD Land Cover Collection</u> (https://catalog.data.gov/dataset/national-land-cover-database-nlcd-land-cover-collection).

Warner, K.L. and Arnold, T.L., 2010, <u>Relations that affect the probability and prediction of nitrate concentration in private wells in the glacial aquifer system in the United States</u> (https://pubs.usgs.gov/sir/2010/5100/): U.S. Geological Survey Scientific Investigations Report 2010-5100, 73 p.