

Data Tables for State and County Tobacco Profiles

Disparities in youth tobacco use

Perce	Percentage of students who used any tobacco in past 30 days, Grade 11, 2016									
	Binge Suicidal Economic Bi/gay/l Town American Whit									
	drinking Thoughts Hardship esbian /rural Indian e Hispanic Black Asian									
	WI III KIII B	inoughts	Haruship	CSDIGIT	/ Turai	IIIulali	C	Thispanic	Diack	Asian

Source: Minnesota Student Survey, 2016

Population estimates and number of smokers

	2015 Por	nates¹	Number of	
County/State	Under 18	18+	Total	Adult Smokers ²
STATEWIDE	1,284,387	4,205,207	5,489,594	580,000³
AITKIN	2,725	12,977	15,702	2,500
ANOKA	83,424	237,0874	344,151	24,200
BECKER	8,227	25,159	33,386	3,400
BELTRAMI	11,516	34,156	45,672	4,100
BENTON	9,729	29,981	39,710	4,300
BIG STONE	1,028	4,012	5,040	400
BLUE EARTH	13,012	52,775	65,787	4,100
BROWN	5,476	19,837	25,313	1,600
CARLTON	8,059	27,510	35,569	5,900
CARVER	27,222	64,940 ⁴	98,741	4,300 ⁴
CASS	6,102	22,604	28,706	2,400
CHIPPEWA	2,800	9,309	12,109	1,000
CHISAGO	12,577	41,716	54,293	5,600
CLAY	14,629	47,695	62,324	7,900
CLEARWATER	2,196	6,607	8,803	1,000
СООК	793	4,401	5,194	1,000
COTTONWOOD	2,754	8,795	11,549	900
CROW WING	13,940	49,488	63,428	5,900
DAKOTA	102,866	283,5214	414,686	25,000 ⁴
DODGE	5,497	14,867	20,364	2,000
DOUGLAS	7,878	29,197	37,075	2,200

	2015 Po	pulation Esti	mates ¹	Number of
County/State	Under 18	18+	Total	Adult Smokers ²
FARIBAULT	3,072	10,978	14,050	1,600
FILLMORE	4,998	15,836	20,834	2,100
FREEBORN	6,685	23,928	30,613	1,800
GOODHUE	10,438	35,997	46,435	2,700
GRANT	1,298	4,605	5,903	300
HENNEPIN	271,399	859,082 ⁴	1,223,149	73,300 ⁴
HOUSTON	4,041	14,732	18,773	1,800
HUBBARD	4,392	16,263	20,655	2,100
ISANTI	9,259	29,170	38,429	2,700
ITASCA	9,650	35,785	45,435	9,100
JACKSON	2,230	7,849	10,079	900
KANABEC	3,452	12,385	15,837	1,900
KANDIYOHI	10,207	32335	42,542	3,200
KITTSON	968	3,456	4,424	300
KOOCHICHING	2,474	10,367	12,841	2,100
LAC QUI PARLE	1,374	5,482	6,856	600
LAKE	1,986	8,645	10,631	1,100
LAKE OF THE WOODS	732	3,191	3,923	600
LE SUEUR	6,731	20,932	27,663	1,900
LINCOLN	1,310	4,461	5,771	500
LYON	6,424	19,249	25,673	1,600
MAHNOMEN	1,661	3,796	5,457	800
MARSHALL	2,177	7,246	9,423	800
MARTIN	4,312	15,710	20,022	1,200
MC LEOD	8,479	27,453	35,932	4,300
MEEKER	5,705	17,397	23,102	2,700
MILLE LACS	6,154	19,634	25,788	2,900
MORRISON	7,707	25,068	32,775	3,100
MOWER	9,633	29,483	39,116	3,200
MURRAY	1,781	6,632	8,413	700
NICOLLET	7,265	26,082	33,347	3,000
NOBLES	5,841	1,5929	21,770	1,400
NORMAN	1,541	5,137	6,678	600
OLMSTED	37,346	114,090	151,436	10,400
OTTER TAIL	12,383	45,333	57,716	4,200

	2015 Po	oulation Estir	nates¹	Number of
County/State	Under 18	18+	Total	Adult Smokers ²
PENNINGTON	3,318	10,901	14,219	1,500
PINE	5,972	23,097	29,069	4,700
PIPESTONE	2,298	6,973	9,271	1,100
POLK	7,421	24,112	31,533	3,800
POPE	2,291	8,750	11,041	1,100
RAMSEY	125,750	363,216 ⁴	538,133	37,900 ⁴
RED LAKE	1,013	3,042	4,055	400
REDWOOD	3,777	11,694	15,471	1,000
RENVILLE	3,320	11,572	14,892	1,500
RICE	14,471	50,929	65,400	6,800
ROCK	2,419	7,181	9,600	700
ROSEAU	3,892	11,878	15,770	2,500
SCOTT	40,341	92,597 ⁴	141,660	5,500 ⁴
SHERBURNE	24,829	66,876	91,705	10,600
SIBLEY	3,563	11,312	14,875	1,100
ST LOUIS	38,344	162,087	200,431	26,000
STEARNS	35,283	119,425	154,708	14,900
STEELE	9,283	27,472	36,755	3,200
STEVENS	2,085	7,711	9,796	700
SWIFT	2,048	7,292	9,340	1,000
TODD	5,817	18,440	24,257	2,300
TRAVERSE	700	2,701	3,401	400
WABASHA	4,698	16,541	21,239	2,500
WADENA	3,401	10,474	13,875	1,200
WASECA	4,415	14,574	18,989	1,600
WASHINGTON	62,864	171,652 ⁴	251,597	11,300 ⁴
WATONWAN	2,648	8,304	10,952	1,400
WILKIN	1,452	4,944	6,396	500
WINONA	9,338	41,547	50,885	5,500
WRIGHT	37,511	93,800	131,311	10,800
YELLOW MEDICINE	2,270	7,605	9,875	1,100

Sources:

¹US Census Population Estimates

² Local survey estimates, year surveys implemented range from 2013 to 2016; estimates are rounded so may not sum to statewide estimate

³ Minnesota Adult Tobacco Survey, 2014

⁴ NOTE: This count represents the population of adults age 25+, not age 18+. The number of adult smokers corresponds to the 25+ population and not the 18+ population for the following counties: Anoka, Carver, Dakota, Hennepin, Ramsey, Scott, Washington.

Smoking-related deaths and costs

	Total	Smoking Dea		
State/County	Deaths ¹	Number	Percent	Cost of smoking ²
STATEWIDE	164,924	25,598	15.5%	\$3,190,000,000.00
AITKIN	810	168	20.7%	\$20,936,000
ANOKA	7,604	1446	19.0%	\$180,199,000
BECKER	1,364	229	16.8%	\$28,537,800
BELTRAMI	,1638	298	18.2%	\$37,136,500
BENTON	1,351	216	16.0%	\$26,917,700
BIG STONE	296	45	15.2%	\$5,607,900
BLUE EARTH	1,862	251	13.5%	\$31,279,400
BROWN	1,190	195	16.4%	\$24,300,700
CARLTON	1,527	317	20.8%	\$39,504,300
CARVER	1,861	262	14.1%	\$32,650,200
CASS	1,269	239	18.8%	\$29,784,000
CHIPPEWA	605	144	23.8%	\$17,945,200
CHISAGO	1,578	308	19.5%	\$38,382,700
CLAY	1,846	267	14.5%	\$33,273,300
CLEARWATER	426	109	25.6%	\$13,583,500
СООК	188	34	18.1%	\$4,237,000
COTTONWOOD	540	75	13.9%	\$9,346,400
CROW WING	2,571	483	18.8%	\$60,191,000
DAKOTA	9,366	1,453	15.5%	\$181,071,600
DODGE	588	32	5.4%	\$3,987,800
DOUGLAS	1,597	207	13.0%	\$25,796,200
FARIBAULT	745	75	10.1%	\$9,346,400
FILLMORE	939	126	13.4%	\$15,702,000
FREEBORN	1,428	179	12.5%	\$22,306,800
GOODHUE	1,911	268	14.0%	\$33,397,900
GRANT	284	42	14.8%	\$5,234,000
HENNEPIN	32,630	4,701	14.4%	\$585,834,400
HOUSTON	710	82	11.5%	\$10,218,800
HUBBARD	822	135	16.4%	\$16,823,600
ISANTI	1201	242	20.1%	\$30,157,800
ITASCA	2,158	455	21.1%	\$56,701,700
JACKSON	418	51	12.2%	\$6,355,600

	Total	Smoking Dea		
State/County	Deaths ¹	Number	Percent	Cost of smoking ²
STATEWIDE	164,924	25,598	15.5%	\$3,190,000,000.00
KANABEC	586	129	22.0%	\$16,075,900
KANDIYOHI	1,541	217	14.1%	\$27,042,300
KITTSON	293	76	25.9%	\$9,471,100
KOOCHICHING	604	67	11.1%	\$8,349,500
LAC QUI PARLE	344	61	17.7%	\$7,601,800
LAKE	562	81	14.4%	\$10,094,100
LAKE OF THE WOODS	183	31	16.9%	\$3,863,200
LE SUEUR	898	147	16.4%	\$18,319,000
LINCOLN	310	66	21.3%	\$8,224,900
LYON	880	140	15.9%	\$17,446,700
MCLEOD	1,309	206	15.7%	\$25,671,500
MAHNOMEN	243	62	25.5%	\$7,726,400
MARSHALL	317	59	18.6%	\$7,352,500
MARTIN	1,022	73	7.1%	\$9,097,200
MEEKER	901	169	18.8%	\$21,060,600
MILLE LACS	1,142	225	19.7%	\$28,039,300
MORRISON	1,337	187	14.0%	\$23,303,800
MOWER	1,533	223	14.5%	\$27,790,000
MURRAY	419	64	15.3%	\$7,975,600
NICOLLET	898	101	11.2%	\$12,586,500
NOBLES	751	101	13.4%	\$12,586,500
NORMAN	373	62	16.6%	\$7,726,400
OLMSTED	3,909	164	4.2%	\$20,437,500
OTTER TAIL	2,702	430	15.9%	\$53,586,200
PENNINGTON	523	116	22.2%	\$14,455,800
PINE	1,114	216	19.4%	\$26,917,700
PIPESTONE	448	52	11.6%	\$6,480,200
POLK	1,362	242	17.8%	\$30,157,800
POPE	507	74	14.6%	\$9,221,800
RAMSEY	16,024	2,108	13.2%	\$262,697,100
RED LAKE	144	34	23.6%	\$4,237,000
REDWOOD	754	98	13.0%	\$12,212,700
RENVILLE	764	107	14.0%	\$13,334,200

	Total	Smoking Dea		
State/County	Deaths ¹	Number	Percent	Cost of smoking ²
STATEWIDE	164,924	25,598	15.5%	\$3,190,000,000.00
RICE	1894	339	17.9%	\$42,245,900
ROCK	463	73	15.8%	\$9,097,200
ROSEAU	534	110	20.6%	\$13,708,100
SAINT LOUIS	8,310	1,646	19.8%	\$205,123,100
SCOTT	2409	385	16.0%	\$47,978,400
SHERBURNE	1,936	336	17.4%	\$41,872,000
SIBLEY	592	85	14.4%	\$10,592,600
STEARNS	3,895	560	14.4%	\$69,786,700
STEELE	1,201	184	15.3%	\$22,929,900
STEVENS	331	30	9.1%	\$3,738,600
SWIFT	412	73	17.7%	\$9,097,200
TODD	873	123	14.1%	\$15,328,200
TRAVERSE	219	37	16.9%	\$4,610,900
WABASHA	763	120	15.7%	\$14,954,300
WADENA	769	147	19.1%	\$18,319,000
WASECA	662	98	14.8%	\$12,212,700
WASHINGTON	5,837	933	16.0%	\$116,269,600
WATONWAN	491	70	14.3%	\$8,723,300
WILKIN	325	49	15.1%	\$6,106,300
WINONA	1,654	272	16.4%	\$33,896,400
WRIGHT	2,841	532	18.7%	\$66,297,400
YELLOW MEDICINE	463	74	16.0%	\$9,221,800

Sources:

¹ MDH, Vital Statistics

² BlueCross BlueShield of Minnesota Cost of Smoking report, 2017; county estimates are rounded so may not sum to statewide estimate

Youth tobacco use

	9th grade cigarette smoking	9th grade e-cigarette use	9 th grade smokeless use	9th grade any tobacco use	11th grade cigarette smoking	11th grade e-cigarette use	11 th grade smokeless use	11th grade any tobacco
STATEWIDE	4.3%	9.3%	2.2%	11.6%	8.4%	17.1%	5.1%	21.8%
AITKIN	6.6%	8.5%	2.8%	14.2%	10.6%	13.5%	9.6%	23.1%
ANOKA	4.1%	13.7%	1.5%	15.1%	8.5%	21.4%	3.8%	23.9%
BECKER	3.6%	10.7%	3.2%	14.3%	14.8%	15.2%	3.70%	24.2%
BELTRAMI	7.8%	7.8%	6.3%	15.0%	11.6%	16.5%	2.44%	23.9%
BENTON	5.0%	7.0%	4.2%	11.3%	10.6%	10.2%	14.87%	18.4%
BIG STONE	2.9%	5.8%	0.0%	8.7%	4.0%	12.0%	12.0%	20.0%
BLUE EARTH	2.8%	6.1%	1.5%	8.5%	5.9%	10.7%	3.94%	15.9%
BROWN	4.7%	3.9%	3.9%	8.6%	13.5%	10.5%	6.38%	21.5%
CARLTON	5.9%	10.8%	4.0%	14.5%	12.8%	22.7%	11.76%	28.4%
CARVER	3.2%	8.7%	2.3%	11.0%	10.8%	16.9%	9.46%	23.3%
CASS	13.4%	15.4%	5.7%	22.4%	18.8%	21.3%	11.76%	40.0%
CHIPPEWA	5.6%	2.8%	0.0%	8.3%	9.8%	9.8%	8.59%	17.1%
CHISAGO	4.7%	14.4%	3.7%	16.8%	11.5%	23.7%	3.23%	27.4%
CLAY	3.4%	7.0%	1.6%	9.3%	6.1%	16.5%	6.85%	20.6%
CLEARWATER	10.3%	7.5%	2.8%	15.0%	17.6%	26.5%	5.33%	36.8%
соок	10.8%	24.3%	2.7%	29.7%	16.0%	20.0%	4.0%	20.0%
COTTONWOOD	8.3%	7.3%	5.2%	12.5%	8.4%	9.5%	4.71%	13.7%
CROW WING	6.7%	11.5%	3.8%	14.9%	8.2%	15.3%	7.35%	25.9%
DAKOTA	3.0%	9.6%	0.9%	10.9%	5.9%	17.0%	3.90%	20.3%
DODGE	2.9%	6.3%	1.3%	7.9%	5.2%	13.4%	7.77%	16.3%
DOUGLAS	3.6%	7.1%	4.5%	9.4%	14.5%	19.0%	2.11%	27.9%
FARIBAULT	3.8%	6.7%	1.9%	9.6%	13.4%	15.2%	7.41%	23.2%
FILLMORE	1.5%	8.0%	2.9%	9.4%	11.9%	14.3%	9.90%	26.2%
FREEBORN	4.0%	11.4%	2.5%	13.4%	6.5%	19.4%	5.77%	21.2%

	9th grade cigarette smoking	9th grade e-cigarette use	9 th grade smokeless use	9th grade any tobacco use	11th grade cigarette smoking	11th grade e-cigarette use	11 th grade smokeless use	11th grade any tobacco
GOODHUE	10.1%	16.5%	7.8%	20.1%	12.8%	15.8%	9.88%	20.7%
GRANT	6.0%	9.0%	1.5%	10.4%	21.1%	19.3%	8.10%	28.1%
HENNEPIN	1.9%	6.8%	0.6%	7.7%	6.0%	17.0%	8.47%	19.3%
HOUSTON	4.2%	5.8%	5.3%	10.6%	7.0%	12.0%	13.38%	15.5%
HUBBARD	19.4%	20.0%	10.6%	26.9%	11.9%	23.1%	3.85%	32.9%
ISANTI	8.2%	18.2%	4.8%	20.1%	19.0%	28.9%	8.77%	36.3%
ITASCA	9.3%	16.1%	8.3%	23.3%	14.2%	14.9%	12.00%	28.6%
JACKSON	5.9%	8.2%	3.5%	9.4%	10.3%	13.2%	18.37%	17.6%
KANABEC	6.0%	8.7%	5.3%	15.3%	8.5%	20.8%	3.15%	29.2%
KANDIYOHI	7.4%	8.0%	5.3%	12.6%	8.2%	16.5%	5.81%	22.0%
KITTSON	5.9%	5.9%	2.9%	8.8%	4.3%	8.5%	9.22%	17.0%
KOOCHICHING	8.3%	11.9%	3.6%	16.7%	17.6%	14.7%	3.45%	32.4%
LAC QUI PARLE	0.0%	4.1%	5.5%	8.2%	7.4%	7.4%	4.21%	13.2%
LAKE ¹	-	-	-	-	-	-	-	-
LAKE OF THE WOODS	19.0%	9.5%	9.5%	23.8%	11.5%	15.4%	7.7%	34.6%
LE SUEUR	6.7%	9.4%	3.1%	12.5%	13.2%	16.0%	4.64%	23.5%
LINCOLN	10.5%	7.9%	5.3%	13.2%	3.2%	6.5%	7.14%	6.5%
LYON	4.8%	5.5%	2.2%	7.7%	5.9%	8.0%	1.89%	12.3%
MAHNOMEN	9.1%	4.5%	0.0%	12.1%	20.4%	10.2%	4.73%	28.6%
MARSHALL	1.4%	0.0%	0.0%	1.4%	9.4%	10.9%	1.92%	21.9%
MARTIN	4.4%	6.2%	6.2%	11.5%	13.6%	7.4%	5.13%	18.5%
MCLEOD	4.2%	16.7%	8.3%	20.8%	13.8%	20.7%	3.4%	20.7%
MEEKER	10.6%	7.3%	3.7%	14.7%	9.9%	8.6%	4.30%	17.2%
MILLE LACS	9.2%	15.3%	7.5%	19.3%	14.8%	20.9%	4.82%	27.6%
MORRISON	4.4%	7.7%	4.4%	11.3%	12.5%	13.7%	9.65%	22.7%
MOWER	6.0%	10.4%	2.2%	13.6%	5.2%	12.2%	7.82%	15.7%
MURRAY	10.1%	11.4%	7.6%	19.0%	10.7%	17.3%	8.63%	24.0%

	9th grade cigarette smoking	9th grade e-cigarette use	9 th grade smokeless use	9th grade any tobacco use	11th grade cigarette smoking	11th grade e-cigarette use	11 th grade smokeless use	11th grade any tobacco
NICOLLET	0.9%	6.9%	0.9%	6.9%	6.0%	9.5%	8.33%	14.3%
NOBLES	2.2%	4.4%	3.9%	6.1%	4.3%	7.4%	6.67%	12.3%
NORMAN	4.8%	3.2%	1.6%	8.1%	11.5%	5.8%	2.27%	17.3%
OLMSTED	2.5%	5.8%	0.8%	7.2%	3.5%	12.6%	8.90%	15.3%
OTTER TAIL	3.3%	6.9%	2.7%	9.8%	11.8%	12.8%	3.70%	21.2%
PENNINGTON1	-	-	-	-	-	-	-	-
PINE	7.6%	7.2%	5.2%	12.8%	19.0%	14.5%	11.20%	29.1%
PIPESTONE	12.5%	16.3%	3.8%	21.3%	5.7%	3.8%	5.19%	9.4%
POLK	5.2%	9.5%	4.0%	13.1%	12.6%	23.3%	18.46%	28.5%
POPE	5.5%	3.6%	5.5%	9.1%	13.1%	9.8%	17.65%	18.0%
RAMSEY	2.8%	7.6%	0.8%	9.5%	5.9%	14.9%	10.71%	18.3%
RED LAKE	0.0%	0.0%	0.0%	0.0%	21.4%	21.4%	9.23%	35.7%
REDWOOD	6.9%	10.0%	3.8%	13.8%	11.8%	10.9%	13.24%	16.4%
RENVILLE	3.1%	2.1%	0.0%	4.1%	7.8%	13.7%	5.31%	17.6%
RICE	2.5%	4.4%	1.1%	6.3%	4.9%	10.7%	7.39%	13.6%
ROCK	2.3%	2.3%	4.7%	7.0%	8.2%	6.8%	2.64%	12.3%
ROSEAU	5.5%	6.0%	4.4%	8.8%	9.4%	8.5%	11.89%	18.6%
SCOTT	5.6%	9.6%	1.9%	11.8%	7.8%	18.2%	16.67%	22.6%
SHERBURNE	6.6%	17.3%	2.1%	19.3%	11.2%	26.3%	6.56%	30.5%
SIBLEY	8.3%	15.7%	10.2%	19.4%	20.4%	23.3%	10.31%	31.1%
ST. LOUIS	6.9%	10.5%	3.5%	14.7%	10.9%	19.5%	18.75%	28.8%
STEARNS	2.8%	6.2%	2.0%	8.0%	7.3%	11.9%	2.74%	15.6%
STEELE	2.3%	11.3%	1.8%	12.2%	7.3%	17.3%	5.88%	22.0%
STEVENS	6.6%	5.3%	7.9%	11.8%	11.7%	10.4%	3.80%	14.3%
SWIFT	6.8%	4.5%	11.4%	18.2%	10.0%	5.0%	9.62%	15.0%
TODD	8.1%	7.5%	5.9%	12.9%	7.3%	6.3%	4.94%	14.7%
TRAVERSE	0.0%	0.0%	0.0%	0.0%	7.1%	7.1%	7.86%	14.3%

	9th grade cigarette smoking	9th grade e-cigarette use	9 th grade smokeless use	9th grade any tobacco use	11th grade cigarette smoking	11th grade e-cigarette use	11 th grade smokeless use	11th grade any tobacco
WABASHA	6.1%	9.6%	5.1%	12.7%	9.7%	15.3%	6.90%	23.8%
WADENA	6.8%	6.2%	5.5%	11.6%	13.8%	7.6%	4.00%	17.9%
WASECA	3.4%	4.8%	6.8%	10.6%	6.7%	9.8%	16.88%	20.7%
WASHINGTON	4.4%	12.3%	1.4%	13.5%	8.0%	23.6%	6.94%	26.4%
WATONWAN	4.3%	9.5%	2.2%	10.9%	9.6%	21.2%	11.07%	24.0%
WILKIN	9.3%	4.7%	0.0%	10.5%	9.4%	20.3%	1.52%	24.6%
WINONA	4.5%	9.9%	3.8%	12.3%	10.2%	16.6%	7.69%	23.5%
WRIGHT	5.1%	9.6%	2.5%	11.1%	11.7%	19.8%	2.32%	25.7%
YELLOW MEDICINE	2.4%	3.7%	1.2%	7.3%	10.6%	7.6%	4.06%	13.6%

Source: Minnesota Student Survey, 2016

¹ These counties did not survey grades 9 and 11.

Tobacco use during pregnancy, 2012-2015

		Percentage used tobacco
State/County	Total births, 2012-2015	during pregnancy
STATEWIDE	276,632	10.2
AITKIN	436	27.1
ANOKA	16,692	10.5
BECKER	1,676	22.9
BELTRAMI	2,742	25.8
BENTON	2,262	18.7
BIG STONE	218	13.3
BLUE EARTH	2,908	12.5
BROWN	1,100	15.0
CARLTON	1,442	20.8
CARVER	4,677	4.5
CASS	1,384	34.6
CHIPPEWA	677	18.6
CHISAGO	2,211	12.4
CLAY	3,323	11.5
CLEARWATER	421	19.2
СООК	183	20.2
COTTONWOOD	630	12.9
CROW WING	2,844	21.2
DAKOTA	20,933	6.3
DODGE	987	14.6
DOUGLAS	1,653	15.8
FARIBAULT	584	19.3
FILLMORE	1,005	11.7
FREEBORN	1,394	14.7
GOODHUE	2,006	14.4
GRANT	285	12.3
HENNEPIN	66,209	5.3
HOUSTON	796	12.7
HUBBARD	878	22.7
ISANTI	1,763	18.3
ITASCA	1,896	22.3
JACKSON	468	14.7

State/County	Total births, 2012-2015	Percentage used tobacco during pregnancy
KANABEC	610	25.2
KANDIYOHI	2,361	10.2
KITTSON	192	10.9
KOOCHICHING	405	15.8
LAC QUI PARLE	246	12.6
LAKE	412	19.7
LAKE OF THE WOODS	136	25.7
LE SUEUR	1,197	15.0
LINCOLN	283	8.8
LYON	1,426	9.4
MCLEOD	1,671	14.1
MAHNOMEN	386	47.9
MARSHALL	454	14.8
MARTIN	893	21.1
MEEKER	1,091	14.1
MILLE LACS	1,289	27.4
MORRISON	1,524	21.9
MOWER	1,998	17.6
MURRAY	338	13.6
NICOLLET	1,538	9.4
NOBLES	1,427	4.8
NORMAN	296	16.9
OLMSTED	8,654	7.9
OTTER TAIL	2,635	11.8
PENNINGTON	739	20.7
PINE	1,128	26.0
PIPESTONE	477	15.1
POLK	1,640	15.2
POPE	504	15.1
RAMSEY	31,067	7.6
RED LAKE	218	15.6
REDWOOD	741	18.8
RENVILLE	671	15.6
RICE	2,850	14.1
ROCK	443	10.4

		Percentage used tobacco
State/County	Total births, 2012-2015	during pregnancy
ROSEAU	772	19.4
SAINT LOUIS	8,142	19.8
SCOTT	7,534	5.3
SHERBURNE	4,699	11.4
SIBLEY	659	13.2
STEARNS	7,798	11.4
STEELE	1,892	15.4
STEVENS	465	8.0
SWIFT	427	19.4
TODD	1,261	15.1
TRAVERSE	123	18.7
WABASHA	924	15.0
WADENA	699	22.7
WASECA	870	16.3
WASHINGTON	11,294	6.8
WATONWAN	602	10.5
WILKIN	273	18.7
WINONA	1,927	11.8
WRIGHT	7,167	10.3
YELLOW MEDICINE	469	14.3

Source: Minnesota Department of Health, Center for Health Statistics

Additional data

For data not provided in these tables, email tobacco@state.mn.us.

Minnesota Department of Health PO Box 64882 St. Paul, MN 55164-0882 651-201-3535 tobacco@state.mn.us www.health.mn.gov/tobacco

1/31/18

To obtain this information in a different format, call: 651-201-3535. Printed on recycled paper.