

The image is a title slide for a report. It features a dark red to purple gradient background with faint, stylized virus particles scattered across it. The text is centered and reads: "Minnesota Department of Health" in a white sans-serif font, followed by "WEEKLY COVID-19 REPORT" in a larger, bold white sans-serif font, and "1/20/2022" in a white sans-serif font below it.

Minnesota Department of Health

WEEKLY COVID-19 REPORT

1/20/2022

This MDH Weekly COVID-19 Report presents data in an easy to interpret way and enhances the information provided in the daily Situation Update for COVID-19 web page with situational insights as well as trends over time.

- [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html) updated daily at 11 a.m.
- [Coronavirus Disease 2019 \(COVID-19\) \(https://www.cdc.gov/coronavirus/2019-nCoV/\)](https://www.cdc.gov/coronavirus/2019-nCoV/)
- Neighboring states' COVID-19 information:
 - [Wisconsin: COVID-19 \(Coronavirus Disease\) \(https://www.dhs.wisconsin.gov/covid-19/\)](https://www.dhs.wisconsin.gov/covid-19/)
 - [Iowa: Novel Coronavirus \(COVID-19\) \(https://idph.iowa.gov/Emerging-Health-Issues/Novel-Coronavirus\)](https://idph.iowa.gov/Emerging-Health-Issues/Novel-Coronavirus)
 - [North Dakota: Coronavirus \(https://www.health.nd.gov/diseases-conditions/coronavirus/\)](https://www.health.nd.gov/diseases-conditions/coronavirus/)
 - [South Dakota: Novel Coronavirus Updates and Information \(https://doh.sd.gov/news/Coronavirus.aspx\)](https://doh.sd.gov/news/Coronavirus.aspx)


About Minnesota COVID-19 Data

Contents

About Minnesota COVID-19 Data	2	Potential Exposure in Child Care Settings	29
COVID-19 Overview Summary.....	3	Student Cases Associated with PK-12 School Buildings.....	30
Laboratory Tests for COVID-19.....	4	Minnesota IHE Facilities Reporting Cases.....	31
Number of Tests and Percent Positive by Week.....	5	Resident Cases Associated with Congregate Care Settings ..	32
Laboratory Test Rates by County of Residence	6	SARS-CoV-2 Variants Circulating in Minnesota	33
Percent of Tests Positive by County of Residence.....	7	SARS-CoV-2 Variants by Region.....	34
Weekly Percent of Tests Positive by County of Residence..	8	Vaccine Breakthrough (VBT) Cases	35
Testing Demographics: Age	9	VBT Hospitalizations and Deaths.....	36
Testing Demographics: Gender.....	10	VBT Cases, Hospitalizations, and Deaths by Age Group ...	37
Positive COVID-19 Cases	11	VBT Cases among Health Care Workers.....	38
New Cases by Week, 7-Day Average.....	12	Response Metrics: Testing and Interview Timing	39
Cases by County of Residence	13	Syndromic Surveillance	40
Cumulative Case Rate by County of Residence	14		
Weekly Case Rate by County of Residence	15	Archived:	
Hospitalizations, ICU Hospitalizations.....	16	Demographics: Interview Language	41
Hospitalizations by Week, 7-Day Average.....	17	Interview Language by County of Residence	42
ICU Hospitalizations by Week, 7-Day Average	18	Likely Exposure.....	43
COVID-19 Deaths	19	Likely Exposure and Specimen Collection Date	44
Deaths by Week, 7-Day Average.....	20	Residence Type.....	45
Deaths by County of Residence	21	Cases among Health Care Workers	46
Demographics: Age.....	22	High Risk Exposures in Health Care Workers.....	47
Cases by Age Group and Specimen Collection Date	23	Staff with Potential Exposure in Child Care Settings....	48
Case Rate in Children by Specimen Collection Date.....	24	Staff Cases Associated with PK-12 Schools	49
Hospitalization Rate in Children by Specimen Collection ..	25	PreK-12 School Buildings Reporting Cases	50
Demographics: Gender	26	Cases that have an Affiliation with IHE.....	51
Demographics: Race & Ethnicity	27	Staff Cases Associated with Congregate Care Settings ..	52
Age-Adjusted Race & Ethnicity Rates.....	28	Congregate Care Facility Outbreaks.....	53

- Data is for cases that were tested and returned positive.
 - At-home test results are not counted by MDH.
 - Many people with COVID-19 are not tested, so the cases in this report represent only a fraction of the total number of cases in Minnesota.
- All data is preliminary and may change as cases are investigated.
 - Many data points are collected during case interviews. Data presented below is for all cases, regardless of interview status. Data for cases pending interview may be listed as “unknown/missing”.
 - As of 10/28/21, case interviews are prioritized. Priority groups include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants. Therefore, not all cases were contacted for interview.
- Minnesota uses the CSTE standardized surveillance case definition.
 - A person is counted as having a reinfection if they test positive (confirmed or probable) for COVID-19 more than 90 days after a previous lab-confirmed case. Cases include reinfections unless otherwise noted.
 - Positive PCR test results are considered confirmed cases. Positive antigen test results are considered probable cases. All probable cases get the same public health follow up and recommendations as cases confirmed by PCR tests. Total cases includes confirmed and probable cases unless otherwise noted.
 - A person with a positive PCR test result following a positive antigen test result would move from being a probable case to a confirmed case.
- Weekly data is reported by MMWR week, which is the week of the year assigned by the National Notifiable Diseases Surveillance System for the purposes of disease reporting and publishing.
- Numbers listed as cumulative total are cumulative since 1/20/20 for confirmed (PCR) tests and cases, and since 9/1/20 for probable (antigen) tests and cases, unless specified otherwise.


COVID-19 Overview Summary



Laboratory Tests for COVID-19

17,400,668
Total Laboratory Tests
(cumulative)


Testing numbers show how many total tests have been done for cases who live in Minnesota. Some people get tested more than once. Tests are reported per test to account for changes in testing capacity and for individuals who are tested more than once over the course of the pandemic. Tests are reported by the date the test was run in the laboratory.



Current data: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Number of Tests and Percent Positive by Week


Number of tests and percentage positive by date of laboratory testing. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations. Percent positive is the percent of positive tests from the total number of tests.



Laboratory Test Rates by County of Residence

30,369
tests per 10,000 people statewide

Cumulative rate of tests by county of residence per 10,000 people. Only tests reported by laboratories reporting both positive and negative results are included.




County	Number of Tests	Cumulative Rate	County	Number of Tests	Cumulative Rate
Aitkin	34,908	22,046	Martin	60,623	30,366
Anoka	930,421	26,780	McLeod	102,441	28,595
Becker	93,168	27,587	Meeker	63,538	27,531
Beltrami	111,024	24,074	Mille Lacs	76,689	29,808
Benton	136,931	34,423	Morrison	97,116	29,475
Big Stone	19,890	39,653	Mower	120,047	30,313
Blue Earth	204,864	30,889	Murray	22,961	27,488
Brown	82,887	32,877	Nicollet	99,414	29,427
Carlton	131,162	36,905	Nobles	47,210	21,617
Carver	261,269	26,019	Norman	22,096	33,688
Cass	56,077	19,322	Olmsted	463,531	30,283
Chippewa	41,679	34,704	Otter Tail	175,193	30,210
Chisago	159,015	29,056	Pennington	25,601	18,049
Clay	154,478	24,598	Pine	65,500	22,486
Clearwater	17,474	19,830	Pipestone	27,997	30,481
Cook	13,676	25,750	Polk	77,918	24,665
Cottonwood	31,364	27,580	Pope	33,177	30,216
Crow Wing	150,472	23,565	Ramsey	1,648,795	30,449
Dakota	1,188,420	28,417	Red Lake	6,856	17,106
Dodge	62,741	30,483	Redwood	47,069	30,702
Douglas	114,772	30,850	Renville	48,681	33,069
Faribault	48,409	34,837	Rice	289,406	44,006
Fillmore	66,447	31,811	Rock	31,609	33,580
Freeborn	105,516	34,566	Roseau	39,393	25,477
Goodhue	144,306	31,224	Scott	380,254	26,522
Grant	15,777	26,570	Sherburne	302,202	32,414
Hennepin	3,865,501	31,287	Sibley	36,800	24,678
Houston	33,193	17,785	St. Louis	624,005	31,188
Hubbard	34,200	16,393	Stearns	478,985	30,544
Isanti	92,740	23,795	Steele	105,644	28,805
Itasca	127,775	28,267	Stevens	30,673	31,350
Jackson	20,327	20,232	Swift	28,891	30,699
Kanabec	32,032	20,015	Todd	52,786	21,598
Kandiyohi	140,587	32,957	Traverse	10,212	30,602
Kittson	13,758	31,722	Wabasha	71,145	33,091
Koochiching	40,716	32,202	Wadena	55,087	40,369
Lac qui Parle	24,304	35,884	Waseca	55,786	29,659
Lake	33,598	31,789	Washington	778,296	30,724
Lake of the Woods	11,002	28,884	Watonwan	30,257	27,574
Le Sueur	65,036	23,241	Wilkin	13,392	21,113
Lincoln	15,828	27,734	Winona	168,782	33,194
Lyon	68,771	26,615	Wright	326,314	24,582
Mahnomen	11,031	20,035	Yellow Medicine	29,506	29,901
Marshall	16,226	17,276	Unknown/missing	639,774	

Percent of Tests Positive by County of Residence

Positive number of tests and positivity calculations include only tests reported by labs that report both positive and negative results. Percent positive is the percent of positive tests from the total number of tests by county of residence.



7.7%
% positive statewide (cumulative)



County	% Positive	County	% Positive
Aitkin	7.4%	Martin	7.7%
Anoka	9.6%	McLeod	9.0%
Becker	6.0%	Meecker	8.2%
Beltrami	8.7%	Mille Lacs	8.9%
Benton	8.5%	Morrison	8.0%
Big Stone	5.4%	Mower	8.5%
Blue Earth	7.4%	Murray	8.0%
Brown	7.0%	Nicollet	7.0%
Carlton	5.2%	Nobles	12.9%
Carver	8.7%	Norman	4.6%
Cass	8.8%	Olmsted	7.2%
Chippewa	6.1%	Otter Tail	6.2%
Chisago	8.1%	Pennington	9.8%
Clay	7.7%	Pine	8.6%
Clearwater	9.7%	Pipestone	6.3%
Cook	3.5%	Polk	6.5%
Cottonwood	8.8%	Pope	7.3%
Crow Wing	6.5%	Ramsey	7.2%
Dakota	8.5%	Red Lake	10.3%
Dodge	7.6%	Redwood	7.1%
Douglas	8.2%	Renville	6.5%
Faribault	6.8%	Rice	5.3%
Fillmore	6.1%	Rock	6.0%
Freeborn	7.6%	Roseau	10.1%
Goodhue	7.6%	Scott	9.0%
Grant	7.4%	Sherburne	9.0%
Hennepin	7.3%	Sibley	8.1%
Houston	7.1%	St. Louis	6.0%
Hubbard	9.0%	Stearns	9.2%
Isanti	9.3%	Steele	8.5%
Itasca	7.0%	Stevens	7.1%
Jackson	9.1%	Swift	7.0%
Kanabec	9.6%	Todd	10.0%
Kandiyohi	8.4%	Traverse	6.1%
Kittson	6.7%	Wabasha	6.6%
Koochiching	5.5%	Wadena	7.3%
Lac qui Parle	5.9%	Waseca	8.7%
Lake	5.3%	Washington	7.9%
Lake of the Woods	6.0%	Watonwan	7.8%
Le Sueur	8.2%	Wilkin	8.5%
Lincoln	6.4%	Winona	6.3%
Lyon	9.4%	Wright	9.6%
Mahnomen	7.3%	Yellow Medicine	7.0%
Marshall	10.7%	Unknown/missing	4.6%

Weekly Percent of Tests Positive by County of Residence


Percent of positive tests by county of residence in Minnesota by week of specimen collection. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations. Percent positive is the percent of positive tests from the total number of tests by county of residence.



Downloadable CSV file of current data for these maps is provided at: Minnesota COVID-19 Weekly Report (<https://www.health.state.mn.us/diseases/coronavirus/stats/index.html>)


Testing Demographics: Age

Number of positive and negative tests by age group. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations, inconclusive test results are not included (inconclusive test results are those that are not clearly positive or negative).



Testing Demographics: Gender

Number of positive and negative tests by gender. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations, inconclusive test results are not included (inconclusive test results are those that are not clearly positive or negative).




Gender	Male	Female	Other	Unk./missing	Total
Positive	622,787	661,881	17	17,141	1,301,826
Negative	6,099,137	9,137,786	38	447,084	15,684,045

Positive COVID-19 Cases

1,204,929
 Total Positive Cases,
 including Reinfections
 (cumulative)

Total positive cases are represented by the date of positive specimen collection.




■ Tables of current data: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

New Cases by Week, 7-Day Average


Cases by week of specimen collection date, and 7-day moving average of new cases.

New Cases by Week of Specimen Collection

Due to the need to confirm reports and reporting delays, data may be incomplete




Seven Day Moving Average of New Cases



Cases by County of Residence

Cumulative number of positive cases by county of residence, cases no longer needing isolation. Cases no longer needing isolation represents individuals with COVID-19 who no longer need to self-isolate. MDH does not track cases over time to determine whether they have fully recovered.




- Up to date data for this chart is provided in the Minnesota Situation Update for Coronavirus Disease 2019 (COVID-19) (<https://www.health.state.mn.us/diseases/coronavirus/situation.html>)
- Confirmed cases by USPS zip code of residence is available as a downloadable CSV file at: Minnesota COVID-19 Weekly Report (<https://www.health.state.mn.us/diseases/coronavirus/stats/index.html>)

1,204,929 Total Positive Cases (cumulative)			1,142,344 No Longer Needing Isolation (cumulative)		
County	Cases	Cases no longer needing isolation	County	Cases	Cases no longer needing isolation
Aitkin	2,557	2,456	Martin	4,634	4,434
Anoka	83,444	80,125	McLeod	8,656	8,337
Becker	7,205	6,881	Meeker	5,087	4,910
Beltrami	9,594	9,263	Mille Lacs	6,268	6,038
Benton	11,453	10,775	Morrison	7,658	7,369
Big Stone	1,132	1,093	Mower	9,967	9,280
Blue Earth	14,402	13,757	Murray	1,799	1,731
Brown	5,538	5,257	Nicollet	6,464	6,172
Carlton	6,667	6,397	Nobles	6,098	5,807
Carver	21,879	21,122	Norman	1,174	1,127
Cass	5,772	5,566	Olmsted	31,772	29,302
Chippewa	2,514	2,409	Otter Tail	11,220	10,833
Chisago	12,126	11,692	Pennington	2,897	2,775
Clay	15,366	14,324	Pine	6,030	5,865
Clearwater	1,792	1,724	Pipestone	1,765	1,681
Cook	451	412	Polk	6,905	6,628
Cottonwood	2,738	2,599	Pope	2,436	2,373
Crow Wing	13,272	12,797	Ramsey	103,109	97,800
Dakota	90,900	86,794	Red Lake	796	759
Dodge	4,592	4,335	Redwood	3,282	3,149
Douglas	9,281	8,865	Renville	3,092	2,990
Faribault	3,119	2,979	Rice	14,585	13,645
Fillmore	3,882	3,721	Rock	2,052	1,949
Freeborn	7,422	6,943	Roseau	3,740	3,591
Goodhue	10,699	10,054	Scott	33,907	32,652
Grant	1,209	1,171	Sherburne	23,442	22,461
Hennepin	250,441	239,153	Sibley	2,990	2,897
Houston	3,632	3,496	St. Louis	37,146	35,383
Hubbard	4,143	3,956	Stearns	42,766	40,559
Isanti	8,615	8,305	Steele	8,559	8,098
Itasca	9,260	8,931	Stevens	2,152	2,070
Jackson	1,885	1,818	Swift	1,917	1,851
Kanabec	3,032	2,918	Todd	5,778	5,546
Kandiyohi	11,350	10,980	Traverse	677	652
Kittson	906	870	Wabasha	4,591	4,406
Koochiching	2,175	2,057	Wadena	3,513	3,334
Lac qui Parle	1,475	1,383	Waseca	4,643	4,473
Lake	1,638	1,545	Washington	54,646	52,040
Lake of the Woods	629	607	Watonwan	2,376	2,262
Le Sueur	5,522	5,325	Wilkin	1,391	1,324
Lincoln	1,050	1,001	Winona	10,187	9,706
Lyon	6,204	5,961	Wright	31,668	30,625
Mahnomen	1,271	1,200	Yellow Medicine	2,198	2,097
Marshall	1,754	1,691	Unknown/missing	14,908	6,655

Cumulative Case Rate by County of Residence

2,180
cases per 10,000 people



Cumulative number of cases by county of residence per 10,000 people.



County	Cumulative Rate	County	Cumulative Rate
Aitkin	1,615	Martin	2,321
Anoka	2,402	McLeod	2,416
Becker	2,133	Meecker	2,204
Beltrami	2,080	Mille Lacs	2,436
Benton	2,879	Morrison	2,324
Big Stone	2,257	Mower	2,517
Blue Earth	2,172	Murray	2,154
Brown	2,197	Nicollet	1,913
Carlton	1,876	Nobles	2,792
Carver	2,179	Norman	1,790
Cass	1,989	Olmsted	2,076
Chippewa	2,093	Otter Tail	1,935
Chisago	2,216	Pennington	2,042
Clay	2,447	Pine	2,070
Clearwater	2,034	Pipestone	1,922
Cook	849	Polk	2,186
Cottonwood	2,408	Pope	2,219
Crow Wing	2,078	Ramsey	1,904
Dakota	2,174	Red Lake	1,986
Dodge	2,231	Redwood	2,141
Douglas	2,495	Renville	2,100
Faribault	2,245	Rice	2,218
Fillmore	1,858	Rock	2,180
Freeborn	2,431	Roseau	2,419
Goodhue	2,315	Scott	2,365
Grant	2,036	Sherburne	2,514
Hennepin	2,027	Sibley	2,005
Houston	1,946	St. Louis	1,857
Hubbard	1,986	Stearns	2,727
Isanti	2,210	Steele	2,334
Itasca	2,049	Stevens	2,200
Jackson	1,876	Swift	2,037
Kanabec	1,895	Todd	2,364
Kandiyohi	2,661	Traverse	2,029
Kittson	2,089	Wabasha	2,135
Koochiching	1,720	Wadena	2,574
Lac qui Parle	2,178	Waseca	2,468
Lake	1,550	Washington	2,157
Lake of the Woods	1,651	Watonwan	2,165
Le Sueur	1,973	Wilkin	2,193
Lincoln	1,840	Winona	2,003
Lyon	2,401	Wright	2,386
Mahnomen	2,308	Yellow Medicine	2,227
Marshall	1,868		

Weekly Case Rate by County of Residence

Number of cases by county of residence in Minnesota per 10,000 people by week of specimen collection.




Downloadable CSV file of current data for these maps is provided at: Minnesota COVID-19 Weekly Report (<https://www.health.state.mn.us/diseases/coronavirus/stats/index.html>)

Hospitalizations, ICU Hospitalizations

54,810
Total Hospitalizations
(cumulative)

10,432
Total ICU Hospitalizations
(cumulative)

Hospitalization data show how many people required admission to a hospital and ICU. Admissions include all Minnesota cases regardless of location of hospitalization. Cases in residents of other states hospitalized in Minnesota are not included.




Tables of current data: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html) (https://www.health.state.mn.us/diseases/coronavirus/situation.html)


Hospitalizations by Week, 7-Day Average

Cases by week of initial hospitalization, and 7-day moving average of new hospitalizations.

New Hospitalization by Week First Hospital Admission




Seven Day Moving Average of New Hospitalizations




ICU Hospitalizations by Week, 7-Day Average

Cases by week of ICU hospital admission, and 7-day moving average of new ICU hospitalizations.

New ICU Hospitalizations by Week of First ICU Hospital Admission




Seven Day Moving Average of New ICU Hospitalizations



COVID-19 Deaths

11,115
Total Deaths
(cumulative)

Total deaths (also known as total deaths with laboratory testing) are deaths due to COVID-19 with a positive PCR test (confirmed case) or antigen test (probable case) for SARS-CoV-2, and either COVID-19 is listed on the death certificate or clinical history/autopsy findings that provide evidence that the death is related to COVID-19 without an alternative cause (i.e. drowning, homicide, trauma, etc.).




■ Tables of current data and more information about total deaths (also known as total deaths with laboratory testing) and non-laboratory-confirmed deaths: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html) (<https://www.health.state.mn.us/diseases/coronavirus/situation.html>)


Deaths by Week, 7-Day Average

Cases by week of death, and 7-day moving average of deaths.

Deaths by Week of Death




Seven Day Moving Average of Deaths



Deaths by County of Residence

11,115
Total Deaths (cumulative)

Cumulative number of deaths by county of residence.




County	Deaths	County	Deaths
Aitkin	57	Martin	53
Anoka	718	McLeod	97
Becker	83	Meecker	70
Beltrami	112	Mille Lacs	102
Benton	151	Morrison	92
Big Stone	7	Mower	58
Blue Earth	85	Murray	15
Brown	69	Nicollet	63
Carlton	83	Nobles	56
Carver	94	Norman	12
Cass	70	Olmsted	150
Chippewa	44	Otter Tail	153
Chisago	109	Pennington	34
Clay	114	Pine	58
Clearwater	27	Pipestone	31
Cook	1	Polk	92
Cottonwood	37	Pope	14
Crow Wing	150	Ramsey	1,193
Dakota	697	Red Lake	11
Dodge	14	Redwood	50
Douglas	110	Renville	52
Faribault	44	Rice	156
Fillmore	19	Rock	32
Freeborn	58	Roseau	38
Goodhue	114	Scott	222
Grant	12	Sherburne	165
Hennepin	2,293	Sibley	23
Houston	18	St. Louis	472
Hubbard	52	Stearns	332
Isanti	103	Steele	49
Itasca	124	Stevens	11
Jackson	16	Swift	30
Kanabec	49	Todd	54
Kandiyohi	126	Traverse	8
Kittson	25	Wabasha	13
Koochiching	32	Wadena	47
Lac qui Parle	28	Waseca	36
Lake	26	Washington	425
Lake of the Woods	5	Watonwan	22
Le Sueur	46	Wilkin	19
Lincoln	5	Winona	65
Lyon	69	Wright	278
Mahnomen	17	Yellow Medicine	26
Marshall	23	Unknown/missing	0

Up to date data for this chart is provided in the [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html) (<https://www.health.state.mn.us/diseases/coronavirus/situation.html>)

Demographics: Age

Age groups, median age, and range for cases.

	Median Age (Range) in Years
All Cases	35 (<1 month - 110)
Non-Hospitalized Cases	34 (<1 month - 110)
Hospitalizations	62 (<1 month - 105)
ICU Hospitalizations	63 (<1 month - 105)
Deaths	80 (<1 - 109)




Age Group (in years)	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	Unk./missing	Total
All Cases	43,897	59,431	70,442	90,808	107,309	106,747	105,327	101,411	91,923	78,713	79,050	75,545	64,115	42,629	30,783	20,942	15,343	10,828	6,697	2,471	467	51	1,204,929
Hospitalizations	630	216	352	860	1,436	2,055	2,529	2,514	2,556	2,908	3,790	4,731	5,497	5,211	5,305	4,694	4,152	3,084	1,710	526	52	2	54,810
ICU Hospitalizations	115	51	66	152	133	210	311	410	458	628	845	1,023	1,310	1,258	1,176	963	690	406	175	48	2	2	10,432
Deaths	1	2	1	4	9	28	56	77	109	175	301	453	731	876	1,182	1,366	1,664	1,750	1,491	706	133	0	11,115

Cases by Age Group and Specimen Collection Date

Cases by age group by date of specimen collection in Minnesota.

Due to the need to confirm reports and reporting delays, data may be incomplete




Downloadable CSV file of current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Case Rate in Children by Specimen Collection Date

Cases by age group for children in Minnesota (cases 18 years of age and under) per 10,000 people by date of specimen collection.


Due to the need to confirm reports and reporting delays, data may be incomplete



Hospitalization Rate in Children by Specimen Collection Date


Hospitalizations by age group for children in Minnesota (cases 18 years of age and under) per 10,000 people by date of specimen collection.

Due to the need to confirm reports and reporting delays, data may be incomplete



Demographics: Gender

Gender is collected during case interview and is self-reported.




Gender	Male	Female	Other	Unk./missing	Total
All Cases	573,419	615,700	190	15,620	1,204,929
Hospitalizations	28,289	26,262	2	257	54,810
ICU Hospitalizations	6,402	3,987	1	42	10,432
Deaths	6,064	5,019	0	32	11,115

Demographics: Race & Ethnicity

Race and ethnicity is reported during case interview. Individuals who report more than one race are categorized into the multiple race category.

Race/Ethnicity	Minnesota Population (2018)	% of Population
White, non-Hispanic	4,438,071	80%
Black, non-Hispanic	336,505	6%
Asian, non-Hispanic	260,797	5%
American Indian/Alaska Native, non-Hispanic	53,168	1%
Native Hawaiian/Pacific Islander, non-Hispanic	1,799	<1%
Multiple Races, non-Hispanic	137,233	2%
Other, non-Hispanic	7,021	<1%
Hispanic	292,764	5%


Case interviews are now prioritized, priority groups include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants. Therefore, not all cases were contacted for interview. If cases were not interviewed, race and ethnicity information from disease reporting is included when available.



Race/ethnicity	White, non-Hispanic	Black, non-Hispanic	Asian, non-Hispanic	Amer. Indian/AK Native, NH	Native HI/Pacific Isl., NH	Multiple Races, non-Hispanic	Other, non-Hispanic	Hispanic	Unknown/missing	Total
All Cases	819,620	95,216	51,584	14,548	1,501	24,353	25,310	87,391	85,406	1,204,929
Hospitalizations	38,180	5,915	2,455	1,061	83	1,288	595	3,593	1,640	54,810
ICU Hospitalizations	6,946	1,064	662	281	17	238	113	830	281	10,432
Deaths	9,385	541	415	200	12	106	36	338	82	11,115

Age-Adjusted Race & Ethnicity Rates

Age-adjusted rates allow us to compare rates for racial and ethnic groups that have very different age distributions in Minnesota; they essentially allow us to look at what the rates would be if the underlying population age distribution was the same for all races. Rates have been suppressed when total cases are less than 25. Cumulative case rate is the number of cases by race or ethnicity per 100,000 people in Minnesota. Case interviews are now prioritized, priority groups include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants. Therefore, not all cases were contacted for interview. If cases were not interviewed, race and ethnicity information from disease reporting is included when available.



Age adjusted race/ethnicity	White, non-Hispanic	Black, non-Hispanic	Asian, non-Hispanic	American Indian/Alaskan Native, NH	Native Hawaiian/Pacific Islander, NH	Multiple Races, non-Hispanic	Hispanic
All Cases	16,990	21,697	14,905	21,310	45,235	24,786	28,819
Hospitalizations	630	1,907	1,050	1,846	3,265	2,588	1,751
ICU Hospitalizations	113	388	309	492	-	468	448
Deaths	143	314	256	450	-	336	301

Potential Exposure in Child Care Settings

Cases of COVID-19 among children who attended child care with potential exposure in child care settings by specimen collection date. Data also include hospitalizations, ICU hospitalizations, and deaths of attendees and staff associated with a childcare program. All adult cases are not routinely interviewed. Child care programs included: licensed child care centers, certified centers, summer day camps, and school-age care during peacetime emergency. Does not include in-home child cares. Cases by week are by specimen collection date.

8,833
Total Child Care Attendees (cumulative)

43
Total Hospitalized Child Care-affiliated Attendee Cases (cumulative)


12
Total ICU Hospitalized Child Care-affiliated Attendee Cases (cumulative)

0
Total Child Care-affiliated Attendee Deaths (cumulative)

114
Total Hospitalized Child Care-affiliated Staff Cases (cumulative)

7
Total ICU Hospitalized Child Care-affiliated Staff Cases (cumulative)

2
Total Child Care-affiliated Staff Deaths (cumulative)



Student Cases Associated with Pre-K through Grade 12

School Buildings

Cases of COVID-19 associated with students attending school and hospitalizations, ICU hospitalizations, and deaths of staff working at a prekindergarten through grade 12 building while they were able to spread COVID-19. All adult cases are not routinely interviewed. These numbers include cases exposed in a school setting, cases exposed in other settings, and cases where the exposure setting was not confirmed. All Minnesota schools are represented including public, nonpublic, and tribal schools. Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

56,992
Total PreK-12 Student Cases (cumulative)

235
Total Hospitalized PreK-12-affiliated Student Cases (cumulative)


30
Total ICU Hospitalized PreK-12-affiliated Student Cases (cumulative)

3
Total PreK-12-affiliated Student Deaths (cumulative)

334
Total Hospitalized PreK-12-affiliated Staff Cases (cumulative)

61
Total ICU Hospitalized PreK-12-affiliated Staff Cases (cumulative)

20
Total PreK-12-affiliated Staff Deaths (cumulative)




A list of School buildings reporting 5 or more cases of COVID-19 in students who were in the building while infectious during a two-week reporting period by county is available in the [COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Minnesota IHE Facilities Reporting Cases

154
Total IHE Facilities that have Reported at Least One Case (cumulative)

Number of facilities that have had cases of COVID-19 in faculty, staff, and students working or enrolled at a Minnesota IHE while they were potentially exposed to or able to spread COVID-19. IHE include colleges, universities, and private career schools. Number of IHE Facilities reporting cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

Due to the need to confirm reports and reporting delays, data may be incomplete



The IHE facility data will be changing in the coming weeks. This information is no longer collected for all cases.


Cases per IHE facility	Number of IHEs reporting cases 1/2/22-1/15/22
1-10 cases	50
11-30 cases	14
31-99 cases	6
≥100 cases	2
Total	72

Resident Cases Associated with Congregate Care Settings

Cases of COVID-19 associated with residents living in congregate settings by specimen collection date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component.

30,510
Total Congregate Care Residents
(cumulative)

5,265
Deaths among cases that resided in long-term care or assisted living facilities (cumulative)




A list of congregate care facilities reporting an exposure in the last 28 days from a case in a resident, staff person, or visiting provider and a cumulative list of long-term care facilities reporting a case in a resident, staff person, or visiting service provider are available on: [Minnesota Situation Update for Coronavirus Disease 2019 \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

SARS-CoV-2 Variants Circulating in Minnesota

Lineage distribution of SARS-CoV-2 variants in Minnesota. The line indicates number of specimens sequenced, while the bars show proportions of each variant identified.

SARS-CoV-2 Variants of Concern (VOC) are named using the World Health Organization (WHO) naming conventions, Variants of Interest (VOI) are included as a group. More information about naming variants can be found at [WHO: Tracking SARS-CoV-2 variants \(https://www.who.int/en/activities/tracking-SARS-CoV-2-variants/\)](https://www.who.int/en/activities/tracking-SARS-CoV-2-variants/)




- WHO Label**
- Other
 - VOIs
 - Alpha
 - Delta
 - Beta
 - Gamma
 - Omicron

Delta	B.1.617.2	62.69%
	AY.3	10.30%
	AY.1	0.06%
Alpha	B.1.1.7	0.01%
VOIs	B.1.525	0.01%
Other	Other	0.13%
Omicron	B.1.1.529	26.79%

*All VOI and VOC are included in this list, as well as any lineages that account for ≥1% of all specimens sequenced since 12/5/2021. All other lineages are included in the 'Other' category.

SARS-CoV-2 Variants by Region

This map shows the distribution of variants across regions in the past 30 days for the cases that have been sequenced.



Region & Variant	Variant %	Region & Variant	Variant %
Northwest		Northeast	
Alpha	0.00%	Alpha	0.00%
Beta	0.00%	Beta	0.00%
Delta	94.59%	Delta	74.79%
Gamma	0.00%	Gamma	0.00%
Omicron	5.41%	Omicron	24.79%
Other	0.00%	Other	0.43%
VOIs	0.00%	VOIs	0.00%
West Central		Central	
Alpha	0.56%	Alpha	0.00%
Beta	0.00%	Beta	0.00%
Delta	79.89%	Delta	81.90%
Gamma	0.00%	Gamma	0.00%
Omicron	19.55%	Omicron	17.98%
Other	0.00%	Other	0.11%
VOIs	0.00%	VOIs	0.00%
Southwest		Southeast	
Alpha	0.00%	Alpha	0.00%
Beta	0.00%	Beta	0.00%
Delta	84.80%	Delta	88.78%
Gamma	0.00%	Gamma	0.00%
Omicron	15.20%	Omicron	10.71%
Other	0.00%	Other	0.51%
VOIs	0.00%	VOIs	0.00%
Metro			
Alpha	0.00%		
Beta	0.00%		
Delta	69.64%		
Gamma	0.00%		
Omicron	30.22%		
Other	0.12%		
VOIs	0.02%		


© OpenStreetMap

A map of counties included in regions can be found at [Map of Field Services Epidemiologists \(https://www.health.state.mn.us/about/org/idepc/epis.html\)](https://www.health.state.mn.us/about/org/idepc/epis.html).

Vaccine Breakthrough (VBT) Cases

Vaccine breakthrough cases are defined as Minnesota residents with a positive COVID-19 test result (PCR or antigen) with a symptom onset date (or collection date if asymptomatic) 14 or more days after they have completed all recommended doses of a COVID-19 vaccine. VBT data has a lag period of one month for reporting purposes and excludes the rates prior to May since vaccine was not readily available to all Minnesotans prior to that date.

The rate per 100,000 people is calculated as the number of fully vaccinated people who test positive for SARS-CoV-2 divided by the total number of fully vaccinated people, multiplied by 100,000.



3,369,996
Total number of fully vaccinated Minnesotans age 12 and older (as of the week beginning 12/12/21)

197,156
Total VBT Cases (cumulative)


All VBT data in this report is as of 1/18/22

More information about vaccine breakthrough, and data updated every Monday are available on: [COVID-19 Vaccine Breakthrough Weekly Update](https://www.health.state.mn.us/diseases/coronavirus/stats/vbt.html) (www.health.state.mn.us/diseases/coronavirus/stats/vbt.html)


VBT Hospitalizations and Deaths

These graphs show the rate of hospitalization and death among vaccinated and unvaccinated COVID-19 cases since vaccine was widely available to the general adolescent and adult population in May 2021. Fully vaccinated is defined as 14 or more days after they have completed all recommended doses of a COVID-19 vaccine.

6,312
Total VBT Cases Hospitalized (cumulative)




1,216
Total VBT Deaths (cumulative)




VBT Cases, Hospitalizations, and Deaths by Age Group

These graphs show vaccine breakthrough cases stratified by age to better illustrate the impact of COVID-19 across different age groups. Fully vaccinated is defined as 14 or more days after they have completed all recommended doses of a COVID-19 vaccine.


Cases: Rate by age group per 100,000 Week starting: 5/2/2021 to 12/12/2021



Hospitalizations: Rate by age group per 100,000 Week starting: 5/2/2021 to 12/12/2021




Deaths: Rate by age group per 100,000 Week starting: 5/2/2021 to 12/12/2021




VBT Cases among Health Care Workers

These data are for all vaccine breakthrough cases who reported their occupation as health care staff in acute care or congregate care facilities. Vaccine breakthrough cases are defined as Minnesota residents with a positive test result (both confirmed and probable) with onset date (or specimen collection date if asymptomatic) 14 or more days post full vaccine series and no positive COVID-19 result in the 90 days prior to their COVID infection.

10,615
VBT Cases among Health Care Workers
(cumulative)




Response Metrics: Testing and Interview Timing



As of 10/28/21 not all cases are interviewed. Cases prioritized for interview include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants.

Seven day moving average of median days from specimen collection to testing





Syndromic Surveillance

These syndromic surveillance data come from the Encounter Alert Service (EAS), which is utilizing an existing service to support and leverage the development of this activity. These data provide situational awareness to help inform public health decision making, resource allocation, and other actions.

Syndromic surveillance is a type of public health surveillance that uses near real-time data to help identify unusual activity that might need further investigation. These data help public health officials detect, monitor, and respond quickly to local public health threats and events of public health importance. The Minnesota Department of Health is currently using data on COVID-19-related symptoms and chief complaints reported during emergency department and inpatient hospital visits to identify trends. This data can provide an early signal that something is happening in a community with the outbreak even if case counts are not increasing at that time.

Data include emergency-department and inpatient hospital visits for COVID-like illness through January 15, 2022. Categories are based upon discharge diagnosis codes. Beginning with the November 27, 2020 Weekly COVID-19 report, conditions are reported from week 30 (July 20, 2020) forward due to a transition in data sources. The gray bar indicates a one week lag period in the data.

Through January 15, 2022, these data represent all patients from about 135 hospitals in Minnesota, covering approximately 90% of the hospital beds statewide. Efforts are underway to expand hospitals to more fully represent the state.




Map of Counties and Infectious Disease Surveillance Regions can be found on: [Field Services Epidemiologists \(https://www.health.state.mn.us/about/org/idepc/epis.html\)](https://www.health.state.mn.us/about/org/idepc/epis.html)

Demographics: Interview Language (Archived)

Language needs for cases interviewed by specimen collection date week. It is assumed that any interview recorded as not needing an interpreter was conducted in English.

This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.




Language	Total % of Interviews
Mandarin	<1%
Cantonese	<1%
Russian	<1%
Arabic	<1%
Vietnamese	<1%
Laotian	<1%
Amharic	<1%
Oromo	<1%
Hmong	<1%
Karen	<1%
Somali	1%
Spanish	4%
English	94%
Other	<1%

Interview Language by County of Residence (Archived)

Percent of interviews by language and week of specimen collection by county of residence.


This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.



Likely Exposure (Archived)

Likely exposure for confirmed and probable cases. Exposure data is collected at case interview. Cases are categorized according to a hierarchy following the order of exposure type: outbreak, travel, LTC staff and residents, corrections, homeless shelter, acute health care, community-exposure with known contact, community-no known exposure.

This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.




Likely Exposure	Travel (outside MN)	Congregate Care	Corrections	Homeless/ Shelter	Health Care	Community (outbreak)	Community (known contact)	Community (no known contact)	Unk./missing	Total
All Cases	48,385	47,534	9,494	1,633	18,857	26,998	137,408	152,229	325,574	768,112
Hospitalizations	1,685	5,664	196	318	620	1,021	4,791	11,383	14,684	40,362
ICU Hospitalizations	342	1,098	45	51	82	217	973	2,308	3,071	8,187
Deaths	117	4,901	14	15	25	69	467	1,095	1,812	8,515

- Community (outbreak): Case was exposed to a known outbreak setting in Minnesota that is not also a congregated living setting (e.g., long-term care, corrections, shelter) or health care setting. This includes restaurant/bars, sports, worksites that are not living settings, etc.
- Travel: Case traveled outside of Minnesota in the 2 weeks before illness.
- Congregate Care Setting: Residents, and staff who are not part of a non-congregate care setting outbreak and did not have an exposure to a positive household member. Congregate care settings include long-term care facilities (LTCF), assisted living facilities, group homes, or residential behavioral health (RBH) facilities.
- Corrections: Inmates who were exposed while incarcerated, and staff of a jail/prison setting who are not part of a non-corrections outbreak and did not have an exposure to a positive household member.
- Homeless/Shelter: Residents/guests, and staff who are not part of a non-shelter outbreak and did not have an exposure to a positive household member.
- Health Care: Patients who were part of nosocomial outbreaks, and staff who are not part of a non-acute health care setting outbreak and did not have an exposure to a positive household member.
- Community (known contact with confirmed case): Case has a known exposure to a positive case and does not fit into any of the previous categories.
- Community (unknown contact with confirmed case): Case has no known exposure to a positive case and does not fit into any of the previous categories.

Cases by Likely Exposure and Specimen Collection Date (Archived)


Cases by likely exposure by specimen collection date. This chart shows how exposure to COVID-19 has changed over time during the pandemic in Minnesota. Numbers include confirmed and probable cases.



Residence Type (Archived)

Cases by residence type. Residence type is collected during case interview and is self-reported. Numbers include confirmed and probable cases.

This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.



Cases among Health Care Workers (Archived)

This data is for all cases who reported their occupation as health care staff in acute care or congregate care facilities. Not all cases who are health care workers were exposed at work. Numbers include confirmed and probable cases.


48,946
Total Health Care Workers
(cumulative)

1,247
Total Health Care Staff Hospitalized
(cumulative)

207
Total Health Care Staff Hospitalized in ICU
(cumulative)

47
Total Health Care Staff Deaths
(cumulative)

This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.



High Risk Exposures in Health Care Workers (Archived)

MDH works with health care facilities to monitor health care workers who have had high-risk exposures with known positive patients/residents, co-workers, or social contacts. This data shows high-risk exposures experienced by health care workers in Minnesota who have been in contact with individuals with confirmed COVID-19 and the percent of exposures that lead to a positive test within 14 days of high-risk exposure (coworker, household/social, patient or resident). This data does not capture the exposures of all health care workers who become COVID-19 cases.

16,816
Total High Risk Health Care Worker Exposures (cumulative)

The data shown here summarizes high-risk exposures that occurred from March 6, 2020 –October 20, 2021.

Health care workers had 16,816 documented high-risk exposures

52% exposures happened at home or in the community


48% of exposures occurred at work

1,667
Total High Risk Health Care Worker Exposures Resulting in a Positive Test (cumulative)

Risk of infection was highest after exposure at home or in the community

13% HCW tested positive after exposure to a positive household member or social contact

6% HCW tested positive after an exposure at work



Staff with Potential Exposure in Child Care Settings (Archived)

Cases of COVID-19 with potential exposure in child care settings by specimen collection date. Cases included staff that attended a child care program while infectious, or who test positive and attended a child care program that reported a confirmed case in the past 28 days. Child care programs included: licensed child care centers, certified centers, summer day camps, and school-age care during peacetime emergency. Does not include in-home child cares. Cases by week are by specimen collection date. Numbers include confirmed and probable cases.

This information is no longer collected for staff in child care settings. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

4,083
Total Child Care Staff (cumulative)


90
Total Hospitalized Child Care-affiliated Staff Cases (cumulative)

7
Total ICU Hospitalized Child Care-affiliated Staff Cases (cumulative)

0
Total Child Care-affiliated Staff Deaths (cumulative)

1,902
Total Child Care Programs (cumulative)

Cases per program	Programs	Percent
1 case	645	34%
2-4 cases	630	33%
≥5 cases	627	33%



Due to the need to confirm reports and reporting delays, data may be incomplete

Staff Cases Associated with Pre-K through Grade 12 School Buildings (Archived)

Cases of COVID-19 associated with school staff working in school at a prekindergarten through grade 12 building while they were able to spread COVID-19. These numbers include cases exposed in a school setting, cases exposed in other settings, and cases where the exposure setting was not confirmed. All Minnesota schools are represented including public, nonpublic, and tribal schools. Numbers include confirmed and probable cases.

This information is no longer collected for staff in Pre-K through Grade 12 Schools. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.


Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

10,773
Total PreK-12 School Staff Cases (cumulative)

235
Total Hospitalized PreK-12-affiliated Staff Cases (cumulative)

47
Total ICU Hospitalized PreK-12-affiliated Staff Cases (cumulative)

13
Total PreK-12-affiliated Staff Deaths (cumulative)




PreK-12 School Buildings Reporting Cases (Archived)

Schools included are public, non-public, and tribal schools. Number of school buildings reporting cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020. Numbers include confirmed and probable cases.

This data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

2,560
Total PreK-12 School Buildings Reporting Cases (cumulative)



Cases per building	Number of buildings reporting cases 10/3-10/16/21
1 case	405
2-4 cases	324
≥5 cases	99
Total	828

A list of School buildings reporting 5 or more cases of COVID-19 in students who were in the building while infectious during a two-week reporting period by county is available in the [Minnesota Situation Update for Coronavirus Disease 2019 \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Cases that have an Affiliation with Institutes of Higher Education (IHE) (Archived)

Cases of COVID-19 affiliated with faculty, staff, and students working or enrolled at a Minnesota Institute of Higher Education (IHE) while they were potentially exposed to or able to spread COVID-19. IHE include colleges, universities, and private career schools. Numbers include confirmed and probable cases.

Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.


This data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

20,785 Total IHE-affiliated Cases (cumulative)	
Cases infectious while on campus (cumulative)	6,920
Cases living on campus (cumulative)	3,157

183
Total Hospitalized IHE-affiliated Cases
(cumulative)

22
Total ICU Hospitalized IHE-affiliated Case
(cumulative)

7
Total IHE-affiliated Deaths
(cumulative)




Staff Cases Associated with Congregate Care Settings (Archived)

Cases of COVID-19 associated with staff living in congregate settings by specimen collection date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component. Numbers include confirmed and probable cases.

This information is no longer collected for staff in Congregate Care Settings. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

24,127
Total Congregate Care Staff
(cumulative)



Congregate Care Facility Outbreaks (Archived)


Congregate care facilities with confirmed cases in residents, staff, and visiting providers by specimen date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component. Numbers include confirmed and probable cases.

4,411
Total Congregate Care Facilities
(cumulative)

Confirmed cases per facility	Number of facilities
1-2 case	1,961
3-20 cases	1,854
≥21 cases	596

This data will no longer be updated.
Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

Due to the need to confirm reports and reporting delays, data may be incomplete



Type of facility	Number of outbreak facilities	Number of resident cases	Number of staff cases	Number of deaths in resident cases	Number of facilities with active outbreaks	Percent of outbreak facilities still experiencing an active outbreak
Skilled Nursing Facilities and Transitional Care Units	368	12,715	12,395	3,110	210	57%
Assisted Living and Memory Care Facilities	1,081	8,758	7,185	1,584	209	19%
Group Homes and Adult Foster Care Facilities	2,738	2,863	4,862	116	136	5%
Other Congregate Care Settings	265	1,648	1,527	24	41	15%

A list of congregated care facilities reporting an exposure in the last 28 days from a case in a resident, staff person, or visiting provider and a cumulative list of long-term care facilities reporting a case in a resident, staff person, or visiting service provider are available on: [COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)