The background of the header is a dark red-to-purple gradient with a pattern of stylized, light-colored coronavirus particles. The text is centered and reads: "Minnesota Department of Health" in a white sans-serif font, followed by "WEEKLY COVID-19 REPORT" in a larger, bold, white sans-serif font, and "1/27/2022" in a white sans-serif font below it.

Minnesota Department of Health

WEEKLY COVID-19 REPORT

1/27/2022

This MDH Weekly COVID-19 Report presents data in an easy to interpret way and enhances the information provided in the daily Situation Update for COVID-19 web page with situational insights as well as trends over time.

- [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html) updated daily at 11 a.m.
- [Coronavirus Disease 2019 \(COVID-19\) \(https://www.cdc.gov/coronavirus/2019-nCoV/\)](https://www.cdc.gov/coronavirus/2019-nCoV/)
- Neighboring states' COVID-19 information:
 - [Wisconsin: COVID-19 \(Coronavirus Disease\) \(https://www.dhs.wisconsin.gov/covid-19/\)](https://www.dhs.wisconsin.gov/covid-19/)
 - [Iowa: Novel Coronavirus \(COVID-19\) \(https://idph.iowa.gov/Emerging-Health-Issues/Novel-Coronavirus\)](https://idph.iowa.gov/Emerging-Health-Issues/Novel-Coronavirus)
 - [North Dakota: Coronavirus \(https://www.health.nd.gov/diseases-conditions/coronavirus/\)](https://www.health.nd.gov/diseases-conditions/coronavirus/)
 - [South Dakota: Novel Coronavirus Updates and Information \(https://doh.sd.gov/news/Coronavirus.aspx\)](https://doh.sd.gov/news/Coronavirus.aspx)


About Minnesota COVID-19 Data

Contents

About Minnesota COVID-19 Data	2	Potential Exposure in Child Care Settings	29
COVID-19 Overview Summary.....	3	Student Cases Associated with PK-12 School Buildings.....	30
Laboratory Tests for COVID-19.....	4	Minnesota IHE Facilities Reporting Cases.....	31
Number of Tests and Percent Positive by Week.....	5	Resident Cases Associated with Congregate Care Settings ..	32
Laboratory Test Rates by County of Residence	6	SARS-CoV-2 Variants Circulating in Minnesota	33
Percent of Tests Positive by County of Residence.....	7	SARS-CoV-2 Variants by Region.....	34
Weekly Percent of Tests Positive by County of Residence..	8	Vaccine Breakthrough (VBT) Cases	35
Testing Demographics: Age	9	VBT Hospitalizations and Deaths.....	36
Testing Demographics: Gender.....	10	VBT Cases, Hospitalizations, and Deaths by Age Group ...	37
Positive COVID-19 Cases	11	VBT Cases among Health Care Workers.....	38
New Cases by Week, 7-Day Average.....	12	Response Metrics: Testing and Interview Timing	39
Cases by County of Residence	13	Syndromic Surveillance	40
Cumulative Case Rate by County of Residence	14		
Weekly Case Rate by County of Residence	15	Archived:	
Hospitalizations, ICU Hospitalizations.....	16	Demographics: Interview Language	41
Hospitalizations by Week, 7-Day Average.....	17	Interview Language by County of Residence	42
ICU Hospitalizations by Week, 7-Day Average	18	Likely Exposure.....	43
COVID-19 Deaths	19	Likely Exposure and Specimen Collection Date	44
Deaths by Week, 7-Day Average.....	20	Residence Type.....	45
Deaths by County of Residence	21	Cases among Health Care Workers	46
Demographics: Age.....	22	High Risk Exposures in Health Care Workers.....	47
Cases by Age Group and Specimen Collection Date	23	Staff with Potential Exposure in Child Care Settings....	48
Case Rate in Children by Specimen Collection Date.....	24	Staff Cases Associated with PK-12 Schools	49
Hospitalization Rate in Children by Specimen Collection ..	25	PreK-12 School Buildings Reporting Cases	50
Demographics: Gender	26	Cases that have an Affiliation with IHE.....	51
Demographics: Race & Ethnicity	27	Staff Cases Associated with Congregate Care Settings ..	52
Age-Adjusted Race & Ethnicity Rates.....	28	Congregate Care Facility Outbreaks.....	53

- Data is for cases that were tested and returned positive.
 - At-home test results are not counted by MDH.
 - Many people with COVID-19 are not tested, so the cases in this report represent only a fraction of the total number of cases in Minnesota.
- All data is preliminary and may change as cases are investigated.
 - Many data points are collected during case interviews. Data presented below is for all cases, regardless of interview status. Data for cases pending interview may be listed as “unknown/missing”.
 - As of 10/28/21, case interviews are prioritized. Priority groups include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants. Therefore, not all cases were contacted for interview.
- Minnesota uses the CSTE standardized surveillance case definition.
 - A person is counted as having a reinfection if they test positive (confirmed or probable) for COVID-19 more than 90 days after a previous lab-confirmed case. Cases include reinfections unless otherwise noted.
 - Positive PCR test results are considered confirmed cases. Positive antigen test results are considered probable cases. All probable cases get the same public health follow up and recommendations as cases confirmed by PCR tests. Total cases includes confirmed and probable cases unless otherwise noted.
 - A person with a positive PCR test result following a positive antigen test result would move from being a probable case to a confirmed case.
- Weekly data is reported by MMWR week, which is the week of the year assigned by the National Notifiable Diseases Surveillance System for the purposes of disease reporting and publishing.
- Numbers listed as cumulative total are cumulative since 1/20/20 for confirmed (PCR) tests and cases, and since 9/1/20 for probable (antigen) tests and cases, unless specified otherwise.


COVID-19 Overview Summary



Laboratory Tests for COVID-19

17,807,434
Total Laboratory Tests
(cumulative)

Testing numbers show how many total tests have been done for cases who live in Minnesota. Some people get tested more than once. Tests are reported per test to account for changes in testing capacity and for individuals who are tested more than once over the course of the pandemic. Tests are reported by the date the test was run in the laboratory.




Current data: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Number of Tests and Percent Positive by Week

Number of tests and percentage positive by date of laboratory testing. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations. Percent positive is the percent of positive tests from the total number of tests.


Due to delays in deduplication of results data are subject to change.



Laboratory Test Rates by County of Residence

31,428
tests per 10,000 people statewide

Cumulative rate of tests by county of residence per 10,000 people. Only tests reported by laboratories reporting both positive and negative results are included.




County	Number of Tests	Cumulative Rate	County	Number of Tests	Cumulative Rate
Aitkin	35,890	22,666	Martin	61,996	31,054
Anoka	953,674	27,449	McLeod	105,142	29,349
Becker	95,613	28,310	Meeker	65,349	28,315
Beltrami	114,346	24,795	Mille Lacs	78,526	30,522
Benton	140,690	35,368	Morrison	99,688	30,255
Big Stone	20,343	40,556	Mower	122,766	31,000
Blue Earth	209,160	31,537	Murray	23,613	28,269
Brown	85,261	33,819	Nicollet	101,435	30,025
Carlton	135,514	38,130	Nobles	48,218	22,079
Carver	267,739	26,663	Norman	22,696	34,603
Cass	57,674	19,873	Olmsted	475,941	31,094
Chippewa	42,865	35,691	Otter Tail	178,777	30,828
Chisago	163,125	29,807	Pennington	26,384	18,601
Clay	159,196	25,349	Pine	67,172	23,060
Clearwater	17,993	20,419	Pipestone	28,669	31,213
Cook	13,877	26,129	Polk	80,742	25,559
Cottonwood	32,086	28,215	Pope	33,904	30,878
Crow Wing	153,952	24,110	Ramsey	1,691,488	31,237
Dakota	1,219,248	29,155	Red Lake	6,974	17,400
Dodge	64,467	31,322	Redwood	48,447	31,601
Douglas	117,595	31,609	Renville	49,961	33,939
Faribault	49,539	35,650	Rice	297,718	45,270
Fillmore	68,439	32,765	Rock	33,413	35,497
Freeborn	108,571	35,567	Roseau	40,243	26,027
Goodhue	148,090	32,042	Scott	388,813	27,119
Grant	16,300	27,450	Sherburne	309,706	33,219
Hennepin	3,958,303	32,039	Sibley	37,408	25,086
Houston	34,021	18,229	St. Louis	643,225	32,148
Hubbard	35,114	16,832	Stearns	492,488	31,405
Isanti	95,013	24,379	Steele	108,197	29,501
Itasca	130,312	28,828	Stevens	31,553	32,250
Jackson	20,882	20,784	Swift	29,725	31,585
Kanabec	32,827	20,512	Todd	53,918	22,061
Kandiyohi	143,974	33,751	Traverse	10,593	31,744
Kittson	13,977	32,227	Wabasha	72,667	33,799
Koochiching	42,091	33,289	Wadena	56,613	41,487
Lac qui Parle	24,942	36,826	Waseca	57,055	30,334
Lake	34,753	32,882	Washington	799,441	31,559
Lake of the Woods	11,253	29,543	Watonwan	31,110	28,351
Le Sueur	66,360	23,714	Wilkin	13,935	21,969
Lincoln	16,377	28,696	Winona	173,246	34,072
Lyon	70,276	27,198	Wright	333,857	25,150
Mahnomen	11,387	20,681	Yellow Medicine	30,161	30,564
Marshall	16,595	17,669	Unknown/missing	658,804	

Percent of Tests Positive by County of Residence

Positive number of tests and positivity calculations include only tests reported by labs that report both positive and negative results. Percent positive is the percent of positive tests from the total number of tests by county of residence.



7.9%
% positive statewide (cumulative)



County	% Positive	County	% Positive
Aitkin	7.5%	Martin	8.1%
Anoka	9.9%	McLeod	9.4%
Becker	6.4%	Meeke	8.4%
Beltrami	9.2%	Mille Lacs	9.2%
Benton	8.9%	Morrison	8.2%
Big Stone	5.7%	Mower	8.8%
Blue Earth	7.8%	Murray	8.1%
Brown	7.3%	Nicollet	7.3%
Carlton	5.5%	Nobles	13.1%
Carver	9.0%	Norman	5.0%
Cass	9.2%	Olmsted	7.6%
Chippewa	6.4%	Otter Tail	6.5%
Chisago	8.3%	Pennington	10.3%
Clay	8.3%	Pine	8.7%
Clearwater	10.1%	Pipestone	6.4%
Cook	3.7%	Polk	7.0%
Cottonwood	9.1%	Pope	7.7%
Crow Wing	6.8%	Ramsey	7.4%
Dakota	8.8%	Red Lake	10.6%
Dodge	7.9%	Redwood	7.4%
Douglas	8.4%	Renville	6.8%
Faribault	7.1%	Rice	5.5%
Fillmore	6.3%	Rock	5.9%
Freeborn	7.9%	Roseau	10.6%
Goodhue	7.9%	Scott	9.3%
Grant	7.8%	Sherburne	9.3%
Hennepin	7.5%	Sibley	8.4%
Houston	7.3%	St. Louis	6.3%
Hubbard	9.5%	Stearns	9.5%
Isanti	9.7%	Steele	8.9%
Itasca	7.4%	Stevens	7.5%
Jackson	9.3%	Swift	7.3%
Kanabec	9.8%	Todd	10.2%
Kandiyohi	8.6%	Traverse	6.3%
Kittson	6.8%	Wabasha	6.8%
Koochiching	5.8%	Wadena	7.6%
Lac qui Parle	6.0%	Waseca	9.1%
Lake	5.6%	Washington	8.2%
Lake of the Woods	6.1%	Watonwan	8.1%
Le Sueur	8.4%	Wilkin	8.7%
Lincoln	6.6%	Winona	6.6%
Lyon	9.7%	Wright	9.9%
Mahnomen	7.9%	Yellow Medicine	7.1%
Marshall	11.0%	Unknown/missing	4.9%

Weekly Percent of Tests Positive by County of Residence

Percent of positive tests by county of residence in Minnesota by week of specimen collection. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations. Percent positive is the percent of positive tests from the total number of tests by county of residence.




2% to <3% of tests
 3% to <5% of tests
 5% to <7% of tests
 7% to <10% of tests
 10% to <15% of tests
 15% to <20% of tests
 20+% of tests

Downloadable CSV file of current data for these maps is provided at: Minnesota COVID-19 Weekly Report (<https://www.health.state.mn.us/diseases/coronavirus/stats/index.html>)

Testing Demographics: Age


Number of positive and negative tests by age group. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations, inconclusive test results are not included (inconclusive test results are those that are not clearly positive or negative).



Age Group (in years)	Unk./missing	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	Total
Positive	9,994	49,139	65,729	77,632	100,031	121,142	121,317	119,395	114,361	103,274	87,701	87,459	83,723	71,040	47,437	33,965	23,301	17,261	12,502	7,582	2,865	362	1,357,212
Negative	208,485	603,860	643,070	587,583	1,013,769	1,320,884	1,242,577	1,295,729	1,238,763	1,054,619	895,866	958,242	1,018,241	958,867	679,306	545,379	422,156	389,058	383,824	297,702	124,953	17,292	15,900,225

Testing Demographics: Gender

Number of positive and negative tests by gender. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations, inconclusive test results are not included (inconclusive test results are those that are not clearly positive or negative).




Gender	Male	Female	Other	Unk./missing	Total
Positive	648,205	690,239	17	18,751	1,357,212
Negative	6,179,532	9,259,246	38	461,409	15,900,225

Positive COVID-19 Cases

1,295,117
 Total Positive Cases,
 including Reinfections
 (cumulative)

Total positive cases are represented by the date of positive specimen collection.




■ Tables of current data: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

New Cases by Week, 7-Day Average


Cases by week of specimen collection date, and 7-day moving average of new cases.

New Cases by Week of Specimen Collection

Due to the need to confirm reports and reporting delays, data may be incomplete




Seven Day Moving Average of New Cases



Cases by County of Residence

Cumulative number of positive cases by county of residence, cases no longer needing isolation. Cases no longer needing isolation represents individuals with COVID-19 who no longer need to self-isolate. MDH does not track cases over time to determine whether they have fully recovered.




- Up to date data for this chart is provided in the Minnesota Situation Update for Coronavirus Disease 2019 (COVID-19) (<https://www.health.state.mn.us/diseases/coronavirus/situation.html>)
- Confirmed cases by USPS zip code of residence is available as a downloadable CSV file at: Minnesota COVID-19 Weekly Report (<https://www.health.state.mn.us/diseases/coronavirus/stats/index.html>)

1,295,117 Total Positive Cases (cumulative)			1,228,712 No Longer Needing Isolation (cumulative)		
County	Cases	Cases no longer needing isolation	County	Cases	Cases no longer needing isolation
Aitkin	2,664	2,542	Martin	4,956	4,675
Anoka	89,932	86,111	McLeod	9,349	8,900
Becker	7,637	7,232	Meeker	5,342	5,108
Beltrami	10,239	9,703	Mille Lacs	6,556	6,288
Benton	12,282	11,649	Morrison	8,129	7,737
Big Stone	1,203	1,143	Mower	10,845	10,254
Blue Earth	15,641	14,840	Murray	1,891	1,827
Brown	5,930	5,581	Nicollet	7,019	6,642
Carlton	7,292	6,829	Nobles	6,432	6,196
Carver	23,903	23,045	Norman	1,287	1,180
Cass	6,110	5,798	Olmsted	35,467	33,045
Chippewa	2,692	2,508	Otter Tail	11,886	11,276
Chisago	12,940	12,390	Pennington	3,105	2,917
Clay	16,684	15,719	Pine	6,277	6,074
Clearwater	1,917	1,817	Pipestone	1,850	1,762
Cook	475	454	Polk	7,414	7,015
Cottonwood	2,935	2,752	Pope	2,595	2,467
Crow Wing	14,074	13,409	Ramsey	112,428	107,079
Dakota	99,313	94,864	Red Lake	843	798
Dodge	5,069	4,745	Redwood	3,503	3,319
Douglas	9,814	9,307	Renville	3,260	3,089
Faribault	3,383	3,163	Rice	15,899	15,024
Fillmore	4,153	3,964	Rock	2,194	2,076
Freeborn	8,067	7,590	Roseau	4,046	3,871
Goodhue	11,537	10,854	Scott	36,521	35,222
Grant	1,295	1,222	Sherburne	25,005	24,008
Hennepin	271,188	260,247	Sibley	3,159	3,042
Houston	3,802	3,682	St. Louis	40,495	38,089
Hubbard	4,397	4,157	Stearns	45,744	43,756
Isanti	9,201	8,758	Steele	9,279	8,758
Itasca	9,850	9,365	Stevens	2,324	2,158
Jackson	1,997	1,897	Swift	2,026	1,916
Kanabec	3,188	3,027	Todd	6,007	5,767
Kandiyohi	12,087	11,608	Traverse	710	675
Kittson	944	899	Wabasha	4,916	4,713
Koochiching	2,342	2,189	Wadena	3,720	3,507
Lac qui Parle	1,566	1,467	Waseca	4,935	4,694
Lake	1,796	1,695	Washington	60,076	57,032
Lake of the Woods	674	647	Watsonwan	2,586	2,405
Le Sueur	5,857	5,609	Wilkin	1,463	1,393
Lincoln	1,129	1,058	Winona	11,047	10,525
Lyon	6,562	6,268	Wright	33,515	32,297
Mahnomen	1,365	1,290	Yellow Medicine	2,276	2,197
Marshall	1,825	1,759	Unknown/missing	9,789	3,086

Cumulative Case Rate by County of Residence

2,343
cases per 10,000 people



Cumulative number of cases by county of residence per 10,000 people.



County	Cumulative Rate	County	Cumulative Rate
Aitkin	1,682	Martin	2,482
Anoka	2,588	McLeod	2,610
Becker	2,261	Meecker	2,315
Beltrami	2,220	Mille Lacs	2,548
Benton	3,088	Morrison	2,467
Big Stone	2,398	Mower	2,738
Blue Earth	2,358	Murray	2,264
Brown	2,352	Nicollet	2,078
Carlton	2,052	Nobles	2,945
Carver	2,380	Norman	1,962
Cass	2,105	Olmsted	2,317
Chippewa	2,241	Otter Tail	2,050
Chisago	2,364	Pennington	2,189
Clay	2,657	Pine	2,155
Clearwater	2,175	Pipestone	2,014
Cook	894	Polk	2,347
Cottonwood	2,581	Pope	2,363
Crow Wing	2,204	Ramsey	2,076
Dakota	2,375	Red Lake	2,103
Dodge	2,463	Redwood	2,285
Douglas	2,638	Renville	2,215
Faribault	2,435	Rice	2,418
Fillmore	1,988	Rock	2,331
Freeborn	2,643	Roseau	2,617
Goodhue	2,496	Scott	2,547
Grant	2,181	Sherburne	2,682
Hennepin	2,195	Sibley	2,118
Houston	2,037	St. Louis	2,024
Hubbard	2,108	Stearns	2,917
Isanti	2,361	Steele	2,530
Itasca	2,179	Stevens	2,375
Jackson	1,988	Swift	2,153
Kanabec	1,992	Todd	2,458
Kandiyohi	2,833	Traverse	2,128
Kittson	2,177	Wabasha	2,287
Koochiching	1,852	Wadena	2,726
Lac qui Parle	2,312	Waseca	2,624
Lake	1,699	Washington	2,372
Lake of the Woods	1,769	Watonwan	2,357
Le Sueur	2,093	Wilkin	2,306
Lincoln	1,978	Winona	2,173
Lyon	2,540	Wright	2,525
Mahnomen	2,479	Yellow Medicine	2,306
Marshall	1,943		

Weekly Case Rate by County of Residence

Number of cases by county of residence in Minnesota per 10,000 people by week of specimen collection.




Downloadable CSV file of current data for these maps is provided at: Minnesota COVID-19 Weekly Report (<https://www.health.state.mn.us/diseases/coronavirus/stats/index.html>)

Hospitalizations, ICU Hospitalizations

56,324
Total Hospitalizations
(cumulative)

10,623
Total ICU Hospitalizations
(cumulative)

Hospitalization data show how many people required admission to a hospital and ICU. Admissions include all Minnesota cases regardless of location of hospitalization. Cases in residents of other states hospitalized in Minnesota are not included.




Tables of current data: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)


Hospitalizations by Week, 7-Day Average

Cases by week of initial hospitalization, and 7-day moving average of new hospitalizations.

New Hospitalization by Week First Hospital Admission




Seven Day Moving Average of New Hospitalizations



ICU Hospitalizations by Week, 7-Day Average

Cases by week of ICU hospital admission, and 7-day moving average of new ICU hospitalizations.

New ICU Hospitalizations by Week of First ICU Hospital Admission




Seven Day Moving Average of New ICU Hospitalizations



COVID-19 Deaths

11,339
Total Deaths
(cumulative)

Total deaths (also known as total deaths with laboratory testing) are deaths due to COVID-19 with a positive PCR test (confirmed case) or antigen test (probable case) for SARS-CoV-2, and either COVID-19 is listed on the death certificate or clinical history/autopsy findings that provide evidence that the death is related to COVID-19 without an alternative cause (i.e. drowning, homicide, trauma, etc.).




■ Tables of current data and more information about total deaths (also known as total deaths with laboratory testing) and non-laboratory-confirmed deaths: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)


Deaths by Week, 7-Day Average

Cases by week of death, and 7-day moving average of deaths.

Deaths by Week of Death




Seven Day Moving Average of Deaths



Deaths by County of Residence

11,339
Total Deaths (cumulative)

Cumulative number of deaths by county of residence.




County	Deaths	County	Deaths
Aitkin	58	Martin	53
Anoka	728	McLeod	98
Becker	85	Meecker	72
Beltrami	113	Mille Lacs	103
Benton	154	Morrison	92
Big Stone	7	Mower	59
Blue Earth	86	Murray	15
Brown	70	Nicollet	65
Carlton	83	Nobles	56
Carver	99	Norman	13
Cass	70	Olmsted	151
Chippewa	45	Otter Tail	153
Chisago	112	Pennington	35
Clay	116	Pine	58
Clearwater	29	Pipestone	32
Cook	2	Polk	93
Cottonwood	37	Pope	15
Crow Wing	151	Ramsey	1,230
Dakota	708	Red Lake	11
Dodge	14	Redwood	50
Douglas	112	Renville	53
Faribault	45	Rice	159
Fillmore	20	Rock	32
Freeborn	59	Roseau	39
Goodhue	114	Scott	228
Grant	12	Sherburne	165
Hennepin	2,349	Sibley	23
Houston	18	St. Louis	483
Hubbard	53	Stearns	338
Isanti	107	Steele	50
Itasca	128	Stevens	12
Jackson	16	Swift	31
Kanabec	52	Todd	54
Kandiyohi	128	Traverse	8
Kittson	26	Wabasha	14
Koochiching	34	Wadena	47
Lac qui Parle	28	Waseca	37
Lake	26	Washington	434
Lake of the Woods	5	Watonwan	22
Le Sueur	47	Wilkin	19
Lincoln	5	Winona	66
Lyon	70	Wright	284
Mahnomen	17	Yellow Medicine	26
Marshall	23	Unknown/missing	0

Up to date data for this chart is provided in the [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html) (<https://www.health.state.mn.us/diseases/coronavirus/situation.html>)

Demographics: Age

Age groups, median age, and range for cases.

	Median Age (Range) in Years
All Cases	35 (<1 month - 110)
Non-Hospitalized Cases	34 (<1 month - 110)
Hospitalizations	62 (<1 month - 105)
ICU Hospitalizations	62 (<1 month - 105)
Deaths	80 (<1 - 109)




Age Group (in years)	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	Unk./missing	Total
All Cases	48,898	64,647	76,483	97,198	114,508	114,381	113,396	109,881	99,567	84,714	84,586	80,719	68,481	45,413	32,687	22,144	16,087	11,301	6,910	2,549	486	81	1,295,117
Hospitalizations	677	228	372	897	1,524	2,131	2,610	2,616	2,626	2,957	3,882	4,835	5,647	5,348	5,431	4,812	4,239	3,160	1,746	531	53	2	56,324
ICU Hospitalizations	123	52	67	153	142	210	314	418	464	637	860	1,043	1,344	1,286	1,190	979	700	414	175	48	2	2	10,623
Deaths	1	2	1	4	9	30	57	78	115	180	307	470	748	907	1,199	1,402	1,688	1,781	1,506	720	134	0	11,339

Cases by Age Group and Specimen Collection Date

Cases by age group by date of specimen collection in Minnesota.

Due to the need to confirm reports and reporting delays, data may be incomplete




Downloadable CSV file of current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Case Rate in Children by Specimen Collection Date

Cases by age group for children in Minnesota (cases 18 years of age and under) per 10,000 people by date of specimen collection.


Due to the need to confirm reports and reporting delays, data may be incomplete



Hospitalization Rate in Children by Specimen Collection Date


Hospitalizations by age group for children in Minnesota (cases 18 years of age and under) per 10,000 people by date of specimen collection.

Due to the need to confirm reports and reporting delays, data may be incomplete



Demographics: Gender

Gender is collected during case interview and is self-reported.




Gender	Male	Female	Other	Unk./missing	Total
All Cases	614,938	661,518	206	18,455	1,295,117
Hospitalizations	28,998	27,052	2	272	56,324
ICU Hospitalizations	6,525	4,053	1	44	10,623
Deaths	6,180	5,126	0	33	11,339

Demographics: Race & Ethnicity

Race and ethnicity is reported during case interview. Individuals who report more than one race are categorized into the multiple race category.

Race/Ethnicity	Minnesota Population (2018)	% of Population
White, non-Hispanic	4,438,071	80%
Black, non-Hispanic	336,505	6%
Asian, non-Hispanic	260,797	5%
American Indian/Alaska Native, non-Hispanic	53,168	1%
Native Hawaiian/Pacific Islander, non-Hispanic	1,799	<1%
Multiple Races, non-Hispanic	137,233	2%
Other, non-Hispanic	7,021	<1%
Hispanic	292,764	5%



Case interviews are now prioritized, priority groups include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants. Therefore, not all cases were contacted for interview. If cases were not interviewed, race and ethnicity information from disease reporting is included when available.



Race/ethnicity	White, non-Hispanic	Black, non-Hispanic	Asian, non-Hispanic	Amer. Indian/AK Native, NH	Native HI/Pacific Isl., NH	Multiple Races, non-Hispanic	Other, non-Hispanic	Hispanic	Unknown/missing	Total
All Cases	878,679	101,257	56,616	15,768	1,655	25,824	28,611	92,938	93,769	1,295,117
Hospitalizations	39,230	6,116	2,526	1,090	87	1,304	618	3,671	1,682	56,324
ICU Hospitalizations	7,087	1,081	671	284	17	237	119	838	289	10,623
Deaths	9,567	549	431	208	14	107	37	343	83	11,339

Age-Adjusted Race & Ethnicity Rates

Age-adjusted rates allow us to compare rates for racial and ethnic groups that have very different age distributions in Minnesota; they essentially allow us to look at what the rates would be if the underlying population age distribution was the same for all races. Rates have been suppressed when total cases are less than 25. Cumulative case rate is the number of cases by race or ethnicity per 100,000 people in Minnesota. Case interviews are now prioritized, priority groups include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants. Therefore, not all cases were contacted for interview. If cases were not interviewed, race and ethnicity information from disease reporting is included when available.



Age adjusted race/ethnicity	White, non-Hispanic	Black, non-Hispanic	Asian, non-Hispanic	American Indian/Alaskan Native, NH	Native Hawaiian/Pacific Islander, NH	Multiple Races, non-Hispanic	Hispanic
All Cases	18,198	22,943	16,286	23,085	50,105	26,208	30,594
Hospitalizations	648	1,955	1,075	1,893	3,541	2,609	1,787
ICU Hospitalizations	116	392	314	496	-	467	453
Deaths	146	319	265	465	-	338	305

Potential Exposure in Child Care Settings

Cases of COVID-19 among children who attended child care with potential exposure in child care settings by specimen collection date. Data also include hospitalizations, ICU hospitalizations, and deaths of attendees and staff associated with a childcare program. All adult cases are not routinely interviewed. Child care programs included: licensed child care centers, certified centers, summer day camps, and school-age care during peacetime emergency. Does not include in-home child cares. Cases by week are by specimen collection date.

9,336
Total Child Care Attendees (cumulative)

47
Total Hospitalized Child Care-affiliated Attendee Cases (cumulative)


12
Total ICU Hospitalized Child Care-affiliated Attendee Cases (cumulative)

0
Total Child Care-affiliated Attendee Deaths (cumulative)

116
Total Hospitalized Child Care-affiliated Staff Cases (cumulative)

7
Total ICU Hospitalized Child Care-affiliated Staff Cases (cumulative)

2
Total Child Care-affiliated Staff Deaths (cumulative)



Student Cases Associated with Pre-K through Grade 12

School Buildings

Cases of COVID-19 associated with students attending school and hospitalizations, ICU hospitalizations, and deaths of staff working at a prekindergarten through grade 12 building while they were able to spread COVID-19. All adult cases are not routinely interviewed. These numbers include cases exposed in a school setting, cases exposed in other settings, and cases where the exposure setting was not confirmed. All Minnesota schools are represented including public, nonpublic, and tribal schools. Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

57,856
Total PreK-12 Student Cases (cumulative)

242
Total Hospitalized PreK-12-affiliated Student Cases (cumulative)


32
Total ICU Hospitalized PreK-12-affiliated Student Cases (cumulative)

3
Total PreK-12-affiliated Student Deaths (cumulative)

338
Total Hospitalized PreK-12-affiliated Staff Cases (cumulative)

61
Total ICU Hospitalized PreK-12-affiliated Staff Cases (cumulative)

20
Total PreK-12-affiliated Staff Deaths (cumulative)




A list of School buildings reporting 5 or more cases of COVID-19 in students who were in the building while infectious during a two-week reporting period by county is available in the [COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Minnesota IHE Facilities Reporting Cases

154
Total IHE Facilities that have Reported at Least One Case (cumulative)

Number of facilities that have had cases of COVID-19 in faculty, staff, and students working or enrolled at a Minnesota IHE while they were potentially exposed to or able to spread COVID-19. IHE include colleges, universities, and private career schools. Number of IHE Facilities reporting cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

Due to the need to confirm reports and reporting delays, data may be incomplete



The IHE facility data will be changing in the coming weeks. This information is no longer collected for all cases.


Cases per IHE facility	Number of IHEs reporting cases 1/9-1/22/22
1-10 cases	48
11-30 cases	11
31-99 cases	6
≥100 cases	0
Total	65

Resident Cases Associated with Congregate Care Settings

Cases of COVID-19 associated with residents living in congregate settings by specimen collection date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component.

31,648
Total Congregate Care Residents
(cumulative)

5,320
Deaths among cases that resided in long-term
care or assisted living facilities (cumulative)




A list of congregate care facilities reporting an exposure in the last 28 days from a case in a resident, staff person, or visiting provider and a cumulative list of long-term care facilities reporting a case in a resident, staff person, or visiting service provider are available on: [Minnesota Situation Update for Coronavirus Disease 2019 \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

SARS-CoV-2 Variants Circulating in Minnesota

Lineage distribution of SARS-CoV-2 variants in Minnesota. The line indicates number of specimens sequenced, while the bars show proportions of each variant identified.

SARS-CoV-2 Variants of Concern (VOC) are named using the World Health Organization (WHO) naming conventions, Variants of Interest (VOI) are included as a group. More information about naming variants can be found at [WHO: Tracking SARS-CoV-2 variants \(https://www.who.int/en/activities/tracking-SARS-CoV-2-variants/\)](https://www.who.int/en/activities/tracking-SARS-CoV-2-variants/)




- WHO Label**
- Other
 - VOIs
 - Alpha
 - Delta
 - Beta
 - Gamma
 - Omicron

Variant Distribution Since 12/12/2021*		
Delta	B.1.617.2	35.27%
	AY.3	6.58%
	AY.1	0.04%
VOIs	B.1.525	0.02%
Other	Other	0.25%
Omicron	B.1.1.529	57.83%

*All VOI and VOC are included in this list, as well as any lineages that account for ≥1% of all specimens sequenced since 12/12/2021. All other lineages are included in the 'Other' category.

SARS-CoV-2 Variants by Region

This map shows the distribution of variants across regions in the past 30 days for the cases that have been sequenced.



Region & Variant	Variant %	Region & Variant	Variant %
Northwest		Northeast	
Alpha	0.00%	Alpha	0.00%
Beta	0.00%	Beta	0.00%
Delta	51.61%	Delta	44.71%
Gamma	0.00%	Gamma	0.00%
Omicron	48.39%	Omicron	54.12%
Other	0.00%	Other	1.18%
VOIs	0.00%	VOIs	0.00%
West Central		Central	
Alpha	0.00%	Alpha	0.00%
Beta	0.00%	Beta	0.00%
Delta	55.56%	Delta	56.87%
Gamma	0.00%	Gamma	0.00%
Omicron	44.44%	Omicron	42.97%
Other	0.00%	Other	0.16%
VOIs	0.00%	VOIs	0.00%
Southwest		Southeast	
Alpha	0.00%	Alpha	0.00%
Beta	0.00%	Beta	0.00%
Delta	54.17%	Delta	51.40%
Gamma	0.00%	Gamma	0.00%
Omicron	45.83%	Omicron	47.66%
Other	0.00%	Other	0.93%
VOIs	0.00%	VOIs	0.00%
Metro			
Alpha	0.00%		
Beta	0.00%		
Delta	37.24%		
Gamma	0.00%		
Omicron	62.50%		
Other	0.24%		
VOIs	0.03%		


© OpenStreetMap

A map of counties included in regions can be found at [Map of Field Services Epidemiologists \(https://www.health.state.mn.us/about/org/idepc/epis.html\)](https://www.health.state.mn.us/about/org/idepc/epis.html).

Vaccine Breakthrough (VBT) Cases

Vaccine breakthrough cases are defined as Minnesota residents with a positive COVID-19 test result (PCR or antigen) with a symptom onset date (or collection date if asymptomatic) 14 or more days after they have completed all recommended doses of a COVID-19 vaccine. VBT data has a lag period of one month for reporting purposes and excludes the rates prior to May since vaccine was not readily available to all Minnesotans prior to that date.

The rate per 100,000 people is calculated as the number of fully vaccinated people who test positive for SARS-CoV-2 divided by the total number of fully vaccinated people, multiplied by 100,000.



3,381,592
Total number of fully vaccinated Minnesotans age 12 and older (as of the week beginning 12/19/21)



234,110
Total VBT Cases (cumulative)

All VBT data in this report is as of 1/24/22

More information about vaccine breakthrough, and data updated every Monday are available on: [COVID-19 Vaccine Breakthrough Weekly Update](https://www.health.state.mn.us/diseases/coronavirus/stats/vbt.html) (www.health.state.mn.us/diseases/coronavirus/stats/vbt.html)

VBT Hospitalizations and Deaths


These graphs show the rate of hospitalization and death among vaccinated and unvaccinated COVID-19 cases since vaccine was widely available to the general adolescent and adult population in May 2021. Fully vaccinated is defined as 14 or more days after they have completed all recommended doses of a COVID-19 vaccine.




VBT Cases, Hospitalizations, and Deaths by Age Group

These graphs show vaccine breakthrough cases stratified by age to better illustrate the impact of COVID-19 across different age groups. Fully vaccinated is defined as 14 or more days after they have completed all recommended doses of a COVID-19 vaccine.


Cases: Rate by age group per 100,000 Week starting: 5/2/2021 to 12/19/2021



Hospitalizations: Rate by age group per 100,000 Week starting: 5/2/2021 to 12/19/2021




Deaths: Rate by age group per 100,000 Week starting: 5/2/2021 to 12/19/2021




VBT Cases among Health Care Workers

These data are for all vaccine breakthrough cases who reported their occupation as health care staff in acute care or congregate care facilities. Vaccine breakthrough cases are defined as Minnesota residents with a positive test result (both confirmed and probable) with onset date (or specimen collection date if asymptomatic) 14 or more days post full vaccine series and no positive COVID-19 result in the 90 days prior to their COVID infection.

12,012
VBT Cases among Health Care Workers
(cumulative)




Response Metrics: Testing and Interview Timing



Median number of days from specimen collection to testing (cumulative): **1**

As of 10/28/21 not all cases are interviewed. Cases prioritized for interview include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants.

Seven day moving average of median days from specimen collection to testing





Syndromic Surveillance

These syndromic surveillance data come from the Encounter Alert Service (EAS), which is utilizing an existing service to support and leverage the development of this activity. These data provide situational awareness to help inform public health decision making, resource allocation, and other actions.

Syndromic surveillance is a type of public health surveillance that uses near real-time data to help identify unusual activity that might need further investigation. These data help public health officials detect, monitor, and respond quickly to local public health threats and events of public health importance. The Minnesota Department of Health is currently using data on COVID-19-related symptoms and chief complaints reported during emergency department and inpatient hospital visits to identify trends. This data can provide an early signal that something is happening in a community with the outbreak even if case counts are not increasing at that time.

Data include emergency-department and inpatient hospital visits for COVID-like illness through January 22, 2022. Categories are based upon discharge diagnosis codes. Beginning with the November 27, 2020 Weekly COVID-19 report, conditions are reported from week 30 (July 20, 2020) forward due to a transition in data sources. The gray bar indicates a one week lag period in the data.

Through January 22, 2022, these data represent all patients from about 135 hospitals in Minnesota, covering approximately 90% of the hospital beds statewide. Efforts are underway to expand hospitals to more fully represent the state.




Map of Counties and Infectious Disease Surveillance Regions can be found on: [Field Services Epidemiologists \(https://www.health.state.mn.us/about/org/idepc/epis.html\)](https://www.health.state.mn.us/about/org/idepc/epis.html)

Demographics: Interview Language (Archived)

Language needs for cases interviewed by specimen collection date week. It is assumed that any interview recorded as not needing an interpreter was conducted in English.


This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.



Interview Language by County of Residence (Archived)

Percent of interviews by language and week of specimen collection by county of residence.


This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.



Likely Exposure (Archived)

Likely exposure for confirmed and probable cases. Exposure data is collected at case interview. Cases are categorized according to a hierarchy following the order of exposure type: outbreak, travel, LTC staff and residents, corrections, homeless shelter, acute health care, community-exposure with known contact, community-no known exposure.

This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.




Likely Exposure	Travel (outside MN)	Congregate Care	Corrections	Homeless/ Shelter	Health Care	Community (outbreak)	Community (known contact)	Community (no known contact)	Unk./missing	Total
All Cases	48,385	47,534	9,494	1,633	18,857	26,998	137,408	152,229	325,574	768,112
Hospitalizations	1,685	5,664	196	318	620	1,021	4,791	11,383	14,684	40,362
ICU Hospitalizations	342	1,098	45	51	82	217	973	2,308	3,071	8,187
Deaths	117	4,901	14	15	25	69	467	1,095	1,812	8,515

- Community (outbreak): Case was exposed to a known outbreak setting in Minnesota that is not also a congregated living setting (e.g., long-term care, corrections, shelter) or health care setting. This includes restaurant/bars, sports, worksites that are not living settings, etc.
- Travel: Case traveled outside of Minnesota in the 2 weeks before illness.
- Congregate Care Setting: Residents, and staff who are not part of a non-congregate care setting outbreak and did not have an exposure to a positive household member. Congregate care settings include long-term care facilities (LTCF), assisted living facilities, group homes, or residential behavioral health (RBH) facilities.
- Corrections: Inmates who were exposed while incarcerated, and staff of a jail/prison setting who are not part of a non-corrections outbreak and did not have an exposure to a positive household member.
- Homeless/Shelter: Residents/guests, and staff who are not part of a non-shelter outbreak and did not have an exposure to a positive household member.
- Health Care: Patients who were part of nosocomial outbreaks, and staff who are not part of a non-acute health care setting outbreak and did not have an exposure to a positive household member.
- Community (known contact with confirmed case): Case has a known exposure to a positive case and does not fit into any of the previous categories.
- Community (unknown contact with confirmed case): Case has no known exposure to a positive case and does not fit into any of the previous categories.

Cases by Likely Exposure and Specimen Collection Date (Archived)


Cases by likely exposure by specimen collection date. This chart shows how exposure to COVID-19 has changed over time during the pandemic in Minnesota. Numbers include confirmed and probable cases.



Residence Type (Archived)

Cases by residence type. Residence type is collected during case interview and is self-reported. Numbers include confirmed and probable cases.

This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.



Cases among Health Care Workers (Archived)

This data is for all cases who reported their occupation as health care staff in acute care or congregate care facilities. Not all cases who are health care workers were exposed at work. Numbers include confirmed and probable cases.


48,946
Total Health Care Workers
(cumulative)

1,247
Total Health Care Staff Hospitalized
(cumulative)

207
Total Health Care Staff Hospitalized in ICU
(cumulative)

47
Total Health Care Staff Deaths
(cumulative)

This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.



High Risk Exposures in Health Care Workers (Archived)

MDH works with health care facilities to monitor health care workers who have had high-risk exposures with known positive patients/residents, co-workers, or social contacts. This data shows high-risk exposures experienced by health care workers in Minnesota who have been in contact with individuals with confirmed COVID-19 and the percent of exposures that lead to a positive test within 14 days of high-risk exposure (coworker, household/social, patient or resident). This data does not capture the exposures of all health care workers who become COVID-19 cases.

16,816
Total High Risk Health Care Worker Exposures (cumulative)

The data shown here summarizes high-risk exposures that occurred from March 6, 2020 – October 20, 2021.

Health care workers had 16,816 documented high-risk exposures

52% exposures happened at home or in the community


48% of exposures occurred at work

1,667
Total High Risk Health Care Worker Exposures Resulting in a Positive Test (cumulative)

Risk of infection was highest after exposure at home or in the community

13% HCW tested positive after exposure to a positive household member or social contact

6% HCW tested positive after an exposure at work



Staff with Potential Exposure in Child Care Settings (Archived)

Cases of COVID-19 with potential exposure in child care settings by specimen collection date. Cases included staff that attended a child care program while infectious, or who test positive and attended a child care program that reported a confirmed case in the past 28 days. Child care programs included: licensed child care centers, certified centers, summer day camps, and school-age care during peacetime emergency. Does not include in-home child cares. Cases by week are by specimen collection date. Numbers include confirmed and probable cases.

This information is no longer collected for staff in child care settings. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

4,083
Total Child Care Staff (cumulative)


90
Total Hospitalized Child Care-affiliated Staff Cases (cumulative)

7
Total ICU Hospitalized Child Care-affiliated Staff Cases (cumulative)

0
Total Child Care-affiliated Staff Deaths (cumulative)

1,902
Total Child Care Programs (cumulative)

Cases per program	Programs	Percent
1 case	645	34%
2-4 cases	630	33%
≥5 cases	627	33%



Due to the need to confirm reports and reporting delays, data may be incomplete

Staff Cases Associated with Pre-K through Grade 12 School Buildings (Archived)

Cases of COVID-19 associated with school staff working in school at a prekindergarten through grade 12 building while they were able to spread COVID-19. These numbers include cases exposed in a school setting, cases exposed in other settings, and cases where the exposure setting was not confirmed. All Minnesota schools are represented including public, nonpublic, and tribal schools. Numbers include confirmed and probable cases.

This information is no longer collected for staff in Pre-K through Grade 12 Schools. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.


Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

10,773
Total PreK-12 School Staff Cases (cumulative)

235
Total Hospitalized PreK-12-affiliated Staff Cases (cumulative)

47
Total ICU Hospitalized PreK-12-affiliated Staff Cases (cumulative)

13
Total PreK-12-affiliated Staff Deaths (cumulative)




PreK-12 School Buildings Reporting Cases (Archived)

Schools included are public, non-public, and tribal schools. Number of school buildings reporting cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020. Numbers include confirmed and probable cases.

This data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

2,560
Total PreK-12 School Buildings Reporting Cases (cumulative)



Cases per building	Number of buildings reporting cases 10/3-10/16/21
1 case	405
2-4 cases	324
≥5 cases	99
Total	828

A list of School buildings reporting 5 or more cases of COVID-19 in students who were in the building while infectious during a two-week reporting period by county is available in the [Minnesota Situation Update for Coronavirus Disease 2019 \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Cases that have an Affiliation with Institutes of Higher Education (IHE) (Archived)

Cases of COVID-19 affiliated with faculty, staff, and students working or enrolled at a Minnesota Institute of Higher Education (IHE) while they were potentially exposed to or able to spread COVID-19. IHE include colleges, universities, and private career schools. Numbers include confirmed and probable cases.

Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.


This data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

20,785 Total IHE-affiliated Cases (cumulative)	
Cases infectious while on campus (cumulative)	6,920
Cases living on campus (cumulative)	3,157

183
Total Hospitalized IHE-affiliated Cases
(cumulative)

22
Total ICU Hospitalized IHE-affiliated Case
(cumulative)

7
Total IHE-affiliated Deaths
(cumulative)




Staff Cases Associated with Congregate Care Settings (Archived)

Cases of COVID-19 associated with staff living in congregate settings by specimen collection date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component. Numbers include confirmed and probable cases.

This information is no longer collected for staff in Congregate Care Settings. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

24,127
Total Congregate Care Staff
(cumulative)



Congregate Care Facility Outbreaks (Archived)


Congregate care facilities with confirmed cases in residents, staff, and visiting providers by specimen date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component. Numbers include confirmed and probable cases.

4,411
Total Congregate Care Facilities
(cumulative)

Confirmed cases per facility	Number of facilities
1-2 case	1,961
3-20 cases	1,854
≥21 cases	596

This data will no longer be updated.
Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

Due to the need to confirm reports and reporting delays, data may be incomplete



Type of facility	Number of outbreak facilities	Number of resident cases	Number of staff cases	Number of deaths in resident cases	Number of facilities with active outbreaks	Percent of outbreak facilities still experiencing an active outbreak
Skilled Nursing Facilities and Transitional Care Units	368	12,715	12,395	3,110	210	57%
Assisted Living and Memory Care Facilities	1,081	8,758	7,185	1,584	209	19%
Group Homes and Adult Foster Care Facilities	2,738	2,863	4,862	116	136	5%
Other Congregate Care Settings	265	1,648	1,527	24	41	15%

A list of congregated care facilities reporting an exposure in the last 28 days from a case in a resident, staff person, or visiting provider and a cumulative list of long-term care facilities reporting a case in a resident, staff person, or visiting service provider are available on: [COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)