

Minnesota Department of Health

WEEKLY COVID-19 REPORT

4/7/2022

This MDH Weekly COVID-19 Report presents data in an easy to interpret way and enhances the information provided in the daily Situation Update for COVID-19 web page with situational insights as well as trends over time.



health.mn.gov/coronavirus

- More MN COVID-19 data and statistics:
[Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)
(<https://www.health.state.mn.us/diseases/coronavirus/situation.html>) -
updated daily at 11 a.m.



About Minnesota COVID-19 Data

Contents

About Minnesota COVID-19 Data	2	Potential Exposure in Child Care Settings	29
COVID-19 Overview Summary	3	Student Cases Associated with PK-12 School Buildings.....	30
Laboratory Tests for COVID-19.....	4	Minnesota IHE Facilities Reporting Cases.....	31
Number of Tests and Percent Positive by Week.....	5	Resident Cases Associated with Congregate Care Settings ..	32
Laboratory Test Rates by County of Residence	6	SARS-CoV-2 Variants Circulating in Minnesota	33
Percent of Tests Positive by County of Residence.....	7	SARS-CoV-2 Variants by Region	34
Weekly Percent of Tests Positive by County of Residence..	8	Vaccine Breakthrough (VBT) Cases	35
Testing Demographics: Age	9	VBT Hospitalizations and Deaths.....	36
Testing Demographics: Gender	10	VBT Cases, Hospitalizations, and Deaths by Age Group ...	37
Positive COVID-19 Cases	11	Response Metrics: Testing and Interview Timing	38
New Cases by Week, 7-Day Average	12	Syndromic Surveillance	39
Cases by County of Residence	13		
Cumulative Case Rate by County of Residence	14		
Weekly Case Rate by County of Residence	15		
Hospitalizations, ICU Hospitalizations.....	16		
Hospitalizations by Week, 7-Day Average	17		
ICU Hospitalizations by Week, 7-Day Average	18		
COVID-19 Deaths	19		
Deaths by Week, 7-Day Average.....	20		
Deaths by County of Residence	21		
Demographics: Age.....	22	Archived:	
Cases by Age Group and Specimen Collection Date	23	VBT Cases among Health Care Workers.....	40
Case Rate in Children by Specimen Collection Date.....	24	Demographics: Interview Language	41
Hospitalization Rate in Children by Specimen Collection ..	25	Interview Language by County of Residence	42
Demographics: Gender	26	Likely Exposure.....	43
Demographics: Race & Ethnicity	27	Likely Exposure and Specimen Collection Date	44
Age-Adjusted Race & Ethnicity Rates.....	28	Residence Type	45
		Cases among Health Care Workers	46
		High Risk Exposures in Health Care Workers.....	47
		Staff with Potential Exposure in Child Care Settings....	48
		Staff Cases Associated with PK-12 Schools	49
		PreK-12 School Buildings Reporting Cases	50
		Cases that have an Affiliation with IHE.....	51
		Staff Cases Associated with Congregate Care Settings	52
		Congregate Care Facility Outbreaks	53

- Data is for cases that were tested and returned positive.
 - At-home test results are not counted by MDH.
 - Many people with COVID-19 are not tested, so the cases in this report represent only a fraction of the total number of cases in Minnesota.
- All data is preliminary and may change as cases are investigated.
 - Many data points are collected during case interviews. Data presented below is for all cases, regardless of interview status. Data for cases pending interview may be listed as “unknown/missing”.
 - As of 10/28/21, case interviews are prioritized. Priority groups include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants. Therefore, not all cases were contacted for interview.
- Minnesota uses the CSTE standardized surveillance case definition.
 - A person is counted as having a reinfection if they test positive (confirmed or probable) for COVID-19 more than 90 days after a previous lab-confirmed case. Cases include reinfections unless otherwise noted.
 - Positive PCR test results are considered confirmed cases. Positive antigen test results are considered probable cases. All probable cases get the same public health follow up and recommendations as cases confirmed by PCR tests. Total cases includes confirmed and probable cases unless otherwise noted.
 - A person with a positive PCR test result following a positive antigen test result would move from being a probable case to a confirmed case.
- Weekly data is reported by MMWR week, which is the week of the year assigned by the National Notifiable Diseases Surveillance System for the purposes of disease reporting and publishing.
- Numbers listed as cumulative total are cumulative since 1/20/20 for confirmed (PCR) tests and cases, and since 9/1/20 for probable (antigen) tests and cases, unless specified otherwise.

COVID-19 Overview Summary



61,732
Total Hospitalizations
(cumulative)

11,416
Total ICU Hospitalizations
(cumulative)

12,434
Total Deaths
(cumulative)


1,416,664
Total No Longer Needing Isolation
(cumulative)

Laboratory Tests for COVID-19

19,420,566
Total Laboratory Tests
(cumulative)

Testing numbers show how many total tests have been done for cases who live in Minnesota. Some people get tested more than once. Tests are reported per test to account for changes in testing capacity and for individuals who are tested more than once over the course of the pandemic. Tests are reported by the date the test was run in the laboratory.


Federal test reporting requirements changed as of April 4, 2022. Positive test results are still required to be reported, but not all negative test results will be reported anymore. Because we will no longer be receiving all test results from labs, our testing data will not be complete and the calculations for positivity rate will be affected. We will be watching these data and may discontinue updating these metrics.



Current data: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Number of Tests and Percent Positive by Week

Number of tests and percentage positive by date of laboratory testing. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations. Percent positive is the percent of positive tests from the total number of tests.




Downloadable CSV file with current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Laboratory Test Rates by County of Residence

34,349
rate of tests per 10,000 people statewide (cumulative)

Cumulative rate of tests by county of residence per 10,000 people. Only tests reported by laboratories reporting both positive and negative results are included.

Federal test reporting requirements changed as of April 4, 2022. Positive test results are still required to be reported, but not all negative test results will be reported anymore. Because we will no longer be receiving all test results from labs, our testing data will not be complete and the calculations for positivity rate will be affected. We will be watching these data and may discontinue updating these metrics.




County	Number of Tests	Cumulative Rate	County	Number of Tests	Cumulative Rate
Aitkin	41,989	26,518	Martin	68,069	34,096
Anoka	1,052,314	30,288	McLeod	114,652	32,003
Becker	108,387	32,093	Meeker	70,137	30,390
Beltrami	126,191	27,363	Mille Lacs	88,688	34,471
Benton	157,383	39,564	Morrison	110,424	33,514
Big Stone	24,094	48,034	Mower	129,699	32,751
Blue Earth	226,978	34,224	Murray	25,582	30,626
Brown	92,262	36,596	Nicollet	107,262	31,750
Carlton	150,241	42,274	Nobles	52,205	23,904
Carver	290,017	28,882	Norman	25,002	38,119
Cass	66,913	23,056	Olmsted	521,524	34,072
Chippewa	46,511	38,727	Otter Tail	192,700	33,229
Chisago	179,128	32,731	Pennington	29,302	20,658
Clay	172,302	27,436	Pine	75,748	26,004
Clearwater	20,020	22,719	Pipestone	30,961	33,708
Cook	15,506	29,196	Polk	91,407	28,935
Cottonwood	35,620	31,323	Pope	36,988	33,687
Crow Wing	176,857	27,697	Ramsey	1,818,958	33,592
Dakota	1,320,361	31,572	Red Lake	7,807	19,479
Dodge	70,058	34,038	Redwood	53,419	34,844
Douglas	128,526	34,547	Renville	56,099	38,108
Faribault	52,899	38,068	Rice	324,878	49,400
Fillmore	76,100	36,432	Rock	36,633	38,917
Freeborn	120,765	39,561	Roseau	43,059	27,848
Goodhue	165,076	35,718	Scott	415,606	28,988
Grant	17,564	29,579	Sherburne	338,272	36,283
Hennepin	4,293,575	34,752	Sibley	40,478	27,145
Houston	36,790	19,713	St. Louis	717,191	35,845
Hubbard	38,556	18,481	Stearns	533,523	34,022
Isanti	102,164	26,213	Steele	118,145	32,213
Itasca	143,162	31,671	Stevens	35,594	36,380
Jackson	22,699	22,593	Swift	33,191	35,268
Kanabec	35,777	22,355	Todd	60,307	24,676
Kandiyohi	158,603	37,180	Traverse	11,337	33,974
Kittson	14,555	33,560	Wabasha	78,855	36,677
Koochiching	47,518	37,581	Wadena	62,372	45,707
Lac qui Parle	26,594	39,265	Waseca	62,980	33,484
Lake	39,218	37,107	Washington	861,018	33,990
Lake of the Woods	12,217	32,074	Watonwan	34,138	31,111
Le Sueur	69,791	24,940	Wilkin	16,489	25,996
Lincoln	17,757	31,114	Winona	187,770	36,928
Lyon	74,908	28,990	Wright	363,695	27,398
Mahnomen	12,699	23,064	Yellow Medicine	32,922	33,362
Marshall	18,265	19,447	Unknown/missing	771,816	

Percent of Tests Positive by County of Residence

7.9%
% positive statewide (cumulative)

Cumulative percent of tests positive by county of residence. Positive number of tests and positivity calculations include only tests reported by labs that report both positive and negative results. Percent positive is the percent of positive tests from the total number of tests by county of residence.

Federal test reporting requirements changed as of April 4, 2022. Positive test results are still required to be reported, but not all negative test results will be reported anymore. Because we will no longer be receiving all test results from labs, our testing data will not be complete and the calculations for positivity rate will be affected. We will be watching these data and may discontinue updating these metrics.






County	% Positive (cumulative)	County	% Positive (cumulative)
Aitkin	7.2%	Martin	8.0%
Anoka	9.5%	McLeod	9.4%
Becker	7.4%	Meecker	8.3%
Beltrami	9.3%	Mille Lacs	8.9%
Benton	8.7%	Morrison	8.4%
Big Stone	5.6%	Mower	8.8%
Blue Earth	7.9%	Murray	7.8%
Brown	7.2%	Nicollet	7.5%
Carlton	5.9%	Nobles	12.6%
Carver	8.8%	Norman	5.6%
Cass	10.3%	Olmsted	7.7%
Chippewa	6.5%	Otter Tail	6.6%
Chisago	8.3%	Pennington	10.5%
Clay	8.7%	Pine	8.8%
Clearwater	10.3%	Pipstone	6.1%
Cook	3.7%	Polk	7.2%
Cottonwood	8.8%	Pope	7.9%
Crow Wing	8.9%	Ramsey	7.3%
Dakota	8.7%	Red Lake	10.7%
Dodge	8.0%	Redwood	7.2%
Douglas	8.4%	Renville	6.7%
Faribault	7.1%	Rice	5.4%
Fillmore	6.3%	Rock	5.7%
Freeborn	7.8%	Roseau	10.3%
Goodhue	7.9%	Scott	9.1%
Grant	7.9%	Sherburne	9.1%
Hennepin	7.4%	Sibley	8.3%
Houston	7.3%	St. Louis	6.8%
Hubbard	11.6%	Stearns	9.3%
Isanti	9.4%	Steele	8.9%
Itasca	7.7%	Stevens	7.5%
Jackson	9.1%	Swift	7.0%
Kanabec	9.7%	Todd	10.1%
Kandiyohi	8.4%	Traverse	6.9%
Kittson	6.9%	Wabasha	6.9%
Koochiching	6.1%	Wadena	7.9%
Lac qui Parle	6.1%	Waseca	8.8%
Lake	5.5%	Washington	8.1%
Lake of the Woods	6.3%	Watonwan	8.0%
Le Sueur	8.4%	Wilkin	8.4%
Lincoln	6.5%	Winona	6.6%
Lyon	9.6%	Wright	9.7%
Mahnomen	8.3%	Yellow Medicine	7.0%
Marshall	10.9%	Unknown/missing	5.3%

Weekly Percent of Tests Positive by County of Residence

Percent of positive tests by county of residence in Minnesota by week of specimen collection. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations. Percent positive is the percent of positive tests from the total number of tests by county of residence.


Federal test reporting requirements changed as of April 4, 2022. Positive test results are still required to be reported, but not all negative test results will be reported anymore. Because we will no longer be receiving all test results from labs, our testing data will not be complete and the calculations for positivity rate will be affected. We will be watching these data and may discontinue updating these metrics.



Downloadable CSV file of current data for these maps is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Testing Demographics: Age


Cumulative number of positive and negative tests by age group. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations, inconclusive test results are not included (inconclusive test results are those that are not clearly positive or negative).



Age Group (in years)	Unk./missing	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	Total
Positive	9,964	57,542	72,610	83,903	107,821	130,847	131,811	131,190	126,561	113,783	95,928	95,931	92,316	79,138	53,518	38,493	26,495	19,450	13,943	8,458	3,158	382	1,493,242
Negative	215,961	672,815	710,060	643,149	1,094,902	1,430,282	1,351,006	1,419,641	1,360,362	1,165,807	989,618	1,061,315	1,125,795	1,064,847	755,369	607,459	473,924	437,019	429,961	334,155	140,783	19,637	17,503,867

Testing Demographics: Gender

Cumulative number of positive and negative tests by gender. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations, inconclusive test results are not included (inconclusive test results are those that are not clearly positive or negative).




Gender	Male	Female	Other	Unk./missing	Total
Positive	705,329	753,448	9	34,456	1,493,242
Negative	6,679,202	9,970,549	17	854,099	17,503,867

Positive COVID-19 Cases

1,432,617
 Total Positive Cases,
 including Reinfections
 (cumulative)

Total positive cases are represented by the date of positive specimen collection.




■ Tables of current data: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

New Cases by Week, 7-Day Average

Cases by week of specimen collection date, and 7-day moving average of new cases.


Due to the need to confirm reports and reporting delays, data may be incomplete

New Cases by Week of Specimen Collection




Downloadable CSV file with current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Seven Day Moving Average of New Cases



Cases by County of Residence

Cumulative number of positive cases by county of residence, cases no longer needing isolation. Cases no longer needing isolation represents individuals with COVID-19 who no longer need to self-isolate. MDH does not track cases over time to determine whether they have fully recovered.




1,432,617 Total Positive Cases (cumulative)			1,416,664 No Longer Needing Isolation (cumulative)		
County	Cases (cumulative)	Cases no longer needing isolation	County	Cases (cumulative)	Cases no longer needing isolation
Aitkin	2,945	2,881	Martin	5,588	5,510
Anoka	98,374	97,404	McLeod	10,563	10,437
Becker	8,793	8,677	Meeker	5,924	5,846
Beltrami	11,994	11,838	Mille Lacs	7,215	7,095
Benton	14,008	13,811	Morrison	9,080	8,962
Big Stone	1,382	1,371	Mower	11,841	11,749
Blue Earth	17,884	17,747	Murray	2,027	2,010
Brown	6,527	6,437	Nicollet	7,978	7,903
Carlton	8,866	8,749	Nobles	6,942	6,875
Carver	26,616	26,455	Norman	1,491	1,477
Cass	7,002	6,913	Olmsted	41,008	40,559
Chippewa	3,071	3,019	Otter Tail	13,533	13,355
Chisago	14,502	14,363	Pennington	3,549	3,497
Clay	19,759	19,608	Pine	7,002	6,924
Clearwater	2,153	2,120	Pipestone	1,986	1,951
Cook	554	548	Polk	8,847	8,734
Cottonwood	3,218	3,173	Pope	3,028	3,007
Crow Wing	15,921	15,735	Ramsey	124,009	122,341
Dakota	109,922	108,856	Red Lake	935	917
Dodge	5,671	5,637	Redwood	3,892	3,832
Douglas	10,879	10,743	Renville	3,731	3,672
Faribault	3,771	3,707	Rice	17,894	17,684
Fillmore	4,774	4,743	Rock	2,329	2,293
Freeborn	9,075	8,978	Roseau	4,466	4,417
Goodhue	13,092	12,912	Scott	40,134	39,802
Grant	1,466	1,453	Sherburne	27,220	27,005
Hennepin	298,504	294,926	Sibley	3,510	3,475
Houston	4,530	4,491	St. Louis	46,934	46,218
Hubbard	4,928	4,866	Stearns	50,732	50,302
Isanti	10,070	9,951	Steele	10,339	10,250
Itasca	11,016	10,849	Stevens	2,627	2,611
Jackson	2,141	2,123	Swift	2,286	2,252
Kanabec	3,484	3,422	Todd	6,758	6,686
Kandiyohi	13,405	13,255	Traverse	851	841
Kittson	1,039	1,010	Wabasha	5,569	5,544
Koochiching	2,705	2,664	Wadena	4,208	4,150
Lac qui Parle	1,737	1,708	Waseca	5,500	5,439
Lake	2,067	2,036	Washington	66,782	66,152
Lake of the Woods	763	757	Watonwan	2,978	2,951
Le Sueur	6,469	6,410	Wilkin	1,653	1,630
Lincoln	1,213	1,206	Winona	12,690	12,578
Lyon	7,040	6,964	Wright	36,501	36,147
Mahnomen	1,758	1,736	Yellow Medicine	2,529	2,496
Marshall	2,086	2,059	Unknown/missing	784	777

- Up to date data for this chart is provided in the [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)
- Confirmed cases by USPS zip code of residence is available as a downloadable CSV file at: [Minnesota COVID-19 Weekly Report](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Cumulative Case Rate by County of Residence

2,592
cases per 10,000 people



Cumulative number of cases by county of residence per 10,000 people.



County	Cumulative Rate	County	Cumulative Rate
Aitkin	1,860	Martin	2,799
Anoka	2,831	McLeod	2,948
Becker	2,604	Meecker	2,567
Beltrami	2,601	Mille Lacs	2,804
Benton	3,521	Morrison	2,756
Big Stone	2,755	Mower	2,990
Blue Earth	2,697	Murray	2,427
Brown	2,589	Nicollet	2,362
Carlton	2,495	Nobles	3,179
Carver	2,651	Norman	2,273
Cass	2,413	Olmsted	2,679
Chippewa	2,557	Otter Tail	2,334
Chisago	2,650	Pennington	2,502
Clay	3,146	Pine	2,404
Clearwater	2,443	Pipestone	2,162
Cook	1,043	Polk	2,800
Cottonwood	2,830	Pope	2,758
Crow Wing	2,493	Ramsey	2,290
Dakota	2,628	Red Lake	2,333
Dodge	2,755	Redwood	2,539
Douglas	2,924	Renville	2,534
Faribault	2,714	Rice	2,721
Fillmore	2,286	Rock	2,474
Freeborn	2,973	Roseau	2,888
Goodhue	2,833	Scott	2,799
Grant	2,469	Sherburne	2,920
Hennepin	2,416	Sibley	2,354
Houston	2,427	St. Louis	2,346
Hubbard	2,362	Stearns	3,235
Isanti	2,584	Steele	2,819
Itasca	2,437	Stevens	2,685
Jackson	2,131	Swift	2,429
Kanabec	2,177	Todd	2,765
Kandiyohi	3,142	Traverse	2,550
Kittson	2,396	Wabasha	2,590
Koochiching	2,139	Wadena	3,084
Lac qui Parle	2,565	Waseca	2,924
Lake	1,956	Washington	2,636
Lake of the Woods	2,003	Watonwan	2,714
Le Sueur	2,312	Wilkin	2,606
Lincoln	2,125	Winona	2,496
Lyon	2,725	Wright	2,750
Mahnomen	3,193	Yellow Medicine	2,563
Marshall	2,221		

Weekly Case Rate by County of Residence

Number of cases by county of residence in Minnesota per 10,000 people by week of specimen collection.



Cases Per 10,000 People: 0 (white), >0 to <10 (light blue), 10 to <25 (medium blue), 25 to <50 (dark blue)


Downloadable CSV file of current data for these maps is provided at: [Minnesota COVID-19 Weekly Report](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html) (https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Hospitalizations, ICU Hospitalizations

61,732
Total Hospitalizations
(cumulative)

11,416
Total ICU Hospitalizations
(cumulative)

Hospitalization data show how many people required admission to a hospital and ICU. Admissions include all Minnesota cases regardless of location of hospitalization. Cases in residents of other states hospitalized in Minnesota are not included.




■ Tables of current data: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Hospitalizations by Week, 7-Day Average


Cases by week of initial hospitalization, and 7-day moving average of new hospitalizations.

New Hospitalization by Week First Hospital Admission



Downloadable CSV file with current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)


Seven Day Moving Average of New Hospitalizations



ICU Hospitalizations by Week, 7-Day Average


Cases by week of ICU hospital admission, and 7-day moving average of new ICU hospitalizations.

New ICU Hospitalizations by Week of First ICU Hospital Admission



Downloadable CSV file with current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)


Seven Day Moving Average of New ICU Hospitalizations



COVID-19 Deaths

12,434
Total Deaths
(cumulative)

Total deaths (also known as total deaths with laboratory testing) are deaths due to COVID-19 with a positive PCR test (confirmed case) or antigen test (probable case) for SARS-CoV-2, and either COVID-19 is listed on the death certificate or clinical history/autopsy findings that provide evidence that the death is related to COVID-19 without an alternative cause (i.e. drowning, homicide, trauma, etc.).




■ Tables of current data and more information about deaths: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Deaths by Week, 7-Day Average


Cases by week of death, and 7-day moving average of deaths.

Deaths by Week of Death



Downloadable CSV file with current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)


Seven Day Moving Average of Deaths



Deaths by County of Residence

12,434
Total Deaths (cumulative)

Cumulative number of deaths by county of residence.




County	Deaths (cumulative)	County	Deaths (cumulative)
Aitkin	61	Martin	64
Anoka	793	McLeod	108
Becker	92	Meecker	75
Beltrami	125	Mille Lacs	114
Benton	174	Morrison	104
Big Stone	8	Mower	72
Blue Earth	98	Murray	16
Brown	81	Nicollet	66
Carlton	96	Nobles	60
Carver	116	Norman	13
Cass	80	Olmsted	177
Chippewa	48	Otter Tail	164
Chisago	120	Pennington	41
Clay	123	Pine	67
Clearwater	30	Pipestone	34
Cook	4	Polk	105
Cottonwood	41	Pope	17
Crow Wing	168	Ramsey	1,330
Dakota	769	Red Lake	13
Dodge	21	Redwood	53
Douglas	116	Renville	56
Faribault	50	Rice	174
Fillmore	24	Rock	34
Freeborn	74	Roseau	44
Goodhue	130	Scott	259
Grant	12	Sherburne	180
Hennepin	2,568	Sibley	24
Houston	18	St. Louis	527
Hubbard	59	Stearns	366
Isanti	117	Steele	61
Itasca	145	Stevens	13
Jackson	17	Swift	33
Kanabec	55	Todd	57
Kandiyohi	138	Traverse	10
Kittson	27	Wabasha	16
Koochiching	37	Wadena	54
Lac qui Parle	28	Waseca	39
Lake	28	Washington	478
Lake of the Woods	6	Watonwan	23
Le Sueur	51	Wilkin	22
Lincoln	6	Winona	72
Lyon	72	Wright	304
Mahnomen	17	Yellow Medicine	29
Marshall	23	Unknown/missing	0

Up to date data for this chart is provided in the [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html) (<https://www.health.state.mn.us/diseases/coronavirus/situation.html>)

Demographics: Age

Cumulative number of cases, hospitalizations, and deaths by age group, median age, and age range.

	Median Age (Range) in Years
All Cases	35 (<1 month - 113)
Non-Hospitalized Cases	34 (<1 month - 113)
Hospitalizations	62 (<1 month - 105)
ICU Hospitalizations	63 (<1 month - 105)
Deaths	80 (<1 - 109)




Age Group (in years)	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	Unk./missing	Total
All Cases	58,039	72,354	83,452	105,573	124,821	125,276	125,503	122,273	110,085	92,807	92,804	88,909	75,896	50,929	36,791	25,100	18,100	12,717	7,708	2,827	542	111	1,432,617
Hospitalizations	855	278	435	1,042	1,735	2,395	2,941	2,897	2,827	3,156	4,177	5,212	6,137	5,807	5,922	5,260	4,638	3,454	1,914	585	63	2	61,732
ICU Hospitalizations	146	61	76	168	156	223	338	448	493	680	902	1,114	1,453	1,385	1,273	1,069	748	444	183	52	2	2	11,416
Deaths	1	2	1	4	12	32	65	92	131	199	337	542	855	999	1,328	1,535	1,819	1,942	1,621	764	153	0	12,434

Cases by Age Group and Specimen Collection Date

Cases by age group by date of specimen collection in Minnesota.

Due to the need to confirm reports and reporting delays, data may be incomplete




Downloadable CSV file of current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Case Rate in Children by Specimen Collection Date

Cases by age group for children in Minnesota (cases 18 years of age and under) per 10,000 people by date of specimen collection.


Due to the need to confirm reports and reporting delays, data may be incomplete



Hospitalization Rate in Children by Specimen Collection Date


Hospitalizations by age group for children in Minnesota (cases 18 years of age and under) per 10,000 people by date of specimen collection.

Due to the need to confirm reports and reporting delays, data may be incomplete



Demographics: Gender

Cumulative number of cases, hospitalizations, and deaths by gender. Gender is collected during case interview and is self-reported.




Gender	Male	Female	Other	Unk./missing	Total
All Cases	676,342	731,275	259	24,741	1,432,617
Hospitalizations	31,559	29,830	4	339	61,732
ICU Hospitalizations	6,984	4,381	2	49	11,416
Deaths	6,788	5,605	0	41	12,434

Demographics: Race & Ethnicity

Cumulative number of cases, hospitalizations, and deaths by race and ethnicity. Race and ethnicity is reported during case interview. Individuals who report more than one race are categorized into the multiple race category.

Race/Ethnicity	Minnesota Population (2018)	% of Population
White, non-Hispanic	4,438,071	80%
Black, non-Hispanic	336,505	6%
Asian, non-Hispanic	260,797	5%
American Indian/Alaska Native, non-Hispanic	53,168	1%
Native Hawaiian/Pacific Islander, non-Hispanic	1,799	<1%
Multiple Races, non-Hispanic	137,233	2%
Other, non-Hispanic	7,021	<1%
Hispanic	292,764	5%



Case interviews are now prioritized, priority groups include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants. Therefore, not all cases were contacted for interview. If cases were not interviewed, race and ethnicity information from disease reporting is included when available.



Race/ethnicity	White, non-Hispanic	Black, non-Hispanic	Asian, non-Hispanic	Amer. Indian/AK Native, NH	Native HI/Pacific Isl., NH	Multiple Races, non-Hispanic	Other, non-Hispanic	Hispanic	Unknown/missing	Total
All Cases	971,448	108,622	62,993	18,217	1,794	30,068	31,647	100,436	107,392	1,432,617
Hospitalizations	43,316	6,579	2,732	1,197	92	1,447	667	3,909	1,793	61,732
ICU Hospitalizations	7,680	1,153	702	310	17	254	121	878	301	11,416
Deaths	10,495	609	474	238	15	117	36	372	78	12,434

Age-Adjusted Race & Ethnicity Rates

Age-adjusted rates allow us to compare rates for racial and ethnic groups that have very different age distributions in Minnesota; they essentially allow us to look at what the rates would be if the underlying population age distribution was the same for all races. Rates have been suppressed when total cases are less than 25. Cumulative case rate is the number of cases by race or ethnicity per 100,000 people in Minnesota. Case interviews are now prioritized, priority groups include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants. Therefore, not all cases were contacted for interview. If cases were not interviewed, race and ethnicity information from disease reporting is included when available.



Age adjusted race/ethnicity	White, non-Hispanic	Black, non-Hispanic	Asian, non-Hispanic	American Indian/Alaskan Native, NH	Native Hawaiian/Pacific Islander, NH	Multiple Races, non-Hispanic	Hispanic
All Cases	20,107	24,635	18,155	26,923	54,231	30,498	32,982
Hospitalizations	719	2,091	1,166	2,089	3,615	2,849	1,890
ICU Hospitalizations	126	420	330	554	-	496	471
Deaths	161	349	294	539	-	366	327

Potential Exposure in Child Care Settings

Cases of COVID-19 among children who attended child care with potential exposure in child care settings by specimen collection date. Data also include hospitalizations, ICU hospitalizations, and deaths of attendees and staff associated with a childcare program. All adult cases are not routinely interviewed. Child care programs included: licensed child care centers, certified centers, summer day camps, and school-age care during peacetime emergency. Does not include in-home child cares. Cases by week are by specimen collection date.

12,756
Total Child Care Attendees (cumulative)

65
Total Hospitalized Child Care-affiliated Attendee Cases (cumulative)

15
Total ICU Hospitalized Child Care-affiliated Attendee Cases (cumulative)


0
Total Child Care-affiliated Attendee Deaths (cumulative)

120
Total Hospitalized Child Care-affiliated Staff Cases (cumulative)

7
Total ICU Hospitalized Child Care-affiliated Staff Cases (cumulative)

2
Total Child Care-affiliated Staff Deaths (cumulative)

Due to the need to confirm reports and reporting delays, data may be incomplete



Downloadable CSV file with current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Student Cases Associated with Pre-K through Grade 12

School Buildings

Cases of COVID-19 associated with students attending school and hospitalizations, ICU hospitalizations, and deaths of staff working at a prekindergarten through grade 12 building while they were able to spread COVID-19. All adult cases are not routinely interviewed. These numbers include cases exposed in a school setting, cases exposed in other settings, and cases where the exposure setting was not confirmed. All Minnesota schools are represented including public, nonpublic, and tribal schools. Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

76,132
Total PreK-12 Student Cases (cumulative)

305
Total Hospitalized PreK-12-affiliated Student Cases (cumulative)


36
Total ICU Hospitalized PreK-12-affiliated Student Cases (cumulative)

3
Total PreK-12-affiliated Student Deaths (cumulative)

372
Total Hospitalized PreK-12-affiliated Staff Cases (cumulative)

63
Total ICU Hospitalized PreK-12-affiliated Staff Cases (cumulative)

20
Total PreK-12-affiliated Staff Deaths (cumulative)




- A list of School buildings reporting 5 or more cases of COVID-19 in students who were in the building while infectious during a two-week reporting period by county is available in the [COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)
- Downloadable CSV file with current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Minnesota IHE Facilities Reporting Cases

154
Total IHE Facilities that have Reported at Least One Case (cumulative)

Number of Institutions of Higher Education (IHE) that have reported cases of COVID-19 in faculty, staff, and students working or enrolled at a Minnesota IHE (e.g. colleges, universities, community and technical colleges, private career schools). Number of IHEs reporting cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

Due to the need to confirm reports and reporting delays, data may be incomplete



The IHE facility data will be changing in the coming weeks. This information is no longer collected for all cases.

Cases per IHE facility	Number of IHEs reporting cases 3/20-4/2/22
1-10 cases	25
11-30 cases	2
31-99 cases	1
≥100 cases	0
Total	28


Downloadable CSV file with current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Resident Cases Associated with Congregate Care Settings

Cases of COVID-19 associated with residents living in congregate settings by specimen collection date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component.

35,856
Total Congregate Care Residents
(cumulative)

5,687
Deaths among cases that resided in long-term care or assisted living facilities (cumulative)




- A list of congregate care facilities reporting an exposure in the last 28 days from a case in a resident, staff person, or visiting provider and a cumulative list of long-term care facilities reporting a case in a resident, staff person, or visiting service provider are available on: [Minnesota Situation Update for Coronavirus Disease 2019 \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)
- Downloadable CSV file with current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

SARS-CoV-2 Variants Circulating in Minnesota

Lineage distribution of SARS-CoV-2 variants in Minnesota. The line indicates number of specimens sequenced, while the bars show proportions of each variant identified.

SARS-CoV-2 Variants of Concern (VOC) are named using the World Health Organization (WHO) naming conventions, Variants of Interest (VOI) are included as a group. More information about naming variants can be found at [WHO: Tracking SARS-CoV-2 variants \(https://www.who.int/en/activities/tracking-SARS-CoV-2-variants/\)](https://www.who.int/en/activities/tracking-SARS-CoV-2-variants/)




- WHO Label
- Other
 - VOIs
 - Alpha
 - Delta
 - Beta
 - Gamma
 - Omicron

Delta	B.1.617.2	0.31%
Other	Other	0.08%
Omicron	B.1.1.529	99.61%

*All VOI and VOC are included in this list, as well as any lineages that account for ≥1% of all specimens sequenced since 2/20/2022. All other lineages are included in the 'Other' category.

SARS-CoV-2 Variants by Region

This map shows the distribution of variants across regions in the past 30 days for the cases that have been sequenced.




Region & Variant	Variant %	Region & Variant	Variant %
Northwest		Northeast	
Alpha	0.00%	Alpha	0.00%
Beta	0.00%	Beta	0.00%
Delta	0.00%	Delta	0.00%
Gamma	0.00%	Gamma	0.00%
Omicron	100.00%	Omicron	100.00%
Other	0.00%	Other	0.00%
VOIs	0.00%	VOIs	0.00%
West Central		Central	
Alpha	0.00%	Alpha	0.00%
Beta	0.00%	Beta	0.00%
Delta	1.69%	Delta	1.63%
Gamma	0.00%	Gamma	0.00%
Omicron	98.31%	Omicron	98.37%
Other	0.00%	Other	0.00%
VOIs	0.00%	VOIs	0.00%
Southwest		Southeast	
Alpha	0.00%	Alpha	0.00%
Beta	0.00%	Beta	0.00%
Delta	0.00%	Delta	0.00%
Gamma	0.00%	Gamma	0.00%
Omicron	100.00%	Omicron	100.00%
Other	0.00%	Other	0.00%
VOIs	0.00%	VOIs	0.00%
Metro			
Alpha	0.00%		
Beta	0.00%		
Delta	0.11%		
Gamma	0.00%		
Omicron	99.77%		
Other	0.11%		
VOIs	0.00%		

A map of counties included in regions can be found at [Map of Field Services Epidemiologists \(https://www.health.state.mn.us/about/org/idepc/epis.html\)](https://www.health.state.mn.us/about/org/idepc/epis.html).

Vaccine Breakthrough (VBT) Cases

Vaccine breakthrough cases are defined as Minnesota residents with a positive COVID-19 test result (PCR or antigen) with a symptom onset date (or collection date if asymptomatic) 14 or more days after they have completed all recommended doses of a COVID-19 vaccine. VBT data has a lag period of one month for reporting purposes and excludes the rates prior to May since vaccine was not readily available to all Minnesotans prior to that date.

The rate per 100,000 people is calculated as the number of fully vaccinated people who test positive for SARS-CoV-2 divided by the total number of fully vaccinated people, multiplied by 100,000.



3,648,294
Total number of fully vaccinated Minnesotans age 5 and older (as of the week beginning 2/27/22)



379,342
Total VBT Cases (cumulative)

All VBT data in this report is as of 4/4/22

More information about vaccine breakthrough, and data updated every Monday are available on: [COVID-19 Vaccine Breakthrough Weekly Update](https://www.health.state.mn.us/diseases/coronavirus/stats/vbt.html) (www.health.state.mn.us/diseases/coronavirus/stats/vbt.html)

VBT Hospitalizations and Deaths

These graphs show the rate of hospitalization and death among vaccinated and unvaccinated COVID-19 cases since vaccine was widely available to the general adolescent and adult population in May 2021. Fully vaccinated is defined as 14 or more days after they have completed all recommended doses of a COVID-19 vaccine.




More information about vaccine breakthrough, and data updated every Monday are available on: [COVID-19 Vaccine Breakthrough Weekly Update \(www.health.state.mn.us/diseases/coronavirus/stats/vbt.html\)](http://www.health.state.mn.us/diseases/coronavirus/stats/vbt.html)


VBT Cases, Hospitalizations, and Deaths by Age Group

These graphs show vaccine breakthrough cases stratified by age to better illustrate the impact of COVID-19 across different age groups. Fully vaccinated is defined as 14 or more days after they have completed all recommended doses of a COVID-19 vaccine.


Cases: Rate by age group per 100,000 Week starting: 5/2/2021 to 2/27/2022



Hospitalizations: Rate by age group per 100,000 Week starting: 5/2/2021 to 2/27/2022




Deaths: Rate by age group per 100,000 Week starting: 5/2/2021 to 2/27/2022




More information about vaccine breakthrough, and data updated every Monday are available on: [COVID-19 Vaccine Breakthrough Weekly Update \(www.health.state.mn.us/diseases/coronavirus/stats/vbt.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/vbt.html)

Response Metrics: Testing and Interview Timing



Seven day moving average of median days from specimen collection to testing





Syndromic Surveillance

These syndromic surveillance data come from the Encounter Alert Service (EAS), which is utilizing an existing service to support and leverage the development of this activity. These data provide situational awareness to help inform public health decision making, resource allocation, and other actions.

Syndromic surveillance is a type of public health surveillance that uses near real-time data to help identify unusual activity that might need further investigation. These data help public health officials detect, monitor, and respond quickly to local public health threats and events of public health importance. The Minnesota Department of Health is currently using data on COVID-19-related symptoms and chief complaints reported during emergency department and inpatient hospital visits to identify trends. This data can provide an early signal that something is happening in a community with the outbreak even if case counts are not increasing at that time.

Data include emergency-department and inpatient hospital visits for COVID-like illness through April 2, 2022. Categories are based upon discharge diagnosis codes. Beginning with the November 27, 2020 Weekly COVID-19 report, conditions are reported from week 30 (July 20, 2020) forward due to a transition in data sources. The gray bar indicates a one week lag period in the data.

Through April 2, 2022, these data represent all patients from about 135 hospitals in Minnesota, covering approximately 90% of the hospital beds statewide. Efforts are underway to expand hospitals to more fully represent the state.



- Map of Counties and Infectious Disease Surveillance Regions can be found on: [Field Services Epidemiologists \(https://www.health.state.mn.us/about/org/idepc/epis.html\)](https://www.health.state.mn.us/about/org/idepc/epis.html)
- Further information and frequently asked questions syndromic surveillance can be found at: [Hospital Alerting for Syndromic Surveillance: COVID-19/SAR-CoV-2 \(https://www.health.state.mn.us/diseases/coronavirus/hcp/syndromic.html\)](https://www.health.state.mn.us/diseases/coronavirus/hcp/syndromic.html)


VBT Cases among Health Care Workers (Archived)

These data are for all vaccine breakthrough cases who reported their occupation as health care staff in acute care or congregate care facilities. Vaccine breakthrough cases are defined as Minnesota residents with a positive test result (both confirmed and probable) with onset date (or specimen collection date if asymptomatic) 14 or more days post full vaccine series and no positive COVID-19 result in the 90 days prior to their COVID infection.

This information is no longer collected for all cases, therefore this data will no longer be updated.

Due to the need to confirm reports and reporting delays, data may be incomplete


13,217
VBT Cases among Health Care Workers
(cumulative)



Demographics: Interview Language (Archived)

Language needs for cases interviewed by specimen collection date week. It is assumed that any interview recorded as not needing an interpreter was conducted in English.


This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.



Interview Language by County of Residence (Archived)

Percent of interviews by language and week of specimen collection by county of residence.


This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.



Likely Exposure (Archived)

Likely exposure for confirmed and probable cases. Exposure data is collected at case interview. Cases are categorized according to a hierarchy following the order of exposure type: outbreak, travel, LTC staff and residents, corrections, homeless shelter, acute health care, community-exposure with known contact, community-no known exposure.

This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.




Likely Exposure	Travel (outside MN)	Congregate Care	Corrections	Homeless/ Shelter	Health Care	Community (outbreak)	Community (known contact)	Community (no known contact)	Unk./missing	Total
All Cases	48,385	47,534	9,494	1,633	18,857	26,998	137,408	152,229	325,574	768,112
Hospitalizations	1,685	5,664	196	318	620	1,021	4,791	11,383	14,684	40,362
ICU Hospitalizations	342	1,098	45	51	82	217	973	2,308	3,071	8,187
Deaths	117	4,901	14	15	25	69	467	1,095	1,812	8,515

- Community (outbreak): Case was exposed to a known outbreak setting in Minnesota that is not also a congregated living setting (e.g., long-term care, corrections, shelter) or health care setting. This includes restaurant/bars, sports, worksites that are not living settings, etc.
- Travel: Case traveled outside of Minnesota in the 2 weeks before illness.
- Congregate Care Setting: Residents, and staff who are not part of a non-congregate care setting outbreak and did not have an exposure to a positive household member. Congregate care settings include long-term care facilities (LTCF), assisted living facilities, group homes, or residential behavioral health (RBH) facilities.
- Corrections: Inmates who were exposed while incarcerated, and staff of a jail/prison setting who are not part of a non-corrections outbreak and did not have an exposure to a positive household member.
- Homeless/Shelter: Residents/guests, and staff who are not part of a non-shelter outbreak and did not have an exposure to a positive household member.
- Health Care: Patients who were part of nosocomial outbreaks, and staff who are not part of a non-acute health care setting outbreak and did not have an exposure to a positive household member.
- Community (known contact with confirmed case): Case has a known exposure to a positive case and does not fit into any of the previous categories.
- Community (unknown contact with confirmed case): Case has no known exposure to a positive case and does not fit into any of the previous categories.

Cases by Likely Exposure and Specimen Collection Date (Archived)


Cases by likely exposure by specimen collection date. This chart shows how exposure to COVID-19 has changed over time during the pandemic in Minnesota. Numbers include confirmed and probable cases.



Residence Type (Archived)

Cases by residence type. Residence type is collected during case interview and is self-reported. Numbers include confirmed and probable cases.

This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.



Cases among Health Care Workers (Archived)

This data is for all cases who reported their occupation as health care staff in acute care or congregate care facilities. Not all cases who are health care workers were exposed at work. Numbers include confirmed and probable cases.


48,946
Total Health Care Workers
(cumulative)

1,247
Total Health Care Staff Hospitalized
(cumulative)

207
Total Health Care Staff Hospitalized in ICU
(cumulative)

47
Total Health Care Staff Deaths
(cumulative)

This information is no longer collected for all cases, therefore this data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.



High Risk Exposures in Health Care Workers (Archived)

MDH works with health care facilities to monitor health care workers who have had high-risk exposures with known positive patients/residents, co-workers, or social contacts. This data shows high-risk exposures experienced by health care workers in Minnesota who have been in contact with individuals with confirmed COVID-19 and the percent of exposures that lead to a positive test within 14 days of high-risk exposure (coworker, household/social, patient or resident). This data does not capture the exposures of all health care workers who become COVID-19 cases.

16,816
Total High Risk Health Care Worker Exposures (cumulative)

The data shown here summarizes high-risk exposures that occurred from March 6, 2020 – October 20, 2021.

Health care workers had 16,816 documented high-risk exposures

52% exposures happened at home or in the community


48% of exposures occurred at work

1,667
Total High Risk Health Care Worker Exposures Resulting in a Positive Test (cumulative)

Risk of infection was highest after exposure at home or in the community

13% HCW tested positive after exposure to a positive household member or social contact

6% HCW tested positive after an exposure at work



Staff with Potential Exposure in Child Care Settings (Archived)

Cases of COVID-19 with potential exposure in child care settings by specimen collection date. Cases included staff that attended a child care program while infectious, or who test positive and attended a child care program that reported a confirmed case in the past 28 days. Child care programs included: licensed child care centers, certified centers, summer day camps, and school-age care during peacetime emergency. Does not include in-home child cares. Cases by week are by specimen collection date. Numbers include confirmed and probable cases.


This information is no longer collected for staff in child care settings. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

4,083
Total Child Care Staff (cumulative)

90
Total Hospitalized Child Care-affiliated Staff Cases (cumulative)

7
Total ICU Hospitalized Child Care-affiliated Staff Cases (cumulative)

0
Total Child Care-affiliated Staff Deaths (cumulative)



Staff Cases Associated with Pre-K through Grade 12 School Buildings (Archived)

Cases of COVID-19 associated with school staff working in school at a prekindergarten through grade 12 building while they were able to spread COVID-19. These numbers include cases exposed in a school setting, cases exposed in other settings, and cases where the exposure setting was not confirmed. All Minnesota schools are represented including public, nonpublic, and tribal schools. Numbers include confirmed and probable cases.

This information is no longer collected for staff in Pre-K through Grade 12 Schools. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.


Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

10,773
Total PreK-12 School Staff Cases (cumulative)

235
Total Hospitalized PreK-12-affiliated Staff Cases (cumulative)

47
Total ICU Hospitalized PreK-12-affiliated Staff Cases (cumulative)

13
Total PreK-12-affiliated Staff Deaths (cumulative)




PreK-12 School Buildings Reporting Cases (Archived)

Schools included are public, non-public, and tribal schools. Number of school buildings reporting cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020. Numbers include confirmed and probable cases.

This data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

2,560
Total PreK-12 School Buildings Reporting Cases (cumulative)



Cases per building	Number of buildings reporting cases 10/3-10/16/21
1 case	405
2-4 cases	324
≥5 cases	99
Total	828

A list of School buildings reporting 5 or more cases of COVID-19 in students who were in the building while infectious during a two-week reporting period by county is available in the [Minnesota Situation Update for Coronavirus Disease 2019 \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Cases that have an Affiliation with Institutes of Higher Education (IHE) (Archived)

Cases of COVID-19 affiliated with faculty, staff, and students working or enrolled at a Minnesota Institute of Higher Education (IHE) while they were potentially exposed to or able to spread COVID-19. IHE include colleges, universities, and private career schools. Numbers include confirmed and probable cases.

Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.


This data will no longer be updated. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

20,785 Total IHE-affiliated Cases (cumulative)	
Cases infectious while on campus (cumulative)	6,920
Cases living on campus (cumulative)	3,157

183
Total Hospitalized IHE-affiliated Cases
(cumulative)

22
Total ICU Hospitalized IHE-affiliated Case
(cumulative)

7
Total IHE-affiliated Deaths
(cumulative)




Staff Cases Associated with Congregate Care Settings (Archived)

Cases of COVID-19 associated with staff living in congregate settings by specimen collection date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component. Numbers include confirmed and probable cases.

This information is no longer collected for staff in Congregate Care Settings. Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

24,127
Total Congregate Care Staff
(cumulative)



Congregate Care Facility Outbreaks (Archived)


Congregate care facilities with confirmed cases in residents, staff, and visiting providers by specimen date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component. Numbers include confirmed and probable cases.

4,411
Total Congregate Care Facilities
(cumulative)

Confirmed cases per facility	Number of facilities
1-2 case	1,961
3-20 cases	1,854
≥21 cases	596

This data will no longer be updated.
Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

Due to the need to confirm reports and reporting delays, data may be incomplete



Type of facility	Number of outbreak facilities	Number of resident cases	Number of staff cases	Number of deaths in resident cases	Number of facilities with active outbreaks	Percent of outbreak facilities still experiencing an active outbreak
Skilled Nursing Facilities and Transitional Care Units	368	12,715	12,395	3,110	210	57%
Assisted Living and Memory Care Facilities	1,081	8,758	7,185	1,584	209	19%
Group Homes and Adult Foster Care Facilities	2,738	2,863	4,862	116	136	5%
Other Congregate Care Settings	265	1,648	1,527	24	41	15%

A list of congregated care facilities reporting an exposure in the last 28 days from a case in a resident, staff person, or visiting provider and a cumulative list of long-term care facilities reporting a case in a resident, staff person, or visiting service provider are available on: [COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)