The image is a title slide for a report. It features a dark red to purple gradient background with faint, stylized virus particles scattered across it. The text is centered and reads: "Minnesota Department of Health" in a white sans-serif font, followed by "WEEKLY COVID-19 REPORT" in a larger, bold white sans-serif font, and "5/6/2021" in a white sans-serif font below it.

Minnesota Department of Health

WEEKLY COVID-19 REPORT

5/6/2021

This MDH Weekly COVID-19 Report presents data in an easy to interpret way and enhances the information provided in the daily Situation Update for COVID-19 web page with trends and situational insights as well as trends over time.

- [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html) updated daily at 11 a.m.
- [Coronavirus Disease 2019 \(COVID-19\) \(https://www.cdc.gov/coronavirus/2019-nCoV/\)](https://www.cdc.gov/coronavirus/2019-nCoV/)
- Neighboring states' COVID-19 information:
 - [Wisconsin: COVID-19 \(Coronavirus Disease\) \(https://www.dhs.wisconsin.gov/covid-19/\)](https://www.dhs.wisconsin.gov/covid-19/)
 - [Iowa: Novel Coronavirus \(COVID-19\) \(https://idph.iowa.gov/Emerging-Health-Issues/Novel-Coronavirus\)](https://idph.iowa.gov/Emerging-Health-Issues/Novel-Coronavirus)
 - [North Dakota: Coronavirus \(https://www.health.nd.gov/diseases-conditions/coronavirus/\)](https://www.health.nd.gov/diseases-conditions/coronavirus/)
 - [South Dakota: Novel Coronavirus Updates and Information \(https://doh.sd.gov/news/Coronavirus.aspx\)](https://doh.sd.gov/news/Coronavirus.aspx)

About Minnesota COVID-19 Data

Contents


| | | | |
|--|----|--|----|
| About Minnesota COVID-19 Data | 2 | Cases among Health Care Workers | 32 |
| COVID-19 Overview Summary | 3 | High Risk Exposures in Health Care Workers | 33 |
| Laboratory Tests for COVID-19 | 4 | Potential Exposure in Child Care Settings | 34 |
| Number of Tests and Percent Positive by Week | 5 | Cases Associated with PK - Grade 12 School Buildings | 35 |
| Laboratory Test Rates by County of Residence | 6 | PreK-12 School Buildings Reporting Cases | 36 |
| Percent of Tests Positive by County of Residence | 7 | Cases that have an Affiliation with | |
| Weekly Percent of Tests Positive by County of Residence .. | 8 | Institutes of Higher Education (IHE) | 37 |
| Testing Demographics: Age | 9 | Minnesota IHE Facilities Reporting Cases | 38 |
| Testing Demographics: Gender | 10 | Cases Associated with Congregate Care Settings | 39 |
| Positive COVID-19 Cases | 11 | Congregate Care Facility Outbreaks | 40 |
| New Cases by Week, 7-Day Average | 12 | Response Metrics: Testing and Interview Timing | 41 |
| Cases by County of Residence | 13 | Syndromic Surveillance | 42 |
| Cumulative Case Rate by County of Residence | 14 | | |
| Weekly Case Rate by County of Residence | 15 | | |
| Hospitalizations, ICU Hospitalizations | 16 | | |
| Hospitalizations by Week, 7-Day Average | 17 | | |
| ICU Hospitalizations by Week, 7-Day Average | 18 | | |
| COVID-19 Deaths | 19 | | |
| Deaths by Week, 7-Day Average | 20 | | |
| Deaths by County of Residence | 21 | | |
| Demographics: Age | 22 | | |
| Cases by Age Group and Specimen Collection Date | 23 | | |
| Demographics: Gender | 24 | | |
| Demographics: Race & Ethnicity | 25 | | |
| Age-Adjusted Race & Ethnicity Rates | 26 | | |
| Demographics: Interview Language | 27 | | |
| Interview Language by County of Residence | 28 | | |
| Likely Exposure | 29 | | |
| Cases by Likely Exposure, Specimen Collection Date | 30 | | |
| Residence Type | 31 | | |

- Data is for cases that were tested and returned positive. Many people with COVID-19 are not tested, so the cases in this report represent only a fraction of the total number of people in Minnesota who have had COVID-19.
 - The COVID-19 case definition now includes both polymerase chain reaction (PCR) testing and antigen testing. Positive PCR test results are considered confirmed cases. Positive antigen test results are considered probable cases.
- All data is preliminary and may change as cases are investigated.
 - Many data points are collected during case interviews. Data presented below is for all cases, regardless of interview status. Data for cases pending interview may be listed as “unknown/missing”.
- Weekly data is reported by MMWR week, which is the week of the year assigned by the National Notifiable Diseases Surveillance System for the purposes of disease reporting and publishing.
- Numbers listed as cumulative total are cumulative since Jan. 20, 2020 for confirmed (PCR) tests and cases, and since Sept. 1, 2020 for probable (antigen) tests and cases.
- More information on the MN Phases of Reopening can be found in the [Minnesota’s Stay Safe Plan \(https://mn.gov/covid19/stay-safe/stay-safe-plan/index.jsp\)](https://mn.gov/covid19/stay-safe/stay-safe-plan/index.jsp) Phase 3+ includes: Phase 3 with mask mandate (starting 7/25), Phase 3 with mask mandate and changes in social gathering limits (starting 11/13), “Dial back to save lives” (starting 11/20), “Safely reopening pools...” (starting 1/4), and “Protecting recent progress and cautiously resuming certain activities” (starting 1/10).



health.mn.gov/coronavirus


COVID-19 Overview Summary



Laboratory Tests for COVID-19

9,402,942
Total Laboratory Tests
(cumulative)


Testing numbers show how many total tests have been done for people who live in Minnesota. Some people get tested more than once. Tests are reported per test to account for changes in testing capacity and for individuals who are tested more than once over the course of the pandemic. Total laboratory tests includes both PCR and antigen tests. Tests are reported by the date the test was run in the laboratory.



Current data: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Number of Tests and Percent Positive by Week


Number of tests and percentage positive by date of laboratory testing. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations. Numbers include both PCR and antigen tests. Percent positive is the percent of positive tests from the total number of tests.



Laboratory Test Rates by County of Residence

16,760
tests per 10,000 people statewide


Cumulative rate of tests by county of residence per 10,000 people. Only tests reported by laboratories reporting both positive and negative results are included. Numbers include both PCR and antigen tests.



| County | Number of Tests | Cumulative Rate | County | Number of Tests | Cumulative Rate |
|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Aitkin | 16,935 | 10,695 | Martin | 36,591 | 18,328 |
| Anoka | 482,509 | 13,888 | McLeod | 54,547 | 15,226 |
| Becker | 54,363 | 16,097 | Meeker | 33,274 | 14,417 |
| Beltrami | 54,783 | 11,879 | Mille Lacs | 39,083 | 15,191 |
| Benton | 68,777 | 17,290 | Morrison | 55,294 | 16,782 |
| Big Stone | 12,349 | 24,619 | Mower | 74,046 | 18,698 |
| Blue Earth | 126,055 | 19,007 | Murray | 14,277 | 17,092 |
| Brown | 52,393 | 20,782 | Nicollet | 61,465 | 18,194 |
| Carlton | 71,650 | 20,160 | Nobles | 28,937 | 13,250 |
| Carver | 137,185 | 13,662 | Norman | 11,308 | 17,240 |
| Cass | 27,991 | 9,645 | Olmsted | 250,974 | 16,397 |
| Chippewa | 24,146 | 20,105 | Otter Tail | 100,999 | 17,416 |
| Chisago | 79,255 | 14,482 | Pennington | 14,604 | 10,296 |
| Clay | 103,140 | 16,423 | Pine | 32,009 | 10,989 |
| Clearwater | 8,596 | 9,755 | Pipestone | 18,357 | 19,986 |
| Cook | 7,564 | 14,242 | Polk | 39,562 | 12,523 |
| Cottonwood | 19,285 | 16,958 | Pope | 18,818 | 17,138 |
| Crow Wing | 76,358 | 11,958 | Ramsey | 882,029 | 16,289 |
| Dakota | 635,770 | 15,202 | Red Lake | 3,826 | 9,546 |
| Dodge | 34,068 | 16,552 | Redwood | 24,243 | 15,813 |
| Douglas | 61,262 | 16,467 | Renville | 27,622 | 18,764 |
| Faribault | 25,855 | 18,606 | Rice | 167,789 | 25,513 |
| Fillmore | 36,427 | 17,439 | Rock | 17,405 | 18,490 |
| Freeborn | 60,572 | 19,843 | Roseau | 21,580 | 13,957 |
| Goodhue | 80,057 | 17,322 | Scott | 208,466 | 14,540 |
| Grant | 9,421 | 15,866 | Sherburne | 166,814 | 17,893 |
| Hennepin | 2,056,150 | 16,643 | Sibley | 22,528 | 15,107 |
| Houston | 20,257 | 10,854 | St. Louis | 348,792 | 17,433 |
| Hubbard | 18,696 | 8,962 | Stearns | 258,228 | 16,467 |
| Isanti | 49,123 | 12,604 | Steele | 59,449 | 16,209 |
| Itasca | 70,837 | 15,671 | Stevens | 19,488 | 19,918 |
| Jackson | 13,073 | 13,012 | Swift | 16,894 | 17,951 |
| Kanabec | 14,602 | 9,124 | Todd | 29,842 | 12,210 |
| Kandiyohi | 77,423 | 18,150 | Traverse | 6,874 | 20,599 |
| Kittson | 9,003 | 20,759 | Wabasha | 43,736 | 20,342 |
| Koochiching | 18,849 | 14,907 | Wadena | 29,826 | 21,857 |
| Lac qui Parle | 13,278 | 19,604 | Waseca | 31,728 | 16,869 |
| Lake | 18,009 | 17,039 | Washington | 415,190 | 16,390 |
| Lake of the Woods | 5,698 | 14,959 | Watonwan | 18,559 | 16,913 |
| Le Sueur | 39,474 | 14,106 | Wilkin | 7,140 | 11,257 |
| Lincoln | 9,930 | 17,400 | Winona | 101,817 | 20,024 |
| Lyon | 42,819 | 16,571 | Wright | 171,832 | 12,945 |
| Mahnomen | 5,930 | 10,770 | Yellow Medicine | 18,018 | 18,259 |
| Marshall | 9,706 | 10,334 | Unknown/missing | 400,242 | |

Percent of Tests Positive by County of Residence

Positive number of tests and positivity calculations include only tests reported by labs that report both positive and negative results. Percent positive is the percent of positive tests from the total number of tests by county of residence. Numbers include both PCR and antigen tests.




6.4%
% positive statewide (cumulative)

| County | % Positive | County | % Positive |
|-------------------|------------|-----------------|------------|
| Aitkin | 5.1% | Martin | 6.3% |
| Anoka | 8.5% | McLeod | 6.9% |
| Becker | 4.9% | Meeke | 7.5% |
| Beltrami | 6.7% | Mille Lacs | 7.7% |
| Benton | 7.7% | Morrison | 7.3% |
| Big Stone | 4.3% | Mower | 6.3% |
| Blue Earth | 5.9% | Murray | 7.4% |
| Brown | 5.8% | Nicollet | 5.5% |
| Carlton | 4.4% | Nobles | 13.9% |
| Carver | 7.4% | Norman | 3.7% |
| Cass | 6.9% | Olmsted | 5.1% |
| Chippewa | 6.3% | Otter Tail | 5.3% |
| Chisago | 7.1% | Pennington | 7.9% |
| Clay | 6.5% | Pine | 7.8% |
| Clearwater | 8.9% | Pipestone | 6.2% |
| Cook | 2.3% | Polk | 5.5% |
| Cottonwood | 8.3% | Pope | 5.6% |
| Crow Wing | 4.8% | Ramsey | 6.2% |
| Dakota | 7.4% | Red Lake | 8.0% |
| Dodge | 5.2% | Redwood | 6.6% |
| Douglas | 7.5% | Renville | 6.3% |
| Faribault | 6.0% | Rice | 4.7% |
| Fillmore | 4.3% | Rock | 6.5% |
| Freeborn | 5.7% | Roseau | 9.8% |
| Goodhue | 5.8% | Scott | 8.0% |
| Grant | 5.6% | Sherburne | 7.5% |
| Hennepin | 6.3% | Sibley | 6.3% |
| Houston | 6.3% | St. Louis | 4.6% |
| Hubbard | 6.2% | Stearns | 8.3% |
| Isanti | 7.8% | Steele | 6.4% |
| Itasca | 5.4% | Stevens | 4.5% |
| Jackson | 9.0% | Swift | 6.6% |
| Kanabec | 7.6% | Todd | 8.6% |
| Kandiyohi | 8.4% | Traverse | 4.7% |
| Kittson | 5.4% | Wabasha | 4.8% |
| Koochiching | 4.1% | Wadena | 5.7% |
| Lac qui Parle | 5.3% | Waseca | 6.8% |
| Lake | 4.6% | Washington | 6.8% |
| Lake of the Woods | 5.5% | Watonwan | 6.5% |
| Le Sueur | 6.9% | Wilkin | 8.7% |
| Lincoln | 5.5% | Winona | 4.4% |
| Lyon | 8.6% | Wright | 8.5% |
| Mahnomen | 6.3% | Yellow Medicine | 6.0% |
| Marshall | 8.7% | Unknown/missing | 3.0% |

Weekly Percent of Tests Positive by County of Residence

Percent of positive tests by county of residence in Minnesota by week of specimen collection. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations. Percent positive is the percent of positive tests from the total number of tests by county of residence. Numbers include both PCR and antigen tests.




<2% of tests
 2% to <3% of tests
 3% to <5% of tests
 5% to <7% of tests
 7% to <10% of tests
 10% to <15% of tests
 15% to <20% of tests
 20+% of tests

Downloadable CSV file of current data for these maps is provided at: Minnesota COVID-19 Weekly Report (<https://www.health.state.mn.us/diseases/coronavirus/stats/index.html>)

Testing Demographics: Age


Number of positive and negative tests by age group. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations, inconclusive test results are not included (inconclusive test results are those that are not clearly positive or negative). Numbers include both PCR and antigen tests.



| Age Group (in years) | Unk./missing | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85-89 | 90-94 | 95-99 | 100+ | Total |
|----------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|-------|-----------|
| Positive | 9,629 | 12,663 | 17,566 | 25,860 | 47,138 | 57,506 | 52,424 | 49,121 | 46,622 | 43,217 | 40,530 | 41,414 | 40,807 | 33,944 | 22,270 | 16,231 | 11,740 | 9,402 | 7,608 | 5,056 | 2,030 | 229 | 593,007 |
| Negative | 164,244 | 220,070 | 246,441 | 242,376 | 563,154 | 787,977 | 701,245 | 710,857 | 669,719 | 562,511 | 496,338 | 537,189 | 584,439 | 541,866 | 375,746 | 297,575 | 236,651 | 225,884 | 230,457 | 181,856 | 77,005 | 9,752 | 8,663,352 |

Testing Demographics: Gender

Number of positive and negative tests by gender. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations, inconclusive test results are not included (inconclusive test results are those that are not clearly positive or negative). Numbers include both PCR and antigen tests.




| Gender | Male | Female | Other | Unk./missing | Total |
|-----------------|-----------|-----------|-------|--------------|-----------|
| Positive | 289,383 | 301,120 | 14 | 2,490 | 593,007 |
| Negative | 3,375,842 | 5,207,202 | 20 | 80,288 | 8,663,352 |

Positive COVID-19 Cases

584,227
Total Positive Cases
(cumulative)

Cases are individual people who live in Minnesota that tested positive for COVID-19. Cases are represented by the initial date of positive specimen collection. Positive PCR test results are considered confirmed cases. Positive antigen test results are considered probable cases.




■ Tables of current data: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

New Cases by Week, 7-Day Average


Cases by week of specimen collection date, and 7-day moving average of new cases. Numbers include confirmed and probable cases.

New Cases by Week of Specimen Collection

Due to the need to confirm reports and reporting delays, data may be incomplete




Seven Day Moving Average of New Cases



Cases by County of Residence

Cumulative number of positive cases by county of residence, patients no longer needing isolation. Patients no longer needing isolation represents individuals with COVID-19 who no longer need to self-isolate. MDH does not track cases over time to determine whether they have fully recovered. Numbers include confirmed and probable cases.




- Up to date data for this chart is provided in the Minnesota Situation Update for Coronavirus Disease 2019 (COVID-19) (<https://www.health.state.mn.us/diseases/coronavirus/situation.html>)
- Confirmed cases by USPS zip code of residence is available as a downloadable CSV file at: Minnesota COVID-19 Weekly Report (<https://www.health.state.mn.us/diseases/coronavirus/stats/index.html>)

| 584,227 Total Positive Cases (cumulative) | | | 563,364 No Longer Needing Isolation (cumulative) | | |
|--|---------|-----------------------------------|---|--------|-----------------------------------|
| County | Cases | Cases no longer needing isolation | County | Cases | Cases no longer needing isolation |
| Aitkin | 1,332 | 1,270 | Martin | 2,288 | 2,172 |
| Anoka | 40,908 | 39,385 | McLeod | 4,177 | 3,998 |
| Becker | 3,764 | 3,619 | Meeker | 2,513 | 2,406 |
| Beltrami | 3,885 | 3,731 | Mille Lacs | 2,982 | 2,860 |
| Benton | 5,614 | 5,380 | Morrison | 4,145 | 3,971 |
| Big Stone | 593 | 580 | Mower | 4,614 | 4,512 |
| Blue Earth | 7,409 | 7,125 | Murray | 1,057 | 1,030 |
| Brown | 3,035 | 2,955 | Nicollet | 3,214 | 3,099 |
| Carlton | 3,409 | 3,301 | Nobles | 4,067 | 3,982 |
| Carver | 10,350 | 10,096 | Norman | 537 | 521 |
| Cass | 2,663 | 2,557 | Olmsted | 13,121 | 12,845 |
| Chippewa | 1,513 | 1,453 | Otter Tail | 5,689 | 5,486 |
| Chisago | 5,840 | 5,624 | Pennington | 1,533 | 1,508 |
| Clay | 8,092 | 7,870 | Pine | 3,241 | 3,158 |
| Clearwater | 858 | 798 | Pipestone | 1,142 | 1,088 |
| Cook | 156 | 153 | Polk | 3,803 | 3,676 |
| Cottonwood | 1,631 | 1,574 | Pope | 1,084 | 1,049 |
| Crow Wing | 6,541 | 6,271 | Ramsey | 50,494 | 48,350 |
| Dakota | 45,177 | 43,518 | Red Lake | 395 | 384 |
| Dodge | 1,819 | 1,755 | Redwood | 1,715 | 1,646 |
| Douglas | 4,604 | 4,430 | Renville | 1,782 | 1,705 |
| Faribault | 1,503 | 1,457 | Rice | 7,964 | 7,722 |
| Fillmore | 1,541 | 1,518 | Rock | 1,273 | 1,230 |
| Freeborn | 3,399 | 3,313 | Roseau | 2,061 | 2,003 |
| Goodhue | 4,719 | 4,489 | Scott | 17,036 | 16,471 |
| Grant | 564 | 550 | Sherburne | 11,443 | 11,013 |
| Hennepin | 121,148 | 116,885 | Sibley | 1,413 | 1,370 |
| Houston | 1,702 | 1,658 | St. Louis | 17,568 | 16,895 |
| Hubbard | 1,842 | 1,735 | Stearns | 21,950 | 21,315 |
| Isanti | 4,107 | 3,894 | Steele | 3,820 | 3,708 |
| Itasca | 4,211 | 3,915 | Stevens | 892 | 849 |
| Jackson | 1,214 | 1,189 | Swift | 1,042 | 1,005 |
| Kanabec | 1,430 | 1,364 | Todd | 2,787 | 2,696 |
| Kandiyohi | 6,482 | 6,315 | Traverse | 368 | 358 |
| Kittson | 482 | 453 | Wabasha | 2,038 | 2,004 |
| Koochiching | 816 | 778 | Wadena | 1,536 | 1,457 |
| Lac qui Parle | 750 | 726 | Waseca | 2,358 | 2,312 |
| Lake | 806 | 779 | Washington | 26,429 | 25,409 |
| Lake of the Woods | 319 | 311 | Watonwan | 1,304 | 1,260 |
| Le Sueur | 2,864 | 2,766 | Wilkin | 799 | 774 |
| Lincoln | 573 | 561 | Winona | 4,489 | 4,372 |
| Lyon | 3,578 | 3,466 | Wright | 15,771 | 15,172 |
| Mahnomen | 541 | 518 | Yellow Medicine | 1,136 | 1,108 |
| Marshall | 876 | 849 | Unknown/missing | 497 | 481 |

Cumulative Case Rate by County of Residence

1,057
cases per 10,000 people



Cumulative number of cases by county of residence per 10,000 people. Numbers include confirmed and probable cases.



| County | Cumulative Rate | County | Cumulative Rate |
|-------------------|-----------------|-----------------|-----------------|
| Aitkin | 841 | Martin | 1,146 |
| Anoka | 1,177 | McLeod | 1,166 |
| Becker | 1,114 | Meecker | 1,089 |
| Beltrami | 842 | Mille Lacs | 1,159 |
| Benton | 1,411 | Morrison | 1,258 |
| Big Stone | 1,182 | Mower | 1,165 |
| Blue Earth | 1,117 | Murray | 1,265 |
| Brown | 1,204 | Nicollet | 951 |
| Carlton | 959 | Nobles | 1,862 |
| Carver | 1,031 | Norman | 819 |
| Cass | 918 | Olmsted | 857 |
| Chippewa | 1,260 | Otter Tail | 981 |
| Chisago | 1,067 | Pennington | 1,081 |
| Clay | 1,289 | Pine | 1,113 |
| Clearwater | 974 | Pipestone | 1,243 |
| Cook | 294 | Polk | 1,204 |
| Cottonwood | 1,434 | Pope | 987 |
| Crow Wing | 1,024 | Ramsey | 932 |
| Dakota | 1,080 | Red Lake | 986 |
| Dodge | 884 | Redwood | 1,119 |
| Douglas | 1,238 | Renville | 1,211 |
| Faribault | 1,082 | Rice | 1,211 |
| Fillmore | 738 | Rock | 1,352 |
| Freeborn | 1,113 | Roseau | 1,333 |
| Goodhue | 1,021 | Scott | 1,188 |
| Grant | 950 | Sherburne | 1,227 |
| Hennepin | 981 | Sibley | 948 |
| Houston | 912 | St. Louis | 878 |
| Hubbard | 883 | Stearns | 1,400 |
| Isanti | 1,054 | Steele | 1,042 |
| Itasca | 932 | Stevens | 912 |
| Jackson | 1,208 | Swift | 1,107 |
| Kanabec | 894 | Todd | 1,140 |
| Kandiyohi | 1,520 | Traverse | 1,103 |
| Kittson | 1,111 | Wabasha | 948 |
| Koochiching | 645 | Wadena | 1,126 |
| Lac qui Parle | 1,107 | Waseca | 1,254 |
| Lake | 763 | Washington | 1,043 |
| Lake of the Woods | 837 | Watonwan | 1,188 |
| Le Sueur | 1,023 | Wilkin | 1,260 |
| Lincoln | 1,004 | Winona | 883 |
| Lyon | 1,385 | Wright | 1,188 |
| Mahnomen | 983 | Yellow Medicine | 1,151 |
| Marshall | 933 | | |

Weekly Case Rate by County of Residence

Number of cases by county of residence in Minnesota per 10,000 people by week of specimen collection. Numbers include confirmed and probable cases.



Cases Per 10,000 People <math>< 5</math> 5 to <math>< 10</math> 10 to <math>< 15</math> 15 to <math>< 25</math> 25 to <math>< 50</math> 50+


Downloadable CSV file of current data for these maps is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Hospitalizations, ICU Hospitalizations

30,783
Total Hospitalizations
(cumulative)

6,264
Total ICU Hospitalizations
(cumulative)

Hospitalization data show how many people required admission to a hospital and ICU. Admissions include all Minnesota cases regardless of location of hospitalization. Cases in residents of other states hospitalized in Minnesota are not included. Numbers include confirmed and probable cases.




Tables of current data: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)


Hospitalizations by Week, 7-Day Average

Cases by week of initial hospitalization, and 7-day moving average of new hospitalizations. Numbers include confirmed and probable cases.

New Hospitalization by Week First Hospital Admission




Seven Day Moving Average of New Hospitalizations




ICU Hospitalizations by Week, 7-Day Average

Cases by week of ICU hospital admission, and 7-day moving average of new ICU hospitalizations. Numbers include confirmed and probable cases.

New ICU Hospitalizations by Week of First ICU Hospital Admission




Seven Day Moving Average of New ICU Hospitalizations



COVID-19 Deaths

7,204
Total Deaths
(cumulative)

Total deaths (also known as total deaths with laboratory testing) are deaths due to COVID-19 with a positive PCR test (confirmed case) or antigen test (probable case) for SARS-CoV-2, and either COVID-19 is listed on the death certificate or clinical history/autopsy findings that provide evidence that the death is related to COVID-19 without an alternative cause (i.e. drowning, homicide, trauma, etc.).




■ Tables of current data and more information about total deaths (also known as total deaths with laboratory testing) and non-laboratory-confirmed deaths: [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\) \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)


Deaths by Week, 7-Day Average

Cases by week of death, and 7-day moving average of deaths. Numbers include confirmed and probable cases.

Deaths by Week of Death




Seven Day Moving Average of Deaths



Deaths by County of Residence

7,204
Total Deaths (cumulative)

Cumulative number of deaths by county of residence. Numbers include confirmed and probable cases.




| County | Deaths | County | Deaths |
|-------------------|--------|-----------------|--------|
| Aitkin | 36 | Martin | 31 |
| Anoka | 433 | McLeod | 58 |
| Becker | 50 | Meecker | 40 |
| Beltrami | 58 | Mille Lacs | 52 |
| Benton | 97 | Morrison | 60 |
| Big Stone | 4 | Mower | 32 |
| Blue Earth | 41 | Murray | 9 |
| Brown | 40 | Nicollet | 43 |
| Carlton | 53 | Nobles | 48 |
| Carver | 45 | Norman | 9 |
| Cass | 28 | Olmsted | 97 |
| Chippewa | 38 | Otter Tail | 78 |
| Chisago | 51 | Pennington | 19 |
| Clay | 92 | Pine | 21 |
| Clearwater | 16 | Pipestone | 26 |
| Cook | 0 | Polk | 68 |
| Cottonwood | 21 | Pope | 6 |
| Crow Wing | 88 | Ramsey | 868 |
| Dakota | 443 | Red Lake | 7 |
| Dodge | 3 | Redwood | 36 |
| Douglas | 74 | Renville | 43 |
| Faribault | 19 | Rice | 106 |
| Fillmore | 10 | Rock | 19 |
| Freeborn | 29 | Roseau | 19 |
| Goodhue | 72 | Scott | 124 |
| Grant | 8 | Sherburne | 84 |
| Hennepin | 1,718 | Sibley | 10 |
| Houston | 15 | St. Louis | 302 |
| Hubbard | 41 | Stearns | 221 |
| Isanti | 62 | Steele | 15 |
| Itasca | 53 | Stevens | 11 |
| Jackson | 11 | Swift | 18 |
| Kanabec | 24 | Todd | 31 |
| Kandiyohi | 82 | Traverse | 5 |
| Kittson | 22 | Wabasha | 3 |
| Koochiching | 15 | Wadena | 21 |
| Lac qui Parle | 22 | Waseca | 22 |
| Lake | 19 | Washington | 279 |
| Lake of the Woods | 3 | Watonwan | 9 |
| Le Sueur | 22 | Wilkin | 12 |
| Lincoln | 3 | Winona | 50 |
| Lyon | 50 | Wright | 136 |
| Mahnomen | 8 | Yellow Medicine | 20 |
| Marshall | 17 | Unknown/missing | 0 |

Up to date data for this chart is provided in the [Minnesota Situation Update for Coronavirus Disease 2019 \(COVID-19\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html) (<https://www.health.state.mn.us/diseases/coronavirus/situation.html>)

Demographics: Age

Age groups, median age, and range for confirmed and probable cases.

| | Median Age (Range) in Years |
|------------------------|-----------------------------|
| All Cases | 37 (<1 month - 112) |
| Non-Hospitalized Cases | 36 (<1 month - 112) |
| Hospitalizations | 64 (<1 month - 105) |
| ICU Hospitalizations | 64 (<1 month - 105) |
| Deaths | 83 (<1 - 109) |




| Age Group (in years) | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85-89 | 90-94 | 95-99 | 100+ | Unk./missing | Total |
|----------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|-------|------|--------------|---------|
| All Cases | 13,482 | 18,561 | 27,132 | 47,654 | 56,678 | 51,853 | 48,992 | 47,113 | 43,829 | 40,813 | 41,808 | 40,950 | 34,009 | 22,156 | 16,101 | 11,192 | 8,654 | 6,676 | 4,459 | 1,746 | 336 | 33 | 584,227 |
| Hospitalizations | 215 | 93 | 160 | 487 | 769 | 1,033 | 1,263 | 1,242 | 1,308 | 1,534 | 2,100 | 2,593 | 2,989 | 2,953 | 3,149 | 2,831 | 2,564 | 2,016 | 1,091 | 357 | 35 | 1 | 30,783 |
| ICU Hospitalizations | 49 | 26 | 32 | 93 | 72 | 126 | 170 | 201 | 255 | 342 | 495 | 578 | 776 | 744 | 739 | 616 | 482 | 294 | 132 | 40 | 1 | 1 | 6,264 |
| Deaths | 1 | 2 | 0 | 0 | 4 | 7 | 16 | 28 | 36 | 77 | 126 | 189 | 342 | 476 | 712 | 862 | 1,161 | 1,322 | 1,162 | 568 | 113 | 0 | 7,204 |

Cases by Age Group and Specimen Collection Date

Cases by age group by date of specimen collection in Minnesota. Numbers include confirmed and probable cases.


Due to the need to confirm reports and reporting delays, data may be incomplete



Downloadable CSV file of current data for this graph is provided at: [Minnesota COVID-19 Weekly Report \(https://www.health.state.mn.us/diseases/coronavirus/stats/index.html\)](https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Demographics: Gender

Gender for confirmed and probable cases. Gender is collected during case interview and is self-reported.




| Gender | Male | Female | Other | Unk./missing | Total |
|-----------------------------|---------|---------|-------|--------------|---------|
| All Cases | 284,277 | 297,163 | 59 | 2,728 | 584,227 |
| Hospitalizations | 15,911 | 14,803 | 1 | 68 | 30,783 |
| ICU Hospitalizations | 3,841 | 2,406 | 0 | 17 | 6,264 |
| Deaths | 3,772 | 3,414 | 0 | 18 | 7,204 |

Demographics: Race & Ethnicity

Race and ethnicity for confirmed and probable cases. Race and ethnicity is reported during case interview. Individuals who report more than one race are categorized into the multiple race category.


| Race/Ethnicity | Minnesota Population (2018) | % of Population |
|--|-----------------------------|-----------------|
| White, non-Hispanic | 4,438,071 | 80% |
| Black, non-Hispanic | 336,505 | 6% |
| Asian, non-Hispanic | 260,797 | 5% |
| American Indian/Alaska Native, non-Hispanic | 53,168 | 1% |
| Native Hawaiian/Pacific Islander, non-Hispanic | 1,799 | <1% |
| Multiple Races, non-Hispanic | 137,233 | 2% |
| Other, non-Hispanic | 7,021 | <1% |
| Hispanic | 292,764 | 5% |



| Race/ethnicity | White, non-Hispanic | Black, non-Hispanic | Asian, non-Hispanic | Amer. Indian/AK Native, NH | Native HI/Pacific Isl., NH | Multiple Races, non-Hispanic | Other, non-Hispanic | Hispanic | Unknown/missing | Total |
|-----------------------------|---------------------|---------------------|---------------------|----------------------------|----------------------------|------------------------------|---------------------|----------|-----------------|---------|
| All Cases | 399,726 | 45,657 | 24,747 | 5,646 | 657 | 11,417 | 8,234 | 50,315 | 37,828 | 584,227 |
| Hospitalizations | 20,447 | 3,512 | 1,701 | 533 | 40 | 797 | 292 | 2,463 | 998 | 30,783 |
| ICU Hospitalizations | 3,874 | 722 | 500 | 144 | 9 | 157 | 64 | 615 | 179 | 6,264 |
| Deaths | 6,050 | 358 | 287 | 96 | 7 | 82 | 20 | 217 | 87 | 7,204 |

Age-Adjusted Race & Ethnicity Rates


Age-adjusted rates allow us to compare rates for racial and ethnic groups that have very different age distributions in Minnesota; they essentially allow us to look at what the rates would be if the underlying population age distribution was the same for all races. Rates have been suppressed when total cases are less than 25. Cumulative case rate is the number of cases by race or ethnicity per 100,000 people in Minnesota. Numbers include confirmed and probable cases.



| Age adjusted race/ethnicity | White, non-Hispanic | Black, non-Hispanic | Asian, non-Hispanic | American Indian/Alaskan Native, NH | Native Hawaiian/Pacific Islander, NH | Multiple Races, non-Hispanic | Hispanic |
|-----------------------------|---------------------|---------------------|---------------------|------------------------------------|--------------------------------------|------------------------------|----------|
| All Cases | 8,200 | 11,099 | 7,434 | 8,168 | 19,685 | 11,990 | 17,426 |
| Hospitalizations | 279 | 1,078 | 652 | 898 | 1,919 | 1,384 | 1,112 |
| ICU Hospitalizations | 52 | 239 | 199 | 338 | - | 275 | 298 |
| Deaths | 80 | 219 | 179 | 305 | - | 375 | 184 |

Demographics: Interview Language

Language needs for cases interviewed by specimen collection date week. It is assumed that any interview recorded as not needing an interpreter was conducted in English.



| Language | Total % of Interviews |
|------------|-----------------------|
| Mandarin | <1% |
| Cantonese | <1% |
| Russian | <1% |
| Arabic | <1% |
| Vietnamese | <1% |
| Laotian | <1% |
| Amharic | <1% |
| Oromo | <1% |
| Hmong | <1% |
| Karen | <1% |
| Somali | 1% |
| Spanish | 4% |
| English | 93% |
| Other | <1% |


Interview Language by County of Residence

Percent of interviews by language and week of specimen collection by county of residence.

Percent of Interviews by Language and Week


| Week | Language | Percentage |
|--------------------------|--------------------------|------------|
| Week 14: 4/4-4/10/21 | English | 97.2% |
| | Spanish | 1.9% |
| | Somali | 0.4% |
| | Hmong | 0.2% |
| | Karen | 0.1% |
| | Oromo | 0.0% |
| | Vietnamese | 0.0% |
| | Amharic | 0.0% |
| | Other | 0.2% |
| | Week 15: 4/11-4/17/21 | English |
| Spanish | | 2.5% |
| Somali | | 0.4% |
| Hmong | | 0.2% |
| Karen | | 0.1% |
| Oromo | | 0.0% |
| Vietnamese | | 0.0% |
| Amharic | | 0.1% |
| Other | | 0.4% |
| Week 16: 4/18-4/24/21 | | English |
| | Spanish | 2.5% |
| | Somali | 0.4% |
| | Hmong | 0.2% |
| | Karen | 0.0% |
| | Oromo | 0.0% |
| | Vietnamese | 0.0% |
| | Amharic | 0.0% |
| | Other | 0.4% |

Spanish Language Interviews by Week and County




0% or no interviews
 >0 to 25%
 >25% to 50%

Somali Language Interviews by Week and County



0% or no interviews
 >0 to 10%


Hmong Language Interviews by Week and County



0% or no interviews
 >0 to 10%

Likely Exposure

Likely exposure for confirmed and probable cases. Exposure data is collected at case interview. Cases are categorized according to a hierarchy following the order of exposure type: outbreak, travel, LTC staff and residents, corrections, homeless shelter, acute health care, community-exposure with known contact, community-no known exposure.




| Likely Exposure | Travel (outside MN) | Congregate Care | Corrections | Homeless/Shelter | Health Care | Community (outbreak) | Community (known contact) | Community (no known contact) | Unk./missing | Total |
|-----------------------------|---------------------|-----------------|-------------|------------------|-------------|----------------------|---------------------------|------------------------------|--------------|---------|
| All Cases | 41,345 | 41,787 | 8,734 | 1,304 | 16,271 | 23,491 | 123,277 | 135,933 | 192,085 | 584,227 |
| Hospitalizations | 1,304 | 5,099 | 157 | 271 | 468 | 865 | 4,095 | 9,610 | 8,914 | 30,783 |
| ICU Hospitalizations | 270 | 1,010 | 40 | 41 | 66 | 196 | 829 | 1,959 | 1,853 | 6,264 |
| Deaths | 90 | 4,529 | 14 | 12 | 11 | 62 | 373 | 886 | 1,227 | 7,204 |

- Community (outbreak): Case was exposed to a known outbreak setting in Minnesota that is not also a congregate living setting (e.g., long-term care, corrections, shelter) or health care setting. This includes restaurant/bars, sports, worksites that are not living settings, etc.
- Travel: Case traveled outside of Minnesota in the 2 weeks before illness.
- Congregate Care Setting: Residents, and staff who are not part of a non-congregate care setting outbreak and did not have an exposure to a positive household member. Congregate care settings include long-term care facilities (LTCF), assisted living facilities, group homes, or residential behavioral health (RBH) facilities.
- Corrections: Inmates who were exposed while incarcerated, and staff of a jail/prison setting who are not part of a non-corrections outbreak and did not have an exposure to a positive household member.
- Homeless/Shelter: Residents/guests, and staff who are not part of a non-shelter outbreak and did not have an exposure to a positive household member.
- Health Care: Patients who were part of nosocomial outbreaks, and staff who are not part of a non-acute health care setting outbreak and did not have an exposure to a positive household member.
- Community (known contact with confirmed case): Case has a known exposure to a positive case and does not fit into any of the previous categories.
- Community (unknown contact with confirmed case): Case has no known exposure to a positive case and does not fit into any of the previous categories.

Cases by Likely Exposure and Specimen Collection Date


Cases by likely exposure by specimen collection date. This chart shows how exposure to COVID-19 has changed over time during the pandemic in Minnesota. Numbers include confirmed and probable cases.

Due to the need to confirm reports and reporting delays, data may be incomplete



Residence Type

Cases by residence type. Residence type is collected during case interview and is self-reported. Numbers include confirmed and probable cases.



Cases among Health Care Workers


This data is for all cases who reported their occupation as health care staff in acute care or congregate care facilities. Not all cases who are health care workers were exposed at work. Numbers include confirmed and probable cases.

41,759
Total Health Care Workers
(cumulative)

1,014
Total Health Care Staff Hospitalized
(cumulative)

179
Total Health Care Staff Hospitalized in ICU
(cumulative)

29
Total Health Care Staff Deaths
(cumulative)




High Risk Exposures in Health Care Workers

MDH works with health care facilities to monitor health care workers who have had high-risk exposures with known positive patients/residents, co-workers, or social contacts. This data shows high-risk exposures experienced by health care workers in Minnesota who have been in contact with individuals with confirmed COVID-19 and the percent of exposures that lead to a positive test within 14 days of high-risk exposure (coworker, household/social, patient or resident). This data does not capture the exposures of all health care workers who become COVID-19 cases.

15,571
Total High Risk Health Care Worker Exposures (cumulative)

1,518
Total High Risk Health Care Worker Exposures Resulting in a Positive Test (cumulative)



Potential Exposure in Child Care Settings

Cases of COVID-19 with potential exposure in child care settings by specimen collection date. Cases include children and staff that attended a child care program while infectious, or who test positive and attended a child care program that reported a confirmed case in the past 28 days. Child care programs included: licensed child care centers, certified centers, summer day camps, and school-age care during peacetime emergency. Does not include in-home child cares. Cases by week are by specimen collection date. Numbers include confirmed and probable cases.

| 1,528 Total Child Care Programs (cumulative) | | |
|--|----------|---------|
| Cases per program | Programs | Percent |
| 1 case | 540 | 35% |
| 2-4 cases | 580 | 38% |
| ≥5 cases | 408 | 27% |

3,368
Total Child Care Staff (cumulative)

2,663
Total Child Care Attendees (cumulative)

56
Total Hospitalized Child Care-affiliated Staff Cases (cumulative)


9
Total Hospitalized Child Care-affiliated Attendee Cases (cumulative)

3
Total ICU Hospitalized Child Care-affiliated Staff Cases (cumulative)

1
Total ICU Hospitalized Child Care-affiliated Attendee Cases (cumulative)

0
Total Child Care-affiliated Staff Deaths (cumulative)

0
Total Child Care-affiliated Attendee Deaths (cumulative)



Cases Associated with Pre-K through Grade 12 School Buildings

Cases of COVID-19 associated with school staff and students working or attending school at a prekindergarten through grade 12 building while they were able to spread COVID-19. These numbers include cases exposed in a school setting, cases exposed in other settings, and cases where the exposure setting was not confirmed. All Minnesota schools are represented including public, nonpublic, and tribal schools. Numbers include confirmed and probable cases.

Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

23,999

Total PreK-12 School Building-associated Cases (cumulative)

8,566

Total PreK-12 School Staff Cases (cumulative)

15,433

Total PreK-12 Student Cases (cumulative)

145

Total Hospitalized PreK-12-affiliated Staff Cases (cumulative)

61

Total Hospitalized PreK-12-affiliated Student Cases (cumulative)

22

Total ICU Hospitalized PreK-12-affiliated Staff Cases (cumulative)

10


Total ICU Hospitalized PreK-12-affiliated Student Cases (cumulative)

6

Total PreK-12-affiliated Staff Deaths (cumulative)

1


Total PreK-12-affiliated Student Deaths (cumulative)



PreK-12 School Buildings Reporting Cases

2,409
Total PreK-12 School Buildings Reporting Cases
(cumulative)

Schools included are public, non-public, and tribal schools. Number of school buildings reporting cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020. Numbers include confirmed and probable cases.



| Cases per building | Number of buildings reporting cases 4/18-5/1/21 |
|--------------------|---|
| 1 case | 480 |
| 2-4 cases | 425 |
| ≥5 cases | 132 |
| Total | 1,037 |

A list of School buildings listed below reported 5 or more cases of COVID-19 in students or staff who were in the building while infectious during a two-week reporting period by county is available in the [Minnesota Situation Update for Coronavirus Disease 2019 \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Cases that have an Affiliation with Institutes of Higher Education (IHE)

18,535
Total IHE-affiliated Cases
(cumulative)

| | |
|---|-------|
| Cases infectious while on campus (cumulative) | 6,037 |
| Cases living on campus (cumulative) | 2,836 |


Cases of COVID-19 affiliated with faculty, staff, and students working or enrolled at a Minnesota Institute of Higher Education (IHE) while they were potentially exposed to or able to spread COVID-19. IHE include colleges, universities, and private career schools. Numbers include confirmed and probable cases.

Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

139
Total Hospitalized IHE-affiliated Cases
(cumulative)

17
Total ICU Hospitalized IHE-affiliated Case
(cumulative)

6
Total IHE-affiliated Deaths
(cumulative)




Minnesota IHE Facilities Reporting Cases

151
Total IHE Facilities that have Reported at Least One Case (cumulative)

Number of facilities that have had cases of COVID-19 in faculty, staff, and students working or enrolled at a Minnesota IHE while they were potentially exposed to or able to spread COVID-19. IHE include colleges, universities, and private career schools. Number of IHE Facilities reporting cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020. Numbers include confirmed and probable cases.

Due to the need to confirm reports and reporting delays, data may be incomplete



| Cases per IHE facility | Number of IHEs reporting cases 4/18-5/1/21 |
|------------------------|--|
| 1-10 cases | 76 |
| 11-30 cases | 12 |
| 31-99 cases | 2 |
| ≥100 cases | 1 |
| Total | 91 |


Cases Associated with Congregate Care Settings

Cases of COVID-19 associated with staff and residents living in congregate settings by specimen collection date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component. Numbers include confirmed and probable cases.

20,811
Total Congregate Care Staff
(cumulative)

22,710
Total Congregate Care Residents
(cumulative)

4,376
Deaths among cases that resided in long-term care or assisted living facilities (cumulative)




Congregate Care Facility Outbreaks

Congregate care facilities with confirmed cases in residents, staff, and visiting providers by specimen date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component. Numbers include confirmed and probable cases.

Due to the need to confirm reports and reporting delays, data may be incomplete

4,067
Total Congregate Care Facilities (cumulative)


| Confirmed cases per facility | Number of facilities |
|------------------------------|----------------------|
| 1-2 case | 1,854 |
| 3-20 cases | 1,665 |
| ≥21 cases | 548 |



| Type of facility | Number of outbreak facilities | Number of resident cases | Number of staff cases | Number of deaths in resident cases | Number of facilities with active outbreaks | Percent of outbreak facilities still experiencing an active outbreak |
|--|-------------------------------|--------------------------|-----------------------|------------------------------------|--|--|
| Skilled Nursing Facilities and Transitional Care Units | 366 | 11,905 | 10,851 | 2,920 | 146 | 40% |
| Assisted Living and Memory Care Facilities | 1,024 | 8,038 | 6,261 | 1,443 | 163 | 16% |
| Group Homes and Adult Foster Care Facilities | 2,531 | 2,611 | 4,158 | 99 | 112 | 4% |
| Other Congregate Care Settings | 245 | 1,285 | 1,256 | 19 | 46 | 19% |

A list of congregated care facilities reporting an exposure in the last 28 days from a case in a resident, staff person, or visiting provider and a cumulative list of long-term care facilities reporting a case in a resident, staff person, or visiting service provider are available on: [Minnesota Situation Update for Coronavirus Disease 2019 \(https://www.health.state.mn.us/diseases/coronavirus/situation.html\)](https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Response Metrics: Testing and Interview Timing



Median number of days from specimen collection to testing (cumulative): **1**

Seven day moving average of median days from specimen collection to testing



| Week |
|----------------|
| 3/15-3/21/20 |
| 3/22-3/28/20 |
| 3/29-4/4/20 |
| 4/5-4/11/20 |
| 4/12-4/18/20 |
| 4/19-4/25/20 |
| 4/26-5/2/20 |
| 5/3-5/9/20 |
| 5/10-5/16/20 |
| 5/17-5/23/20 |
| 5/24-5/30/20 |
| 5/31-6/6/20 |
| 6/7-6/13/20 |
| 6/14-6/20/20 |
| 6/21-6/27/20 |
| 6/28-7/4/20 |
| 7/5-7/11/20 |
| 7/12-7/18/20 |
| 7/19-7/25/20 |
| 7/26-8/1/20 |
| 8/2-8/8/20 |
| 8/9-8/15/20 |
| 8/16-8/22/20 |
| 8/23-8/30/20 |
| 8/31-9/5/20 |
| 9/6-9/12/20 |
| 9/13-9/19/20 |
| 9/20-9/26/20 |
| 9/27-10/3/20 |
| 10/4-10/10/20 |
| 10/11-10/17/20 |
| 10/18-10/24/20 |
| 10/25-10/31/20 |
| 11/1-11/7/20 |
| 11/8-11/14/20 |
| 11/15-11/21/20 |
| 11/22-11/28/20 |
| 11/29-12/5/20 |
| 12/6-12/12/20 |
| 12/13-12/19/20 |
| 12/20-12/26/20 |
| 12/27-1/2/21 |
| 1/3-1/9/21 |
| 1/10-1/16/21 |
| 1/17-1/23/21 |
| 1/24-1/30/21 |
| 1/31-2/6/21 |
| 2/7-2/13/21 |
| 2/14-2/20/21 |
| 2/21-2/27/21 |
| 2/28-3/6/21 |
| 3/7-3/13/21 |
| 3/14-3/20/21 |
| 3/21-3/27/21 |
| 3/28-4/3/21 |
| 4/4-4/10/21 |
| 4/11-4/17/21 |
| 4/18-4/24/21 |
| 4/25-5/1/21 |
| 5/2-5/8/21 |



Syndromic Surveillance

These syndromic surveillance data come from the Encounter Alert Service (EAS), which is utilizing an existing service to support and leverage the development of this activity. These data provide situational awareness to help inform public health decision making, resource allocation, and other actions.

Syndromic surveillance is a type of public health surveillance that uses near real-time data to help identify unusual activity that might need further investigation. These data help public health officials detect, monitor, and respond quickly to local public health threats and events of public health importance. The Minnesota Department of Health is currently using data on COVID-19-related symptoms and chief complaints reported during emergency department and inpatient hospital visits to identify trends. This data can provide an early signal that something is happening in a community with the outbreak even if case counts are not increasing at that time.

Data include emergency-department and inpatient hospital visits for COVID-like illness through May 1, 2021. Categories are based upon discharge diagnosis codes. Beginning with the November 27, 2020 Weekly COVID-19 report, conditions are reported from week 30 (July 20, 2020) forward due to a transition in data sources. The gray bar indicates a one week lag period in the data.

Through May 1, 2021, these data represent all patients from about 124 hospitals in Minnesota, covering approximately 88% of the hospital beds statewide. Efforts are underway to expand hospitals to more fully represent the state.



Map of Counties and Infectious Disease Surveillance Regions can be found on: [Field Services Epidemiologists \(https://www.health.state.mn.us/about/org/idepc/epis.html\)](https://www.health.state.mn.us/about/org/idepc/epis.html)