

This MDH Weekly COVID-19 Report presents data in an easy to interpret way and enhances the information provided in the daily Situation Update for COVID-19 web page with situational insights as well as trends over time.



health.mn.gov/coronavirus

More MN COVID-19 data and statistics:

Minnesota Situation Update for Coronavirus Disease 2019 (COVID-19) (https://www.health.state.mn.us/diseases/coronavirus/situation.html) - updated daily at 11 a.m.

Contents

| About Minnesota COVID-19 Data2 |
|---|
| COVID-19 Overview Summary3 |
| Positive COVID-19 Cases4 New Cases by Week, 7-Day Average5 |
| Cases by County of Residence |
| Hospitalizations, ICU Hospitalizations9 Hospitalizations by Week, 7-Day Average10 ICU Hospitalizations by Week, 7-Day Average11 |
| COVID-19 Deaths |
| Demographics: Age |
| , , |
| Demographics: Gender19 |
| |
| Demographics: Gender19 Demographics: Race & Ethnicity20 |
| Demographics: Gender |

Archived:

1 - L - - - - - T - - + - f - - COVID 10

| Laboratory lests for COVID-19 | <i>S</i> Z |
|---|------------|
| Number of Tests and Percent Positive by Week3 | 3 |
| Laboratory Test Rates by County of Residence | |
| Percent of Tests Positive by County of Residence3 | |
| Weekly Percent of Tests Positive by County of Residence | |
| Testing Demographics: Age | 37 |
| Testing Demographics: Gender | 88 |
| VBT Cases among Health Care Workers | |
| Demographics: Interview Language | |
| Interview Language by County of Residence | |
| Likely Exposure4 | 12 |
| Cases by Likely Exposure and Specimen Collection Date 4 | 13 |
| Residence Type | |
| Cases among Health Care Workers4 | 15 |
| High Risk Exposures in Health Care Workers4 | 16 |
| Staff with Potential Exposure in Child Care Settings4 | |
| Staff Cases Associated with PK-12 School Buildings4 | 8 |
| PreK-12 School Buildings Reporting Cases | 19 |
| Cases that have an Affiliation with | |
| Institutes of Higher Education (IHE)5 | 0 |
| Staff Cases Associated with Congregate Care Settings 5 | |
| Congregate Care Facility Outbreaks5 | 52 |

22

About Minnesota COVID-19 Data

- Data is for cases that were tested and returned positive.
 - At-home test results are not counted by MDH.
 - Many people with COVID-19 are not tested, so the cases in this report represent only a fraction of the total number of cases in Minnesota.
- All data is preliminary and may change as cases are investigated.
 - Many data points are collected during case interviews.
 Data presented below is for all cases, regardless of interview status. Data for cases pending interview may be listed as "unknown/missing".
 - As of 10/28/21, case interviews are prioritized.
 Priority groups include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants. Therefore, not all cases were contacted for interview.
- Minnesota uses the CSTE standardized surveillance case definition.
 - A person is counted as having a reinfection if they test positive (confirmed or probable) for COVID-19 more than 90 days after a previous lab-confirmed case.
 Cases include reinfections unless otherwise noted.
 - Positive PCR test results are considered confirmed cases. Positive antigen test results are considered probable cases. All probable cases get the same public health follow up and recommendations as cases confirmed by PCR tests. Total cases includes confirmed and probable cases unless otherwise noted.
 - A person with a positive PCR test result following a positive antigen test result would move from being a probable case to a confirmed case.
- Weekly data is reported by MMWR week, which is the week of the year assigned by the National Notifiable Diseases Surveillance System for the purposes of disease reporting and publishing.
- Numbers listed as cumulative total are cumulative since 1/20/20 for confirmed (PCR) tests and cases, and since 9/1/20 for probable (antigen) tests and cases, unless specified otherwise.

COVID-19 Overview Summary



Total Positive Cases, Including Reinfections (cumulative)

1,319,520
Total Confirmed Cases (PCR positive)

(cumulative)

215,907
Total Probable Cases (Antigen positive) (cumulative)

65,598

Total Hospitalizations (cumulative)

11,833

Total ICU Hospitalizations (cumulative)

12,740

Total Deaths (cumulative)


1,510,168

Total No Longer Needing Isolation (cumulative)

Positive COVID-19 Cases

Total positive cases are represented by the date of positive specimen collection.

1,535,427
Total Positive Cases,
including Reinfections
(cumulative)




■ Tables of current data: Minnesota Situation Update for Coronavirus Disease 2019 (COVID-19) (https://www.health.state.mn.us/diseases/coronavirus/situation.html)

New Cases by Week, 7-Day Average

Cases by week of specimen collection date, and 7-day moving average of new cases.




Due to the need to confirm reports and reporting delays, data may be incomplete




Downloadable CSV file with current data for this graph is provided at: Minnesota COVID-19 Weekly Report (https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)





Cases by County of Residence Cumulative number of positive cases by county of residence, cases no longer needing isolation. Cases

Cumulative number of positive cases by county of residence, cases no longer needing isolation. Cases no longer needing isolation represents individuals with COVID-19 who no longer need to self-isolate. MDH does not track cases over time to determine whether they have fully recovered.



- Up to date data for this chart is provided in the <u>Minnesota Situation Update for Coronavirus Disease 2019 (COVID-19)</u> (https://www.health.state.mn.us/diseases/coronavirus/situation.html)
- Confirmed cases by USPS zip code of residence is available as a downloadable CSV file at:
 Minnesota COVID-19 Weekly Report (https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)


1,535,427 Total Positive Cases (cumulative)

1,510,168
No Longer Needing Isolation (cumulative)

| Aitkin Anoka Becker Beltrami Benton Big Stone Blue Earth Brown | 3,160 103,968 9,162 12,458 14,761 1,455 18,812 | 3,073 102,409 9,023 12,253 14,470 | Martin McLeod Meeker | 5,819 11,156 | 5,713 10,953 |
|--|--|---|----------------------------|-----------------|-----------------|
| Beltrami Benton Big Stone Blue Earth | 9,162 12,458 14,761 1,455 | 9,023 12,253 | | | 10,953 |
| Beltrami Benton Big Stone Blue Earth | 12,458 14,761 1,455 | 12,253 | Meeker | (450 | |
| Benton Big Stone Blue Earth | 14,761 1,455 | | | 6,159 | 6,047 |
| Big Stone Blue Earth | 1,455 | 14,470 | Mille Lacs | 7,536 | 7,383 |
| Blue Earth | | | Morrison | 9,497 | 9,343 |
| | 18.812 | 1,444 | Mower | 12,366 | 12,217 |
| Brown | - / - | 18,580 | Murray | 2,095 | 2,046 |
| | 6,782 | 6,670 | Nicollet | 8,622 | 8,493 |
| Carlton | 9,639 | 9,461 | Nobles | 7,066 | 6,969 |
| Carver | 28,392 | 28,087 | Norman | 1,578 | 1,556 |
| Cass | 7,342 | 7,202 | Olmsted | 45,710 | 45,080 |
| Chippewa | 3,232 | 3,165 | Otter Tail | 14,077 | 13,839 |
| Chisago | 15,282 | 15,055 | Pennington | 3,770 | 3,717 |
| Clay | 20,624 | 20,386 | Pine | 7,455 | 7,343 |
| Clearwater | 2,200 | 2,162 | Pipestone | 2,038 | 1,998 |
| Cook | 631 | 619 | Polk | 9,162 | 8,986 |
| Cottonwood | 3,297 | 3,236 | Pope | 3,313 | 3,234 |
| Crow Wing | 16,761 | 16,480 | Ramsey | 135,194 | 132,487 |
| Dakota | 118,372 | 116,519 | Red Lake | 960 | 946 |
| Dodge | 6,055 | 5,990 | Redwood | 4,076 | 3,992 |
| Douglas | 11,488 | 11,289 | Renville | 3,865 | 3,786 |
| Faribault | 3,968 | 3,881 | Rice | 18,815 | 18,542 |
| Fillmore | 5,068 | 5,010 | Rock | 2,375 | 2,327 |
| Freeborn | 9,427 | 9,303 | Roseau | 4,606 | 4,548 |
| Goodhue | 13,999 | 13,763 | Scott | 42,597 | 42,052 |
| Grant | 1,538 | 1,521 | Sherburne | 28,286 | 27,957 |
| Hennepin | 328,904 | 322,839 | Sibley | 3,705 | 3,656 |
| Houston | 4,815 | 4,762 | St. Louis | 51,188 | 50,148 |
| Hubbard | 5,130 | 5,029 | Stearns | 53,247 | 52,478 |
| Isanti | 10,532 | 10,360 | Steele | 10,868 | 10,752 |
| Itasca | 11,710 | 11,421 | Stevens | 2,801 | 2,766 |
| Jackson | 2,210 | 2,183 | Swift | 2,367 | 2,329 |
| Kanabec | 3,703 | 3,614 | Todd | 7,091 | 6,985 |
| Kandiyohi | 13,963 | 13,765 | Traverse | 890 | 875 |
| Kittson | 1,073 | 1,044 | Wabasha | 5,962 | 5,908 |
| Koochiching | 2,986 | 2,906 | Wadena | 4,382 | 4,300 |
| Lac qui Parle | 1,817 | 1,777 | Waseca | 5,736 | 5,665 |
| Lake | 2,249 | 2,198 | Washington | 72,009 | 70,859 |
| Lake of the Woods | 804 | 792 | Watonwan | 3,036 | 3,001 |
| Le Sueur | 6,736 | 6,653 | Wilkin | 1,703 | 1,670 |
| Lincoln | 1,239 | 1,231 | Winona | 13,738 | 13,532 |
| Lyon | 7,250 | 7,158 | Wright | 38,039 | 37,556 |
| Mahnomen | 1,861 | 1,827 | Yellow Medicine | 2,639 | 2,593 |
| Marshall | 2,159 | 2,122 | Unknown/missing | 819 | 809 |

Cumulative Case Rate by County of Residence


Cumulative number of cases by county of residence per 10,000 people.



| | | cases per 10,000 people | | | |
|------------------|-----------------|-------------------------|-----------------|--|--|
| County | Cumulative Rate | County | Cumulative Rate | | |
| Aitkin | 1,996 | Martin | 2,915 | | |
| Anoka | 2,992 | McLeod | 3,114 | | |
| Becker | 2,713 | Meeker | 2,669 | | |
| Beltrami | 2,701 | Mille Lacs | 2,929 | | |
| Benton | 3,711 | Morrison | 2,882 | | |
| Big Stone | 2,901 | Mower | 3,123 | | |
| Blue Earth | 2,836 | Murray | 2,508 | | |
| Brown | 2,690 | Nicollet | 2,552 | | |
| Carlton | 2,712 | Nobles | 3,235 | | |
| Carver | 2,827 | Norman | 2,406 | | |
| Cass | 2,530 | Olmsted | 2,986 | | |
| Chippewa | 2,691 | Otter Tail | 2,427 | | |
| Chisago | 2,792 | Pennington | 2,658 | | |
| Clay | 3,284 | Pine | 2,559 | | |
| Clearwater | 2,497 | Pipestone | 2,219 | | |
| Cook | 1,188 | Polk | 2,900 | | |
| Cottonwood | 2,899 | Pope | 3,017 | | |
| Crow Wing | 2,625 | Ramsey | 2,497 | | |
| Dakota | 2,831 | Red Lake | 2,395 | | |
| Oodge | 2,942 | Redwood | 2,659 | | |
| Douglas | 3,088 | Renville | 2,626 | | |
| aribault | 2,855 | Rice | 2,861 | | |
| illmore | 2,426 | Rock | 2,523 | | |
| reeborn | 3,088 | Roseau | 2,979 | | |
| Goodhue | 3,029 | Scott | 2,971 | | |
| Grant | 2,590 | Sherburne | 3,034 | | |
| Hennepin | 2,662 | Sibley | 2,485 | | |
| Houston | 2,580 | St. Louis | 2,558 | | |
| Hubbard | 2,459 | Stearns | 3,395 | | |
| santi | 2,702 | Steele | 2,963 | | |
| tasca | 2,591 | Stevens | 2,863 | | |
| ackson | 2,200 | Swift | 2,515 | | |
| Kanabec . | 2,314 | Todd | 2,901 | | |
| Candiyohi | 3,273 | Traverse | 2,667 | | |
| Kittson | 2,474 | Wabasha | 2,773 | | |
| Coochiching | 2,362 | Wadena | 3,211 | | |
| ac qui Parle | 2,683 | Waseca | 3,050 | | |
| .ake | 2,128 | Washington | 2,843 | | |
| ake of the Woods | 2,111 | Watonwan | 2,767 | | |
| e Sueur | 2,407 | Wilkin | 2,685 | | |
| incoln | 2,171 | Winona | 2,702 | | |
| yon . | 2,806 | Wright | 2,866 | | |
| Λahnomen | 3,380 | Yellow Medicine | 2,674 | | |
| \arshall | 2,299 | | | | |
| | | | | | |

Weekly Case Rate by County of Residence

Number of cases by county of residence in Minnesota per 10,000 people by week of specimen collection.




Downloadable CSV file of current data for these maps is provided at: Minnesota COVID-19 Weekly Report (https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Hospitalizations, ICU Hospitalizations

65,598
Total Hospitalizations
(cumulative)

11,833
Total ICU Hospitalizations
(cumulative)


Hospitalization data show how many people required admission to a hospital and ICU. Admissions include all Minnesota cases regardless of location of hospitalization. Cases in residents of other states hospitalized in Minnesota are not included.



[■] Tables of current data: Minnesota Situation Update for Coronavirus Disease 2019 (COVID-19) (https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Hospitalizations by Week, 7-Day Average

Cases by week of initial hospitalization, and 7-day moving average of new hospitalizations.




Downloadable CSV file with current data for this graph is provided at: Minnesota COVID-19 Weekly Report (https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Seven Day Moving Average of New Hospitalizations

0


Week



ICU Hospitalizations by Week, 7-Day Average


Cases by week of ICU hospital admission, and 7-day moving average of new ICU hospitalizations.

New ICU Hospitalizations by Week of First ICU Hospital Admission



Downloadable CSV file with current data for this graph is provided at: Minnesota COVID-19 Weekly Report (https://www.health.state.mn.us/diseases/coronavirus/stats/index.html






COVID-19 Deaths

12,740
Total Deaths
(cumulative)

Total deaths (also known as total deaths with laboratory testing) are deaths due to COVID-19 with a positive PCR test (confirmed case) or antigen test (probable case) for SARS-CoV-2, and either COVID-19 is listed on the death certificate or clinical history/autopsy findings that provide evidence that the death is related to COVID-19 without an alternative cause (i.e. drowning, homicide, trauma, etc.).




■ Tables of current data and more information about deaths: Minnesota Situation Update for Coronavirus Disease 2019 (COVID-19) (https://www.health.state.mn.us/diseases/coronavirus/situation.html)


Deaths by Week, 7-Day Average

Cases by week of death, and 7-day moving average of deaths.

Deaths by Week of Death




[■] Downloadable CSV file with current data for this graph is provided at: Minnesota COVID-19 Weekly Report (https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)



Deaths by County of Residence

Cumulative number of deaths by county of residence.




■ Up to date data for this chart is provided in the Minnesota Situation Update for Coronavirus Disease 2019 (COVID-19) (https://www.health.state.mn.us/diseases/coronavirus/situation.html)


| Total Deaths (cumulative) | | | | |
|---------------------------|---------------------|-----------------|---------------------|--|
| County | Deaths (cumulative) | County | Deaths (cumulative) | |
| Aitkin | 63 | Martin | 65 | |
| Anoka | 807 | McLeod | 108 | |
| Becker | 95 | Meeker | 75 | |
| Beltrami | 128 | Mille Lacs | 116 | |
| Benton | 177 | Morrison | 105 | |
| Big Stone | 9 | Mower | 74 | |
| Blue Earth | 104 | Murray | 17 | |
| Brown | 81 | Nicollet | 66 | |
| Carlton | 100 | Nobles | 60 | |
| Carver | 119 | Norman | 14 | |
| Cass | 83 | Olmsted | 191 | |
| Chippewa | 48 | Otter Tail | 171 | |
| Chisago | 120 | Pennington | 41 | |
| Clay | 125 | Pine | 68 | |
| Clearwater | 30 | Pipestone | 34 | |
| Cook | 4 | Polk | 109 | |
| Cottonwood | 41 | Pope | 18 | |
| Crow Wing | 172 | Ramsey | 1,368 | |
| Dakota | 792 | Red Lake | 13 | |
| Dodge | 22 | Redwood | 54 | |
| Douglas | 118 | Renville | 56 | |
| Faribault | 54 | Rice | 179 | |
| Fillmore | 24 | Rock | 35 | |
| Freeborn | 77 | Roseau | 45 | |
| | | | | |
| Goodhue | 138 | Scott | 264 | |
| Grant | 12 | Sherburne | 182 | |
| Hennepin | 2,626 | Sibley | 25 | |
| Houston | 20 | St. Louis | 541 | |
| Hubbard | 60 | Stearns | 372 | |
| Isanti | 119 | Steele | 63 | |
| İtasca | 149 | Stevens | 14 | |
| Jackson | 17 | Swift | 33 | |
| Kanabec | 57 | Todd | 61 | |
| Kandiyohi | 141 | Traverse | 10 | |
| Kittson | 28 | Wabasha | 19 | |
| Koochiching | 37 | Wadena | 56 | |
| Lac qui Parle | 29 | Waseca | 39 | |
| Lake | 29 | Washington | 490 | |
| Lake of the Woods | 6 | Watonwan | 24 | |
| Le Sueur | 51 | Wilkin | 22 | |
| Lincoln | 6 | Winona | 74 | |
| Lyon | 74 | Wright | 306 | |
| Mahnomen | 18 | Yellow Medicine | 29 | |
| Marshall | 24 | Unknown/missing | 0 | |
| s husiness da | v unless specific | | Page 14 | |

| Demo | grap | hic | cs: / | Age |
|------|------|-----|-------|-----|
| | | | | 8 |

Cumulative number of cases, hospitalizations, and deaths by age group, median age, and age range.

| | Median Age (Range) in Years |
|------------------------|-----------------------------|
| All Cases | 36 (<1 month - 113) |
| Non-Hospitalized Cases | 35 (<1 month - 113) |
| Hospitalizations | 62 (<1 month - 105) |
| ICU Hospitalizations | 63 (<1 month - 105) |
| Deaths | 80 (<1 - 109) |






Downloadable CSV file of current data for this graph is provided at: Minnesota COVID-19 Weekly Report (https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Case Rate in Children by Specimen Collection Date


Cases by age group for children in Minnesota (cases 18 years of age and under) per 10,000 people by date of specimen collection.


Due to the need to confirm reports and reporting delays, data may be incomplete



Hospitalization Rate in Children by Specimen Collection Date


Hospitalizations by age group for children in Minnesota (cases 18 years of age and under) per 10,000 people by date of specimen collection.





Demographics: Gender

Cumulative number of cases, hospitalizations, and deaths by gender. Gender is collected during case interview and is self-reported.




| Gender | Male | Female | Other | Unk./missing | Total |
|----------------------|---------|---------|-------|--------------|-----------|
| All Cases | 719,442 | 787,020 | 301 | 28,664 | 1,535,427 |
| Hospitalizations | 33,270 | 31,802 | 7 | 519 | 65,598 |
| ICU Hospitalizations | 7,217 | 4,549 | 3 | 64 | 11,833 |
| Deaths | 6,969 | 5,730 | 0 | 41 | 12,740 |

Demographics: Race & Ethnicity


Cumulative number of cases, hospitalizations, and deaths by race and ethnicity. Race and ethnicity is reported during case interview. Individuals who report more than one race are categorized into the multiple race category.

85%

90%




Case interviews are now prioritized, priority groups include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants. Therefore, not all cases were contacted for interview. If cases were



| Race/ethnicity | White, | Black, | Asian, | Amer. Indian/ | Native HI/ | Multiple Races, | Other, | Hispanic | Unknown/ | Total |
|----------------------|--------------|--------------|--------------|---------------|------------------|-----------------|--------------|----------|----------|-----------|
| , | non-Hispanic | non-Hispanic | non-Hispanic | AK Native, NH | Pacific Isl., NH | non-Hispanic | non-Hispanic | _ | missing | |
| All Cases | 1,043,040 | 114,939 | 68,739 | 19,286 | 1,886 | 31,316 | 34,171 | 104,658 | 117,392 | 1,535,427 |
| Hospitalizations | 46,288 | 6,908 | 2,845 | 1,253 | 94 | 1,506 | 699 | 3,995 | 2,010 | 65,598 |
| ICU Hospitalizations | 7,986 | 1,186 | 712 | 326 | 18 | 264 | 128 | 883 | 330 | 11,833 |
| Deaths | 10,770 | 620 | 483 | 245 | 15 | 118 | 36 | 376 | 77 | 12,740 |


Age-Adjusted Race & Ethnicity Rates

Age-adjusted rates allow us to compare rates for racial and ethnic groups that have very different age distributions in Minnesota; they essentially allow us to look at what the rates would be if the underlying population age distribution was the same for all races. Rates have been suppressed when total cases are less than 25. Cumulative case rate is the number of cases by race or ethnicity per 100,000 people in Minnesota. Case interviews are now prioritized, priority groups include people under 18 years old, hospitalizations, deaths, and people with vaccine breakthrough or variants. Therefore, not all cases were contacted for interview. If cases were not interviewed, race and ethnicity information from disease reporting is included when available.



Potential Exposure in Child Care and Youth Serving Programs


Cases of COVID-19 among children and youth with potential exposure in a child care or youth serving program setting outside of their home and outside of the K-12 instructional day by specimen collection date. Data also include hospitalizations, ICU hospitalizations, and deaths of attendees and staff associated with these settings. All adult cases are not routinely interviewed. Child and youth-serving programs included: licensed child care centers, certified centers, summer day camps, and school-age care during peacetime emergency. Does not include in-home child cares. Cases by week are by specimen collection date.



Downloadable CSV file with current data for this graph is provided at: Minnesota COVID-19 Weekly Report

Student Cases Associated with Pre-K through Grade 12 School Buildings

Cases of COVID-19 associated with students attending school and hospitalizations, ICU hospitalizations, and deaths of staff working at a prekindergarten through grade 12 building while they were able to spread COVID-19. All adult cases are not routinely interviewed. These numbers include cases exposed in a school setting, cases exposed in other settings, and cases where the exposure setting was not confirmed. All Minnesota schools are represented including public, nonpublic, and tribal schools. Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.




- A list of School buildings reporting 5 or more cases of COVID-19 in students who were in the building while infectious during a two-week reporting period by county is available in the COVID-19 Weekly Report (https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)
- Downloadable CSV file with current data for this graph is provided at: Minnesota COVID-19 Weekly Report (https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Minnesota IHE Facilities Reporting Cases

Number of Institutions of Higher Education (IHE) that have reported cases of COVID-19 in faculty, staff, and students working or enrolled at a Minnesota IHE (e.g. colleges, universities, community and technical colleges, private career schools). Number of IHEs reporting cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

Total IHE Facilities that have Reported at Least One Case (cumulative)

> Due to the need to confirm reports and




This information is no longer collected for all cases.

| Cases per IHE facility | Number of IHEs reporting cases 5/29-6/11/22 |
|------------------------|--|
| 1-10 cases | 22 |
| 11-30 cases | 0 |
| 31-99 cases | 1 |
| ≥100 cases | 0 |
| Total | 23 |

Downloadable CSV file with current data for this graph is provided at: Minnesota COVID-19 Weekly Report (https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Resident Cases Associated with Congregate Care Settings

Cases of COVID-19 associated with residents living in congregate settings by specimen collection date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component.




- A list of congregate care facilities reporting an exposure in the last 28 days from a case in a resident, staff person, or visiting provider and a cumulative list of long-term care facilities reporting a case in a resident, staff person, or visiting service provider are available on: Minnesota Situation Update for Coronavirus Disease 2019 (https://www.health.state.mn.us/diseases/coronavirus/situation.html)
- Downloadable CSV file with current data for this graph is provided at: Minnesota COVID-19 Weekly Report (https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

SARS-CoV-2 Variants Circulating in Minnesota

Lineage distribution of SARS-CoV-2 variants in Minnesota. The line indicates number of specimens sequenced, while the bars show proportions of each variant identified.

SARS-CoV-2 Variants of Concern (VOC) are named using the World Health Organization (WHO) naming conventions, Variants of Interest (VOI) are included as a group. More information about naming variants can be found at WHO: Tracking SARS-CoV-2-variants/)




| Variant Distribution Since 5/1/2022* | | | | | |
|--------------------------------------|-----------|--------|--|--|--|
| Delta | B.1.617.2 | 0.06% | | | |
| Omicron | B.1.1.529 | 99.94% | | | |

^{*}All VOI and VOC are included in this list, as well as any lineages that account for ≥1% of all specimens sequenced since 5/1/2022. All other lineages are included in the 'Other' category.

SARS-CoV-2 Variants by Region

This map shows the distribution of variants across regions in the past 30 days for the cases that have been sequenced.




| Region & Variant | Variant % | Region & Variant | Variant % | |
|------------------|-----------|------------------|-----------|--|
| Northwest | Northeast | | | |
| Alpha | 0.00% | Alpha | 0.00% | |
| Beta | 0.00% | Beta | 0.00% | |
| Delta | 0.00% | Delta | 0.00% | |
| Gamma | 0.00% | Gamma | 0.00% | |
| Omicron | 100.00% | Omicron | 100.00% | |
| Other | 0.00% | Other | 0.00% | |
| VOIs | 0.00% | VOIs | 0.00% | |
| West Central | | Central | | |
| Alpha | 0.00% | Alpha | 0.00% | |
| Beta | 0.00% | Beta | 0.00% | |
| Delta | 0.00% | Delta | 0.00% | |
| Gamma | 0.00% | Gamma | 0.00% | |
| Omicron | 100.00% | Omicron | 100.00% | |
| Other | 0.00% | Other | 0.00% | |
| VOIs | 0.00% | VOIs | 0.00% | |
| Southwest | | Southeast | | |
| Alpha | 0.00% | Alpha | 0.00% | |
| Beta | 0.00% | Beta | 0.00% | |
| Delta | 0.00% | Delta | 0.00% | |
| Gamma | 0.00% | Gamma | 0.00% | |
| Omicron | 100.00% | Omicron | 100.00% | |
| Other | 0.00% | Other | 0.00% | |
| VOIs | 0.00% | VOIs | 0.00% | |
| Metro | | | | |
| Alpha | 0.00% | | | |
| Beta | 0.00% | | | |
| Delta | 0.09% | | | |
| Gamma | 0.00% | | | |
| Omicron | 99.91% | | | |
| Other | 0.00% | | | |
| VOIs | 0.00% | | | |


A map of counties included in regions can be found at Map of Field Services Epidemiologists (https://www.health.state.mn.us/about/org/idepc/epis.html).


Adult (age 18+) Vaccine Breakthrough Data


All VBT data in this report is as of the 6/13/22 update.




COVID-19 vaccines are effective. However, some people who are vaccinated will still get COVID-19 if they are exposed to the SARS-CoV-2 virus. These are called "vaccine breakthrough cases." Vaccination can make illness less severe in people who experience a vaccine breakthrough infection. Fully vaccinated people are also much less likely to be hospitalized or die than people with similar risk factors who are not vaccinated. People who have received booster doses have an even lower risk of hospitalization or death than people with similar risk factors who have only received a primary series of vaccine or people who are not vaccinated.











Pediatric (ages 5-17) Vaccine Breakthrough Data



More information about vaccine breakthrough (including definitons and downloadable data) updated every Monday are available on:
 COVID-19 Vaccine Breakthrough Weekly Update (www.health.state.mn.us/diseases/coronavirus/stats/vbt.html)

Response Metrics: Testing and Interview Timing




Syndromic Surveillance


These syndromic surveillance data come from the Encounter Alert Service (EAS), which is utilizing an existing service to support and leverage the development of this activity. These data provide situational awareness to help inform public health decision making, resource allocation, and other actions.

Syndromic surveillance is a type of public health surveillance that uses near real-time data to help identify unusual activity that might need further investigation. These data help public health officials detect, monitor, and respond quickly to local public health threats and events of public health importance. The Minnesota Department of Health is currently using data on COVID-19-related symptoms and chief complaints reported during emergency department and inpatient hospital visits to identify trends. This data can provide an early signal that something is happening in a community with the outbreak even if case counts are not increasing at that time.


Data include emergency-department and inpatient hospital visits for COVID-like illness through last Saturday. Categories are based upon discharge diagnosis codes. Beginning with the November 27, 2020, Weekly COVID-19 report, conditions are reported from week 30 (July 20, 2020) forward due to a transition in data sources. The gray bar indicates a one-week lag period in the data.

Through last Saturday, these data represent all patients from about 135 hospitals in Minnesota, covering approximately 90% of the hospital beds statewide.






- Map of Counties and Infectious Disease Surveillance Regions can be found on: Field Services Epidemiologists (https://www.health.state.mn.us/about/org/idepc/epis.html)
- Further information and frequently asked questions syndromic surveillance can be found at: <u>Hospital Alerting for Syndromic Surveillance: COVID-19/SAR-CoV-2 (https://www.health.state.mn.us/diseases/coronavirus/hcp/syndromic.html)</u>



Number of Tests and Percent Positive by Week (Archived)

Number of tests and percentage positive by date of laboratory testing. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations. Percent positive is the percent of positive tests from the total number of tests.




■ Downloadable CSV file with current data for this graph is provided at: Minnesota COVID-19 Weekly Report (https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)

Laboratory Test Rates by County of Residence (Archived)

34,503
rate of tests per 10,000 people statewide (cumulative


Cumulative rate of tests by county of residence per 10,000 people. Only tests reported by laboratories reporting both positive and negative results are included.



| 00 () | | cay | rate of tests per 10,000 people statewide (cumulative) | | |
|-------------------|-----------------|-----------------|--|-----------------|-----------------|
| County | Number of Tests | Cumulative Rate | County | Number of Tests | Cumulative Rate |
| Aitkin | 42,024 | 26,540 | Martin | 68,537 | 34,330 |
| Anoka | 1,056,390 | 30,406 | McLeod | 115,229 | 32,164 |
| Becker | 109,401 | 32,393 | Meeker | 70,409 | 30,508 |
| Beltrami | 126,964 | 27,531 | Mille Lacs | 89,039 | 34,608 |
| Benton | 158,329 | 39,802 | Morrison | 111,174 | 33,741 |
| Big Stone | 24,192 | 48,230 | Mower | 130,225 | 32,883 |
| Blue Earth | 228,040 | 34,384 | Murray | 25,810 | 30,899 |
| Brown | 92,597 | 36,729 | Nicollet | 107,771 | 31,901 |
| Carlton | 150,633 | 42,384 | Nobles | 52,345 | 23,969 |
| Carver | 291,338 | 29,013 | Norman | 25,086 | 38,247 |
| Cass | 67,318 | 23,196 | Olmsted | 524,160 | 34,244 |
| Chippewa | 46,713 | 38,895 | Otter Tail | 193,588 | 33,382 |
| Chisago | 179,773 | 32,849 | Pennington | 29,387 | 20,718 |
| Clay | 172,685 | 27,497 | Pine | 76,182 | 26,153 |
| Clearwater | 20,193 | 22,915 | Pipestone | 31,065 | 33,821 |
| Cook | 15,610 | 29,392 | Polk | 91,652 | 29,012 |
| Cottonwood | 35,908 | 31,576 | Pope | 37,058 | 33,750 |
| Crow Wing | 177,511 | 27,799 | Ramsey | 1,830,068 | 33,797 |
| Dakota | 1,326,755 | 31,725 | Red Lake | 7,812 | 19,491 |
| Dodge | 70,221 | 34,118 | Redwood | 53,818 | 35,104 |
| Douglas | 129,282 | 34,750 | Renville | 56,434 | 38,336 |
| Faribault | 53,314 | 38,366 | Rice | 321,972 | 48,958 |
| Fillmore | 76,409 | 36,580 | Rock | 36,689 | 38,977 |
| Freeborn | 121,473 | 39,793 | Roseau | 43,170 | 27,920 |
| Goodhue | 165,746 | 35,863 | Scott | 417,457 | 29,117 |
| Grant | 17,625 | 29,682 | Sherburne | 339,937 | 36,462 |
| Hennepin | 4,316,844 | 34,941 | Sibley | 40,816 | 27,371 |
| Houston | 36,930 | 19,788 | St. Louis | 720,372 | 36,004 |
| Hubbard | 38,764 | 18,581 | Stearns | 536,199 | 34,192 |
| Isanti | 102,718 | 26,356 | Steele | 118,698 | 32,364 |
| Itasca | 143,823 | 31,817 | Stevens | 35,827 | 36,618 |
| Jackson | 22,818 | 22,711 | Swift | 33,228 | 35,308 |
| Kanabec | 35,873 | 22,415 | Todd | 60,707 | 24,839 |
| Kandiyohi | 159,130 | 37,304 | Traverse | 11,366 | 34,061 |
| Kittson | 14,631 | 33,735 | Wabasha | 79,251 | 36,861 |
| Koochiching | 47,734 | 37,752 | Wadena | 62,576 | 45,857 |
| Lac qui Parle | 26,690 | 39,406 | Waseca | 63,176 | 33,588 |
| Lake | 39,456 | 37,332 | Washington | 864,820 | 34,140 |
| Lake of the Woods | 12,236 | 32,124 | Watonwan | 34,238 | 31,202 |
| Le Sueur | 70,123 | 25,059 | Wilkin | 16,546 | 26,085 |
| Lincoln | 17,781 | 31,156 | Winona | 188,530 | 37,078 |
| Lyon | 74,940 | 29,003 | Wright | 365,507 | 27,535 |
| Mahnomen | 12,733 | 23,126 | Yellow Medicine | 32,971 | 33,412 |
| Marshall | 18,368 | 19,557 | Unknown/missing | 772,230 | |
| ` / | | c. | | | D 24 |

Percent of Tests Positive by County of Residence (Archived) 7.8% // ** positive statewide (cumulative)

Cumulative percent of tests positive by county of residence. Positive number of tests and positivity calculations include only tests reported by labs that report both positive and negative results. Percent positive is the percent of positive tests from the total number of tests by county of residence.




| % positive statewide (cumulative | | | | | |
|----------------------------------|-------------------------|-----------------|-------------------------|--|--|
| County | % Positive (cumulative) | County | % Positive (cumulative) | | |
| Aitkin | 7.2% | Martin | 8.0% | | |
| Anoka | 9.5% | McLeod | 9.3% | | |
| Becker | 7.3% | Meeker | 8.2% | | |
| Beltrami | 9.3% | Mille Lacs | 8.8% | | |
| Benton | 8.7% | Morrison | 8.4% | | |
| Big Stone | 5.6% | Mower | 8.8% | | |
| Blue Earth | 7.9% | Murray | 7.7% | | |
| Brown | 7.1% | Nicollet | 7.5% | | |
| Carlton | 5.9% | Nobles | 12.6% | | |
| Carver | 8.8% | Norman | 5.6% | | |
| Cass | 10.2% | Olmsted | 7.7% | | |
| Chippewa | 6.4% | Otter Tail | 6.6% | | |
| Chisago | 8.3% | Pennington | 10.5% | | |
| Clay | 8.7% | Pine | 8.8% | | |
| Clearwater | 10.2% | Pipestone | 6.1% | | |
| Cook | 3.7% | Polk | 7.2% | | |
| Cottonwood | 8.8% | Роре | 7.9% | | |
| Crow Wing | 8.9% | Ramsey | 7.2% | | |
| Dakota | 8.7% | Red Lake | 10.8% | | |
| Dodge | 8.0% | Redwood | 7.1% | | |
| Douglas | 8.3% | Renville | 6.7% | | |
| Faribault | 7.1% | Rice | 5.4% | | |
| Fillmore | 6.3% | Rock | 5.7% | | |
| Freeborn | 7.8% | Roseau | 10.3% | | |
| Goodhue | 7.9% | Scott | 9.1% | | |
| Grant | 7.9% | Sherburne | 9.1% | | |
| Hennepin | 7.4% | Sibley | 8.3% | | |
| Houston | 7.3% | St. Louis | 6.7% | | |
| Hubbard | 11.5% | Stearns | 9.3% | | |
| Isanti | 9.4% | Steele | 8.9% | | |
| İtasca | 7.6% | Stevens | 7.5% | | |
| Jackson | 9.0% | Swift | 7.0% | | |
| Kanabec | 9.7% | Todd | 10.0% | | |
| Kandiyohi | 8.4% | Traverse | 6.9% | | |
| Kittson | 6.9% | Wabasha | 6.8% | | |
| Koochiching | 6.1% | Wadena | 7.9% | | |
| Lac qui Parle | 6.1% | Waseca | 8.8% | | |
| Lake | 5.5% | Washington | 8.1% | | |
| Lake of the Woods | 6.3% | Watonwan | 8.0% | | |
| Le Sueur | 8.4% | Wilkin | 8.4% | | |
| Lincoln | 6.5% | Winona | 6.6% | | |
| Lyon | 9.6% | Wright | 9.7% | | |
| Mahnomen | 8.3% | Yellow Medicine | 7.0% | | |
| Marshall | 10.9% | Unknown/missing | 5.3% | | |
| | .5.7% | g | J.5% | | |

Weekly Percent of Tests Positive by County of Residence (Archived)

Percent of positive tests by county of residence in Minnesota by week of specimen collection. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations. Percent positive is the percent of positive tests from the total number of tests by county of residence.


As of April 13, 2022, testing data is no longer updated. Federal test reporting requirements changed as of April 4, 2022. Positive test results are still required to be reported, but not all negative test results are reported anymore. Because we are no longer receiving all test results from labs, our testing data were not complete and the calculations for positivity rate were affected.



Downloadable CSV file of current data for these maps is provided at: Minnesota COVID-19 Weekly Report (https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)
Minnesota Department of Health Weekly COVID-19 Report: Updated 4/14/2022 with data current as of 4 a.m. the previous day unless specifically noted.


Testing Demographics: Age (Archived)

Cumulative number of positive and negative tests by age group. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations, inconclusive test results are not included (inconclusive test results are those that are not clearly positive or negative).



Testing Demographics: Gender (Archived)


Cumulative number of positive and negative tests by gender. Only tests reported by laboratories reporting both positive and negative results are included in positivity calculations, inconclusive test results are not included (inconclusive test results are those that are not clearly positive or negative).



VBT Cases among Health Care Workers (Archived)


These data are for all vaccine breakthrough cases who reported their occupation as health care staff in acute care or congregate care facilities. Vaccine breakthrough cases are defined as Minnesota residents with a positive test result (both confirmed and probable) with onset date (or specimen collection date if asymptomatic) 14 or more days post full vaccine series and no positive COVID-19 result in the 90 days prior to their COVID infection.





Demographics: Interview Language (Archived)

Language needs for cases interviewed by specimen collection date week. It is assumed that any interview recorded as not needing an interpreter was conducted in English.




This information is no longer collected for all cases, therefore this data will no longer be updated.

| Language | Total % of Interviews |
|---------------------------|--------------------------|
| Mandarin | <1% |
| Cantonese | <1% |
| Russian | <1% |
| Arabic | <1% |
| Vietnamese | <1% |
| Laotian | <1% |
| Amharic | <1% |
| Oromo | <1% |
| Hmong | <1% |
| Karen | <1% |
| ■ Somali | 1% |
| Spanish | 4% |
| English | 94% |
| Other | <1% |

Interview Language by County of Residence (Archived)


Percent of interviews by language and week of specimen collection by county of residence.

This information is no longer collected for all cases, therefore this data will no longer be updated.



Likely Exposure (Archived)


Likely exposure for confirmed and probable cases. Exposure data is collected at case interview. Cases are categorized according to a hierarchy following the order of exposure type: outbreak, travel, LTC staff and residents, corrections, homeless shelter, acute health care, community-exposure with known contact, community-no known exposure.



- Community (outbreak): Case was exposed to a known outbreak setting in Minnesota that is not also a congregate living setting (e.g., long-term care, corrections, shelter) or health care setting. This includes restaurant/bars, sports, worksites that are not living settings, etc.
- Travel: Case traveled outside of Minnesota in the 2 weeks before illness.
- Congregate Care Setting: Residents, and staff who are not part of a non-congregate care setting outbreak and did not have an exposure to a positive household member. Congregate care settings include long-term care facilities (LTCF), assisted living facilities, group homes, or residential behavioral health (RBH) facilities.
- Corrections: Inmates who were exposed while incarcerated, and staff of a jail/prison setting who are not part of a non-corrections outbreak and did not have an exposure to a positive household member.
- Homeless/Shelter: Residents/guests, and staff who are not part of a non-shelter outbreak and did not have an exposure to a positive household member.
- Health Care: Patients who were part of nosocomial outbreaks, and staff who are not part of a non-acute health care setting outbreak and did not have an exposure to a positive household member.
- Community (known contact with confirmed case): Case has a known exposure to a positive case and does not fit into any of the previous categories.
- Community (unknown contact with confirmed case): Case has no known exposure to a positive case and does not fit into any of the previous categories.


Cases by Likely Exposure and Specimen Collection Date (Archived)

Cases by likely exposure by specimen collection date. This chart shows how exposure to COVID-19 has changed over time during the pandemic in Minnesota. Numbers include confirmed and probable cases.



Residence Type (Archived)

Cases by residence type. Residence type is collected during case interview and is self-reported. Numbers include confirmed and probable cases.



Cases among Health Care Workers (Archived)


This data is for all cases who reported their occupation as health care staff in acute care or congregate care facilities. Not all cases who are health care workers were exposed at work. Numbers include confirmed and probable cases.



1,247
Total Health Care Staff Hospitalized (cumulative)

207
Total Health Care Staff Hospitalized in ICU
(cumulative)

Total Health Care Staff Deaths (cumulative)



High Risk Exposures in Health Care Workers (Archived)

MDH works with health care facilities to monitor health care workers who have had high-risk exposures with known positive patients/residents, co-workers, or social contacts. This data shows high-risk exposures experienced by health care workers in Minnesota who have been in contact with individuals with confirmed COVID-19 and the percent of exposures that lead to a positive test within 14 days of high-risk exposure (coworker, household/social, patient or resident). This data does not capture the exposures of all health care workers who become COVID-19 cases.

16,816 gh Risk Health Care Worker Exposures (cumulative)

The data shown here summarizes high-risk exposures that occurred from March 6, 2020 –October 20, 2021.

Health care workers had 16,816 documented high-risk exposures

52% exposures happened at home or in the community

48% of exposures occurred at work


1,667

Total High Risk Health Care Worker Exposures
Reulting in a Positive Test (cumulative)

Risk of infection was highest after exposure at home or in the community

13% HCW tested positive after exposure to a positive household member or social contact

6% HCW tested positive after an exposure at work




Staff with Potential Exposure in Child Care Settings (Archived)


Cases of COVID-19 with potential exposure in child care settings by specimen collection date. Cases included staff that attended a child care program while infectious, or who test positive and attended a child care program that reported a confirmed case in the past 28 days. Child care programs included: licensed child care centers, certified centers, summer day camps, and school-age care during peacetime emergency. Does not include in-home child cares. Cases by week are by specimen collection date. Numbers include confirmed and probable cases.

This information is no longer collected for staff in child care settings.

Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.



Total Child Care-affiliated Staff Deaths



Staff Cases Associated with Pre-K through Grade 12 School Buildings (Archived)

Cases of COVID-19 associated with school staff working in school at a prekindergarten through grade 12 building while they were able to spread COVID-19. These numbers include cases exposed in a school setting, cases exposed in other settings, and cases where the exposure setting was not confirmed. All Minnesota schools are represented including public, nonpublic, and tribal schools. Numbers include confirmed and probable cases.

This information is no longer collected for staff in Pre-K through Grade 12 Schools.

Prior to 11/1/21, people were only counted as a case once, even if multiple positive tests were recorded for a person over 90 days apart.

Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

10,773

Total PreK-12 School Staff Cases (cumulative)

235


Total Hospitalized PreK-12-affiliated Staff Cases (cumulative)

47

Total ICU Hospitalized PreK-12-affiliated Staff Cases (cumulative)

13


Total PreK-12-affiliated Staff Deaths (cumulative)



PreK-12 School Buildings Reporting Cases (Archived)

Schools included are public, non-public, and tribal schools. Number of school buildings reporting cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020. Numbers include confirmed and probable cases.

This data will no longer be updated.



| Cases per building | Number of buildings reporting cases 10/3-10/16/21 |
|--------------------|--|
| 1 case | 405 |
| 2-4 cases | 324 |
| ≥5 cases | 99 |
| Total | 828 |

A list of School buildings reporting 5 or more cases of COVID-19 in students who were in the building while infectious during a two-week reporting period by county is available in the Minnesota Situation Update for Coronavirus Disease 2019 (https://www.health.state.mn.us/diseases/coronavirus/situation.html)

Cases that have an Affiliation with Institutes of Higher Education (IHE) (Archived)


Cases of COVID-19 affiliated with faculty, staff, and students working or enrolled at a Minnesota Institute of Higher Education (IHE) while they were potentially exposed to or able to spread COVID-19. IHE include colleges, universities, and private career schools. Numbers include confirmed and probable cases.

Cases by week are by specimen collection date. Numbers listed as cumulative total are cumulative since Aug. 1, 2020.

183
Total Hospitalized IHE-affiliated Cases
(cumulative)

Total ICU Hospitalized IHE-affiliated Case (cumulative)


Total IHE-affiliated Deaths
(cumulative)



Staff Cases Associated with Congregate Care Settings (Archived)


Cases of COVID-19 associated with staff living in congregate settings by specimen collection date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component. Numbers include confirmed and probable cases.

This information is no longer collected for staff in Congregate Care Settings.



Congregate Care Facility Outbreaks (Archived)

Congregate care facilities with confirmed cases in residents, staff, and visiting providers by specimen date. Congregate care settings include nursing homes, assisted living-type facilities, group homes, and other communal-living settings with a healthcare component. Numbers include confirmed and probable cases.



4,862

1,527

116

136

2,863

1,648

2,738

265

Group Homes and Adult Foster Care Facilities

Other Congregate Care Settings

5%

15%

A list of congregate care facilities reporting an exposure in the last 28 days from a case in a resident, staff person, or visiting provider and a cumulative list of long-term care facilities reporting a case in a resident, staff person, or visiting service provider are available on: COVID-19 Weekly Report (https://www.health.state.mn.us/diseases/coronavirus/stats/index.html)