

# Weekly Influenza & Respiratory Illness Activity Report

A summary of influenza surveillance indicators prepared by the Division of Infectious Disease Epidemiology Prevention & Control

**Week Ending May 9, 2020 | WEEK 19**

All data are preliminary and may change as more information is received

## Minnesota Influenza Geographic Spread

No Activity

Sporadic

Local

Regional

Widespread

During the week ending May 9, 2020 (Week 19), surveillance indicators showed sporadic geographic spread of influenza *(based on CDC's Activity Estimates Definitions)*.

Since the start of the influenza season, 3 pediatric influenza-related deaths have been reported.

[Minnesota Influenza Surveillance \(www.health.state.mn.us/diseases/flu/stats/\)](http://www.health.state.mn.us/diseases/flu/stats/)

[Weekly U.S. Influenza Surveillance Report \(www.cdc.gov/flu/weekly/\)](http://www.cdc.gov/flu/weekly/)

[World Health Organization \(WHO\) Surveillance \(www.who.int/influenza/surveillance\\_monitoring/updates/en/\)](http://www.who.int/influenza/surveillance_monitoring/updates/en/)

Neighboring states' influenza information:

Iowa: [Iowa Flu Reports \(idph.iowa.gov/influenza/reports\)](http://idph.iowa.gov/influenza/reports)

Wisconsin: [Influenza \(Flu\) \(www.dhs.wisconsin.gov/communicable/influenza/\)](http://www.dhs.wisconsin.gov/communicable/influenza/)


North Dakota: [Reported Seasonal Influenza Activity in North Dakota \(www.ndflu.com/default.aspx\)](http://www.ndflu.com/default.aspx)

South Dakota: [South Dakota Influenza Information \(doh.sd.gov/diseases/infectious/flu/\)](http://doh.sd.gov/diseases/infectious/flu/)

# Hospitalized Influenza Surveillance


Hospitalized influenza cases are based on disease reports of laboratory-positive influenza (via DFA, IFA, viral culture, EIA, rapid test, paired serological tests or RT-PCR) and specimens from hospitalized patients with acute respiratory illness submitted to MDH-PHL by hospitals and laboratories. **Due to the need to confirm reports and reporting delays, consider current week data preliminary.**

### Hospitalized Influenza Cases by Type Minnesota (FluSurv-NET\*)



Hospitalizations this week	Hospitalizations last week	Total hospitalizations (to date)
2	0	4,148

### Hospitalized Influenza Cases by Season, Minnesota (FluSurv-NET\*)




Season	Total hospitalizations (historic)
2014-2015	4,081
2015-2016	1,538
2016-2017	3,695
2017-2018	6,446
2018-2019	2,543
<b>2019-2020</b>	<b>4,148 (to date)</b>

\*Influenza Surveillance Network


# Hospitalized Influenza Surveillance (continued)

## Number of Influenza Hospitalizations and Incidence by Region, Minnesota September 29, 2019 – May 9, 2020



Region	Hospitalizations this week	Total (to date)
Central	0 (0%)	505 (12%)
Metro	2 (100%)	2,502 (60%)
Northeast	0 (0%)	247 (6%)
Northwest	0 (0%)	94 (2%)
South Central	0 (0%)	230 (6%)
Southeast	0 (0%)	319 (8%)
Southwest	0 (0%)	137 (3%)
West Central	0 (0%)	114 (3%)

## Number of Influenza Hospitalizations and Incidence by Age, Minnesota September 29, 2019 – May 9, 2020




Median age (years) at time of admission
60.0


# Influenza-Associated Death Surveillance

Influenza deaths are collected via reports from Minnesota's death certificate database, hospitals, and long-term care facilities. Decedents with influenza listed as a cause of or contributor to death, have recent laboratory confirmation of influenza, or are part of an ongoing influenza outbreak at a long-term care facility are reported to influenza surveillance. **Due to the need to confirm reports and reporting delays, consider current week data preliminary.**

## Deaths Associated with Influenza by Season, Minnesota



## Deaths Associated with Influenza by Age Group and Season, Minnesota



Season	Total deaths (historic)	Total pediatric (<18 years) deaths (historic)
2014-2015	368	10
2015-2016	76	3
2016-2017	273	2
2017-2018	440	6
2018-2019	95	1
<b>2019-2020</b>	<b>153 (to date)</b>	<b>3 (to date)</b>

Season	Median age (years) at time of death
2014-2015	85
2015-2016	68
2016-2017	86
2017-2018	85
2018-2019	75
<b>2019-2020</b>	<b>73 (to date)</b>


\*Influenza Surveillance Network

# Respiratory Disease Outbreak Surveillance

## School Outbreaks

K-12 schools report an outbreak of influenza-like illness (ILI) when the number of students absent with ILI reaches 5% of total enrollment or three or more students with ILI are absent from the same elementary classroom.

### Influenza-like Illness (ILI) in Schools by Season




New school outbreaks this week	New school outbreaks last week	Total this season (to date)
0	0	921

## Long-Term Care (LTC) Outbreaks

LTC facilities report to MDH when they suspect an outbreak of influenza in their facility. Laboratory-confirmed outbreaks are reported here.

### Confirmed Influenza Outbreaks in LTC by Season




New LTC outbreaks this week	New LTC outbreaks last week	Total this season (to date)
0	0	109

# Sentinel Provider Surveillance (Outpatients)

MDH collaborates with healthcare providers who report the total number of patients seen and the total number of those patients presenting to outpatient clinics with influenza-like illness.

## Percentage of Persons Presenting to Outpatient Clinics with Influenza-Like Illness (ILI)




% of outpatients with ILI this week	% of outpatients with ILI last week
1.8%	3.4%

\* Indicates current week-data may be delayed by 1 or more weeks

# Laboratory Surveillance

The MN Lab System (MLS) Laboratory Influenza Surveillance Program is made up of more than 310 clinic- and hospital-based laboratories, voluntarily submitting testing data weekly. These laboratories perform rapid testing for influenza and Respiratory Syncytial Virus (RSV). Significantly fewer labs perform PCR testing for influenza and three also perform PCR testing for other respiratory viruses. MDH-PHL provides further characterization of submitted influenza isolates to determine the hemagglutinin serotype to indicate vaccine coverage. Tracking the laboratory results assists healthcare providers with patient diagnosis of influenza-like illness and provides an indicator of the progression of the influenza season as well as prevalence of disease in the community.

## Specimens Positive for Influenza by Molecular Testing\*, by Week



% molecular tests positive this week

1.6%

% molecular tests positive last week

0.0%


\* Beginning in 2016-17, laboratories report results for rapid molecular influenza tests in addition to RT-PCR results



# Laboratory Surveillance (continued)


## MLS Laboratories – Influenza Testing

### Specimens Positive by Influenza Rapid Antigen Test, by Week



## MLS Laboratories – RSV Testing

### Specimens Positive by RSV Rapid Antigen Test, by Week



Region	% rapid antigen influenza tests + (current week)
Central	0%
Metro	0%
Northeast	0%
Northwest	---
South Central	---
Southeast	0%
Southwest	0%
West Central	0%
State (overall)	0%

Region	% rapid antigen RSV tests + (current week)
Central	0%
Metro	0%
Northeast	---
Northwest	---
South Central	---
Southeast	0%
Southwest	---
West Central	0%
State (overall)	0%


# Weekly U.S. Influenza Surveillance Report

2019-2020 Influenza Season Week 18, ending May 2, 2020

Note: The COVID-19 pandemic is affecting healthcare seeking behavior. The number of persons and their reasons for seeking care in the outpatient and ED settings is changing. These changes impact data from ILINet in ways that are difficult to differentiate from changes in illness levels, therefore ILINet data should be interpreted with caution.


Laboratory confirmed flu activity as reported by clinical laboratories remains low. Influenza-like illness activity continues to decrease and is below the national baseline. The percent of deaths due to pneumonia or influenza (P&I) is decreasing but remains elevated, primarily due to COVID-19, not influenza. Reported pediatric flu deaths for the season are high at 174.

## Influenza-Like Illness (ILI) Activity: Outpatient Illness



One jurisdiction experienced high ILI activity this week compared to three jurisdictions that experienced high activity last week.

## Geographic Spread of Influenza



No jurisdictions reported regional or widespread influenza activity this week.

## Key Messages from CDC

- Nationally, influenza activity remains low.
- CDC will continue to track influenza activity year-round as always, but as flu activity remains low, an abbreviated FluView will be published weekly during the remainder of the 2019-2020 season.