

Table 3. Number of Cases and Rates (per 100,000 persons) of HIV Diagnosis by Race/Ethnicity & Mode of Exposure^I Minnesota, 2016

Group	Males			Females			Total		
	Cases	%	Rate ^{IV}	Cases	%	Rate ^{IV}	Cases	%	Rate ^{III}
Race/Ethnicity									
White, non-Hispanic	102	45%	4.7	17	26%	0.8	119	41%	2.7
Black ^{II} , African-American, non-Hispanic	47	21%	X	13	20%	X	60	21%	31.3
Black ^{II} , African-born ^{III} , non-Hispanic	38	17%	X	32	49%	X	70	24%	90.3
Hispanic, any race	23	10%	17.4	1	2%	0.8	24	8%	9.6
American Indian, non-Hispanic	1	0%	#	0	0%	#	1	0%	#
Asian/PI, non-Hispanic	10	4%	9.5	2	3%	#	12	4%	5.6
Other ^{II} , non-Hispanic	4	2%	X	0	0%	X	4	1%	X
Total	225	100%	8.5	65	100%	2.4	290	100%	5.5
Mode of Exposure									
MSM	119	53%	X	--	--	X	119	41%	X
IDU	3	1%	X	2	3%	X	5	2%	X
MSM/IDU	22	10%	X	--	--	X	22	8%	X
Heterosexual (Total)	(13)	6%	X	(52)	80%	X	(65)	22%	X
with IDU	2	--	X	1	--	X	3	--	X
with Bisexual Male	0	--	X	1	--	X	1	--	X
with Hemophiliac/other	0	--	X	0	--	X	0	--	X

with HIV+	11	--	X	18	--	X	29	--	X
Hetero, unknown risk ^v	0	--	X	32	--	X	32	--	X
Perinatal	1	0%	X	2	3%	X	3	1%	X
Other	0	0%	X	0	0%	X	0	0%	X
Unspecified	67	30%	X	9	14%	X	76	26%	X
No Interview, Unspecified	0	0%	X	0	0%	X	0	0%	X
Total	225	100%	8.5	65	100%	2.4	290	100%	5.5

Notes

ⁱ HIV Diagnosis includes all new cases of HIV diagnosis (both HIV (non-AIDS) and AIDS at first diagnosis) among Minnesota residents in 2016.

ⁱⁱ African-born Blacks are reported separately from other Blacks (born in the U.S. or elsewhere). The Black, African-American population is non-Hispanic. "Other" includes multi-racial persons and persons with unknown race

ⁱⁱⁱ Rates calculated using U.S. Census 2010 data. The population estimate for African-born persons was calculated by the Minnesota State Demographic Center . The population estimate for Black, African-American persons (191,584) was calculated by subtracting the U.S. Census estimate for African-born persons (77,557) from the total Black population (269,141). Note that this assumes that all African-born persons are Black (as opposed to another race).

^{iv} U.S. Census 2010 data necessary to calculate race-specific rates by gender are not available for all subpopulations, and/or numbers are too small to calculate reliable rates.

Numbers exclude federal and private prisoners and refugees in the HIV-Positive Refugee Resettlement Program, as well as, refugee/immigrants with an HIV diagnosis prior to arrival in Minnesota.

^v Hetero, unknown risk - Females who were interviewed and whose only risk is heterosexual contact but who were not able to provide information on the sexual partner's risk.

MSM = Men who have sex with men. IDU = Injecting drug use. Heterosexual = For males: heterosexual contact with a female known to be HIV+, an injecting drug user, or a hemophiliac/blood product or organ transplant recipient. For females: heterosexual contact with a male

known to be HIV+, bisexual, an injecting drug user, or a hemophiliac/blood product or organ transplant recipient. Perinatal = Mother to child HIV transmission; birth may have occurred in a previous year. Unspecified = Cases who did not acknowledge any of the risks listed above. No Interview, Unspecified = Cases who refused to be, could not be or have not yet been interviewed.

Percentages may not add to 100 due to rounding.

Minnesota Department of Health
STD, HIV and TB Section
(phone) 651-201-5414
www.health.state.mn.us

04/19/2017



To obtain this information in a different format, call: 651-201-5414.