

HIV Incidence Report 2025 Tables

Table 1. Number of New Cases and Rates (per 100,000 people) of HIV Diagnoses, HIV (non-AIDS), & AIDS (New Diagnosis AIDS, Progressed to AIDS)^I Minnesota, 1982-2025

Year	HIV Diagnosis ^{III}		HIV (non-AIDS) ^{III}		New AIDS Diagnosis		Progressed to AIDS		Total AIDS ^{IV}	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
1982-1999	5,957	--	4,960	--	997	--	3526	--	4523	--
2000	277	5.6	216	4.4	61	1.2	173	3.5	234	4.8
2001	278	5.6	228	4.6	50	1.0	145	2.9	195	3.9
2002	302	6.0	246	4.9	56	1.1	173	3.4	229	4.6
2003	277	5.5	222	4.4	55	1.1	195	3.9	250	4.9
2004	308	6.1	241	4.7	67	1.3	248	4.9	315	6.2
2005	304	5.9	245	4.8	59	1.2	215	4.2	274	5.4
2006	311	6.0	265	5.1	46	0.9	195	3.8	241	4.7
2007	331	6.4	264	5.1	67	1.3	191	3.7	258	5.0
2008	319	6.1	245	4.7	74	1.4	205	3.9	279	5.3
2009	365	6.9	278	5.3	87	1.6	187	3.5	274	5.2
2010	328	6.2	247	4.7	81	1.5	178	3.4	259	4.9
2011	287	5.4	218	4.1	69	1.3	184	3.5	253	4.8
2012	313	5.9	237	4.5	76	1.4	198	3.7	274	5.2
2013	301	5.7	216	4.1	85	1.6	179	3.4	264	5.0
2014	300	5.7	225	4.2	75	1.4	169	3.2	244	4.6
2015	291	5.5	225	4.2	66	1.2	147	2.8	213	4.0
2016	295	5.6	234	4.4	61	1.2	135	2.5	196	3.7
2017	282	5.3	216	3.9	66	1.2	147	2.6	213	3.8
2018	281	5.3	223	4.0	58	1.0	132	2.4	190	3.4
2019	270	4.8	214	3.8	56	1.0	124	2.2	180	3.2
2020	222	3.9	179	3.1	43	0.8	108	1.9	151	2.6
2021	285	5.0	225	3.9	60	1.1	120	2.1	180	3.2
2022	261	4.6	220	3.8	41	0.7	113	2.0	154	2.7
2023	324	5.7	258	4.5	66	1.2	158	2.8	224	3.9
2024	311	5.4	243	4.3	68	1.2	151	2.6	219	3.8
2025	253	4.4	182	3.2	71	1.2	154	2.7	225	3.9
Cumulative Total^{II}	13,633	238.5	10,972	191.9	2661	46.5	7850	137.3	10511	183.8

^I HIV Diagnosis = New cases of HIV diagnosis (both HIV (non-AIDS) and AIDS at first diagnosis) diagnosed within a given calendar year. HIV (non-AIDS) = New cases of HIV diagnosis (excluding AIDS at first diagnosis)

^{II} The cumulative rate is calculated by dividing the cumulative number of cases by the estimated current state population and multiplying by 100,000. Rates for individual calendar years were calculated using 2010 U.S. Census population data (2010-2013), 2000 U.S. Census population data for 2000, and US Census intercensal population estimates released in September 2011 were used for years 2001-2009.

^{III} Numbers and rates exclude federal and private prisoners and refugees in the HIV-Positive Refugee Resettlement Program, as well as refugee/immigrants with an HIV diagnosis prior to arrival in Minnesota

HIV INCIDENCE REPORT DATA TABLES, MINNESOTA 2025

^{IV} Numbers and rates include refugees in the HIV-Positive Refugee Resettlement Program, as well as other refugee/immigrants diagnosed with AIDS subsequent to their arrival in the U.S.

Please note: The sum of HIV (non-AIDS) cases and AIDS cases will be greater than the number of cases of HIV Infection in a given year. The difference occurs because, unlike the HIV Infection category, the AIDS category includes both cases that are AIDS at first diagnosis as well as those cases that progress from HIV (non-AIDS) to AIDS during the year (see above definitions).

HIV INCIDENCE REPORT DATA TABLES, MINNESOTA 2025

Table 2. Number of Cases and Rates (per 100,000 people) of HIV Diagnosis by Residence, Age, and Sex¹ Minnesota, 2025

Group	Male		Female		Total		HIV
	Cases	%	Cases	%	Cases	%	Infection Rate
Residence¹¹							
Minneapolis	46	23%	13	24%	59	23%	13.9
St. Paul	23	12%	6	11%	29	11%	9.6
Suburban	73	37%	22	40%	95	38%	3.9
Greater Minnesota	56	28%	14	25%	70	28%	3.2
Total	198	100%	55	100%	253	100%	4.4
Age							
<13 yrs.	0	0%	0	0%	0	0%	0.0
13-19 yrs.	7	4%	0	0%	7	3%	1.3
20-24 yrs.	36	18%	3	5%	39	15%	10.5
25-29 yrs.	35	18%	6	11%	41	16%	11.3
30-34 yrs.	37	19%	5	9%	42	17%	11.1
35-39 yrs.	23	12%	9	16%	32	13%	8.1
40-44 yrs.	19	10%	9	16%	28	11%	7.4
45-49 yrs.	11	6%	10	18%	21	8%	6.6
50-54 yrs.	13	7%	4	7%	17	7%	0.5
55-59 yrs.	7	4%	5	9%	12	5%	3.3
60+ yrs.	10	5%	4	7%	14	6%	1.0
Total	198	100%	55	100%	253	100%	4.4

¹HIV Diagnosis includes all new cases of HIV diagnosis (both HIV (non-AIDS) and AIDS at first diagnosis) among Minnesota residents in 2025.

¹¹Residence at time of HIV diagnosis (both HIV (non-AIDS) and AIDS at first diagnosis).

Suburban = Seven-county metropolitan area except Minneapolis & St. Paul (Anoka, Carver, Dakota, Hennepin (except Minneapolis), Ramsey (except St. Paul), Scott, and Washington counties).
Greater Minnesota = Remaining 80 counties outside of the seven-county metropolitan area.

Numbers and rates exclude federal and private prisoners and refugees in the HIV-Positive Refugee Resettlement Program, as well as refugee/immigrants with an HIV diagnosis prior to arrival in Minnesota. State prisoners are included.

Rates calculated using CDC Wonder 2022 data. Percentages may not add to 100 due to rounding.

**Table 3. Number of Cases and Rates (per 100,000 people) of HIV Diagnosis by Race/Ethnicity & Mode of Exposure^I
Minnesota, 2025**

Group	Male			Female			Total		
	Cases	%	Rate ^{IV}	Cases	%	Rate ^{IV}	Cases	%	Rate ^{III}
Race/Ethnicity									
American Indian, non-Hispanic	2	1%	6.7	4	7%	13.3	6	2%	10.0
Asian/PI, non-Hispanic	7	4%	4.6	1	2%	0.6	8	3%	2.6
Black ^{II} , African-American, non-Hispanic	39	20%	26.9	10	18%	7.5	49	19%	17.0
Black ^{II} , African-born ^{III} , non-Hispanic	23	12%	31.8	23	42%	31.5	46	18%	34.3
Hispanic, any race	49	25%	27.5	6	11%	3.7	55	22%	16.1
White, non-Hispanic	70	35%	3.2	11	20%	0.5	81	32%	1.8
Other ^{II} , non-Hispanic	8	4%	16.4	0	0%	0.0	8	3%	2.9
Total	198	100%	6.9	55	100%	1.9	253	100%	4.4
Mode of Exposure									
MSM	126	64%	X	--	--	X	126	50%	X
IDU	11	6%	X	7	13%	X	18	7%	X
MSM/IDU	17	9%	X	--	--	X	17	7%	X
Heterosexual	7	4%	X	12	22%	X	19	8%	X
Presumed Heterosexual	34	17%	X	33	60%	X	67	26%	X
Perinatal	0	0%	X	0	0%	X	0	0%	X
Other	0	0%	X	0	0%	X	0	0%	X
Unspecified	3	2%	X	3	5%	X	6	2%	X
Total	198	100%	6.9	55	100%	1.9	253	100%	4.4

^I HIV Diagnosis includes all new cases of HIV diagnosis (both HIV (non-AIDS) and AIDS at first diagnosis) among Minnesota residents in 2023.

^{II} African-born Black people are reported separately from other Black people (born in the U.S. or elsewhere). The Black, non-African-born population is non-Hispanic. "Other" includes multi-racial people and people with unknown race.

^{III} Rates calculated using 2022 CDC Wonder data. The population estimate for African-born persons was calculated by the Minnesota State Demographic Center. The population estimate for Black, non African-born persons (288,832) was calculated by subtracting the U.S. Census estimate for African-born persons (134,282) from the total Black population (423,114). Note that this assumes that all African-born persons are Black (as opposed to another race).

HIV INCIDENCE REPORT DATA TABLES, MINNESOTA 2025

Numbers exclude federal and private prisoners and refugees in the HIV-Positive Refugee Resettlement Program, as well as, refugee/immigrants with an HIV diagnosis prior to arrival in Minnesota.

^v Hetero, unknown risk - Females who were interviewed and whose only risk is heterosexual contact but who were not able to provide information on the sexual partner's risk.

MSM = Men who have sex with men. IDU = Injection drug use. Heterosexual = For males: heterosexual contact with a female known to be HIV+, an injection drug user, or a hemophiliac/blood product or organ transplant recipient. For females: heterosexual contact with a male known to be HIV+, bisexual, an injecting drug user, or a hemophiliac/blood product or organ transplant recipient. Perinatal = Mother to child HIV transmission; birth may have occurred in a previous year. Unspecified = Cases who did not acknowledge any of the risks listed above. No Interview, Unspecified = Cases who refused to be, could not be, or have not yet been interviewed.

Percentages may not add to 100 due to rounding.

HIV INCIDENCE REPORT DATA TABLES, MINNESOTA 2025

Table 4. Number of Cases and Rates (per 100,000 people) of HIV Diagnosis by County of Residence¹ -- Minnesota, 2025

County ¹	HIV Diagnosis	
	Cases	Rate ^{III}
Aitkin	0	-
Anoka	17	4.6
Becker	0	-
Beltrami	0	-
Benton	2	-
Big Stone	0	-
Blue Earth	3	-
Brown	0	-
Carlton	0	-
Carver	0	-
Cass	1	-
Chippewa	0	-
Chisago	1	-
Clay	3	-
Clearwater	0	-
Cook	0	-
Cottonwood	0	-
Crow Wing	1	-
Dakota	15	3.4
Dodge	1	-
Douglas	0	-
Faribault	0	-
Fillmore	3	-

County ¹	HIV Diagnosis	
	Cases	Rate ^{III}
Freeborn	2	-
Goodhue	2	-
Grant	0	-
Hennepin	101	8.0
Houston	0	-
Hubbard	1	-
Isanti	0	-
Itasca	0	-
Jackson	0	-
Kanabec	1	-
Kandiyohi	2	-
Kittson	0	-
Koochiching	0	-
Lac Qui Parle	0	-
Lake	0	-
Lake of the Woods	0	-
Le Sueur	0	-
Lincoln	0	-
Lyon	0	-
McLeod	1	-
Mahnomen	0	-
Marshall	0	-

County ¹	HIV Diagnosis	
	Cases	Rate ^{III}
Martin	0	-
Meeker	0	-
Mille Lacs	0	-
Morrison	0	-
Mower	2	-
Murray	0	-
Nicollet	0	-
Nobles	4	-
Norman	0	-
Olmsted	10	6.1
Otter Tail	2	-
Pennington	1	-
Pine	1	-
Pipestone	0	-
Polk	1	-
Pope	0	-
Ramsey	40	7.5
Red Lake	0	-
Redwood	0	-
Renville	0	-
Rice	0	-
Rock	1	-
Roseau	0	-

County ¹	HIV Diagnosis	
	Cases	Rate ^{III}
St. Louis	5	2.5
Scott	5	3.2
Sherburne	3	-
Sibley	0	-
Stearns	8	-
Steele	0	-
Stevens	0	-
Swift	0	-
Todd	1	-
Traverse	0	-
Wabasha	0	-
Wadena	0	-
Waseca	2	-
Washington	5	1.8
Watonwan	0	-
Wilkin	0	-
Winona	2	-
Wright	2	-
Yellow Medicine	1	-
State Total	253	4.4

¹HIV Diagnosis includes all new cases of HIV diagnosis (both HIV (non-AIDS) and AIDS at first diagnosis) among Minnesota residents in 2024.

^{II}Residence at time of HIV diagnosis (both HIV (non-AIDS) and AIDS at first diagnosis).

^{III}Rates calculated using 2022 CDC Wonder data. Rates not calculated for counties with fewer than five cases.

HIV INCIDENCE REPORT DATA TABLES, MINNESOTA 2025

Numbers and rates exclude federal and private prisoners and refugees in the HIV-Positive Refugee Resettlement Program, as well as refugee/immigrants with an HIV diagnosis prior to arrival in Minnesota. (State correctional facilities are located in the following counties: Anoka, Carlton, Chisago, Goodhue, Itasca, Rice, Scott, Sherburne, and Washington).

Minnesota Department of Health
651-201-5414
www.health.state.mn.us/hiv

3/24/2026

To obtain this information in a different format, call: 651-201-5414.