

HIV Quarterly Surveillance Report

JAN. 1 – SEPT. 30, 2025

Table 1. Number of Cases and Rates (per 100,000 persons) of HIV Diagnosis by Residence¹ -- Minnesota, Q1-Q3 2025

Residence (Metro Vs. Greater MN) ^{II}	Cases (Total)	% (Total)	HIV (Infection Rate)
Minneapolis	36	20%	8.5
St. Paul	20	11%	6.6
Suburban	71	40%	2.9
Greater Minnesota	52	29%	2.4
Total	179	100%	3.1

Residence (Regions) ^{II}	Cases (Total)	% (Total)	HIV (Infection Rate)
Metro	127	71%	3.7
Northwest	<5	--	--
Northeast	<5	--	--
Central	17	9%	2.1
West Central	7	4%	2.1
Southeast	18	10%	3.2
Southwest	5	3%	1.4
Total	179	100%	3.1

*Address missing for one person.

^IHIV diagnosis includes all new cases of HIV diagnosis (both HIV (non-AIDS) and AIDS at first diagnosis) among Minnesota residents in 2025.

^{II}Residence at time of HIV diagnosis (both HIV (non-AIDS) and AIDS at first diagnosis).

Suburban = Seven-county metropolitan area except Minneapolis & St. Paul (Anoka, Carver, Dakota, Hennepin (except Minneapolis), Ramsey (except St. Paul), Scott, and Washington counties). Greater Minnesota = Remaining 80 counties outside of the seven-county metropolitan area.

Regions = **Metro:** ANOKA, CARVER, DAKOTA, HENNEPIN, RAMSEY, SCOTT, WASHINGTON; **Central:** BENTON, CASS, CHISAGO, CROW WING, ISANTI, KANABEC, MILLE LACS, MORRISON, PINE, SHERBURNE, STEARNS, TODD, WADENA, WRIGHT; **Northwest:** BELTRAMI, CLEARWATER, HUBBARD, KITTSOON, LAKE OF THE WOODS, MARSHALL, PENNINGTON, POLK, RED LAKE, ROSEAU, MAHNOMEN, NORMAN; **Northeast:** AITKIN, CARLTON, COOK, ITASCA, KOOCHICHING, LAKE, ST. LOUIS; **West Central:** BECKER, CLAY, DOUGLAS, GRANT, OTTER TAIL, POPE, STEVENS, TRAVERSE, WILKIN, BIG STONE, CHIPPEWA, KANDIYOHI, LAC QUI PARLE, RENVILLE, SWIFT, YELLOW MEDICINE; **Southeast:** DODGE, FILLMORE, FREEBORN, GOODHUE, HOUSTON, MOWER, OLMSTED, RICE, STEELE, WABASHA, WINONA, LESUEUR, LE SUEUR, WASECA; **Southwest:** COTTONWOOD, JACKSON, LINCOLN, LYON,

HIV QUARTERLY SURVEILLANCE REPORT

MURRAY, NOBLES, PIPESTONE, REDWOOD, ROCK, BLUE EARTH, BROWN, FARIBAULT, MCLEOD, MARTIN, MEEKER, NICOLLET, SIBLEY, WATONWAN

Numbers and rates exclude federal and private prisoners and refugees in the HIV-Positive Refugee Resettlement Program, as well as refugee/immigrants with an HIV diagnosis prior to arrival in Minnesota. State prisoners are included.

Rates calculated using CDC Wonder 2022 data. Percentages may not add to 100 due to rounding.

Table 2. Number of Cases and Rates (per 100,000 persons) of HIV Diagnosis by Age¹ -- Minnesota, Q1-Q3 2025

Age	Cases (Total)	% (Total)	HIV (Infection Rate)
<15 years	0	0%	0.0
15-24 years	30	17%	4.0
25-34 years	62	34%	8.4
35-44 years	44	24%	5.7
45-54 years	25	14%	3.8
55+	19	11%	1.1
Total	180	100%	3.1

¹HIV Diagnosis includes all new cases of HIV diagnosis (both HIV (non-AIDS) and AIDS at first diagnosis) among Minnesota residents in 2025.

Numbers and rates exclude federal and private prisoners and refugees in the HIV-Positive Refugee Resettlement Program, as well as refugee/immigrants with an HIV diagnosis prior to arrival in Minnesota. State prisoners are included.

Rates calculated using CDC Wonder 2022 data. Percentages may not add to 100 due to rounding.

Table 3. Number of Cases and Rates (per 100,000 people) of HIV Diagnosis by Race/Ethnicity and Sex¹ -- Minnesota, Q1-Q3 2025

Race/Ethnicity	Cases (Males)	% (Males)	Rate ^{III} (Males)	Cases (Females)	% (Females)	Rate ^{III} (Females)	Cases (Total)	% (Total)	Rate ^{III} (Total)
American Indian, non-Hispanic	<5	--	--	<5	--	--	--	--	--
Asian/PI, non-Hispanic	<5	--	--	<1	--	--	--	--	--
Black ^I , African-American, non-Hispanic	23	16%	15.9	7	18%	5.3	30	17%	7.0
Black ^I , African-born ^{III} , non-Hispanic	11	8%	--	19	49%	26.1	30	17%	22.3
Hispanic, any race	37	26%	20.8	<5	--	--	--	--	--
White, non-Hispanic	59	42%	2.7	6	15%	0.3	65	36%	1.4
Other ^I , non-Hispanic	5	4%	7.1	0	0%	0.0	--	--	--
Total	141	100%	4.9	39	100%	1.4	180	100%	3.1

HIV Diagnosis includes all new cases of HIV diagnosis (both HIV (non-AIDS) and AIDS at first diagnosis) among Minnesota residents in 2025.

¹Sex data are collected in case reports, labs, and/or interviews through Partner Services. Sex is based off of sex assigned at birth, indicating either Male or Female.

^IAfrican-born Black people are reported separately from other Black people (born in the U.S. or elsewhere). The Black, African American population is non-Hispanic. "Other" includes multi-racial persons and persons with unknown race.

^{III}Rates calculated using 2022 CDC Wonder data. The population estimate for African-born persons was calculated by the Minnesota State Demographic Center. The population estimate for Black, non-African-born persons (196,855) was calculated by subtracting the U.S. Census estimate for African-born persons (77,557) from the total Black population (274,412). Note that this assumes that all African-born persons are Black (as opposed to another race).

Numbers exclude federal and private prisoners and refugees in the HIV-Positive Refugee Resettlement Program, as well as refugee/immigrants with an HIV diagnosis prior to arrival in Minnesota.

Percentages may not add to 100 due to rounding.

Data are suppressed below 5.

Table 4. Number of Cases and Rates (per 100,000 people) of HIV Diagnosis by Mode of Exposure^I & Sex^{II}, Minnesota, Q1-Q3 2025

Mode of Exposure	Cases (Males)	% (Males)	Cases (Females)	% (Females)	Cases (Total)	% (Total)
MSM	93	66%	--	--	93	52%
IDU	8	6%	<5	--	--	--
MSM/IDU	14	10%	--	--	14	8%
Heterosexual	<5	--	8	21%	--	--
Presumed Heterosexual ^{III}	20	14%	26	67%	46	26%
Perinatal	0	0%	0	0%	0	0%
Other	0	0%	0	0%	0	0%
Unspecified	<5	--	<5	--	--	--
Total	141	100%	39	100%	180	100%

HIV Diagnosis includes all new cases of HIV diagnosis (both HIV (non-AIDS) and AIDS at first diagnosis) among Minnesota residents in 2025.

^ISex data are collected in case reports, labs, and/or interviews through Partner Services. Sex is based off of sex assigned at birth, indicating either Male or Female.

Numbers exclude federal and private prisoners and refugees in the HIV-Positive Refugee Resettlement Program, as well as refugee/immigrants with an HIV diagnosis prior to arrival in Minnesota.

Hetero, unknown risk - Females who were interviewed and whose only risk is heterosexual contact but who were not able to provide information on the sexual partner's risk.

MSM = Men who have sex with men. IDU = Injecting drug use. Heterosexual = For males: heterosexual contact with a female known to be HIV+, an injecting drug user, or a hemophiliac/blood product or organ transplant recipient. For females: heterosexual contact with a male known to be HIV+, bisexual, an injecting drug user, or a hemophiliac/blood product or organ transplant recipient. Perinatal = Mother to child HIV transmission. Other = Hemophilia patient/blood product or organ transplant recipient. Unknown risk = Unreported or unknown risk.

^{III}Presumed heterosexual contact is anyone whose sexual contact was the opposite sex, but do not know their sexual contact's HIV status

Percentages may not add to 100 due to rounding.

Minnesota Department of Health
www.health.state.mn.us

12/31/2025

To obtain this information in a different format, call: 651-201-5414.