

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL

ID: 8218

PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

Facility ID: 00019

1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245278 2.STATE VENDOR OR MEDICAID NO. (L2) 608716700 5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9) 6. DATE OF SURVEY 12/20/2018 (L34) 8. ACCREDITATION STATUS: _____ (L10) 0 Unaccredited 1 TJC 2 AOA 3 Other	3. NAME AND ADDRESS OF FACILITY (L3) GOOD SAMARITAN SOCIETY - HOWARD LAKE (L4) 413 13TH AVENUE (L5) HOWARD LAKE, MN (L6) 55349 7. PROVIDER/SUPPLIER CATEGORY <u>02</u> (L7) 01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA 02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF 03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC 04 SNF 08 OPT/SP 12 RHC 16 HOSPICE	4. TYPE OF ACTION: <u>7</u> (L8) 1. Initial 2. Recertification 3. Termination 4. CHOW 5. Validation 6. Complaint 7. On-Site Visit 9. Other 8. Full Survey After Complaint FISCAL YEAR ENDING DATE: _____ (L35) 09/30															
11. LTC PERIOD OF CERTIFICATION From (a) : _____ To (b) : _____ 12.Total Facility Beds 32 (L18) 13.Total Certified Beds 32 (L17)	10.THE FACILITY IS CERTIFIED AS: X A. In Compliance With <u>And/Or Approved Waivers Of The Following Requirements:</u> Program Requirements _____ 2. Technical Personnel _____ 6. Scope of Services Limit Compliance Based On: _____ 3. 24 Hour RN _____ 7. Medical Director _____ 1. Acceptable POC _____ 4. 7-Day RN (Rural SNF) _____ 8. Patient Room Size _____ 5. Life Safety Code _____ 9. Beds/Room B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: A* (L12)																
14. LTC CERTIFIED BED BREAKDOWN <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:15%;">18 SNF</td> <td style="width:15%;">18/19 SNF</td> <td style="width:15%;">19 SNF</td> <td style="width:15%;">ICF</td> <td style="width:15%;">IID</td> </tr> <tr> <td></td> <td style="text-align:center;">32</td> <td></td> <td></td> <td></td> </tr> <tr> <td>(L37)</td> <td>(L38)</td> <td>(L39)</td> <td>(L42)</td> <td>(L43)</td> </tr> </table>	18 SNF	18/19 SNF	19 SNF	ICF	IID		32				(L37)	(L38)	(L39)	(L42)	(L43)	15. FACILITY MEETS 1861 (e) (1) or 1861 (j) (1): _____ (L15)	
18 SNF	18/19 SNF	19 SNF	ICF	IID													
	32																
(L37)	(L38)	(L39)	(L42)	(L43)													

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):

17. SURVEYOR SIGNATURE Brenda Fischer, Unit Supervisor Date: 12/20/2018 (L19)	18. STATE SURVEY AGENCY APPROVAL Alison Helm, Enforcement Specialist Date: 12/20/2018 (L20)
-------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY <input checked="" type="checkbox"/> 1. Facility is Eligible to Participate <input type="checkbox"/> 2. Facility is not Eligible (L21)	20. COMPLIANCE WITH CIVIL RIGHTS ACT: _____	21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above : _____
22. ORIGINAL DATE OF PARTICIPATION 04/01/1985 (L24)	23. LTC AGREEMENT BEGINNING DATE (L41)	24. LTC AGREEMENT ENDING DATE (L25)
25. LTC EXTENSION DATE: (L27)	27. ALTERNATIVE SANCTIONS A. Suspension of Admissions: _____ (L44) B. Rescind Suspension Date: _____ (L45)	
28. TERMINATION DATE:	29. INTERMEDIARY/CARRIER NO. 00140 (L28) (L31)	26. TERMINATION ACTION: (L30) <u>VOLUNTARY</u> 00 <u>INVOLUNTARY</u> 01-Merger, Closure 05-Fail to Meet Health/Safety 02-Dissatisfaction W/ Reimbursement 06-Fail to Meet Agreement 03-Risk of Involuntary Termination <u>OTHER</u> 04-Other Reason for Withdrawal 07-Provider Status Change 00-Active
31. RO RECEIPT OF CMS-1539 (L32)	32. DETERMINATION OF APPROVAL DATE 12/11/2018 (L33)	
DETERMINATION APPROVAL		



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically delivered
December 20, 2018

Administrator
Good Samaritan Society - Howard Lake
413 13th Avenue
Howard Lake, MN 55349

RE: Project Number S5278027

Dear Administrator:

On November 21, 2018, we informed you that we would recommend enforcement remedies based on the deficiencies cited by this Department for a standard survey, completed on November 7, 2018. This survey found the most serious deficiencies to be isolated deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level D) whereby corrections were required.

On December 20, 2018, the Minnesota Department of Health, completed a Post Certification Revisit (PCR) by review of your plan of correction to verify that your facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to a standard survey, completed on November 7, 2018. We presumed, based on your plan of correction, that your facility had corrected these deficiencies as of December 20, 2018. Based on our PCR, we have determined that your facility has corrected the deficiencies issued pursuant to our standard survey, completed on November 7, 2018, effective December 20, 2018 and therefore remedies outlined in our letter to you dated November 21, 2018, will not be imposed.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions.

A handwritten signature in cursive script that reads 'Alison Helm'.

Alison Helm, Enforcement Specialist
Licensing and Certification
Minnesota Department of Health
P.O. Box 64970
Saint Paul, Minnesota 55164-0970
Phone: 651-201-4206
Email: alison.helm@state.mn.us



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically delivered

December 20, 2018

CMS Certification Number (CCN): 245278

Administrator
Good Samaritan Society - Howard Lake
413 13th Avenue
Howard Lake, MN 55349

Dear Administrator:

The Minnesota Department of Health assists the Centers for Medicare and Medicaid Services (CMS) by surveying skilled nursing facilities and nursing facilities to determine whether they meet the requirements for participation. To participate as a skilled nursing facility in the Medicare program or as a nursing facility in the Medicaid program, a provider must be in substantial compliance with each of the requirements established by the Secretary of Health and Human Services found in 42 CFR part 483, Subpart B.

Based upon your facility being in substantial compliance, we are recommending to CMS that your facility be recertified for participation in the Medicare and Medicaid program.

Effective December 20, 2018 the above facility is certified for:

32 Skilled Nursing Facility/Nursing Facility Beds

Your facility's Medicare approved area consists of all 32 skilled nursing facility beds.

You should advise our office of any changes in staffing, services, or organization, which might affect your certification status.

If, at the time of your next survey, we find your facility to not be in substantial compliance your Medicare and/or Medicaid provider agreement may be subject to non-renewal or termination.

Please contact me if you have any questions.

Sincerely,

A handwritten signature in cursive script that reads 'Alison Helm'.

Alison Helm, Enforcement Specialist
Licensing and Certification
Minnesota Department of Health
P.O. Box 64970
Saint Paul, Minnesota 55164-0970
Phone: 651-201-4206
Email: alison.helm@state.mn.us



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically delivered
November 21, 2018

Administrator
Good Samaritan Society - Howard Lake
413 13th Avenue
Howard Lake, MN 55349

RE: Project Number S5278027 and H5278009

Dear Administrator:

On November 7, 2018, a standard survey was completed at your facility by the Minnesota Department of Health and Public Safety to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs. In addition, at the time of the November 7, 2018 standard survey the Minnesota Department of Health completed an investigation of complaint number H5278009.

This survey found the most serious deficiencies in your facility to be isolated deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level D) as evidenced by the electronically attached CMS-2567 whereby corrections are required. In addition, at the time of the November 7, 2018 standard survey, the Minnesota Department of Health completed an investigation of complaint number H5278009 that was found to be unsubstantiated.

OPPORTUNITY TO CORRECT - DATE OF CORRECTION

The date by which the deficiencies must be corrected to avoid imposition of remedies is December 17, 2018.

ELECTRONIC PLAN OF CORRECTION (ePoC)

Within **ten (10) calendar days** after your receipt of this notice, you must submit an acceptable plan of correction (ePOC) for the deficiencies cited. An acceptable ePOC will serve as your allegation of compliance. Upon receipt of an acceptable ePOC, we will authorize a revisit to your facility to determine if substantial compliance has been achieved.

To be acceptable, a provider's ePOC must include the following:

- How corrective action will be accomplished for those residents found to have been affected by the deficient practice.
- How the facility will identify other residents having the potential to be affected by the same deficient practice.

Good Samaritan Society - Howard Lake

November 21, 2018

Page 2

- What measures will be put into place, or systemic changes made, to ensure that the deficient practice will not recur.
- How the facility will monitor its corrective actions to ensure that the deficient practice is being corrected and will not recur.
- The date that each deficiency will be corrected.
- An electronic acknowledgement signature and date by an official facility representative.

The state agency may, in lieu of a revisit, determine correction and compliance by accepting the facility's ePoC if the ePoC is reasonable, addresses the problem and provides evidence that the corrective action has occurred.

If an acceptable ePoC is not received within 10 calendar days from the receipt of this letter, we will recommend to the CMS Region V Office that one or more of the following remedies be imposed:

- Discretionary denial of payment for new Medicare and Medicaid admissions (42 CFR 88.417 (a));
- Per day civil money penalty (42 CFR 488.430 through 488.444).

Failure to submit an acceptable ePoC could also result in the termination of your facility's Medicare and/or Medicaid agreement (488.456(b)).

DEPARTMENT CONTACT

Questions regarding this letter and all documents submitted as a response to the resident care deficiencies (those preceded by an "F" tag) and emergency preparedness deficiencies (those preceded by an "E" tag), i.e., the plan of correction should be directed to:

Brenda Fischer, Unit Supervisor
St. Cloud A Survey Team
Licensing and Certification Program
Health Regulation Division
Minnesota Department of Health
Midtown Square
3333 Division Street, Suite 212
Saint Cloud, Minnesota 56301-4557
Email: brenda.fischer@state.mn.us
Phone: (320) 223-7338
Fax: (320) 223-7348

PRESUMPTION OF COMPLIANCE - CREDIBLE ALLEGATION OF COMPLIANCE

The facility's ePoC will serve as your allegation of compliance upon the Department's acceptance. In order for your allegation of compliance to be acceptable to the Department, the ePoC must meet the criteria listed in the plan of correction section above. You will be notified by the Minnesota Department

Good Samaritan Society - Howard Lake

November 21, 2018

Page 3

of Health, Licensing and Certification Program staff and/or the Department of Public Safety, State Fire Marshal Division staff if your ePoC for the respective deficiencies (if any) is acceptable.

VERIFICATION OF SUBSTANTIAL COMPLIANCE

Upon receipt of an acceptable ePoC, a Post Certification Revisit (PCR), of your facility will be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification.

If substantial compliance has been achieved, certification of your facility in the Medicare and/or Medicaid program(s) will be continued and remedies will not be imposed. Compliance is certified as of the latest correction date on the approved ePoC, unless it is determined that either correction actually occurred between the latest correction date on the ePoC and the date of the first revisit, or correction occurred sooner than the latest correction date on the ePoC.

FAILURE TO ACHIEVE SUBSTANTIAL COMPLIANCE BY THE THIRD OR SIXTH MONTH AFTER THE LAST DAY OF THE SURVEY

If substantial compliance with the regulations is not verified by February 7, 2019 (three months after the identification of noncompliance), the CMS Region V Office must deny payment for new admissions as mandated by the Social Security Act (the Act) at Sections 1819(h)(2)(D) and 1919(h)(2)(C) and Federal regulations at 42 CFR Section 488.417(b).

In addition, if substantial compliance with the regulations is not verified by May 7, 2019 (six months after the identification of noncompliance) your provider agreement will be terminated. This action is mandated by the Social Security Act at Sections 1819(h)(2)(C) and 1919(h)(3)(D) and Federal regulations at 42 CFR Sections 488.412 and 488.456.

Please note that this notice does not constitute formal notice of imposition of alternative remedies or termination of your provider agreement. Should the Centers for Medicare & Medicaid Services determine that termination or any other remedy is warranted, it will provide you with a separate formal notification of that determination.

INFORMAL DISPUTE RESOLUTION (IDR) / INDEPENDENT INFORMAL DISPUTE RESOLUTION (IIDR)

In accordance with 42 CFR 488.331, you have one opportunity to question cited deficiencies through an informal dispute resolution process. You are required to send your written request, along with the specific deficiencies being disputed, and an explanation of why you are disputing those deficiencies, to:

Nursing Home Informal Dispute Process
Minnesota Department of Health
Health Regulation Division
P.O. Box 64900
St. Paul, Minnesota 55164-0900

Good Samaritan Society - Howard Lake

November 21, 2018

Page 4

This request must be sent within the same ten days you have for submitting an ePoC for the cited deficiencies. All requests for an IDR or IIDR of federal deficiencies must be submitted via the web at: http://www.health.state.mn.us/divs/fpc/profinfo/ltc/ltc_idr.cfm

You must notify MDH at this website of your request for an IDR or IIDR within the 10 calendar day period allotted for submitting an acceptable electronic plan of correction. A copy of the Department's informal dispute resolution policies are posted on the MDH Information Bulletin website at: <http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm>

Please note that the failure to complete the informal dispute resolution process will not delay the dates specified for compliance or the imposition of remedies.

Questions regarding all documents submitted as a response to the Life Safety Code deficiencies (those preceded by a "K" tag), i.e., the plan of correction, request for waivers, should be directed to:

Mr. Tom Linhoff, Fire Safety Supervisor
Health Care Fire Inspections
Minnesota Department of Public Safety
State Fire Marshal Division
445 Minnesota Street, Suite 145
St. Paul, Minnesota 55101-5145
Email: tom.linhoff@state.mn.us
Telephone: (651) 430-3012
Fax: (651) 215-0525

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions.

Sincerely,



Alison Helm, Enforcement Specialist
Licensing and Certification
Minnesota Department of Health
P.O. Box 64970
Saint Paul, Minnesota 55164-0970
Phone: 651-201-4206
Email: alison.helm@state.mn.us

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/07/2018
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245278	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 11/07/2018
NAME OF PROVIDER OR SUPPLIER GOOD SAMARITAN SOCIETY - HOWARD LAKE			STREET ADDRESS, CITY, STATE, ZIP CODE 413 13TH AVENUE HOWARD LAKE, MN 55349		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
E 000	Initial Comments	E 000			
F 000	INITIAL COMMENTS	F 000			
F 759 SS=D	Free of Medication Error Rts 5 Prcnt or More CFR(s): 483.45(f)(1) §483.45(f) Medication Errors. The facility must ensure that its-	F 759		12/20/18	

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

12/06/2018

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245278	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 11/07/2018
NAME OF PROVIDER OR SUPPLIER GOOD SAMARITAN SOCIETY - HOWARD LAKE			STREET ADDRESS, CITY, STATE, ZIP CODE 413 13TH AVENUE HOWARD LAKE, MN 55349		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 759	Continued From page 1 §483.45(f)(1) Medication error rates are not 5 percent or greater; This REQUIREMENT is not met as evidenced by: Based on observation, interview and document review, the facility failed to ensure medications were administered in accordance with physician's orders/manufacture's recommendations for 1 of 9 residents (R11) observed to receive medication during the survey. This resulted in a facility error rate of 6.67% (percent). Findings include: R11's November 2018, Medication Administration Record (MAR) included the following orders: - omeprazole (drug which reduces the amount of acid in your stomach) 40 mg (milligram) one capsule daily in the morning, for gastroesophageal reflux (GERD) without esophagitis (inflammation/irritation of the esophagus) with instructions to give at least 30 minutes prior to meals. - levothyroxine (medication used when the thyroid gland does not produce enough thyroid hormone). 75 mcg (microgram) daily in the morning, for hypothyroidism. The manufacturers package insert for levothyroxine revised 12/17, identified levothyroxine should be given on an empty stomach, one-half to one hour before breakfast. During observation on 11/6/18, at 7:47 a.m. registered nurse (RN)-A was observed preparing medication for R11 which included omeprazole 40 mg and levothyroxine 75 mcg. After preparing	F 759	1. R11's medications are being administered in accordance with physician's orders/manufacture's recommendations. 2. All current residents' medications were reviewed by consultant pharmacist on November 29, 2018 to ensure all medications are being administered in accordance with physician's orders/manufacture's recommendations. 3. A mandatory in-service will be held for nurses and TMAs on 12/20/18 by the DNS and Pharmacy Consultant to review facility medication administration policy and procedure, addressing medications given prior to meals, along with re-education provided. 4. The DNS or designee will conduct Medication Administration audits for R11 and random other residents with medications prescribed to give 30 minutes prior to meals to ensure they are being administered in accordance with physician's orders/manufacture's recommendations. Audits will be conducted weekly X 4, then monthly X 3. Audit results will be reviewed by the facility QAPI committee for further recommendations.		

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/07/2018
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245278	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 11/07/2018
NAME OF PROVIDER OR SUPPLIER GOOD SAMARITAN SOCIETY - HOWARD LAKE			STREET ADDRESS, CITY, STATE, ZIP CODE 413 13TH AVENUE HOWARD LAKE, MN 55349		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 759	<p>Continued From page 2</p> <p>the medications RN-A administered the medications to R11, who was seated in the dining room, eating toast and cereal.</p> <p>During interview on 11/6/18, at 12:59 p.m. RN-A stated the morning medications could be administered one hour prior to the meal and up to one hour after breakfast meal. RN-A did not identify the omeprazole and levothyroxine should be given at least a half-hour prior to eating.</p> <p>On 11/6/18, at 1:03 p.m. the director of nursing (DON) stated both medications should be given on an empty stomach, at least 30 minutes before eating. The DON stated the order for omeprazole specifically stated to give a half hour before meals.</p> <p>On 11/7/18, at 2:42 p.m. the consultant pharmacist (CP) stated omeprazole and levothyroxine was to be given from a one-half hour to one and one-half hours before meals.</p> <p>The facility policy Medication Administration, Including Scheduling and Medication Aides dated 10/17, identified medication scheduling was to completed to maximize the effectiveness of the medication and to avoid potential significant medication interactions such as medication-food or medication-medication interactions.</p>	F 759			

F6278029

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245278	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 11/05/2018
NAME OF PROVIDER OR SUPPLIER GOOD SAMARITAN SOCIETY - HOWARD LAKE		STREET ADDRESS, CITY, STATE, ZIP CODE 413 13TH AVENUE HOWARD LAKE, MN 55349		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	<p>INITIAL COMMENTS</p> <p>FIRE SAFETY</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety, State Fire Marshal Division on November 05, 2018. At the time of this survey, Good Samaritan Society Howard Lake was found in compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care Occupancies.</p> <p>Good Samaritan Society Howard Lake is a one-story building with no basement. The original building was constructed in 1971, with building additions constructed in 1983 and 1994. All buildings are fully fire sprinkler protected and were determined to be of Type II(111) construction.</p> <p>The facility has a fire alarm system with smoke detection in the corridors and spaces open to the corridors which is monitored for automatic fire department notification. The facility has a capacity of 32 beds and had a census of 28 at time of the survey.</p> <p>The requirement at 42 CFR, Subpart 483.70(a) is MET.</p>	K 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.