



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

July 29, 2026

Licensee
Altacare Services LLC
7145 Stevens Ave
Richfield, MN 55423

RE: Project Number(s) SL41680015

Dear Licensee:

This is your **official notice** that you have been **granted your assisted living facility license**. Your license effective and expiration dates remain the same as on your provisional license. Your updated status will be listed on the license certificate at renewal and **this letter serves as proof** in the meantime. If you have not received a letter from us with information regarding renewing your license within 60 days prior to your expiration date, please contact us at (651) 201-5273 or by email at Health.assistedliving@state.mn.us.

The Minnesota Department of Health completed an initial survey on July 1, 2026, for the purpose assessing compliance with state licensing statutes. At the time of the survey, the Minnesota Department of Health noted violations of the laws pursuant to Minnesota Statute, Chapter 144G.

The Department of Health concludes the licensee is in substantial compliance. State law requires the facility must take action to correct the state correction orders and document the actions taken to comply in the facility's records. The Department reserves the right to return to the facility at any time should the Department receive a complaint or deem it necessary to ensure the health, safety, and welfare of residents in your care.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. The Department of Health documents state correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Home Care Providers. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

IMPOSITION OF FINES

In accordance with Minn. Stat. § 144G.31, Subd. 4, fines and enforcement actions may be imposed based on the level and scope of the violations and may be imposed immediately with no opportunity to correct the violation first as follows:

Level 1: no fines or enforcement;

Level 2: a fine of \$500 per violation, in addition to any enforcement mechanism authorized in § 144G.20;

Level 3: a fine of \$1,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;

Level 4: a fine of \$3,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;

Level 5: a fine of \$5,000 per violation, in addition to any enforcement mechanism authorized in § 144G.20.

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, the following fines are assessed pursuant to this survey:

0810 - 144g.45 Subd. 2 (b-F) - Fire Protection And Physical Environment - \$500.00

The total amount you are assessed is \$500.00. You will be invoiced approximately 30 days after receipt of this notice, subject to appeal.

DOCUMENTATION OF ACTION TO COMPLY

Per Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's residents/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by the Department of Health within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

REQUESTING A HEARING

Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under

this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by MDH within 15 business days of the correction order receipt date. The request must contain a brief and plain statement describing each matter or issue contested and any new information you believe constitutes a defense or mitigating factor.

To submit a hearing request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>.

To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you may request a reconsideration or a hearing, but not both. If you wish to contest tags without fines in a reconsideration and tags with the fines at a hearing, please submit two separate appeals forms at the website listed above.

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **<https://forms.office.com/g/Bm5uQEphVa>**. Your input is important to us and will enable MDH to improve its processes and communication with providers.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,



Renee Anderson, Supervisor
State Evaluation Team
Email: Renee.L.Anderson@state.mn.us
Telephone: 651-201-5871 Fax: 1-866-890-9290

JMD

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 41680	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/01/2026
NAME OF PROVIDER OR SUPPLIER ALTACARE SERVICES LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 7145 STEVENS AVE RICHFIELD, MN 55423			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL41680015-0 On June 29, through July 1, 2026, the Minnesota Department of Health conducted a full survey at the above provider and the following correction orders are issued. At the time of the survey, there were three residents; three receiving services under the Provisional Assisted Living Facility license.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the evaluators ' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.		
0 660 SS=D	144G.42 Subd. 9 Tuberculosis prevention and control	0 660			

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 41680	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/01/2026
NAME OF PROVIDER OR SUPPLIER ALTACARE SERVICES LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 7145 STEVENS AVE RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 660	Continued From page 1 (a) The facility must establish and maintain a comprehensive tuberculosis infection control program according to the most current tuberculosis infection control guidelines issued by the United States Centers for Disease Control and Prevention (CDC), Division of Tuberculosis Elimination, as published in the CDC's Morbidity and Mortality Weekly Report. The program must include a tuberculosis infection control plan that covers all paid and unpaid employees, contractors, students, and regularly scheduled volunteers. The commissioner shall provide technical assistance regarding implementation of the guidelines. (b) The facility must maintain written evidence of compliance with this subdivision. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to establish and maintain a tuberculosis (TB) prevention program based on the most current guidelines issued by the Centers for Disease Control and Prevention (CDC). Licensee failed to ensure screening for active TB (either a two-step tuberculin skin test (TST) or blood test) prior to providing cares for one of two employees (unlicensed personnel (ULP)-D). This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at an isolated scope (when one or a limited number of residents are affected or one or a limited number of staff are involved or the situation has occurred only occasionally). The findings include:	0 660			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 41680	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/01/2026
NAME OF PROVIDER OR SUPPLIER ALTACARE SERVICES LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 7145 STEVENS AVE RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 660	Continued From page 2 ULP-D was hired on March 12, 2026, and provided assisted living services. ULP-D's employee record included documentation of a single TST completed on March 12, 2026, but lacked documentation of a second step TST. On June 30, 2026, at 10:35 a.m., registered nurse (RN)-B stated they were not aware ULP-D was missing a second-step TST, and it was an oversight. The Minnesota Department of Health (MDH) guidelines Regulations for Tuberculosis Control in Minnesota Health Care Settings dated July 2013 and based on CDC guidelines indicated an employee may begin working with patients after a negative TB symptom screen (i.e., no symptoms of active TB disease) and a negative blood test or TST (i.e., first step) dated within 90 days before hire. The MN Department of Health Facility Tuberculosis (TB) Risk Assessment Instructions and Worksheet for Health Care Setting Licensed by MDH updated June 2024, indicated: Settings should perform a facility risk assessment on an annual basis. The worksheet further indicated baseline TB screening is required at the time of hire for all health care personnel in Minnesota. Baseline TB screening includes: 1. Assessing for current symptoms of active TB disease. 2. Assessing TB history, and 3. Testing for the presence of infection with Mycobacterium tuberculosis by administering either a two-step tuberculin skin test (TST) or single TB blood test.	0 660			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 41680	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/01/2026
NAME OF PROVIDER OR SUPPLIER ALTACARE SERVICES LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 7145 STEVENS AVE RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
0 660	Continued From page 3 No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 660			
0 810 SS=F	144G.45 Subd. 2 (b-f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping rooms; (2) staff actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. (c) Staff of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. (d) Fire safety and evacuation plans shall be readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for staff twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill.	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 41680	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/01/2026
NAME OF PROVIDER OR SUPPLIER ALTACARE SERVICES LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 7145 STEVENS AVE RICHFIELD, MN 55423			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 4 This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated June 30, 2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Twenty One (21) days.	0 810			
01760 SS=D	144G.71 Subd. 8 Documentation of administration of medication Each medication administered by the assisted living facility staff must be documented in the resident's record. The documentation must	01760			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 41680	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/01/2026
NAME OF PROVIDER OR SUPPLIER ALTACARE SERVICES LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 7145 STEVENS AVE RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01760	Continued From page 5 include the signature and title of the person who administered the medication. The documentation must include the medication name, dosage, date and time administered, and method and route of administration. The staff must document the reason why medication administration was not completed as prescribed and document any follow-up procedures that were provided to meet the resident's needs when medication was not administered as prescribed and in compliance with the resident's medication management plan. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure medications were administered as prescribed for one of one resident (R1). This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at an isolated scope (when one or a limited number of residents are affected or one or a limited number of staff are involved or the situation has occurred only occasionally). The findings include: R1's diagnoses included traumatic brain injury. R1's Service Plan dated November 21, 2025, indicated R1 received services including assistance with medication administration, behavior management, housekeeping and safety checks. On June 30, 2026, at approximately 8:10 a.m.,	01760			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 41680	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/01/2026
NAME OF PROVIDER OR SUPPLIER ALTACARE SERVICES LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 7145 STEVENS AVE RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01760	Continued From page 6 the surveyor observed unlicensed personnel (ULP)-D assisting R1 with medication administration. R1's medication was set-up by the pharmacy. ULP-D did not reference a medication administration record (MAR), nor perform the 6 rights of medication administration, to ensure R1 was receiving the correct medications, as prescribed. On June 30, 2026, at approximately 9:15 a.m., ULP-D stated the nurse had trained him on medication administration, and that they were trained to verify the medication against the MAR. On June 30, 2026, at approximately 10:30 a.m., registered nurse (RN)-B stated that all medication should be checked medical record with all 6 rights before administering medication. The licensee's Medication Administration policy dated August 1, 2025, indicated, "All staff with responsibility for medication administration have access to information about the medication being administered, including but not limited to: a. Purpose b. Dosage c. Route d. Frequency e. Instructions related to the medication and specific to the residents, as appropriate f. Side effects g. Resident allergies to medications". No further information was provided. TIME PERIOD FOR CORRECTION: Seven (7) days	01760			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 41680	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/01/2026
NAME OF PROVIDER OR SUPPLIER ALTACARE SERVICES LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 7145 STEVENS AVE RICHFIELD, MN 55423			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01880	Continued From page 7	01880			
01880 SS=F	144G.71 Subd. 19 Storage of medications An assisted living facility must store all prescription medications in securely locked and substantially constructed compartments according to the manufacturer's directions and permit only authorized personnel to have access. This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to store all prescription medications in securely locked and substantially constructed compartments according to the manufacturer's directions and permit only authorized personnel to have access. This had the potential to affect all residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all the residents). The findings include: On June 30, 2026, at approximately 8:10 a.m., the surveyor observed unlicensed personnel (ULP)-D assisting R1 with medication administration. ULP-D unlocked the medication storage cabinet in the basement, then left the basement to ask R1 a question, leaving the unlocked cabinet unattended. On June 30, 2026, at approximately 9:20 a.m., ULP-D stated that medication cabinet should be locked at all times when it is not in use and that	01880			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 41680	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/01/2026
NAME OF PROVIDER OR SUPPLIER ALTACARE SERVICES LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 7145 STEVENS AVE RICHFIELD, MN 55423			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01880	Continued From page 8 they had forgotten to lock the cabinet. On June 30, 2026, at approximately 10:30 a.m., registered nurse (RN)-B stated that all medication should always be locked when staff is not present. The licensee's Storage/Control of Medications policy dated August 1, 2025, indicated all prescription drugs would be stored securely locked in substantially constructed compartments according to the manufacturer's directions. No further information was provided. TIME PERIOD FOR CORRECTION: Seven (7) days	01880			



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164
Phone: 651-201-4500

Food & Beverage Inspection Report

Page: 1

Establishment Info

Altacare Services LLC
7145 STEVENS AVE
Richfield, MN 55423
Hennepin County
Parcel:

Phone:

License Info

License: HFID 41680

Risk:
License:
Expires on:
CFPM: Bathr-uldhin Omar
CFPM #: 22310; Exp: 6/12/2029

Inspection Info

Report Number: F1063261160
Inspection Type: Full - Single
Date: 6/29/2026 Time: 1:00 PM
Duration: minutes
Announced Inspection:
Total Priority 1 Orders: 0
Total Priority 2 Orders: 0
Total Priority 3 Orders: 0
Delivery:

No orders were issued for this inspection report.

Food & Beverage General Comment

Inspection was completed with MDH Health Regulation Division Nurse Evaluator Angel Woehler conducting the site survey.

Discussed highly susceptible populations, handwashing, glove use, same day food service, food storage & temperature control, date marking, ware washing, test kits, vomit cleanup procedures, and employee illness policy.

TEMPERATURES (DEGREES F):

Refrigerator: Milk 39, Yogurt 40

Dish Machine Utensil Surface: 170 - test result from dish machine temperature log dated 6/25/26

The facility has a residential kitchen. Food must be prepared for same day service only. The kitchen has tile floors, smooth painted ceilings & walls with tile backsplash, smooth countertops, and wooden cabinetry. All found to be in good condition.

Equipment includes a two-basin sink with one compartment designated for handwashing, ANSI residential fridge/freezer, and dish machine.

Contact Health Regulation Division for plan review approval when facility/kitchen undergoes remodeling, major equipment additions, or changes of equipment due to a menu change.

If any customer complains of illness, establishment is required to notify the Minnesota Department of Health and provide the foodborne illness hotline phone number to the customer: 1-877-366-3455

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Metro District Office inspection report number F1063261160 from 6/29/2026

Bathr-uldhin Omar
LALD



Laura Yang,
Public Health Sanitarian 1

651-201-3581
laura.yang@state.mn.us

Physical Environment Inspection Report

ENGINEERING | ASSISTED LIVING

Project No: SL41680015	Date: 6/30/2026
Facility Name: Altacare Services LLC	
Facility Address: 7145 Stevens Ave, Richfield, MN 55423	

☒ TAG IDENTIFICATION: 0810

SCOPE/ SEVERITY: Level 2; Widespread

TIME PERIOD OF CORRECTION: Twenty One (21) days

1. Each assisted living facility shall develop and maintain fire safety and evacuation plans (FSEP) that include employee actions to be taken in the event of a fire or similar emergency. [Minn. Stat. 144G.45 subd.2]

Comments: The licensee failed to provide specific fire protection procedures for staff to the surveyor during the survey. The FSEP included general fire safety information but did not include any site-specific policies for staff procedures during evacuation. Site-specific plans should be included for residents in the FSEP.
2. Each assisted living facility shall develop and maintain fire safety and evacuation plans (FSEP) that include fire protection procedures necessary for residents. [Minn. Stat. 144G.45 subd.2]

Comments: The licensee failed to provide site-specific fire protection procedures for residents to the surveyor during the survey. The FSEP did not include any site-specific policies for resident procedures during evacuation. Site-specific plans should be included for residents in the FSEP.