



WIC Health Indicators Summary

	MINNESOTA			COUNTY		
				DAKOTA		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	85.1%	89.0%	5%
Duration 1 month	59.5%	63.1%	6%	68.2%	70.3%	3%
Duration 3 months	44.8%	48.8%	9%	52.5%	54.2%	3%
Duration 6 months	32.9%	36.3%	10%	40.6%	39.4%	-3%
Duration 12 months	16.5%	18.6%	13%	20.8%	19.7%	-5%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	11.0%	17.3%	57%
Prenatal Third Trimester	27.5%	38.3%	39%	27.3%	33.5%	23%
Postpartum	30.7%	36.2%	18%	26.8%	28.8%	7%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	58.9%	62.9%	7%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	8.2%	10.2%	24%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	26.4%	26.2%	-1%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	10.9%	11.4%	5%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CITY100		
				APPLE VALLEY		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	87.0%	91.4%	5%
Duration 1 month	59.5%	63.1%	6%	70.4%	67.3%	-4%
Duration 3 months	44.8%	48.8%	9%	55.0%	53.5%	-3%
Duration 6 months	32.9%	36.3%	10%	44.6%	42.0%	-6%
Duration 12 months	16.5%	18.6%	13%	22.0%	19.0%	-14%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	13.8%	17.9%	30%
Prenatal Third Trimester	27.5%	38.3%	39%	34.0%	35.5%	4%
Postpartum	30.7%	36.2%	18%	29.3%	26.3%	-10%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	56.7%	58.3%	3%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	8.9%	8.7%	-2%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	26.8%	27.9%	4%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	12.3%	14.0%	14%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CITY100		
				BURNSVILLE		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	89.4%	92.5%	3%
Duration 1 month	59.5%	63.1%	6%	71.8%	78.4%	9%
Duration 3 months	44.8%	48.8%	9%	58.7%	62.8%	7%
Duration 6 months	32.9%	36.3%	10%	45.1%	46.3%	3%
Duration 12 months	16.5%	18.6%	13%	22.8%	24.3%	7%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	11.0%	18.6%	69%
Prenatal Third Trimester	27.5%	38.3%	39%	25.0%	29.9%	20%
Postpartum	30.7%	36.2%	18%	26.5%	30.3%	14%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	57.6%	65.7%	14%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	7.1%	10.3%	45%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	25.1%	26.0%	4%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	9.1%	10.0%	10%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

MINNESOTA				CITY100		
				EAGAN		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	88.2%	92.3%	5%
Duration 1 month	59.5%	63.1%	6%	74.6%	70.7%	-5%
Duration 3 months	44.8%	48.8%	9%	56.3%	55.2%	-2%
Duration 6 months	32.9%	36.3%	10%	42.8%	41.0%	-4%
Duration 12 months	16.5%	18.6%	13%	24.0%	20.6%	-14%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	14.0%	14.5%	4%
Prenatal Third Trimester	27.5%	38.3%	39%	31.6%	18.2%	-42%
Postpartum	30.7%	36.2%	18%	32.3%	26.2%	-19%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	53.7%	59.6%	11%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	6.9%	9.2%	33%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	25.7%	24.1%	-6%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	8.9%	11.1%	25%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CITY100		
				FARMINGTON		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	84.4%	84.0%	0%
Duration 1 month	59.5%	63.1%	6%	55.6%	62.0%	12%
Duration 3 months	44.8%	48.8%	9%	41.7%	48.0%	15%
Duration 6 months	32.9%	36.3%	10%	29.8%	34.7%	16%
Duration 12 months	16.5%	18.6%	13%	11.9%	21.3%	79%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	6.8%	27.3%	301%
Prenatal Third Trimester	27.5%	38.3%	39%	****	****	N/A
Postpartum	30.7%	36.2%	18%	29.7%	24.6%	-17%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	62.5%	62.1%	-1%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	4.9%	8.2%	67%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	26.0%	22.9%	-12%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	11.0%	11.4%	4%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CITY100		
				HASTINGS		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	86.4%	77.2%	-11%
Duration 1 month	59.5%	63.1%	6%	57.0%	56.4%	-1%
Duration 3 months	44.8%	48.8%	9%	36.7%	42.1%	15%
Duration 6 months	32.9%	36.3%	10%	29.5%	22.4%	-24%
Duration 12 months	16.5%	18.6%	13%	17.1%	14.5%	-15%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	3.2%	5.3%	66%
Prenatal Third Trimester	27.5%	38.3%	39%	****	****	N/A
Postpartum	30.7%	36.2%	18%	23.0%	13.3%	-42%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	50.8%	62.7%	23%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	5.9%	10.8%	83%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	29.9%	27.3%	-9%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	12.0%	12.1%	1%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CITY100		
				INVER GROVE HEIGHTS/ROSEMOUNT		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	84.5%	86.8%	3%
Duration 1 month	59.5%	63.1%	6%	70.7%	70.5%	0%
Duration 3 months	44.8%	48.8%	9%	54.1%	49.6%	-8%
Duration 6 months	32.9%	36.3%	10%	41.0%	33.3%	-19%
Duration 12 months	16.5%	18.6%	13%	22.2%	16.7%	-25%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	11.9%	23.1%	94%
Prenatal Third Trimester	27.5%	38.3%	39%	31.1%	46.0%	48%
Postpartum	30.7%	36.2%	18%	23.1%	33.5%	45%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	63.0%	62.4%	-1%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	10.0%	11.6%	16%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	25.0%	24.4%	-2%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	10.1%	10.0%	-1%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CITY100		
				LAKEVILLE		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	78.9%	94.8%	20%
Duration 1 month	59.5%	63.1%	6%	63.2%	81.4%	29%
Duration 3 months	44.8%	48.8%	9%	44.7%	67.3%	51%
Duration 6 months	32.9%	36.3%	10%	34.5%	47.7%	38%
Duration 12 months	16.5%	18.6%	13%	18.0%	21.4%	19%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	8.9%	15.7%	76%
Prenatal Third Trimester	27.5%	38.3%	39%	****	****	N/A
Postpartum	30.7%	36.2%	18%	26.0%	28.3%	9%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	58.4%	63.5%	9%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	7.9%	8.9%	13%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	26.4%	25.8%	-2%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	12.3%	10.0%	-19%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CITY100		
				SOUTH SAINT PAUL		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	78.7%	83.3%	6%
Duration 1 month	59.5%	63.1%	6%	67.8%	57.0%	-16%
Duration 3 months	44.8%	48.8%	9%	53.0%	44.1%	-17%
Duration 6 months	32.9%	36.3%	10%	43.5%	33.6%	-23%
Duration 12 months	16.5%	18.6%	13%	19.8%	16.2%	-18%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	10.3%	16.7%	62%
Prenatal Third Trimester	27.5%	38.3%	39%	25.0%	****	N/A
Postpartum	30.7%	36.2%	18%	21.6%	37.3%	73%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	67.2%	66.7%	-1%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	8.1%	10.5%	30%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	28.4%	28.5%	0%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	12.3%	14.5%	18%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CITY100		
				WEST SAINT PAUL		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	80.6%	88.1%	9%
Duration 1 month	59.5%	63.1%	6%	63.3%	69.8%	10%
Duration 3 months	44.8%	48.8%	9%	49.3%	50.4%	2%
Duration 6 months	32.9%	36.3%	10%	38.7%	36.9%	-5%
Duration 12 months	16.5%	18.6%	13%	18.2%	16.7%	-8%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	10.2%	15.7%	54%
Prenatal Third Trimester	27.5%	38.3%	39%	25.6%	****	N/A
Postpartum	30.7%	36.2%	18%	29.6%	27.3%	-8%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	61.7%	64.4%	4%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	12.2%	13.6%	11%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	30.8%	31.3%	2%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	16.0%	14.0%	-12%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.