



WIC Health Indicators Summary

	MINNESOTA			COUNTY		
				HENNEPIN		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	80.7%	82.2%	2%
Duration 1 month	59.5%	63.1%	6%	68.0%	68.5%	1%
Duration 3 months	44.8%	48.8%	9%	57.1%	56.3%	-1%
Duration 6 months	32.9%	36.3%	10%	44.8%	44.4%	-1%
Duration 12 months	16.5%	18.6%	13%	22.8%	23.5%	3%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	16.9%	20.6%	22%
Prenatal Third Trimester	27.5%	38.3%	39%	36.5%	41.1%	13%
Postpartum	30.7%	36.2%	18%	38.7%	40.6%	5%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	58.1%	61.6%	6%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	16.3%	19.0%	17%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	27.4%	27.5%	0%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	12.8%	12.5%	-2%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CHB		
				HENNEPIN-BLOOMINGTON		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	91.2%	89.3%	-2%
Duration 1 month	59.5%	63.1%	6%	76.5%	77.2%	1%
Duration 3 months	44.8%	48.8%	9%	59.1%	64.0%	8%
Duration 6 months	32.9%	36.3%	10%	46.7%	51.5%	10%
Duration 12 months	16.5%	18.6%	13%	26.5%	27.2%	3%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	12.9%	21.4%	66%
Prenatal Third Trimester	27.5%	38.3%	39%	30.3%	33.3%	10%
Postpartum	30.7%	36.2%	18%	25.9%	26.0%	0%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	59.5%	55.4%	-7%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	10.0%	7.9%	-21%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	27.2%	24.3%	-11%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	12.2%	10.0%	-18%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CHB		
				HENNEPIN-EDINA		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	86.4%	91.5%	6%
Duration 1 month	59.5%	63.1%	6%	77.3%	85.1%	10%
Duration 3 months	44.8%	48.8%	9%	62.8%	71.7%	14%
Duration 6 months	32.9%	36.3%	10%	47.6%	60.0%	26%
Duration 12 months	16.5%	18.6%	13%	28.2%	35.7%	27%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	5.7%	****	N/A
Prenatal Third Trimester	27.5%	38.3%	39%	****	****	N/A
Postpartum	30.7%	36.2%	18%	37.1%	22.7%	-39%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	57.1%	70.0%	23%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	11.2%	7.2%	-36%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	26.6%	29.7%	12%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	13.7%	7.7%	-44%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CHB		
				HENNEPIN-MINNEAPOLIS		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	80.3%	82.5%	3%
Duration 1 month	59.5%	63.1%	6%	68.0%	69.5%	2%
Duration 3 months	44.8%	48.8%	9%	58.7%	58.2%	-1%
Duration 6 months	32.9%	36.3%	10%	47.2%	47.2%	0%
Duration 12 months	16.5%	18.6%	13%	25.5%	26.3%	3%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	17.8%	20.3%	14%
Prenatal Third Trimester	27.5%	38.3%	39%	40.5%	41.7%	3%
Postpartum	30.7%	36.2%	18%	41.2%	42.4%	3%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	59.6%	64.0%	7%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	17.0%	21.2%	25%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	29.7%	28.5%	-4%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	14.2%	13.3%	-6%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CHB		
				HENNEPIN-RICHFIELD		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	89.6%	90.5%	1%
Duration 1 month	59.5%	63.1%	6%	79.0%	78.2%	-1%
Duration 3 months	44.8%	48.8%	9%	66.9%	66.8%	0%
Duration 6 months	32.9%	36.3%	10%	53.4%	54.2%	1%
Duration 12 months	16.5%	18.6%	13%	34.3%	30.9%	-10%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	14.4%	20.2%	40%
Prenatal Third Trimester	27.5%	38.3%	39%	33.3%	56.7%	70%
Postpartum	30.7%	36.2%	18%	21.9%	24.6%	12%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	60.4%	59.3%	-2%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	9.3%	11.0%	18%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	31.1%	28.4%	-9%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	14.1%	14.6%	4%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CHB		
				HENNEPIN-SUBURBAN		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	78.7%	79.7%	1%
Duration 1 month	59.5%	63.1%	6%	65.3%	64.7%	-1%
Duration 3 months	44.8%	48.8%	9%	53.5%	51.6%	-4%
Duration 6 months	32.9%	36.3%	10%	40.4%	38.7%	-4%
Duration 12 months	16.5%	18.6%	13%	17.3%	18.9%	9%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	16.8%	20.8%	24%
Prenatal Third Trimester	27.5%	38.3%	39%	33.6%	40.4%	20%
Postpartum	30.7%	36.2%	18%	38.9%	42.2%	8%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	55.9%	59.7%	7%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	17.2%	19.1%	11%
Weight Status						
Overweight/Obese (\geq 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	23.8%	26.6%	12%
Obese (\geq 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	10.6%	11.8%	11%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

MINNESOTA				CITY100		
				BROOKLYN CENTER		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	71.3%	69.3%	-3%
Duration 1 month	59.5%	63.1%	6%	58.6%	54.2%	-8%
Duration 3 months	44.8%	48.8%	9%	45.8%	40.9%	-11%
Duration 6 months	32.9%	36.3%	10%	34.1%	30.2%	-11%
Duration 12 months	16.5%	18.6%	13%	17.2%	14.5%	-16%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	18.1%	21.7%	20%
Prenatal Third Trimester	27.5%	38.3%	39%	35.3%	40.2%	14%
Postpartum	30.7%	36.2%	18%	48.3%	44.4%	-8%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	56.0%	63.1%	13%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	18.9%	20.5%	8%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	26.8%	30.8%	15%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	12.0%	13.6%	13%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

MINNESOTA				CITY100		
				BROOKLYN PARK		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	75.0%	73.7%	-2%
Duration 1 month	59.5%	63.1%	6%	61.5%	58.0%	-6%
Duration 3 months	44.8%	48.8%	9%	51.5%	46.9%	-9%
Duration 6 months	32.9%	36.3%	10%	37.3%	34.0%	-9%
Duration 12 months	16.5%	18.6%	13%	14.1%	16.0%	13%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	19.2%	20.0%	4%
Prenatal Third Trimester	27.5%	38.3%	39%	42.9%	41.0%	-4%
Postpartum	30.7%	36.2%	18%	45.4%	48.9%	8%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	56.4%	60.5%	7%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	20.9%	21.9%	5%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	23.6%	26.4%	12%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	11.1%	12.8%	15%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CITY100		
				CHAMPLIN/MAPLE GROVE/OSSEO		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	79.4%	83.0%	5%
Duration 1 month	59.5%	63.1%	6%	64.8%	70.8%	9%
Duration 3 months	44.8%	48.8%	9%	48.9%	57.1%	17%
Duration 6 months	32.9%	36.3%	10%	35.0%	43.0%	23%
Duration 12 months	16.5%	18.6%	13%	16.3%	21.1%	29%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	10.7%	21.4%	100%
Prenatal Third Trimester	27.5%	38.3%	39%	18.8%	40.0%	113%
Postpartum	30.7%	36.2%	18%	30.8%	34.4%	12%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	54.1%	61.4%	13%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	13.3%	17.7%	33%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	23.2%	21.6%	-7%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	12.4%	7.9%	-36%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CITY100		
				CRYSTAL		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	66.0%	81.0%	23%
Duration 1 month	59.5%	63.1%	6%	48.1%	62.5%	30%
Duration 3 months	44.8%	48.8%	9%	37.6%	48.6%	29%
Duration 6 months	32.9%	36.3%	10%	29.7%	36.4%	23%
Duration 12 months	16.5%	18.6%	13%	11.5%	15.7%	37%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	14.9%	28.6%	92%
Prenatal Third Trimester	27.5%	38.3%	39%	****	****	N/A
Postpartum	30.7%	36.2%	18%	34.5%	40.0%	16%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	50.6%	48.7%	-4%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	14.3%	19.5%	36%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	26.1%	26.4%	1%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	8.6%	12.3%	43%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CITY100		
				EDEN PRAIRIE		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	96.6%	92.2%	-5%
Duration 1 month	59.5%	63.1%	6%	88.8%	82.3%	-7%
Duration 3 months	44.8%	48.8%	9%	78.4%	73.8%	-6%
Duration 6 months	32.9%	36.3%	10%	63.5%	59.2%	-7%
Duration 12 months	16.5%	18.6%	13%	23.0%	20.2%	-12%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	11.1%	13.9%	25%
Prenatal Third Trimester	27.5%	38.3%	39%	21.2%	****	N/A
Postpartum	30.7%	36.2%	18%	28.9%	35.9%	24%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	48.0%	61.1%	27%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	9.9%	17.7%	79%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	19.6%	21.8%	11%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	6.2%	8.4%	35%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CITY100		
				EXCELSIOR/MAPLE PLAIN/MINNETONKA/MOUND		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	90.4%	89.2%	-1%
Duration 1 month	59.5%	63.1%	6%	76.8%	70.4%	-8%
Duration 3 months	44.8%	48.8%	9%	69.0%	52.5%	-24%
Duration 6 months	32.9%	36.3%	10%	59.1%	36.4%	-38%
Duration 12 months	16.5%	18.6%	13%	21.4%	18.9%	-12%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	13.8%	21.7%	57%
Prenatal Third Trimester	27.5%	38.3%	39%	****	****	N/A
Postpartum	30.7%	36.2%	18%	26.6%	36.8%	38%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	58.5%	58.1%	-1%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	11.3%	12.7%	12%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	21.1%	27.8%	32%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	8.8%	15.9%	81%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CITY100		
				GOLDEN VALLEY/ROBBINSDALE		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	73.6%	83.7%	14%
Duration 1 month	59.5%	63.1%	6%	60.9%	62.8%	3%
Duration 3 months	44.8%	48.8%	9%	49.4%	43.7%	-12%
Duration 6 months	32.9%	36.3%	10%	34.2%	31.7%	-7%
Duration 12 months	16.5%	18.6%	13%	20.4%	13.6%	-33%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	15.4%	15.3%	-1%
Prenatal Third Trimester	27.5%	38.3%	39%	****	****	N/A
Postpartum	30.7%	36.2%	18%	30.8%	41.2%	34%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	62.6%	64.9%	4%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	17.7%	19.6%	11%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	19.1%	27.8%	46%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	9.1%	12.3%	35%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CITY100		
				HOPKINS		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	91.6%	93.4%	2%
Duration 1 month	59.5%	63.1%	6%	76.9%	76.6%	0%
Duration 3 months	44.8%	48.8%	9%	63.5%	61.4%	-3%
Duration 6 months	32.9%	36.3%	10%	47.0%	48.1%	2%
Duration 12 months	16.5%	18.6%	13%	20.9%	22.9%	10%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	15.5%	24.3%	57%
Prenatal Third Trimester	27.5%	38.3%	39%	26.5%	51.6%	95%
Postpartum	30.7%	36.2%	18%	33.0%	35.4%	7%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	59.2%	56.8%	-4%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	12.7%	17.4%	37%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	24.2%	24.9%	3%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	9.7%	9.0%	-7%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CITY100		
				NEW HOPE		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	77.3%	81.2%	5%
Duration 1 month	59.5%	63.1%	6%	63.9%	65.4%	2%
Duration 3 months	44.8%	48.8%	9%	51.2%	51.7%	1%
Duration 6 months	32.9%	36.3%	10%	40.9%	42.2%	3%
Duration 12 months	16.5%	18.6%	13%	16.6%	18.1%	9%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	28.2%	21.2%	-25%
Prenatal Third Trimester	27.5%	38.3%	39%	51.3%	****	N/A
Postpartum	30.7%	36.2%	18%	44.0%	41.1%	-7%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	60.0%	62.8%	5%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	20.2%	16.8%	-17%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	22.5%	30.5%	36%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	13.1%	13.7%	5%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

	MINNESOTA			CITY100		
				PLYMOUTH		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	84.1%	86.0%	2%
Duration 1 month	59.5%	63.1%	6%	67.8%	75.0%	11%
Duration 3 months	44.8%	48.8%	9%	55.3%	58.8%	6%
Duration 6 months	32.9%	36.3%	10%	43.1%	44.1%	2%
Duration 12 months	16.5%	18.6%	13%	20.3%	27.5%	35%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	14.4%	20.2%	40%
Prenatal Third Trimester	27.5%	38.3%	39%	21.4%	****	N/A
Postpartum	30.7%	36.2%	18%	29.5%	40.0%	36%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	53.6%	55.7%	4%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	18.2%	15.8%	-13%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	20.9%	24.8%	19%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	8.2%	7.2%	-12%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



WIC Health Indicators Summary

MINNESOTA				CITY100		
				SAINT LOUIS PARK		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
Breastfeeding						
Initiation	77.9%	81.3%	4%	89.0%	89.4%	0%
Duration 1 month	59.5%	63.1%	6%	75.8%	77.5%	2%
Duration 3 months	44.8%	48.8%	9%	61.8%	66.9%	8%
Duration 6 months	32.9%	36.3%	10%	51.4%	51.3%	0%
Duration 12 months	16.5%	18.6%	13%	21.8%	34.0%	56%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
Prenatal Any Trimester	10.9%	18.8%	72%	11.2%	20.2%	80%
Prenatal Third Trimester	27.5%	38.3%	39%	****	45.2%	N/A
Postpartum	30.7%	36.2%	18%	21.5%	37.0%	72%
Weight Status Pre-pregnancy						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	57.0%	55.7%	-2%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
Anemia (Low Hemoglobin)						
0 to 5 years	11.1%	14.4%	30%	12.9%	16.4%	27%
Weight Status						
Overweight/Obese (≥ 85 percentile)						
2 to 5 years	28.9%	28.7%	-1%	28.5%	26.8%	-6%
Obese (≥ 95th percentile)						
2 to 5 years	13.1%	12.9%	-2%	12.2%	11.2%	-8%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (****) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % *100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.