



## WIC Health Indicators Summary

	MINNESOTA			COUNTY		
				KANDIYOHI		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
<b>Breastfeeding</b>						
Initiation	77.9%	81.3%	4%	83.0%	85.0%	2%
Duration 1 month	59.5%	63.1%	6%	64.5%	70.2%	9%
Duration 3 months	44.8%	48.8%	9%	49.3%	54.1%	10%
Duration 6 months	32.9%	36.3%	10%	35.7%	37.2%	4%
Duration 12 months	16.5%	18.6%	13%	16.8%	17.5%	4%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
Prenatal Any Trimester	10.9%	18.8%	72%	8.9%	21.2%	138%
Prenatal Third Trimester	27.5%	38.3%	39%	22.1%	42.1%	90%
Postpartum	30.7%	36.2%	18%	14.2%	23.2%	63%
<b>Weight Status Pre-pregnancy</b>						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	60.8%	68.2%	12%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
0 to 5 years	11.1%	14.4%	30%	10.8%	10.8%	0%
<b>Weight Status</b>						
<b>Overweight/Obese (≥ 85 percentile)</b>						
2 to 5 years	28.9%	28.7%	-1%	30.0%	32.5%	8%
<b>Obese (≥ 95th percentile)</b>						
2 to 5 years	13.1%	12.9%	-2%	13.7%	14.6%	7%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (\*\*\*\*) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % \*100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



## WIC Health Indicators Summary

MINNESOTA				CHB		
				KANDIYOHI-RENVILLE		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
<b>Breastfeeding</b>						
Initiation	77.9%	81.3%	4%	81.9%	83.6%	2%
Duration 1 month	59.5%	63.1%	6%	61.2%	66.3%	8%
Duration 3 months	44.8%	48.8%	9%	44.9%	50.1%	12%
Duration 6 months	32.9%	36.3%	10%	33.1%	34.8%	5%
Duration 12 months	16.5%	18.6%	13%	15.6%	17.1%	10%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
Prenatal Any Trimester	10.9%	18.8%	72%	8.8%	19.3%	119%
Prenatal Third Trimester	27.5%	38.3%	39%	23.9%	39.1%	64%
Postpartum	30.7%	36.2%	18%	17.1%	24.8%	45%
<b>Weight Status Pre-pregnancy</b>						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	61.3%	69.1%	13%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
0 to 5 years	11.1%	14.4%	30%	10.8%	11.1%	3%
<b>Weight Status</b>						
<b>Overweight/Obese (≥ 85 percentile)</b>						
2 to 5 years	28.9%	28.7%	-1%	31.0%	32.3%	4%
<b>Obese (≥ 95th percentile)</b>						
2 to 5 years	13.1%	12.9%	-2%	14.6%	14.5%	-1%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (\*\*\*\*) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % \*100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



## WIC Health Indicators Summary

	MINNESOTA			CITY100		
				WILLMAR		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
<b>Breastfeeding</b>						
Initiation	77.9%	81.3%	4%	81.9%	84.6%	3%
Duration 1 month	59.5%	63.1%	6%	63.1%	71.2%	13%
Duration 3 months	44.8%	48.8%	9%	49.8%	55.4%	11%
Duration 6 months	32.9%	36.3%	10%	36.3%	37.8%	4%
Duration 12 months	16.5%	18.6%	13%	15.6%	17.3%	11%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
Prenatal Any Trimester	10.9%	18.8%	72%	10.4%	20.9%	101%
Prenatal Third Trimester	27.5%	38.3%	39%	26.5%	41.9%	58%
Postpartum	30.7%	36.2%	18%	16.9%	26.1%	54%
<b>Weight Status Pre-pregnancy</b>						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	61.9%	68.1%	10%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
0 to 5 years	11.1%	14.4%	30%	11.8%	11.7%	-1%
<b>Weight Status</b>						
<b>Overweight/Obese (≥ 85 percentile)</b>						
2 to 5 years	28.9%	28.7%	-1%	31.0%	34.0%	10%
<b>Obese (≥ 95th percentile)</b>						
2 to 5 years	13.1%	12.9%	-2%	15.0%	16.0%	7%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (\*\*\*\*) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % \*100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.