



## WIC Health Indicators Summary

	MINNESOTA			COUNTY		
				MCLEOD		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
<b>Breastfeeding</b>						
Initiation	77.9%	81.3%	4%	81.8%	84.5%	3%
Duration 1 month	59.5%	63.1%	6%	52.1%	56.6%	9%
Duration 3 months	44.8%	48.8%	9%	31.2%	37.3%	20%
Duration 6 months	32.9%	36.3%	10%	20.6%	22.5%	9%
Duration 12 months	16.5%	18.6%	13%	8.7%	12.2%	40%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
Prenatal Any Trimester	10.9%	18.8%	72%	2.4%	13.8%	475%
Prenatal Third Trimester	27.5%	38.3%	39%	4.9%	****	N/A
Postpartum	30.7%	36.2%	18%	21.6%	35.7%	65%
<b>Weight Status Pre-pregnancy</b>						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	63.4%	61.8%	-3%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
0 to 5 years	11.1%	14.4%	30%	8.2%	12.5%	52%
<b>Weight Status</b>						
<b>Overweight/Obese (≥ 85 percentile)</b>						
2 to 5 years	28.9%	28.7%	-1%	31.8%	33.5%	5%
<b>Obese (≥ 95th percentile)</b>						
2 to 5 years	13.1%	12.9%	-2%	14.4%	14.9%	3%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (\*\*\*\*) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % \*100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



## WIC Health Indicators Summary

	MINNESOTA			CHB		
				MEEKER-MCLEOD-SIBLEY		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
<b>Breastfeeding</b>						
Initiation	77.9%	81.3%	4%	80.1%	83.2%	4%
Duration 1 month	59.5%	63.1%	6%	52.7%	59.9%	14%
Duration 3 months	44.8%	48.8%	9%	35.6%	42.4%	19%
Duration 6 months	32.9%	36.3%	10%	25.3%	30.3%	20%
Duration 12 months	16.5%	18.6%	13%	10.0%	17.5%	75%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
Prenatal Any Trimester	10.9%	18.8%	72%	4.5%	16.1%	258%
Prenatal Third Trimester	27.5%	38.3%	39%	14.8%	37.5%	153%
Postpartum	30.7%	36.2%	18%	23.6%	28.4%	20%
<b>Weight Status Pre-pregnancy</b>						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	61.8%	65.2%	6%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
0 to 5 years	11.1%	14.4%	30%	7.5%	10.9%	45%
<b>Weight Status</b>						
<b>Overweight/Obese (≥ 85 percentile)</b>						
2 to 5 years	28.9%	28.7%	-1%	30.2%	31.1%	3%
<b>Obese (≥ 95th percentile)</b>						
2 to 5 years	13.1%	12.9%	-2%	13.6%	14.9%	10%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (\*\*\*\*) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % \*100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



## WIC Health Indicators Summary

	MINNESOTA			CITY100		
				HUTCHINSON		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
<b>Breastfeeding</b>						
Initiation	77.9%	81.3%	4%	83.9%	83.8%	0%
Duration 1 month	59.5%	63.1%	6%	55.9%	56.2%	1%
Duration 3 months	44.8%	48.8%	9%	34.4%	38.9%	13%
Duration 6 months	32.9%	36.3%	10%	23.1%	23.6%	2%
Duration 12 months	16.5%	18.6%	13%	9.0%	11.6%	29%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
Prenatal Any Trimester	10.9%	18.8%	72%	1.3%	14.3%	1000%
Prenatal Third Trimester	27.5%	38.3%	39%	****	****	N/A
Postpartum	30.7%	36.2%	18%	17.3%	31.5%	82%
<b>Weight Status Pre-pregnancy</b>						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	60.5%	62.5%	3%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
0 to 5 years	11.1%	14.4%	30%	9.4%	12.8%	36%
<b>Weight Status</b>						
<b>Overweight/Obese (≥ 85 percentile)</b>						
2 to 5 years	28.9%	28.7%	-1%	32.9%	30.7%	-7%
<b>Obese (≥ 95th percentile)</b>						
2 to 5 years	13.1%	12.9%	-2%	14.8%	14.3%	-3%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (\*\*\*\*) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % \*100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.