



## WIC Health Indicators Summary

	MINNESOTA			COUNTY		
				SHERBURNE		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
<b>Breastfeeding</b>						
Initiation	77.9%	81.3%	4%	77.9%	86.9%	12%
Duration 1 month	59.5%	63.1%	6%	60.3%	69.4%	15%
Duration 3 months	44.8%	48.8%	9%	44.7%	52.9%	18%
Duration 6 months	32.9%	36.3%	10%	30.9%	40.2%	30%
Duration 12 months	16.5%	18.6%	13%	15.1%	14.6%	-3%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
Prenatal Any Trimester	10.9%	18.8%	72%	10.4%	20.5%	97%
Prenatal Third Trimester	27.5%	38.3%	39%	26.8%	33.3%	24%
Postpartum	30.7%	36.2%	18%	24.4%	31.8%	30%
<b>Weight Status Pre-pregnancy</b>						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	54.1%	59.1%	9%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
0 to 5 years	11.1%	14.4%	30%	8.3%	10.0%	20%
<b>Weight Status</b>						
<b>Overweight/Obese (≥ 85 percentile)</b>						
2 to 5 years	28.9%	28.7%	-1%	24.8%	24.6%	-1%
<b>Obese (≥ 95th percentile)</b>						
2 to 5 years	13.1%	12.9%	-2%	8.2%	9.8%	20%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (\*\*\*\*) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % \*100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



## WIC Health Indicators Summary

	MINNESOTA			CITY100		
				ELK RIVER/ZIMMERMAN		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
<b>Breastfeeding</b>						
Initiation	77.9%	81.3%	4%	76.6%	87.8%	15%
Duration 1 month	59.5%	63.1%	6%	58.2%	70.8%	22%
Duration 3 months	44.8%	48.8%	9%	41.0%	51.2%	25%
Duration 6 months	32.9%	36.3%	10%	27.9%	39.6%	42%
Duration 12 months	16.5%	18.6%	13%	12.0%	19.7%	64%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
Prenatal Any Trimester	10.9%	18.8%	72%	6.8%	19.5%	187%
Prenatal Third Trimester	27.5%	38.3%	39%	18.2%	23.3%	28%
Postpartum	30.7%	36.2%	18%	18.8%	28.2%	50%
<b>Weight Status Pre-pregnancy</b>						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	56.7%	58.0%	2%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
0 to 5 years	11.1%	14.4%	30%	6.6%	11.3%	71%
<b>Weight Status</b>						
<b>Overweight/Obese (≥ 85 percentile)</b>						
2 to 5 years	28.9%	28.7%	-1%	25.0%	25.3%	1%
<b>Obese (≥ 95th percentile)</b>						
2 to 5 years	13.1%	12.9%	-2%	6.8%	8.2%	21%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (\*\*\*\*) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % \*100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



## WIC Health Indicators Summary

	MINNESOTA			CITY100		
				BIG LAKE/CLEAR LAKE/BECKER		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
<b>Breastfeeding</b>						
Initiation	77.9%	81.3%	4%	83.5%	77.6%	-7%
Duration 1 month	59.5%	63.1%	6%	68.3%	57.6%	-16%
Duration 3 months	44.8%	48.8%	9%	53.6%	43.5%	-19%
Duration 6 months	32.9%	36.3%	10%	38.0%	35.0%	-8%
Duration 12 months	16.5%	18.6%	13%	19.8%	23.1%	17%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
Prenatal Any Trimester	10.9%	18.8%	72%	11.2%	18.8%	68%
Prenatal Third Trimester	27.5%	38.3%	39%	****	****	N/A
Postpartum	30.7%	36.2%	18%	20.8%	33.3%	60%
<b>Weight Status Pre-pregnancy</b>						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	49.5%	60.4%	22%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
0 to 5 years	11.1%	14.4%	30%	9.9%	7.6%	-23%
<b>Weight Status</b>						
<b>Overweight/Obese (≥ 85 percentile)</b>						
2 to 5 years	28.9%	28.7%	-1%	26.6%	24.3%	-9%
<b>Obese (≥ 95th percentile)</b>						
2 to 5 years	13.1%	12.9%	-2%	10.4%	7.6%	-27%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (\*\*\*\*) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % \*100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.