



## WIC Health Indicators Summary

	MINNESOTA			COUNTY		
				WRIGHT		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
<b>Breastfeeding</b>						
Initiation	77.9%	81.3%	4%	77.1%	80.5%	4%
Duration 1 month	59.5%	63.1%	6%	58.3%	63.2%	8%
Duration 3 months	44.8%	48.8%	9%	43.5%	50.3%	16%
Duration 6 months	32.9%	36.3%	10%	31.1%	37.3%	20%
Duration 12 months	16.5%	18.6%	13%	15.0%	19.3%	29%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
Prenatal Any Trimester	10.9%	18.8%	72%	8.2%	20.2%	146%
Prenatal Third Trimester	27.5%	38.3%	39%	19.3%	41.6%	116%
Postpartum	30.7%	36.2%	18%	14.6%	29.4%	101%
<b>Weight Status Pre-pregnancy</b>						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	55.5%	62.5%	13%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
0 to 5 years	11.1%	14.4%	30%	5.9%	13.5%	129%
<b>Weight Status</b>						
<b>Overweight/Obese (≥ 85 percentile)</b>						
2 to 5 years	28.9%	28.7%	-1%	27.8%	26.1%	-6%
<b>Obese (≥ 95th percentile)</b>						
2 to 5 years	13.1%	12.9%	-2%	10.3%	9.1%	-12%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (\*\*\*\*) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % \*100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



## WIC Health Indicators Summary

	MINNESOTA			CITY100		
				BUFFALO/ST. MICHAEL		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
<b>Breastfeeding</b>						
Initiation	77.9%	81.3%	4%	79.7%	76.9%	-4%
Duration 1 month	59.5%	63.1%	6%	57.5%	65.8%	14%
Duration 3 months	44.8%	48.8%	9%	43.8%	52.5%	20%
Duration 6 months	32.9%	36.3%	10%	29.9%	41.7%	39%
Duration 12 months	16.5%	18.6%	13%	16.8%	23.5%	40%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
Prenatal Any Trimester	10.9%	18.8%	72%	11.0%	19.1%	74%
Prenatal Third Trimester	27.5%	38.3%	39%	25.7%	****	N/A
Postpartum	30.7%	36.2%	18%	16.0%	29.4%	84%
<b>Weight Status Pre-pregnancy</b>						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	52.0%	64.8%	25%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
0 to 5 years	11.1%	14.4%	30%	6.9%	13.0%	88%
<b>Weight Status</b>						
<b>Overweight/Obese (≥ 85 percentile)</b>						
2 to 5 years	28.9%	28.7%	-1%	30.1%	26.3%	-13%
<b>Obese (≥ 95th percentile)</b>						
2 to 5 years	13.1%	12.9%	-2%	9.9%	8.5%	-14%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (\*\*\*\*) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % \*100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.



## WIC Health Indicators Summary

	MINNESOTA			CITY100		
				MONTICELLO/OTSEGO		
Infants' Health Indicator	2013 (Ref Yr)	2017	Percent Change	2013 (Ref Yr)	2017	Percent Change
<b>Breastfeeding</b>						
Initiation	77.9%	81.3%	4%	74.1%	78.7%	6%
Duration 1 month	59.5%	63.1%	6%	55.9%	62.7%	12%
Duration 3 months	44.8%	48.8%	9%	40.9%	52.3%	28%
Duration 6 months	32.9%	36.3%	10%	30.3%	41.8%	38%
Duration 12 months	16.5%	18.6%	13%	13.5%	18.7%	39%

Pregnancy/Postpartum Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
Prenatal Any Trimester	10.9%	18.8%	72%	6.1%	24.3%	298%
Prenatal Third Trimester	27.5%	38.3%	39%	12.2%	****	N/A
Postpartum	30.7%	36.2%	18%	13.2%	29.1%	120%
<b>Weight Status Pre-pregnancy</b>						
Overweight and Obese (BMI > 25)	57.8%	62.2%	8%	51.3%	63.7%	24%

Children's Health Indicator	2013 (Ref Yr)	2018	Percent Change	2013 (Ref Yr)	2018	Percent Change
<b>Anemia (Low Hemoglobin)</b>						
0 to 5 years	11.1%	14.4%	30%	5.5%	14.9%	171%
<b>Weight Status</b>						
<b>Overweight/Obese (≥ 85 percentile)</b>						
2 to 5 years	28.9%	28.7%	-1%	30.4%	29.3%	-4%
<b>Obese (≥ 95th percentile)</b>						
2 to 5 years	13.1%	12.9%	-2%	10.8%	9.8%	-9%

Source: Minnesota WIC Information System, Minnesota Department of Health, 2019

Four asterisks (\*\*\*\*) indicate a suppressed result when the denominator is < 30.

Agency and Grantee refer to the location where the participant was served.

County, CHB and City refer to the location where the participant lived.

Percent change = (current year%-ref year %)/ref year % \*100

For more information visit <https://www.health.state.mn.us/people/wic/localagency/reports/indicators/index.html>

This institution is an equal opportunity provider.