

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC
by Community Health Board (CHB) of Residence and Calendar Year
Minnesota WIC Information System**

CHB OF RESIDENCE ¹	Total ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
MINNESOTA						
2019	52,955	1,924 (3.6)	35,764 (67.5)	8,303 (15.7)	2,336 (4.4)	4,628 (8.7)
2018	56,971	2,128 (3.7)	38,482 (67.5)	9,035 (15.9)	2,550 (4.5)	4,776 (8.4)
2017	59,847	1,841 (3.1)	40,762 (68.1)	9,482 (15.8)	2,711 (4.5)	5,051 (8.4)
2016	62,644	2,346 (3.7)	42,382 (67.7)	10,005 (16.0)	2,834 (4.5)	5,077 (8.1)
2015	64,809	2,434 (3.8)	44,292 (68.3)	10,186 (15.7)	2,891 (4.5)	5,006 (7.7)
2014	62,749	2,471 (3.9)	43,055 (68.6)	9,334 (14.9)	2,807 (4.5)	5,082 (8.1)
2013	65,911	2,241 (3.4)	44,635 (67.7)	10,399 (15.8)	3,183 (4.8)	5,453 (8.3)
2012	70,114	1,959 (2.8)	48,025 (68.5)	11,224 (16.0)	3,328 (4.7)	5,578 (8.0)
2011	71,873	1,940 (2.7)	49,042 (68.2)	11,753 (16.4)	3,807 (5.3)	5,331 (7.4)
AITKIN-ITASCA-KOOCHICHING						
2019	643	25 (3.9)	446 (69.4)	101 (15.7)	30 (4.7)	41 (6.4)
2018	730	30 (4.1)	508 (69.6)	101 (13.8)	33 (4.5)	58 (7.9)
2017	754	28 (3.7)	518 (68.7)	121 (16.0)	33 (4.4)	54 (7.2)
2016	797	31 (3.9)	538 (67.5)	133 (16.7)	36 (4.5)	59 (7.4)
2015	852	30 (3.5)	558 (65.5)	160 (18.8)	42 (4.9)	62 (7.3)
2014	868	29 (3.3)	565 (65.1)	154 (17.7)	47 (5.4)	73 (8.4)
2013	891	26 (2.9)	588 (66.0)	157 (17.6)	46 (5.2)	74 (8.3)
2012	961	27 (2.8)	656 (68.3)	142 (14.8)	53 (5.5)	83 (8.6)
2011	1,006	21 (2.1)	686 (68.2)	177 (17.6)	41 (4.1)	81 (8.1)
ANOKA						
2019	2,576	94 (3.6)	1,779 (69.1)	406 (15.8)	94 (3.6)	203 (7.9)
2018	2,685	95 (3.5)	1,874 (69.8)	430 (16.0)	98 (3.6)	188 (7.0)
2017	2,702	88 (3.3)	1,897 (70.2)	437 (16.2)	87 (3.2)	193 (7.1)
2016	2,677	100 (3.7)	1,873 (70.0)	417 (15.6)	117 (4.4)	170 (6.4)
2015	2,970	90 (3.0)	2,089 (70.3)	486 (16.4)	119 (4.0)	186 (6.3)
2014	2,834	102 (3.6)	1,965 (69.3)	453 (16.0)	93 (3.3)	221 (7.8)
2013	2,838	94 (3.3)	1,943 (68.5)	428 (15.1)	137 (4.8)	236 (8.3)
2012	2,976	92 (3.1)	2,037 (68.4)	502 (16.9)	131 (4.4)	214 (7.2)
2011	3,141	74 (2.4)	2,221 (70.7)	503 (16.0)	144 (4.6)	199 (6.3)
BELTRAMI						
2019	912	20 (2.2)	499 (54.7)	158 (17.3)	63 (6.9)	172 (18.9)
2018	968	32 (3.3)	516 (53.3)	201 (20.8)	69 (7.1)	150 (15.5)
2017	1,075	10 (<1)	571 (53.1)	235 (21.9)	80 (7.4)	179 (16.7)
2016	1,145	27 (2.4)	597 (52.1)	257 (22.4)	82 (7.2)	182 (15.9)
2015	1,231	27 (2.2)	657 (53.4)	263 (21.4)	82 (6.7)	202 (16.4)
2014	1,252	33 (2.6)	708 (56.5)	236 (18.8)	94 (7.5)	181 (14.5)
2013	1,363	30 (2.2)	737 (54.1)	292 (21.4)	99 (7.3)	205 (15.0)
2012	1,386	24 (1.7)	769 (55.5)	275 (19.8)	99 (7.1)	219 (15.8)
2011	1,412	22 (1.6)	760 (53.8)	279 (19.8)	130 (9.2)	221 (15.7)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC
by Community Health Board (CHB) of Residence and Calendar Year
Minnesota WIC Information System**

CHB OF RESIDENCE ¹	Total ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
BENTON						
2019	410	19 (4.6)	284 (69.3)	64 (15.6)	18 (4.4)	25 (6.1)
2018	439	20 (4.6)	312 (71.1)	53 (12.1)	20 (4.6)	34 (7.7)
2017	453	18 (4.0)	302 (66.7)	77 (17.0)	22 (4.9)	34 (7.5)
2016	470	21 (4.5)	317 (67.4)	73 (15.5)	17 (3.6)	42 (8.9)
2015	444	24 (5.4)	303 (68.2)	76 (17.1)	19 (4.3)	22 (5.0)
2014	414	12 (2.9)	278 (67.1)	73 (17.6)	19 (4.6)	32 (7.7)
2013	410	20 (4.9)	285 (69.5)	61 (14.9)	15 (3.7)	29 (7.1)
2012	446	22 (4.9)	322 (72.2)	58 (13.0)	20 (4.5)	24 (5.4)
2011	495	24 (4.8)	344 (69.5)	80 (16.2)	24 (4.8)	23 (4.6)
BLUE EARTH						
2019	536	21 (3.9)	374 (69.8)	77 (14.4)	21 (3.9)	43 (8.0)
2018	562	12 (2.1)	392 (69.8)	84 (14.9)	32 (5.7)	42 (7.5)
2017	585	22 (3.8)	409 (69.9)	86 (14.7)	23 (3.9)	45 (7.7)
2016	593	27 (4.6)	405 (68.3)	101 (17.0)	26 (4.4)	34 (5.7)
2015	633	23 (3.6)	466 (73.6)	101 (16.0)	18 (2.8)	25 (3.9)
2014	609	25 (4.1)	446 (73.2)	80 (13.1)	25 (4.1)	33 (5.4)
2013	624	25 (4.0)	440 (70.5)	97 (15.5)	19 (3.0)	43 (6.9)
2012	699	25 (3.6)	495 (70.8)	103 (14.7)	29 (4.1)	47 (6.7)
2011	734	24 (3.3)	532 (72.5)	106 (14.4)	30 (4.1)	42 (5.7)
BROWN-NICOLLET						
2019	542	17 (3.1)	354 (65.3)	90 (16.6)	35 (6.5)	46 (8.5)
2018	574	22 (3.8)	375 (65.3)	102 (17.8)	32 (5.6)	43 (7.5)
2017	558	11 (2.0)	372 (66.7)	91 (16.3)	33 (5.9)	51 (9.1)
2016	616	25 (4.1)	407 (66.1)	97 (15.7)	36 (5.8)	51 (8.3)
2015	629	21 (3.3)	438 (69.6)	94 (14.9)	32 (5.1)	44 (7.0)
2014	582	23 (4.0)	397 (68.2)	85 (14.6)	27 (4.6)	50 (8.6)
2013	618	23 (3.7)	416 (67.3)	98 (15.9)	35 (5.7)	46 (7.4)
2012	637	12 (1.9)	440 (69.1)	111 (17.4)	29 (4.6)	45 (7.1)
2011	648	18 (2.8)	442 (68.2)	100 (15.4)	40 (6.2)	48 (7.4)
CARLTON-COOK-LAKE-ST. LOUIS						
2019	1,888	50 (2.6)	1,299 (68.8)	310 (16.4)	92 (4.9)	137 (7.3)
2018	1,954	47 (2.4)	1,353 (69.2)	334 (17.1)	77 (3.9)	143 (7.3)
2017	2,216	44 (2.0)	1,538 (69.4)	386 (17.4)	91 (4.1)	157 (7.1)
2016	2,212	69 (3.1)	1,501 (67.9)	386 (17.5)	101 (4.6)	155 (7.0)
2015	2,279	81 (3.6)	1,568 (68.8)	371 (16.3)	108 (4.7)	151 (6.6)
2014	2,322	68 (2.9)	1,595 (68.7)	387 (16.7)	93 (4.0)	179 (7.7)
2013	2,527	80 (3.2)	1,688 (66.8)	424 (16.8)	126 (5.0)	209 (8.3)
2012	2,818	70 (2.5)	1,924 (68.3)	463 (16.4)	133 (4.7)	228 (8.1)
2011	3,028	88 (2.9)	2,087 (68.9)	488 (16.1)	163 (5.4)	202 (6.7)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC
by Community Health Board (CHB) of Residence and Calendar Year
Minnesota WIC Information System**

CHB OF RESIDENCE ¹	Total ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
CARVER						
2019	348	7 (2.0)	273 (78.4)	46 (13.2)	6 (1.7)	16 (4.6)
2018	368	9 (2.4)	291 (79.1)	41 (11.1)	7 (1.9)	20 (5.4)
2017	424	11 (2.6)	336 (79.2)	45 (10.6)	11 (2.6)	21 (5.0)
2016	407	11 (2.7)	323 (79.4)	46 (11.3)	5 (1.2)	22 (5.4)
2015	412	17 (4.1)	315 (76.5)	52 (12.6)	12 (2.9)	16 (3.9)
2014	400	13 (3.2)	317 (79.2)	49 (12.2)	3 (<1)	18 (4.5)
2013	424	6 (1.4)	334 (78.8)	40 (9.4)	16 (3.8)	28 (6.6)
2012	422	4 (<1)	314 (74.4)	74 (17.5)	10 (2.4)	20 (4.7)
2011	490	14 (2.9)	357 (72.9)	78 (15.9)	26 (5.3)	15 (3.1)
CASS						
2019	445	13 (2.9)	270 (60.7)	73 (16.4)	24 (5.4)	65 (14.6)
2018	493	10 (2.0)	305 (61.9)	85 (17.2)	25 (5.1)	68 (13.8)
2017	506	14 (2.8)	306 (60.5)	87 (17.2)	32 (6.3)	67 (13.2)
2016	559	12 (2.1)	360 (64.4)	79 (14.1)	42 (7.5)	66 (11.8)
2015	569	18 (3.2)	362 (63.6)	82 (14.4)	34 (6.0)	73 (12.8)
2014	538	21 (3.9)	315 (58.6)	84 (15.6)	47 (8.7)	71 (13.2)
2013	581	21 (3.6)	310 (53.4)	114 (19.6)	45 (7.7)	91 (15.7)
2012	626	13 (2.1)	342 (54.6)	122 (19.5)	49 (7.8)	100 (16.0)
2011	710	10 (1.4)	436 (61.4)	130 (18.3)	55 (7.7)	79 (11.1)
CHISAGO						
2019	347	18 (5.2)	235 (67.7)	52 (15.0)	15 (4.3)	27 (7.8)
2018	359	11 (3.1)	252 (70.2)	50 (13.9)	14 (3.9)	32 (8.9)
2017	378	20 (5.3)	264 (69.8)	56 (14.8)	8 (2.1)	30 (7.9)
2016	400	16 (4.0)	282 (70.5)	55 (13.8)	19 (4.8)	28 (7.0)
2015	411	9 (2.2)	298 (72.5)	60 (14.6)	20 (4.9)	24 (5.8)
2014	392	15 (3.8)	278 (70.9)	52 (13.3)	20 (5.1)	27 (6.9)
2013	462	18 (3.9)	329 (71.2)	62 (13.4)	23 (5.0)	30 (6.5)
2012	453	14 (3.1)	332 (73.3)	60 (13.2)	20 (4.4)	27 (6.0)
2011	516	14 (2.7)	361 (70.0)	80 (15.5)	21 (4.1)	40 (7.8)
COUNTRYSIDE						
2019	580	9 (1.6)	360 (62.1)	117 (20.2)	38 (6.6)	56 (9.7)
2018	627	10 (1.6)	391 (62.4)	128 (20.4)	37 (5.9)	61 (9.7)
2017	649	15 (2.3)	432 (66.6)	109 (16.8)	31 (4.8)	62 (9.6)
2016	659	22 (3.3)	408 (61.9)	135 (20.5)	38 (5.8)	56 (8.5)
2015	699	30 (4.3)	456 (65.2)	136 (19.5)	35 (5.0)	42 (6.0)
2014	687	24 (3.5)	465 (67.7)	117 (17.0)	35 (5.1)	46 (6.7)
2013	690	33 (4.8)	460 (66.7)	111 (16.1)	31 (4.5)	55 (8.0)
2012	753	36 (4.8)	507 (67.3)	121 (16.1)	28 (3.7)	61 (8.1)
2011	796	32 (4.0)	530 (66.6)	116 (14.6)	48 (6.0)	70 (8.8)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC
by Community Health Board (CHB) of Residence and Calendar Year
Minnesota WIC Information System**

CHB OF RESIDENCE ¹	Total ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
CROW WING						
2019	645	20 (3.1)	438 (67.9)	100 (15.5)	41 (6.4)	46 (7.1)
2018	635	16 (2.5)	423 (66.6)	125 (19.7)	27 (4.3)	44 (6.9)
2017	692	12 (1.7)	459 (66.3)	132 (19.1)	43 (6.2)	46 (6.6)
2016	746	20 (2.7)	504 (67.6)	133 (17.8)	33 (4.4)	56 (7.5)
2015	768	35 (4.6)	525 (68.4)	133 (17.3)	28 (3.6)	47 (6.1)
2014	764	30 (3.9)	540 (70.7)	110 (14.4)	37 (4.8)	47 (6.2)
2013	839	31 (3.7)	585 (69.7)	121 (14.4)	48 (5.7)	54 (6.4)
2012	967	31 (3.2)	698 (72.2)	140 (14.5)	46 (4.8)	52 (5.4)
2011	1,023	45 (4.4)	740 (72.3)	149 (14.6)	44 (4.3)	45 (4.4)
DAKOTA						
2019	2,844	112 (3.9)	2,013 (70.8)	390 (13.7)	123 (4.3)	206 (7.2)
2018	3,119	138 (4.4)	2,164 (69.4)	462 (14.8)	135 (4.3)	220 (7.1)
2017	3,055	126 (4.1)	2,127 (69.6)	449 (14.7)	122 (4.0)	231 (7.6)
2016	3,214	146 (4.5)	2,265 (70.5)	460 (14.3)	122 (3.8)	221 (6.9)
2015	3,340	138 (4.1)	2,330 (69.8)	481 (14.4)	139 (4.2)	252 (7.5)
2014	3,301	155 (4.7)	2,313 (70.1)	445 (13.5)	133 (4.0)	255 (7.7)
2013	3,432	157 (4.6)	2,369 (69.0)	531 (15.5)	138 (4.0)	237 (6.9)
2012	3,508	119 (3.4)	2,474 (70.5)	520 (14.8)	144 (4.1)	251 (7.2)
2011	3,710	97 (2.6)	2,645 (71.3)	556 (15.0)	180 (4.9)	232 (6.3)
DES MOINES VALLEY						
2019	259	7 (2.7)	162 (62.5)	51 (19.7)	11 (4.2)	28 (10.8)
2018	259	8 (3.1)	173 (66.8)	43 (16.6)	13 (5.0)	22 (8.5)
2017	264	7 (2.7)	181 (68.6)	48 (18.2)	7 (2.7)	21 (8.0)
2016	274	10 (3.6)	177 (64.6)	53 (19.3)	10 (3.6)	24 (8.8)
2015	297	5 (1.7)	198 (66.7)	56 (18.9)	11 (3.7)	27 (9.1)
2014	287	6 (2.1)	197 (68.6)	39 (13.6)	20 (7.0)	25 (8.7)
2013	307	9 (2.9)	212 (69.1)	50 (16.3)	11 (3.6)	25 (8.1)
2012	312	8 (2.6)	217 (69.6)	52 (16.7)	18 (5.8)	17 (5.4)
2011	333	6 (1.8)	230 (69.1)	53 (15.9)	17 (5.1)	27 (8.1)
DODGE-STEELE						
2019	588	16 (2.7)	382 (65.0)	99 (16.8)	26 (4.4)	65 (11.1)
2018	624	17 (2.7)	421 (67.5)	104 (16.7)	25 (4.0)	57 (9.1)
2017	673	24 (3.6)	443 (65.8)	121 (18.0)	32 (4.8)	53 (7.9)
2016	741	20 (2.7)	480 (64.8)	135 (18.2)	37 (5.0)	69 (9.3)
2015	752	36 (4.8)	506 (67.3)	112 (14.9)	31 (4.1)	67 (8.9)
2014	727	23 (3.2)	504 (69.3)	121 (16.6)	25 (3.4)	54 (7.4)
2013	817	33 (4.0)	557 (68.2)	129 (15.8)	45 (5.5)	53 (6.5)
2012	880	24 (2.7)	593 (67.4)	161 (18.3)	40 (4.5)	62 (7.0)
2011	956	23 (2.4)	674 (70.5)	139 (14.5)	47 (4.9)	73 (7.6)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC
by Community Health Board (CHB) of Residence and Calendar Year
Minnesota WIC Information System**

CHB OF RESIDENCE ¹	Total ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
FARIBAULT-MARTIN						
2019	396	12 (3.0)	248 (62.6)	66 (16.7)	12 (3.0)	58 (14.6)
2018	405	16 (4.0)	234 (57.8)	64 (15.8)	30 (7.4)	61 (15.1)
2017	398	9 (2.3)	233 (58.5)	87 (21.9)	29 (7.3)	40 (10.1)
2016	436	10 (2.3)	280 (64.2)	82 (18.8)	18 (4.1)	46 (10.6)
2015	458	11 (2.4)	302 (65.9)	77 (16.8)	21 (4.6)	47 (10.3)
2014	485	17 (3.5)	294 (60.6)	85 (17.5)	41 (8.5)	48 (9.9)
2013	504	12 (2.4)	330 (65.5)	86 (17.1)	31 (6.2)	45 (8.9)
2012	533	13 (2.4)	354 (66.4)	90 (16.9)	38 (7.1)	38 (7.1)
2011	551	14 (2.5)	373 (67.7)	96 (17.4)	31 (5.6)	37 (6.7)
FILLMORE-HOUSTON						
2019	310	11 (3.5)	217 (70.0)	46 (14.8)	19 (6.1)	17 (5.5)
2018	329	7 (2.1)	219 (66.6)	74 (22.5)	11 (3.3)	18 (5.5)
2017	357	5 (1.4)	255 (71.4)	64 (17.9)	19 (5.3)	14 (3.9)
2016	357	12 (3.4)	252 (70.6)	60 (16.8)	12 (3.4)	21 (5.9)
2015	347	6 (1.7)	249 (71.8)	50 (14.4)	18 (5.2)	24 (6.9)
2014	329	11 (3.3)	235 (71.4)	42 (12.8)	19 (5.8)	22 (6.7)
2013	334	11 (3.3)	228 (68.3)	56 (16.8)	19 (5.7)	20 (6.0)
2012	363	9 (2.5)	265 (73.0)	46 (12.7)	21 (5.8)	22 (6.1)
2011	413	12 (2.9)	282 (68.3)	74 (17.9)	24 (5.8)	21 (5.1)
FREEBORN						
2019	381	13 (3.4)	240 (63.0)	45 (11.8)	35 (9.2)	48 (12.6)
2018	399	11 (2.8)	253 (63.4)	73 (18.3)	19 (4.8)	43 (10.8)
2017	426	6 (1.4)	284 (66.7)	79 (18.5)	20 (4.7)	37 (8.7)
2016	463	20 (4.3)	308 (66.5)	69 (14.9)	23 (5.0)	43 (9.3)
2015	530	17 (3.2)	353 (66.6)	84 (15.8)	30 (5.7)	46 (8.7)
2014	511	27 (5.3)	339 (66.3)	78 (15.3)	32 (6.3)	35 (6.8)
2013	533	23 (4.3)	366 (68.7)	82 (15.4)	33 (6.2)	29 (5.4)
2012	574	16 (2.8)	401 (69.9)	83 (14.5)	32 (5.6)	42 (7.3)
2011	559	22 (3.9)	379 (67.8)	89 (15.9)	31 (5.5)	38 (6.8)
GOODHUE						
2019	304	8 (2.6)	198 (65.1)	56 (18.4)	16 (5.3)	26 (8.6)
2018	315	15 (4.8)	200 (63.5)	63 (20.0)	12 (3.8)	25 (7.9)
2017	350	12 (3.4)	231 (66.0)	58 (16.6)	17 (4.9)	32 (9.1)
2016	372	13 (3.5)	254 (68.3)	55 (14.8)	19 (5.1)	31 (8.3)
2015	383	13 (3.4)	268 (70.0)	57 (14.9)	18 (4.7)	27 (7.0)
2014	385	11 (2.9)	270 (70.1)	56 (14.5)	18 (4.7)	30 (7.8)
2013	416	17 (4.1)	266 (63.9)	86 (20.7)	14 (3.4)	33 (7.9)
2012	452	13 (2.9)	303 (67.0)	75 (16.6)	19 (4.2)	42 (9.3)
2011	494	12 (2.4)	326 (66.0)	92 (18.6)	29 (5.9)	35 (7.1)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC
by Community Health Board (CHB) of Residence and Calendar Year
Minnesota WIC Information System**

CHB OF RESIDENCE ¹	Total ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
HENNEPIN-BLOOMINGTON						
2019	700	37 (5.3)	495 (70.7)	98 (14.0)	24 (3.4)	46 (6.6)
2018	707	34 (4.8)	501 (70.9)	101 (14.3)	28 (4.0)	43 (6.1)
2017	745	29 (3.9)	522 (70.1)	94 (12.6)	34 (4.6)	66 (8.9)
2016	777	42 (5.4)	516 (66.4)	128 (16.5)	37 (4.8)	54 (6.9)
2015	811	29 (3.6)	596 (73.5)	93 (11.5)	38 (4.7)	55 (6.8)
2014	723	27 (3.7)	515 (71.2)	92 (12.7)	23 (3.2)	66 (9.1)
2013	794	30 (3.8)	548 (69.0)	119 (15.0)	35 (4.4)	62 (7.8)
2012	821	36 (4.4)	574 (69.9)	115 (14.0)	34 (4.1)	62 (7.6)
2011	830	24 (2.9)	578 (69.6)	137 (16.5)	34 (4.1)	57 (6.9)
HENNEPIN-EDINA						
2019	92	5 (5.4)	66 (71.7)	13 (14.1)	3 (3.3)	5 (5.4)
2018	91	2 (2.2)	62 (68.1)	20 (22.0)	4 (4.4)	3 (3.3)
2017	101	6 (5.9)	72 (71.3)	10 (9.9)	5 (5.0)	8 (7.9)
2016	108	7 (6.5)	73 (67.6)	12 (11.1)	4 (3.7)	12 (11.1)
2015	110	6 (5.5)	79 (71.8)	16 (14.5)	3 (2.7)	6 (5.5)
2014	122	4 (3.3)	82 (67.2)	17 (13.9)	7 (5.7)	12 (9.8)
2013	124	11 (8.9)	80 (64.5)	16 (12.9)	5 (4.0)	12 (9.7)
2012	120	6 (5.0)	85 (70.8)	14 (11.7)	8 (6.7)	7 (5.8)
2011	116	5 (4.3)	82 (70.7)	16 (13.8)	7 (6.0)	6 (5.2)
HENNEPIN-MINNEAPOLIS						
2019	4,993	227 (4.5)	3,397 (68.0)	746 (14.9)	211 (4.2)	412 (8.3)
2018	5,736	262 (4.6)	3,842 (67.0)	871 (15.2)	255 (4.4)	506 (8.8)
2017	6,321	225 (3.6)	4,315 (68.3)	924 (14.6)	306 (4.8)	551 (8.7)
2016	6,986	270 (3.9)	4,751 (68.0)	1,058 (15.1)	330 (4.7)	577 (8.3)
2015	7,317	292 (4.0)	4,990 (68.2)	1,127 (15.4)	318 (4.3)	590 (8.1)
2014	7,266	297 (4.1)	4,882 (67.2)	1,082 (14.9)	356 (4.9)	649 (8.9)
2013	7,481	288 (3.8)	4,970 (66.4)	1,160 (15.5)	374 (5.0)	689 (9.2)
2012	7,722	253 (3.3)	5,151 (66.7)	1,224 (15.9)	383 (5.0)	711 (9.2)
2011	7,939	211 (2.7)	5,268 (66.4)	1,270 (16.0)	484 (6.1)	706 (8.9)
HENNEPIN-RICHFIELD						
2019	337	16 (4.7)	223 (66.2)	53 (15.7)	16 (4.7)	29 (8.6)
2018	384	14 (3.6)	261 (68.0)	53 (13.8)	22 (5.7)	34 (8.9)
2017	431	14 (3.2)	313 (72.6)	55 (12.8)	17 (3.9)	32 (7.4)
2016	467	19 (4.1)	335 (71.7)	51 (10.9)	33 (7.1)	29 (6.2)
2015	538	21 (3.9)	382 (71.0)	71 (13.2)	21 (3.9)	43 (8.0)
2014	506	25 (4.9)	347 (68.6)	71 (14.0)	17 (3.4)	46 (9.1)
2013	562	21 (3.7)	366 (65.1)	96 (17.1)	29 (5.2)	50 (8.9)
2012	587	11 (1.9)	401 (68.3)	109 (18.6)	22 (3.7)	44 (7.5)
2011	620	8 (1.3)	421 (67.9)	106 (17.1)	36 (5.8)	49 (7.9)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC
by Community Health Board (CHB) of Residence and Calendar Year
Minnesota WIC Information System**

CHB OF RESIDENCE ¹	Total ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
HENNEPIN-SUBURBAN						
2019	4,112	160 (3.9)	2,881 (70.1)	581 (14.1)	160 (3.9)	330 (8.0)
2018	4,631	174 (3.8)	3,224 (69.6)	687 (14.8)	198 (4.3)	348 (7.5)
2017	5,010	186 (3.7)	3,447 (68.8)	777 (15.5)	202 (4.0)	398 (7.9)
2016	5,113	204 (4.0)	3,514 (68.7)	801 (15.7)	227 (4.4)	367 (7.2)
2015	5,317	224 (4.2)	3,698 (69.6)	815 (15.3)	235 (4.4)	345 (6.5)
2014	5,142	244 (4.7)	3,717 (72.3)	666 (13.0)	179 (3.5)	336 (6.5)
2013	5,178	229 (4.4)	3,718 (71.8)	682 (13.1)	197 (3.8)	352 (6.8)
2012	5,895	191 (3.3)	4,229 (71.4)	824 (14.0)	236 (4.0)	415 (7.0)
2011	5,804	187 (3.2)	4,041 (69.6)	883 (15.2)	254 (4.4)	439 (7.6)
HORIZON						
2019	645	16 (2.5)	448 (69.5)	109 (16.9)	29 (4.5)	43 (6.7)
2018	732	29 (4.0)	520 (71.0)	89 (12.2)	44 (6.0)	50 (6.8)
2017	771	28 (3.6)	526 (68.2)	129 (16.7)	38 (4.9)	50 (6.5)
2016	796	32 (4.0)	541 (68.0)	140 (17.6)	26 (3.3)	57 (7.2)
2015	836	36 (4.3)	581 (69.5)	142 (17.0)	32 (3.8)	45 (5.4)
2014	841	32 (3.8)	602 (71.6)	129 (15.3)	29 (3.4)	49 (5.8)
2013	890	37 (4.2)	605 (68.0)	160 (18.0)	38 (4.3)	50 (5.6)
2012	935	30 (3.2)	671 (71.8)	141 (15.1)	34 (3.6)	59 (6.3)
2011	1,018	39 (3.8)	720 (70.7)	139 (13.7)	59 (5.8)	61 (6.0)
ISANTI						
2019	376	14 (3.7)	258 (68.6)	58 (15.4)	13 (3.5)	33 (8.8)
2018	398	15 (3.8)	278 (69.8)	62 (15.6)	14 (3.5)	29 (7.3)
2017	444	8 (1.8)	322 (72.5)	73 (16.4)	16 (3.6)	25 (5.6)
2016	451	15 (3.3)	329 (72.9)	60 (13.3)	16 (3.5)	31 (6.9)
2015	497	19 (3.8)	352 (70.8)	74 (14.9)	25 (5.0)	27 (5.4)
2014	422	13 (3.1)	302 (71.6)	58 (13.7)	17 (4.0)	32 (7.6)
2013	495	13 (2.6)	347 (70.1)	75 (15.2)	23 (4.6)	37 (7.5)
2012	551	14 (2.5)	398 (72.2)	75 (13.6)	29 (5.3)	35 (6.4)
2011	583	10 (1.7)	426 (73.1)	101 (17.3)	22 (3.8)	24 (4.1)
KANABEC						
2019	192	5 (2.6)	132 (68.8)	36 (18.8)	8 (4.2)	11 (5.7)
2018	209	4 (1.9)	143 (68.4)	40 (19.1)	6 (2.9)	16 (7.7)
2017	222	6 (2.7)	160 (72.1)	30 (13.5)	9 (4.1)	17 (7.7)
2016	224	12 (5.4)	162 (72.3)	28 (12.5)	10 (4.5)	12 (5.4)
2015	220	7 (3.2)	166 (75.5)	32 (14.5)	7 (3.2)	8 (3.6)
2014	211	8 (3.8)	161 (76.3)	19 (9.0)	11 (5.2)	12 (5.7)
2013	211	5 (2.4)	143 (67.8)	42 (19.9)	10 (4.7)	11 (5.2)
2012	248	5 (2.0)	178 (71.8)	39 (15.7)	11 (4.4)	15 (6.0)
2011	243	6 (2.5)	164 (67.5)	38 (15.6)	17 (7.0)	18 (7.4)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC
by Community Health Board (CHB) of Residence and Calendar Year
Minnesota WIC Information System**

CHB OF RESIDENCE ¹	Total ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
KANDIYOHI-RENVILLE						
2019	1,051	38 (3.6)	656 (62.4)	175 (16.7)	62 (5.9)	120 (11.4)
2018	1,096	40 (3.6)	702 (64.1)	195 (17.8)	49 (4.5)	110 (10.0)
2017	1,105	38 (3.4)	707 (64.0)	185 (16.7)	59 (5.3)	116 (10.5)
2016	1,103	52 (4.7)	709 (64.3)	171 (15.5)	53 (4.8)	118 (10.7)
2015	1,088	37 (3.4)	715 (65.7)	177 (16.3)	51 (4.7)	108 (9.9)
2014	1,035	52 (5.0)	684 (66.1)	150 (14.5)	48 (4.6)	101 (9.8)
2013	1,074	37 (3.4)	704 (65.5)	176 (16.4)	60 (5.6)	97 (9.0)
2012	1,129	25 (2.2)	774 (68.6)	186 (16.5)	44 (3.9)	100 (8.9)
2011	1,167	33 (2.8)	771 (66.1)	178 (15.3)	77 (6.6)	108 (9.3)
LE SUEUR-WASECA						
2019	416	15 (3.6)	281 (67.5)	70 (16.8)	20 (4.8)	30 (7.2)
2018	432	26 (6.0)	312 (72.2)	54 (12.5)	16 (3.7)	24 (5.6)
2017	478	13 (2.7)	323 (67.6)	78 (16.3)	27 (5.6)	37 (7.7)
2016	477	19 (4.0)	312 (65.4)	81 (17.0)	15 (3.1)	50 (10.5)
2015	494	24 (4.9)	326 (66.0)	78 (15.8)	21 (4.3)	45 (9.1)
2014	452	20 (4.4)	308 (68.1)	66 (14.6)	18 (4.0)	40 (8.8)
2013	492	13 (2.6)	346 (70.3)	77 (15.7)	16 (3.3)	40 (8.1)
2012	548	10 (1.8)	389 (71.0)	82 (15.0)	21 (3.8)	46 (8.4)
2011	569	11 (1.9)	419 (73.6)	90 (15.8)	20 (3.5)	29 (5.1)
MEEKER-MCLEOD-SIBLEY						
2019	752	23 (3.1)	512 (68.1)	125 (16.6)	35 (4.7)	57 (7.6)
2018	801	31 (3.9)	521 (65.0)	130 (16.2)	45 (5.6)	74 (9.2)
2017	858	18 (2.1)	565 (65.9)	156 (18.2)	35 (4.1)	84 (9.8)
2016	899	19 (2.1)	602 (67.0)	146 (16.2)	48 (5.3)	84 (9.3)
2015	946	26 (2.7)	645 (68.2)	145 (15.3)	38 (4.0)	92 (9.7)
2014	903	29 (3.2)	637 (70.5)	130 (14.4)	33 (3.7)	74 (8.2)
2013	970	29 (3.0)	648 (66.8)	161 (16.6)	41 (4.2)	91 (9.4)
2012	1,040	26 (2.5)	685 (65.9)	198 (19.0)	44 (4.2)	87 (8.4)
2011	1,168	29 (2.5)	808 (69.2)	190 (16.3)	66 (5.7)	75 (6.4)
MILLE LACS CO						
2019	395	13 (3.3)	277 (70.1)	50 (12.7)	25 (6.3)	30 (7.6)
2018	383	11 (2.9)	240 (62.7)	70 (18.3)	27 (7.0)	35 (9.1)
2017	369	10 (2.7)	254 (68.8)	57 (15.4)	12 (3.3)	36 (9.8)
2016	390	9 (2.3)	250 (64.1)	76 (19.5)	23 (5.9)	32 (8.2)
2015	418	15 (3.6)	281 (67.2)	58 (13.9)	26 (6.2)	38 (9.1)
2014	389	16 (4.1)	261 (67.1)	71 (18.3)	15 (3.9)	26 (6.7)
2013	437	12 (2.7)	289 (66.1)	79 (18.1)	25 (5.7)	32 (7.3)
2012	492	17 (3.5)	340 (69.1)	81 (16.5)	22 (4.5)	32 (6.5)
2011	520	11 (2.1)	346 (66.5)	88 (16.9)	27 (5.2)	48 (9.2)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC
by Community Health Board (CHB) of Residence and Calendar Year
Minnesota WIC Information System**

CHB OF RESIDENCE ¹	Total ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
MORRISON-TODD-WADENA						
2019	801	30 (3.7)	550 (68.7)	129 (16.1)	34 (4.2)	58 (7.2)
2018	931	35 (3.8)	630 (67.7)	156 (16.8)	39 (4.2)	71 (7.6)
2017	989	24 (2.4)	676 (68.4)	150 (15.2)	54 (5.5)	85 (8.6)
2016	1,046	43 (4.1)	683 (65.3)	179 (17.1)	50 (4.8)	91 (8.7)
2015	1,069	37 (3.5)	719 (67.3)	177 (16.6)	53 (5.0)	83 (7.8)
2014	959	41 (4.3)	638 (66.5)	160 (16.7)	47 (4.9)	73 (7.6)
2013	1,035	36 (3.5)	711 (68.7)	169 (16.3)	53 (5.1)	66 (6.4)
2012	1,152	30 (2.6)	834 (72.4)	174 (15.1)	47 (4.1)	67 (5.8)
2011	1,225	40 (3.3)	857 (70.0)	200 (16.3)	61 (5.0)	67 (5.5)
MOWER						
2019	620	15 (2.4)	402 (64.8)	113 (18.2)	32 (5.2)	58 (9.4)
2018	624	20 (3.2)	397 (63.6)	98 (15.7)	39 (6.2)	70 (11.2)
2017	622	12 (1.9)	399 (64.1)	99 (15.9)	39 (6.3)	73 (11.7)
2016	639	17 (2.7)	387 (60.6)	116 (18.2)	40 (6.3)	79 (12.4)
2015	650	20 (3.1)	404 (62.2)	119 (18.3)	39 (6.0)	68 (10.5)
2014	674	14 (2.1)	443 (65.7)	121 (18.0)	45 (6.7)	51 (7.6)
2013	791	16 (2.0)	503 (63.6)	142 (18.0)	48 (6.1)	82 (10.4)
2012	834	21 (2.5)	518 (62.1)	162 (19.4)	52 (6.2)	81 (9.7)
2011	792	28 (3.5)	496 (62.6)	145 (18.3)	51 (6.4)	72 (9.1)
NOBLES						
2019	557	13 (2.3)	343 (61.6)	97 (17.4)	30 (5.4)	74 (13.3)
2018	588	21 (3.6)	361 (61.4)	110 (18.7)	33 (5.6)	63 (10.7)
2017	547	6 (1.1)	350 (64.0)	100 (18.3)	37 (6.8)	54 (9.9)
2016	584	13 (2.2)	371 (63.5)	103 (17.6)	30 (5.1)	67 (11.5)
2015	528	13 (2.5)	330 (62.5)	110 (20.8)	25 (4.7)	50 (9.5)
2014	504	17 (3.4)	330 (65.5)	88 (17.5)	32 (6.3)	37 (7.3)
2013	538	14 (2.6)	350 (65.1)	93 (17.3)	29 (5.4)	52 (9.7)
2012	545	12 (2.2)	347 (63.7)	101 (18.5)	28 (5.1)	57 (10.5)
2011	536	16 (3.0)	322 (60.1)	93 (17.4)	40 (7.5)	65 (12.1)
NORTH COUNTRY						
2019	436	38 (8.7)	282 (58.0)	57 (11.7)	16 (3.3)	43 (8.8)
2018	485	25 (5.2)	306 (63.1)	75 (15.5)	25 (5.2)	54 (11.1)
2017	476	14 (2.9)	312 (65.5)	81 (17.0)	22 (4.6)	47 (9.9)
2016	463	16 (13.5)	301 (65.0)	73 (15.8)	33 (7.1)	40 (8.6)
2015	481	15 (3.1)	322 (66.9)	70 (14.6)	33 (6.7)	41 (8.5)
2014	467	14 (3.0)	318 (68.1)	70 (15.0)	31 (6.6)	34 (7.3)
2013	568	16 (2.7)	358 (61.1)	106 (18.1)	33 (5.6)	55 (9.4)
2012	575	9 (1.6)	390 (67.8)	85 (14.8)	37 (6.4)	54 (9.4)
2011	580	20 (3.4)	381 (65.7)	113 (19.5)	28 (4.8)	38 (6.6)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC
by Community Health Board (CHB) of Residence and Calendar Year
Minnesota WIC Information System**

CHB OF RESIDENCE ¹	Total ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
OLMSTED						
2019	1,577	82 (5.2)	1,050 (66.6)	236 (15.0)	74 (4.7)	135 (8.6)
2018	1,615	58 (3.6)	1,099 (68.0)	244 (15.1)	69 (4.3)	145 (9.0)
2017	1,636	65 (4.0)	1,130 (69.1)	237 (14.5)	68 (4.2)	136 (8.3)
2016	1,744	70 (4.0)	1,199 (68.8)	265 (15.2)	80 (4.6)	130 (7.5)
2015	1,803	80 (4.4)	1,240 (68.8)	273 (15.1)	77 (4.3)	133 (7.4)
2014	1,793	89 (5.0)	1,229 (68.5)	268 (14.9)	80 (4.5)	127 (7.1)
2013	1,919	73 (3.8)	1,309 (68.2)	303 (15.8)	85 (4.4)	149 (7.8)
2012	2,089	67 (3.2)	1,475 (70.6)	326 (15.6)	88 (4.2)	133 (6.4)
2011	2,096	71 (3.4)	1,481 (70.7)	328 (15.6)	95 (4.5)	121 (5.8)
PARTNERSHIP 4 HEALTH						
2019	1,959	62 (3.2)	1,336 (68.2)	296 (15.1)	84 (4.3)	181 (9.2)
2018	2,116	74 (3.5)	1,405 (66.4)	341 (16.1)	100 (4.7)	196 (9.3)
2017	2,111	55 (2.6)	1,460 (69.2)	323 (15.3)	102 (4.8)	171 (8.1)
2016	2,195	83 (3.8)	1,477 (67.3)	347 (15.8)	105 (4.8)	183 (8.3)
2015	2,218	66 (3.0)	1,525 (68.8)	340 (15.3)	107 (4.8)	180 (8.1)
2014	2,158	73 (3.3)	1,475 (68.4)	340 (15.8)	90 (4.2)	180 (8.3)
2013	2,201	63 (2.9)	1,456 (66.2)	368 (16.7)	114 (5.2)	200 (9.1)
2012	2,367	56 (2.4)	1,654 (69.9)	385 (16.3)	104 (4.4)	168 (7.1)
2011	2,464	79 (3.2)	1,688 (68.5)	400 (16.2)	126 (5.1)	171 (6.9)
PINE						
2019	327	10 (3.1)	213 (65.1)	52 (15.9)	18 (5.5)	34 (10.4)
2018	322	13 (4.0)	206 (64.0)	56 (17.4)	14 (4.3)	33 (10.2)
2017	348	6 (1.7)	229 (65.8)	71 (20.4)	15 (4.3)	27 (7.8)
2016	311	8 (2.6)	206 (66.2)	61 (19.6)	11 (3.5)	25 (8.0)
2015	357	8 (2.2)	237 (66.4)	59 (16.5)	19 (5.3)	34 (9.5)
2014	332	13 (3.9)	233 (70.2)	50 (15.1)	8 (2.4)	28 (8.4)
2013	352	10 (2.8)	247 (70.2)	51 (14.5)	15 (4.3)	29 (8.2)
2012	429	10 (2.3)	296 (69.0)	68 (15.9)	25 (5.8)	30 (7.0)
2011	470	20 (4.3)	320 (68.1)	67 (14.3)	18 (3.8)	45 (9.6)
POLK-NORMAN-MAHNOMEN						
2019	711	18 (2.5)	451 (63.4)	124 (17.4)	34 (4.8)	84 (11.8)
2018	772	21 (2.7)	488 (63.2)	139 (18.0)	36 (4.7)	88 (11.4)
2017	792	15 (1.9)	519 (65.5)	132 (16.7)	35 (4.4)	91 (11.5)
2016	819	20 (2.4)	524 (64.0)	140 (17.1)	45 (5.5)	90 (11.0)
2015	824	29 (3.5)	511 (62.0)	145 (17.6)	48 (5.8)	91 (11.0)
2014	866	20 (2.3)	553 (63.9)	153 (17.7)	46 (5.3)	94 (10.9)
2013	893	17 (1.9)	575 (64.4)	145 (16.2)	57 (6.4)	99 (11.1)
2012	950	14 (1.5)	648 (68.2)	169 (17.8)	41 (4.3)	78 (8.2)
2011	954	25 (2.6)	617 (64.7)	180 (18.9)	60 (6.3)	72 (7.5)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC
by Community Health Board (CHB) of Residence and Calendar Year
Minnesota WIC Information System**

CHB OF RESIDENCE ¹	Total ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
QUIN						
2019	610	13 (2.1)	408 (66.9)	103 (16.9)	34 (5.6)	52 (8.5)
2018	665	23 (3.5)	436 (65.6)	103 (15.5)	47 (7.1)	56 (8.4)
2017	734	12 (1.6)	467 (63.6)	136 (18.5)	59 (8.0)	60 (8.2)
2016	755	10 (1.3)	493 (65.3)	140 (18.5)	41 (5.4)	71 (9.4)
2015	778	19 (2.4)	524 (67.4)	124 (15.9)	50 (6.4)	61 (7.8)
2014	725	24 (3.3)	471 (65.0)	134 (18.5)	36 (5.0)	60 (8.3)
2013	792	24 (3.0)	536 (67.7)	134 (16.9)	39 (4.9)	59 (7.4)
2012	797	18 (2.3)	546 (68.5)	127 (15.9)	33 (4.1)	73 (9.2)
2011	822	21 (2.6)	557 (67.8)	138 (16.8)	39 (4.7)	67 (8.2)
RAMSEY						
2019	8,265	295 (3.6)	5,483 (66.3)	1,376 (16.6)	330 (4.0)	781 (9.4)
2018	8,946	343 (3.8)	5,992 (67.0)	1,425 (15.9)	383 (4.3)	803 (9.0)
2017	9,491	279 (2.9)	6,443 (67.9)	1,479 (15.6)	437 (4.6)	853 (9.0)
2016	10,099	374 (3.7)	6,800 (67.3)	1,610 (15.9)	432 (4.3)	883 (8.7)
2015	10,304	385 (3.7)	7,014 (68.1)	1,632 (15.8)	417 (4.0)	856 (8.3)
2014	9,918	384 (3.9)	6,793 (68.5)	1,386 (14.0)	465 (4.7)	890 (9.0)
2013	10,371	312 (3.0)	6,942 (66.9)	1,589 (15.3)	554 (5.3)	974 (9.4)
2012	10,634	250 (2.4)	7,071 (66.5)	1,771 (16.7)	580 (5.5)	962 (9.0)
2011	10,244	210 (2.0)	6,814 (66.5)	1,805 (17.6)	600 (5.9)	815 (8.0)
RICE						
2019	712	28 (3.9)	476 (66.9)	111 (15.6)	31 (4.4)	66 (9.3)
2018	756	33 (4.4)	499 (66.0)	130 (17.2)	30 (4.0)	64 (8.5)
2017	842	27 (3.2)	561 (66.6)	144 (17.1)	37 (4.4)	73 (8.7)
2016	852	38 (4.5)	567 (66.5)	141 (16.5)	36 (4.2)	70 (8.2)
2015	872	43 (4.9)	582 (66.7)	120 (13.8)	41 (4.7)	86 (9.9)
2014	865	43 (5.0)	583 (67.4)	121 (14.0)	38 (4.4)	80 (9.2)
2013	938	25 (2.7)	646 (68.9)	145 (15.5)	44 (4.7)	78 (8.3)
2012	1,004	31 (3.1)	668 (66.5)	168 (16.7)	53 (5.3)	84 (8.4)
2011	944	22 (2.3)	652 (69.1)	143 (15.1)	52 (5.5)	75 (7.9)
SCOTT						
2019	945	34 (3.6)	699 (74.0)	113 (12.0)	28 (3.0)	71 (7.5)
2018	964	45 (4.7)	708 (73.4)	124 (12.9)	34 (3.5)	53 (5.5)
2017	998	38 (3.8)	732 (73.3)	144 (14.4)	22 (2.2)	62 (6.2)
2016	1,019	46 (4.5)	728 (71.4)	156 (15.3)	31 (3.0)	58 (5.7)
2015	1,041	49 (4.7)	756 (72.6)	135 (13.0)	32 (3.1)	69 (6.6)
2014	994	51 (5.1)	724 (72.8)	124 (12.5)	39 (3.9)	56 (5.6)
2013	1,014	34 (3.4)	749 (73.9)	135 (13.3)	33 (3.3)	63 (6.2)
2012	1,051	27 (2.6)	753 (71.6)	165 (15.7)	43 (4.1)	63 (6.0)
2011	1,164	29 (2.5)	844 (72.5)	166 (14.3)	45 (3.9)	80 (6.9)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC
by Community Health Board (CHB) of Residence and Calendar Year
Minnesota WIC Information System**

CHB OF RESIDENCE ¹	Total ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
SHERBURNE						
2019	692	30 (4.3)	466 (67.3)	104 (15.0)	29 (4.2)	63 (9.1)
2018	775	26 (3.4)	558 (72.0)	115 (14.8)	26 (3.4)	50 (6.5)
2017	734	27 (3.7)	521 (71.0)	104 (14.2)	23 (3.1)	59 (8.0)
2016	793	40 (5.0)	577 (72.8)	96 (12.1)	26 (3.3)	54 (6.8)
2015	780	37 (4.7)	546 (70.0)	125 (16.0)	25 (3.2)	47 (6.0)
2014	696	32 (4.6)	516 (74.1)	90 (12.9)	22 (3.2)	36 (5.2)
2013	754	23 (3.1)	544 (72.1)	125 (16.6)	24 (3.2)	38 (5.0)
2012	858	38 (4.4)	634 (73.9)	120 (14.0)	30 (3.5)	36 (4.2)
2011	884	29 (3.3)	682 (77.1)	120 (13.6)	22 (2.5)	31 (3.5)
SOUTHWEST						
2019	1,104	34 (3.1)	756 (68.5)	184 (16.7)	36 (3.3)	94 (8.5)
2018	1,205	39 (3.2)	850 (70.5)	188 (15.6)	53 (4.4)	75 (6.2)
2017	1,185	34 (2.9)	854 (72.1)	176 (14.9)	45 (3.8)	76 (6.4)
2016	1,239	36 (2.9)	873 (70.5)	203 (16.4)	44 (3.6)	83 (6.7)
2015	1,272	46 (3.6)	884 (69.5)	201 (15.8)	59 (4.6)	82 (6.4)
2014	1,107	33 (3.0)	800 (72.3)	144 (13.0)	39 (3.5)	91 (8.2)
2013	1,211	24 (2.0)	852 (70.4)	183 (15.1)	57 (4.7)	95 (7.8)
2012	1,290	24 (1.9)	893 (69.2)	210 (16.3)	65 (5.0)	98 (7.6)
2011	1,308	35 (2.7)	894 (68.3)	208 (15.9)	58 (4.4)	113 (8.6)
STEARNS						
2019	1,961	89 (4.5)	1,341 (68.4)	284 (14.5)	96 (4.9)	151 (7.7)
2018	1,997	118 (5.9)	1,378 (69.0)	270 (13.5)	89 (4.5)	142 (7.1)
2017	2,026	98 (4.8)	1,419 (70.0)	280 (13.8)	76 (3.8)	153 (7.6)
2016	1,949	121 (6.2)	1,379 (70.8)	262 (13.4)	66 (3.4)	121 (6.2)
2015	1,873	115 (6.1)	1,304 (69.6)	254 (13.6)	78 (4.2)	122 (6.5)
2014	1,687	93 (5.5)	1,192 (70.7)	217 (12.9)	76 (4.5)	109 (6.5)
2013	1,704	61 (3.6)	1,275 (74.8)	231 (13.6)	45 (2.6)	92 (5.4)
2012	1,741	60 (3.4)	1,264 (72.6)	242 (13.9)	76 (4.4)	99 (5.7)
2011	1,716	58 (3.4)	1,191 (69.4)	288 (16.8)	80 (4.7)	99 (5.8)
WABASHA						
2019	138	5 (3.6)	94 (68.1)	21 (15.2)	9 (6.5)	9 (6.5)
2018	131	1 (<1)	92 (70.2)	23 (17.6)	2 (1.5)	13 (9.9)
2017	170	7 (4.1)	107 (62.9)	22 (12.9)	14 (8.2)	20 (11.8)
2016	198	14 (7.1)	120 (60.6)	35 (17.7)	8 (4.0)	21 (10.6)
2015	201	9 (4.5)	126 (62.7)	38 (18.9)	10 (5.0)	18 (9.0)
2014	175	8 (4.6)	110 (62.9)	26 (14.9)	7 (4.0)	24 (13.7)
2013	178	6 (3.4)	113 (63.5)	33 (18.5)	7 (3.9)	19 (10.7)
2012	208	4 (1.9)	133 (63.9)	42 (20.2)	4 (1.9)	25 (12.0)
2011	236	4 (1.7)	152 (64.4)	38 (16.1)	21 (8.9)	21 (8.9)

**Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC
by Community Health Board (CHB) of Residence and Calendar Year
Minnesota WIC Information System**

CHB OF RESIDENCE ¹	Total ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
WASHINGTON						
2019	1,200	35 (2.9)	797 (66.4)	217 (18.1)	49 (4.1)	102 (8.5)
2018	1,232	33 (2.7)	859 (69.7)	198 (16.1)	50 (4.1)	92 (7.5)
2017	1,314	29 (2.2)	906 (68.9)	202 (15.4)	72 (5.5)	105 (8.0)
2016	1,388	51 (3.7)	972 (70.0)	209 (15.1)	59 (4.3)	97 (7.0)
2015	1,518	58 (3.8)	1,073 (70.7)	228 (15.0)	74 (4.9)	85 (5.6)
2014	1,459	58 (4.0)	996 (68.3)	235 (16.1)	61 (4.2)	109 (7.5)
2013	1,568	41 (2.6)	1,073 (68.4)	261 (16.6)	75 (4.8)	118 (7.5)
2012	1,762	46 (2.6)	1,195 (67.8)	313 (17.8)	88 (5.0)	120 (6.8)
2011	1,758	34 (1.9)	1,208 (68.7)	324 (18.4)	85 (4.8)	107 (6.1)
WATONWAN						
2019	188	4 (2.1)	130 (69.1)	28 (14.9)	5 (2.7)	21 (11.2)
2018	187	2 (1.1)	128 (68.4)	33 (17.6)	9 (4.8)	15 (8.0)
2017	207	3 (1.4)	137 (66.2)	38 (18.4)	14 (6.8)	15 (7.2)
2016	229	2 (<1)	150 (65.5)	46 (20.1)	12 (5.2)	19 (8.3)
2015	209	2 (1.0)	137 (65.6)	40 (19.1)	9 (4.3)	21 (10.0)
2014	216	3 (1.4)	124 (57.4)	45 (20.8)	14 (6.5)	30 (13.9)
2013	215	3 (1.4)	122 (56.7)	47 (21.9)	17 (7.9)	26 (12.1)
2012	256	7 (2.7)	158 (61.7)	41 (16.0)	17 (6.6)	33 (12.9)
2011	253	7 (2.8)	155 (61.3)	51 (20.2)	17 (6.7)	23 (9.1)
WINONA						
2019	278	9 (3.2)	177 (63.7)	46 (16.5)	13 (4.7)	33 (11.9)
2018	302	3 (1.0)	180 (59.6)	62 (20.5)	15 (5.0)	42 (13.9)
2017	339	5 (1.5)	202 (59.6)	65 (19.2)	14 (4.1)	53 (15.6)
2016	367	10 (2.7)	229 (62.4)	62 (16.9)	20 (5.4)	46 (12.5)
2015	380	10 (2.6)	243 (63.9)	67 (17.6)	20 (5.3)	40 (10.5)
2014	402	16 (4.0)	273 (67.9)	64 (15.9)	13 (3.2)	36 (9.0)
2013	450	19 (4.2)	302 (67.1)	78 (17.3)	17 (3.8)	34 (7.6)
2012	501	14 (2.8)	342 (68.3)	77 (15.4)	24 (4.8)	44 (8.8)
2011	497	15 (3.0)	335 (67.4)	86 (17.3)	28 (5.6)	33 (6.6)
WRIGHT						
2019	859	19 (2.2)	613 (71.4)	151 (17.6)	29 (3.4)	47 (5.5)
2018	914	27 (3.0)	648 (70.9)	156 (17.1)	33 (3.6)	50 (5.5)
2017	916	22 (2.4)	654 (71.4)	163 (17.8)	26 (2.8)	51 (5.6)
2016	1,026	22 (2.1)	721 (70.3)	183 (17.8)	50 (4.9)	50 (4.9)
2015	1,055	26 (2.5)	763 (72.3)	170 (16.1)	43 (4.1)	53 (5.0)
2014	1,053	33 (3.1)	735 (69.8)	201 (19.1)	37 (3.5)	47 (4.5)
2013	1,101	30 (2.7)	765 (69.5)	193 (17.5)	53 (4.8)	60 (5.4)
2012	1,217	25 (2.1)	888 (73.0)	192 (15.8)	46 (3.8)	66 (5.4)
2011	1,338	31 (2.3)	947 (70.8)	239 (17.9)	53 (4.0)	68 (5.1)

**** percentages suppressed if denominator <30

Weight Status in Children Ages 2 to 5 Years Participating in Minnesota WIC by Community Health Board (CHB) of Residence and Calendar Year Minnesota WIC Information System

CHB OF RESIDENCE ¹	Total ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
-------------------------------	--------------------	--------------------------	---------------------	-------------------------	--------------------	-------------------------

Suggested Citation: Minnesota WIC Information System. Weight Status in Minnesota WIC Children Ages 2 to 5 Years by Community Health Board of Residence by Calendar Year. Minnesota WIC Program. 2020.

For more information contact: Minnesota WIC Program 1 (800) 657-3942

CHB history: Nobles-Rock CHB separated to become Nobles and Rock in January 2012, and Rock joined Southwest CHB. Redwood-Renville separated in January 2013. Redwood joined Southwest in January 2013. Renville joined Kandiyohi in January 2013. Polk joined Norman-Mahnomen in January 2013. Cottonwood-Jackson became known as Des Moines Valley Health and Human Services in 2014. Becker, Clay, Otter Tail and Wilkin formed Partnership 4 Health in 2015. In 2016, Kanabec-Pine separated to become Kanabec and Pine. In 2017, Beltrami moved out of North Country CHB and Isanti-Mille Lacs separated to become Isanti and Mille Lacs. This report uses the 2017 CHB configuration for ease in multi-year comparisons.

¹ Last reported Community Health Board where children resided as of January of subsequent calendar year.

²Total children ages 2 to 5 years with weight status information. Analyses based on one randomly selected record per child. Excludes records with unknown data or errors. Biologically implausible values (BIV) for weight, height and BMI at a z score +5 were removed, which is consistent with previous MN WIC reports for years 2011 to 2016. For 2017 and later, BIV was defined for weight-for-age z score as <-5 or >8; height-for age z score as <-5 or >4; and BMI z score as <-4 or >8.

<https://www.cdc.gov/nccdphp/dnpao/growthcharts/resources/sas.htm>

These methodologies excluded <1% of all records.

³Total number in weight category (Percentage of total children). Based on 2000 CDC growth chart percentiles for children 2 years of age and older; underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, obese is defined as >= 95th percentile to <97.5 percentile, and very obese is defined as >=97.5 percentile.