

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>MINNESOTA</b>						
2021	21,891	498 (2.3)	5,945 (27.2)	6,548 (29.9)	4,386 (20.0)	4,514 (20.6)
2020	23,026	573 (2.5)	6,476 (28.1)	6,821 (29.6)	4,511 (19.6)	4,645 (20.2)
2019	22,560	576 (2.6)	6,703 (29.7)	6,560 (29.1)	4,453 (19.7)	4,268 (18.9)
2018	21,950	713 (3.2)	7,577 (34.5)	6,108 (27.8)	3,910 (17.8)	3,642 (16.6)
2017	23,990	754 (3.1)	8,641 (36.0)	6,717 (28.0)	4,113 (17.1)	3,765 (15.7)
2016	26,620	853 (3.2)	8,340 (31.3)	7,918 (29.7)	4,950 (18.6)	4,559 (17.1)
2015	25,289	858 (3.4)	9,629 (38.1)	7,068 (27.9)	4,159 (16.4)	3,575 (14.1)
2014	23,940	770 (3.2)	9,149 (38.2)	6,637 (27.7)	3,990 (16.7)	3,394 (14.2)
2013	24,510	790 (3.2)	9,555 (39.0)	6,646 (27.1)	3,999 (16.3)	3,520 (14.4)
2012	25,727	878 (3.4)	9,876 (38.4)	7,226 (28.1)	4,108 (16.0)	3,639 (14.1)
2011	25,084	744 (3.0)	9,611 (38.3)	6,982 (27.8)	4,140 (16.5)	3,607 (14.4)
<b>AITKIN</b>						
2021	45	0	14 (31.1)	9 (20.0)	12 (26.7)	10 (22.2)
2020	50	2 (4.0)	11 (22.0)	10 (20.0)	15 (30.0)	12 (24.0)
2019	56	1 (1.8)	18 (32.1)	11 (19.6)	11 (19.6)	15 (26.8)
2018	60	<5 (****)	18 (30.0)	16 (26.7)	15 (25.0)	9 (15.0)
2017	55	<5 (****)	23 (41.8)	9 (16.4)	10 (18.2)	11 (20.0)
2016	64	<5 (****)	21 (32.8)	17 (26.6)	12 (18.8)	13 (20.3)
2015	40	<5 (****)	15 (37.5)	14 (35.0)	5 (12.5)	<5 (****)
2014	53	0	22 (41.5)	12 (22.6)	12 (22.6)	7 (13.2)
2013	54	<5 (****)	25 (46.3)	12 (22.2)	5 (9.3)	10 (18.5)
2012	66	6 (9.1)	20 (30.3)	14 (21.2)	15 (22.7)	11 (16.7)
2011	59	<5 (****)	24 (40.7)	18 (30.5)	10 (16.9)	6 (10.2)
<b>ANOKA</b>						
2021	1,303	34 (2.6)	356 (27.3)	419 (32.2)	262 (20.1)	232 (17.8)
2020	1,376	33 (2.4)	392 (28.5)	448 (32.6)	266 (19.3)	237 (17.2)
2019	1,336	27 (2.0)	387 (29.0)	375 (28.1)	294 (22.0)	253 (18.9)
2018	991	34 (3.4)	324 (32.7)	294 (29.7)	179 (18.1)	160 (16.1)
2017	1,051	30 (2.9)	397 (37.8)	286 (27.2)	197 (18.7)	141 (13.4)
2016	1,288	29 (2.3)	405 (31.4)	396 (30.7)	243 (18.9)	215 (16.7)
2015	1,120	33 (2.9)	427 (38.1)	319 (28.5)	189 (16.9)	152 (13.6)
2014	1,124	41 (3.6)	453 (40.3)	314 (27.9)	188 (16.7)	128 (11.4)
2013	1,160	48 (4.1)	483 (41.6)	281 (24.2)	175 (15.1)	173 (14.9)
2012	1,166	41 (3.5)	464 (39.8)	350 (30.0)	169 (14.5)	142 (12.2)
2011	1,246	42 (3.4)	495 (39.7)	344 (27.6)	190 (15.2)	175 (14.0)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>BECKER</b>						
2021	142	2 (1.4)	28 (19.7)	52 (36.6)	21 (14.8)	39 (27.5)
2020	161	3 (1.9)	46 (28.6)	48 (29.8)	34 (21.1)	30 (18.6)
2019	179	5 (2.8)	54 (30.2)	48 (26.8)	38 (21.2)	34 (19.0)
2018	159	<5 (****)	53 (33.3)	47 (29.6)	25 (15.7)	32 (20.1)
2017	160	<5 (****)	56 (35.0)	34 (21.2)	34 (21.2)	33 (20.6)
2016	184	5 (2.7)	70 (38.0)	40 (21.7)	36 (19.6)	33 (17.9)
2015	155	5 (3.2)	63 (40.6)	42 (27.1)	21 (13.5)	24 (15.5)
2014	182	<5 (****)	60 (33.0)	50 (27.5)	36 (19.8)	33 (18.1)
2013	217	<5 (****)	80 (36.9)	61 (28.1)	35 (16.1)	37 (17.1)
2012	220	15 (6.8)	91 (41.4)	58 (26.4)	24 (10.9)	32 (14.5)
2011	226	7 (3.1)	90 (39.8)	50 (22.1)	39 (17.3)	40 (17.7)
<b>BELTRAMI</b>						
2021	307	3 (1.0)	67 (21.8)	88 (28.7)	66 (21.5)	83 (27.0)
2020	341	1 (<1)	90 (26.4)	84 (24.6)	75 (22.0)	91 (26.7)
2019	376	3 (<1)	104 (27.7)	103 (27.4)	80 (21.3)	86 (22.9)
2018	317	<5 (****)	112 (35.3)	68 (21.5)	66 (20.8)	67 (21.1)
2017	338	13 (3.8)	106 (31.4)	84 (24.9)	64 (18.9)	71 (21.0)
2016	351	13 (3.7)	105 (29.9)	100 (28.5)	57 (16.2)	76 (21.7)
2015	351	9 (2.6)	111 (31.6)	112 (31.9)	57 (16.2)	62 (17.7)
2014	384	13 (3.4)	130 (33.9)	99 (25.8)	76 (19.8)	66 (17.2)
2013	426	9 (2.1)	140 (32.9)	113 (26.5)	73 (17.1)	91 (21.4)
2012	447	15 (3.4)	162 (36.2)	111 (24.8)	70 (15.7)	89 (19.9)
2011	466	16 (3.4)	165 (35.4)	119 (25.5)	78 (16.7)	88 (18.9)
<b>BENTON</b>						
2021	197	10 (5.1)	63 (32.0)	52 (26.4)	29 (14.7)	43 (21.8)
2020	185	6 (3.2)	45 (24.3)	63 (34.1)	30 (16.2)	41 (22.2)
2019	215	13 (6.0)	54 (25.1)	56 (26.0)	43 (20.0)	49 (22.8)
2018	143	5 (3.5)	47 (32.9)	41 (28.7)	26 (18.2)	24 (16.8)
2017	163	9 (5.5)	60 (36.8)	48 (29.4)	21 (12.9)	25 (15.3)
2016	233	15 (6.4)	69 (29.6)	59 (25.3)	40 (17.2)	50 (21.5)
2015	184	7 (3.8)	54 (29.3)	49 (26.6)	36 (19.6)	38 (20.7)
2014	167	5 (3.0)	55 (32.9)	44 (26.3)	32 (19.2)	31 (18.6)
2013	172	5 (2.9)	71 (41.3)	37 (21.5)	28 (16.3)	31 (18.0)
2012	204	7 (3.4)	74 (36.3)	59 (28.9)	38 (18.6)	26 (12.7)
2011	175	<5 (****)	57 (32.6)	54 (30.9)	23 (13.1)	37 (21.1)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>BIG STONE</b>						
2021	24	2 (****)	2 (****)	10 (****)	5 (****)	5 (****)
2020	21	3 (****)	4 (****)	7 (****)	4 (****)	3 (****)
2019	25	0	7 (****)	6 (****)	4 (****)	8 (****)
2018	26	<5 (****)	14 (****)	<5 (****)	5 (****)	<5 (****)
2017	35	<5 (****)	8 (22.9)	8 (22.9)	5 (14.3)	12 (34.3)
2016	27	0	7 (****)	<5 (****)	6 (****)	10 (****)
2015	20	<5 (****)	<5 (****)	5 (****)	<5 (****)	6 (****)
2014	20	0	10 (****)	<5 (****)	5 (****)	<5 (****)
2013	34	<5 (****)	11 (32.4)	10 (29.4)	<5 (****)	9 (26.5)
2012	30	0	8 (26.7)	9 (30.0)	5 (16.7)	8 (26.7)
2011	39	<5 (****)	14 (35.9)	13 (33.3)	5 (12.8)	6 (15.4)
<b>BLUE EARTH</b>						
2021	253	4 (1.6)	70 (27.7)	77 (30.4)	48 (19.0)	54 (21.3)
2020	273	6 (2.2)	78 (28.6)	70 (25.6)	53 (19.4)	66 (24.2)
2019	260	9 (3.5)	83 (31.9)	61 (23.5)	56 (21.5)	51 (19.6)
2018	238	9 (3.8)	85 (35.7)	67 (28.2)	39 (16.4)	38 (16.0)
2017	231	5 (2.2)	74 (32.0)	66 (28.6)	50 (21.6)	36 (15.6)
2016	284	8 (2.8)	76 (26.8)	85 (29.9)	58 (20.4)	57 (20.1)
2015	263	7 (2.7)	115 (43.7)	59 (22.4)	40 (15.2)	42 (16.0)
2014	241	5 (2.1)	99 (41.1)	64 (26.6)	41 (17.0)	32 (13.3)
2013	232	9 (3.9)	91 (39.2)	62 (26.7)	36 (15.5)	34 (14.7)
2012	263	14 (5.3)	109 (41.4)	59 (22.4)	47 (17.9)	34 (12.9)
2011	234	8 (3.4)	103 (44.0)	47 (20.1)	35 (15.0)	41 (17.5)
<b>BROWN</b>						
2021	91	2 (2.2)	24 (26.4)	21 (23.1)	14 (15.4)	30 (33.0)
2020	113	4 (3.5)	20 (17.7)	33 (29.2)	19 (16.8)	37 (32.7)
2019	94	5 (5.3)	26 (27.7)	25 (26.6)	14 (14.9)	24 (25.5)
2018	90	<5 (****)	28 (31.1)	20 (22.2)	18 (20.0)	21 (23.3)
2017	90	<5 (****)	30 (33.3)	22 (24.4)	15 (16.7)	21 (23.3)
2016	119	<5 (****)	35 (29.4)	30 (25.2)	22 (18.5)	31 (26.1)
2015	104	<5 (****)	41 (39.4)	18 (17.3)	18 (17.3)	23 (22.1)
2014	101	<5 (****)	46 (45.5)	24 (23.8)	13 (12.9)	14 (13.9)
2013	129	5 (3.9)	55 (42.6)	23 (17.8)	28 (21.7)	18 (14.0)
2012	119	5 (4.2)	51 (42.9)	22 (18.5)	20 (16.8)	21 (17.6)
2011	115	<5 (****)	46 (40.0)	29 (25.2)	16 (13.9)	20 (17.4)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>CARLTON</b>						
2021	138	2 (1.4)	34 (24.6)	39 (28.3)	27 (19.6)	36 (26.1)
2020	149	3 (2.0)	32 (21.5)	43 (28.9)	33 (22.1)	38 (25.5)
2019	150	1 (<1)	43 (28.7)	44 (29.3)	24 (16.0)	38 (25.3)
2018	136	5 (3.7)	44 (32.4)	42 (30.9)	22 (16.2)	23 (16.9)
2017	145	6 (4.1)	51 (35.2)	40 (27.6)	26 (17.9)	22 (15.2)
2016	152	6 (3.9)	47 (30.9)	46 (30.3)	25 (16.4)	28 (18.4)
2015	156	6 (3.8)	55 (35.3)	39 (25.0)	27 (17.3)	29 (18.6)
2014	159	6 (3.8)	62 (39.0)	42 (26.4)	30 (18.9)	19 (11.9)
2013	155	6 (3.9)	66 (42.6)	36 (23.2)	24 (15.5)	23 (14.8)
2012	169	<5 (****)	80 (47.3)	40 (23.7)	25 (14.8)	20 (11.8)
2011	177	5 (2.8)	64 (36.2)	49 (27.7)	40 (22.6)	19 (10.7)
<b>CARVER</b>						
2021	141	6 (4.3)	43 (30.5)	47 (33.3)	23 (16.3)	22 (15.6)
2020	167	8 (4.8)	52 (31.1)	45 (26.9)	28 (16.8)	34 (20.4)
2019	138	3 (2.2)	40 (29.0)	36 (26.1)	29 (21.0)	30 (21.7)
2018	121	7 (5.8)	36 (29.8)	39 (32.2)	15 (12.4)	24 (19.8)
2017	174	5 (2.9)	59 (33.9)	55 (31.6)	31 (17.8)	24 (13.8)
2016	167	<5 (****)	60 (35.9)	44 (26.3)	28 (16.8)	31 (18.6)
2015	167	5 (3.0)	65 (38.9)	46 (27.5)	29 (17.4)	22 (13.2)
2014	142	<5 (****)	42 (29.6)	46 (32.4)	32 (22.5)	18 (12.7)
2013	169	6 (3.6)	72 (42.6)	33 (19.5)	34 (20.1)	24 (14.2)
2012	155	7 (4.5)	65 (41.9)	35 (22.6)	31 (20.0)	17 (11.0)
2011	153	5 (3.3)	68 (44.4)	41 (26.8)	24 (15.7)	15 (9.8)
<b>CASS</b>						
2021	144	4 (2.8)	36 (25.0)	44 (30.6)	25 (17.4)	35 (24.3)
2020	157	0	37 (23.6)	44 (28.0)	36 (22.9)	40 (25.5)
2019	158	2 (1.3)	44 (27.8)	46 (29.1)	30 (19.0)	36 (22.8)
2018	156	6 (3.8)	49 (31.4)	39 (25.0)	36 (23.1)	26 (16.7)
2017	148	<5 (****)	53 (35.8)	35 (23.6)	29 (19.6)	29 (19.6)
2016	204	5 (2.5)	78 (38.2)	52 (25.5)	36 (17.6)	33 (16.2)
2015	176	9 (5.1)	55 (31.2)	52 (29.5)	30 (17.0)	30 (17.0)
2014	211	<5 (****)	90 (42.7)	46 (21.8)	39 (18.5)	34 (16.1)
2013	203	6 (3.0)	78 (38.4)	55 (27.1)	36 (17.7)	28 (13.8)
2012	216	7 (3.2)	85 (39.4)	51 (23.6)	38 (17.6)	35 (16.2)
2011	221	7 (3.2)	92 (41.6)	62 (28.1)	26 (11.8)	34 (15.4)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>CHIPPEWA</b>						
2021	86	1 (1.2)	18 (20.9)	25 (29.1)	17 (19.8)	25 (29.1)
2020	70	3 (4.3)	9 (12.9)	16 (22.9)	13 (18.6)	29 (41.4)
2019	58	1 (1.7)	9 (15.5)	23 (39.7)	10 (17.2)	15 (25.9)
2018	75	<5 (****)	27 (36.0)	21 (28.0)	10 (13.3)	14 (18.7)
2017	79	<5 (****)	29 (36.7)	16 (20.3)	13 (16.5)	19 (24.1)
2016	81	<5 (****)	18 (22.2)	30 (37.0)	18 (22.2)	14 (17.3)
2015	94	<5 (****)	35 (37.2)	21 (22.3)	19 (20.2)	16 (17.0)
2014	85	<5 (****)	24 (28.2)	18 (21.2)	21 (24.7)	18 (21.2)
2013	73	<5 (****)	33 (45.2)	12 (16.4)	9 (12.3)	15 (20.5)
2012	103	<5 (****)	33 (32.0)	27 (26.2)	21 (20.4)	18 (17.5)
2011	74	<5 (****)	22 (29.7)	20 (27.0)	15 (20.3)	14 (18.9)
<b>CHISAGO</b>						
2021	140	1 (<1)	41 (29.3)	46 (32.9)	22 (15.7)	30 (21.4)
2020	143	7 (4.9)	38 (26.6)	42 (29.4)	30 (21.0)	26 (18.2)
2019	148	3 (2.0)	47 (31.8)	39 (26.4)	29 (19.6)	30 (20.3)
2018	115	8 (7.0)	44 (38.3)	26 (22.6)	18 (15.7)	19 (16.5)
2017	129	<5 (****)	41 (31.8)	35 (27.1)	24 (18.6)	25 (19.4)
2016	180	7 (3.9)	59 (32.8)	51 (28.3)	24 (13.3)	39 (21.7)
2015	150	<5 (****)	62 (41.3)	33 (22.0)	24 (16.0)	28 (18.7)
2014	140	<5 (****)	56 (40.0)	38 (27.1)	23 (16.4)	21 (15.0)
2013	149	9 (6.0)	56 (37.6)	30 (20.1)	23 (15.4)	31 (20.8)
2012	178	<5 (****)	76 (42.7)	54 (30.3)	23 (12.9)	23 (12.9)
2011	163	7 (4.3)	46 (28.2)	48 (29.4)	24 (14.7)	38 (23.3)
<b>CLAY</b>						
2021	178	5 (2.8)	55 (30.9)	58 (32.6)	31 (17.4)	29 (16.3)
2020	217	3 (1.4)	67 (30.9)	63 (29.0)	43 (19.8)	41 (18.9)
2019	274	7 (2.6)	92 (33.6)	71 (25.9)	47 (17.2)	57 (20.8)
2018	279	9 (3.2)	106 (38.0)	59 (21.1)	53 (19.0)	52 (18.6)
2017	295	8 (2.7)	97 (32.9)	93 (31.5)	47 (15.9)	50 (16.9)
2016	267	5 (1.9)	80 (30.0)	66 (24.7)	59 (22.1)	57 (21.3)
2015	280	9 (3.2)	108 (38.6)	66 (23.6)	53 (18.9)	44 (15.7)
2014	253	8 (3.2)	90 (35.6)	69 (27.3)	44 (17.4)	42 (16.6)
2013	263	5 (1.9)	91 (34.6)	64 (24.3)	60 (22.8)	43 (16.3)
2012	272	7 (2.6)	95 (34.9)	70 (25.7)	53 (19.5)	47 (17.3)
2011	301	9 (3.0)	110 (36.5)	81 (26.9)	57 (18.9)	44 (14.6)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>CLEARWATER</b>						
2021	42	1 (2.4)	9 (21.4)	15 (35.7)	7 (16.7)	10 (23.8)
2020	51	0	24 (47.1)	6 (11.8)	10 (19.6)	11 (21.6)
2019	52	0	12 (23.1)	14 (26.9)	13 (25.0)	13 (25.0)
2018	39	<5 (****)	10 (25.6)	9 (23.1)	10 (25.6)	9 (23.1)
2017	46	<5 (****)	15 (32.6)	15 (32.6)	<5 (****)	11 (23.9)
2016	60	<5 (****)	21 (35.0)	14 (23.3)	13 (21.7)	11 (18.3)
2015	43	0	17 (39.5)	10 (23.3)	11 (25.6)	5 (11.6)
2014	48	<5 (****)	16 (33.3)	11 (22.9)	11 (22.9)	9 (18.8)
2013	56	0	19 (33.9)	15 (26.8)	12 (21.4)	10 (17.9)
2012	51	<5 (****)	16 (31.4)	15 (29.4)	9 (17.6)	7 (13.7)
2011	56	<5 (****)	19 (33.9)	16 (28.6)	11 (19.6)	9 (16.1)
<b>COOK</b>						
2021	13	0	5 (****)	3 (****)	2 (****)	3 (****)
2020	14	0	4 (****)	2 (****)	2 (****)	6 (****)
2019	12	0	6 (****)	4 (****)	1 (****)	1 (****)
2018	19	0	8 (****)	6 (****)	5 (****)	0
2017	30	0	14 (46.7)	10 (33.3)	<5 (****)	<5 (****)
2016	32	<5 (****)	15 (46.9)	5 (15.6)	<5 (****)	7 (21.9)
2015	23	0	10 (****)	6 (****)	<5 (****)	<5 (****)
2014	27	0	9 (****)	7 (****)	<5 (****)	7 (****)
2013	24	<5 (****)	6 (****)	5 (****)	7 (****)	<5 (****)
2012	26	<5 (****)	13 (****)	7 (****)	<5 (****)	<5 (****)
2011	34	<5 (****)	12 (35.3)	9 (26.5)	5 (14.7)	7 (20.6)
<b>COTTONWOOD</b>						
2021	71	1 (1.4)	22 (31.0)	15 (21.1)	20 (28.2)	13 (18.3)
2020	66	2 (3.0)	18 (27.3)	23 (34.8)	11 (16.7)	12 (18.2)
2019	68	3 (4.4)	16 (23.5)	21 (30.9)	12 (17.6)	16 (23.5)
2018	55	0	19 (34.5)	15 (27.3)	10 (18.2)	11 (20.0)
2017	73	<5 (****)	30 (41.1)	23 (31.5)	9 (12.3)	9 (12.3)
2016	72	0	20 (27.8)	24 (33.3)	18 (25.0)	10 (13.9)
2015	67	<5 (****)	23 (34.3)	21 (31.3)	13 (19.4)	8 (11.9)
2014	63	<5 (****)	27 (42.9)	20 (31.7)	7 (11.1)	7 (11.1)
2013	64	<5 (****)	26 (40.6)	13 (20.3)	9 (14.1)	15 (23.4)
2012	77	<5 (****)	34 (44.2)	19 (24.7)	13 (16.9)	7 (9.1)
2011	90	<5 (****)	37 (41.1)	27 (30.0)	11 (12.2)	11 (12.2)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>CROW WING</b>						
2021	261	1 (<1)	81 (31.0)	56 (21.5)	56 (21.5)	67 (25.7)
2020	265	9 (3.4)	85 (32.1)	56 (21.1)	53 (20.0)	62 (23.4)
2019	279	5 (1.8)	84 (30.1)	76 (27.2)	54 (19.4)	60 (21.5)
2018	224	14 (6.2)	78 (34.8)	49 (21.9)	29 (12.9)	54 (24.1)
2017	293	8 (2.7)	111 (37.9)	78 (26.6)	38 (13.0)	58 (19.8)
2016	322	11 (3.4)	111 (34.5)	79 (24.5)	53 (16.5)	68 (21.1)
2015	324	12 (3.7)	117 (36.1)	90 (27.8)	58 (17.9)	47 (14.5)
2014	306	9 (2.9)	124 (40.5)	83 (27.1)	40 (13.1)	50 (16.3)
2013	329	14 (4.3)	122 (37.1)	85 (25.8)	54 (16.4)	54 (16.4)
2012	386	18 (4.7)	152 (39.4)	97 (25.1)	57 (14.8)	62 (16.1)
2011	368	14 (3.8)	137 (37.2)	84 (22.8)	75 (20.4)	58 (15.8)
<b>DAKOTA</b>						
2021	1,395	28 (2.0)	382 (27.4)	443 (31.8)	273 (19.6)	269 (19.3)
2020	1,435	29 (2.0)	409 (28.5)	420 (29.3)	285 (19.9)	292 (20.3)
2019	1,268	33 (2.6)	370 (29.2)	381 (30.0)	269 (21.2)	215 (17.0)
2018	1,203	32 (2.7)	414 (34.4)	374 (31.1)	232 (19.3)	151 (12.6)
2017	1,255	35 (2.8)	471 (37.5)	349 (27.8)	199 (15.9)	201 (16.0)
2016	1,495	49 (3.3)	465 (31.1)	466 (31.2)	280 (18.7)	235 (15.7)
2015	1,306	51 (3.9)	488 (37.4)	375 (28.7)	212 (16.2)	180 (13.8)
2014	1,237	40 (3.2)	497 (40.2)	342 (27.6)	201 (16.2)	157 (12.7)
2013	1,262	41 (3.2)	478 (37.9)	351 (27.8)	211 (16.7)	181 (14.3)
2012	1,444	41 (2.8)	554 (38.4)	426 (29.5)	226 (15.7)	197 (13.6)
2011	1,409	39 (2.8)	535 (38.0)	394 (28.0)	252 (17.9)	189 (13.4)
<b>DODGE</b>						
2021	64	1 (1.6)	17 (26.6)	16 (25.0)	9 (14.1)	21 (32.8)
2020	63	1 (1.6)	18 (28.6)	15 (23.8)	16 (25.4)	13 (20.6)
2019	78	4 (5.1)	23 (29.5)	21 (26.9)	15 (19.2)	15 (19.2)
2018	62	<5 (****)	23 (37.1)	18 (29.0)	9 (14.5)	9 (14.5)
2017	70	<5 (****)	25 (35.7)	22 (31.4)	16 (22.9)	6 (8.6)
2016	86	<5 (****)	33 (38.4)	20 (23.3)	19 (22.1)	13 (15.1)
2015	92	<5 (****)	30 (32.6)	22 (23.9)	23 (25.0)	15 (16.3)
2014	87	<5 (****)	35 (40.2)	17 (19.5)	14 (16.1)	17 (19.5)
2013	93	<5 (****)	34 (36.6)	18 (19.4)	17 (18.3)	21 (22.6)
2012	102	<5 (****)	38 (37.3)	16 (15.7)	22 (21.6)	22 (21.6)
2011	100	<5 (****)	37 (37.0)	28 (28.0)	17 (17.0)	14 (14.0)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>DOUGLAS</b>						
2021	116	2 (1.7)	31 (26.7)	23 (19.8)	18 (15.5)	42 (36.2)
2020	136	1 (<1)	39 (28.7)	32 (23.5)	23 (16.9)	41 (30.1)
2019	128	7 (5.5)	34 (26.6)	28 (21.9)	26 (20.3)	33 (25.8)
2018	126	5 (4.0)	46 (36.5)	25 (19.8)	21 (16.7)	29 (23.0)
2017	123	<5 (****)	41 (33.3)	16 (13.0)	26 (21.1)	37 (30.1)
2016	145	<5 (****)	38 (26.2)	47 (32.4)	33 (22.8)	23 (15.9)
2015	145	<5 (****)	53 (36.6)	37 (25.5)	24 (16.6)	29 (20.0)
2014	159	5 (3.1)	55 (34.6)	36 (22.6)	26 (16.4)	37 (23.3)
2013	179	<5 (****)	65 (36.3)	46 (25.7)	33 (18.4)	33 (18.4)
2012	163	8 (4.9)	65 (39.9)	37 (22.7)	27 (16.6)	26 (16.0)
2011	155	<5 (****)	64 (41.3)	35 (22.6)	33 (21.3)	22 (14.2)
<b>FARIBAULT</b>						
2021	56	3 (5.4)	11 (19.6)	13 (23.2)	12 (21.4)	17 (30.4)
2020	54	1 (1.9)	12 (22.2)	18 (33.3)	8 (14.8)	15 (27.8)
2019	63	1 (1.6)	15 (23.8)	21 (33.3)	7 (11.1)	19 (30.2)
2018	64	<5 (****)	19 (29.7)	13 (20.3)	16 (25.0)	15 (23.4)
2017	61	<5 (****)	13 (21.3)	11 (18.0)	14 (23.0)	22 (36.1)
2016	76	0	25 (32.9)	21 (27.6)	12 (15.8)	18 (23.7)
2015	65	<5 (****)	15 (23.1)	19 (29.2)	15 (23.1)	14 (21.5)
2014	71	<5 (****)	19 (26.8)	18 (25.4)	13 (18.3)	18 (25.4)
2013	68	<5 (****)	23 (33.8)	16 (23.5)	7 (10.3)	18 (26.5)
2012	81	<5 (****)	29 (35.8)	22 (27.2)	13 (16.0)	15 (18.5)
2011	66	<5 (****)	21 (31.8)	20 (30.3)	9 (13.6)	15 (22.7)
<b>FILLMORE</b>						
2021	70	2 (2.9)	19 (27.1)	22 (31.4)	8 (11.4)	19 (27.1)
2020	69	3 (4.3)	12 (17.4)	26 (37.7)	10 (14.5)	18 (26.1)
2019	82	1 (1.2)	27 (32.9)	26 (31.7)	17 (20.7)	11 (13.4)
2018	67	4 (6.0)	15 (22.4)	22 (32.8)	19 (28.4)	7 (10.4)
2017	85	<5 (****)	26 (30.6)	23 (27.1)	14 (16.5)	20 (23.5)
2016	90	<5 (****)	28 (31.1)	26 (28.9)	13 (14.4)	20 (22.2)
2015	84	<5 (****)	27 (32.1)	28 (33.3)	9 (10.7)	18 (21.4)
2014	97	<5 (****)	32 (33.0)	18 (18.6)	21 (21.6)	24 (24.7)
2013	76	<5 (****)	27 (35.5)	19 (25.0)	10 (13.2)	16 (21.1)
2012	80	<5 (****)	28 (35.0)	17 (21.2)	10 (12.5)	22 (27.5)
2011	77	5 (6.5)	23 (29.9)	19 (24.7)	21 (27.3)	9 (11.7)



Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>FREEBORN</b>						
2021	164	2 (1.2)	35 (21.3)	47 (28.7)	34 (20.7)	46 (28.0)
2020	175	5 (2.9)	45 (25.7)	55 (31.4)	23 (13.1)	47 (26.9)
2019	182	1 (<1)	49 (26.9)	51 (28.0)	40 (22.0)	41 (22.5)
2018	143	3 (2.1)	44 (30.8)	34 (23.8)	27 (18.9)	35 (24.5)
2017	181	<5 (****)	62 (34.3)	42 (23.2)	42 (23.2)	34 (18.8)
2016	172	7 (4.1)	43 (25.0)	43 (25.0)	45 (26.2)	34 (19.8)
2015	179	6 (3.4)	69 (38.5)	44 (24.6)	27 (15.1)	33 (18.4)
2014	189	7 (3.7)	68 (36.0)	55 (29.1)	28 (14.8)	31 (16.4)
2013	214	8 (3.7)	79 (36.9)	57 (26.6)	32 (15.0)	38 (17.8)
2012	230	11 (4.8)	65 (28.3)	60 (26.1)	40 (17.4)	54 (23.5)
2011	219	10 (4.6)	91 (41.6)	49 (22.4)	33 (15.1)	36 (16.4)
<b>GOODHUE</b>						
2021	131	5 (3.8)	39 (29.8)	29 (22.1)	26 (19.8)	32 (24.4)
2020	146	5 (3.4)	41 (28.1)	38 (26.0)	26 (17.8)	36 (24.7)
2019	146	1 (<1)	39 (26.7)	38 (26.0)	29 (19.9)	39 (26.7)
2018	139	3 (2.2)	48 (34.5)	33 (23.7)	22 (15.8)	33 (23.7)
2017	142	5 (3.5)	39 (27.5)	39 (27.5)	19 (13.4)	40 (28.2)
2016	176	<5 (****)	55 (31.2)	41 (23.3)	26 (14.8)	51 (29.0)
2015	146	5 (3.4)	54 (37.0)	37 (25.3)	29 (19.9)	21 (14.4)
2014	159	7 (4.4)	54 (34.0)	42 (26.4)	23 (14.5)	33 (20.8)
2013	135	<5 (****)	48 (35.6)	32 (23.7)	23 (17.0)	28 (20.7)
2012	158	<5 (****)	60 (38.0)	50 (31.6)	21 (13.3)	24 (15.2)
2011	183	<5 (****)	59 (32.2)	54 (29.5)	28 (15.3)	40 (21.9)
<b>GRANT</b>						
2021	29	0	10 (****)	7 (****)	8 (****)	4 (****)
2020	24	2 (****)	6 (****)	5 (****)	4 (****)	7 (****)
2019	25	0	6 (****)	5 (****)	3 (****)	11 (****)
2018	20	0	8 (****)	2 (****)	5 (****)	5 (****)
2017	25	0	9 (****)	11 (****)	<5 (****)	<5 (****)
2016	35	<5 (****)	12 (34.3)	<5 (****)	7 (20.0)	10 (28.6)
2015	24	<5 (****)	11 (****)	<5 (****)	5 (****)	<5 (****)
2014	29	<5 (****)	8 (****)	5 (****)	<5 (****)	10 (****)
2013	43	<5 (****)	14 (32.6)	9 (20.9)	7 (16.3)	12 (27.9)
2012	29	0	16 (****)	<5 (****)	5 (****)	5 (****)
2011	40	0	18 (45.0)	10 (25.0)	<5 (****)	9 (22.5)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>HENNEPIN</b>						
2021	4,517	100 (2.2)	1,168 (25.9)	1,416 (31.3)	992 (22.0)	841 (18.6)
2020	4,846	114 (2.4)	1,323 (27.3)	1,467 (30.3)	1,027 (21.2)	915 (18.9)
2019	4,546	116 (2.6)	1,362 (30.0)	1,376 (30.3)	938 (20.6)	754 (16.6)
2018	4,527	153 (3.4)	1,586 (35.0)	1,345 (29.7)	822 (18.2)	621 (13.7)
2017	5,318	166 (3.1)	1,982 (37.3)	1,571 (29.5)	886 (16.7)	713 (13.4)
2016	5,874	195 (3.3)	1,801 (30.7)	1,847 (31.4)	1,141 (19.4)	890 (15.2)
2015	5,819	170 (2.9)	2,203 (37.9)	1,786 (30.7)	934 (16.1)	726 (12.5)
2014	5,294	155 (2.9)	2,048 (38.7)	1,548 (29.2)	887 (16.8)	656 (12.4)
2013	5,181	169 (3.3)	2,000 (38.6)	1,527 (29.5)	859 (16.6)	626 (12.1)
2012	5,459	171 (3.1)	2,058 (37.7)	1,691 (31.0)	867 (15.9)	672 (12.3)
2011	5,257	150 (2.9)	2,046 (38.9)	1,536 (29.2)	864 (16.4)	661 (12.6)
<b>HOUSTON</b>						
2021	21	1 (****)	9 (****)	4 (****)	3 (****)	4 (****)
2020	31	3 (9.7)	5 (16.1)	8 (25.8)	5 (16.1)	10 (32.3)
2019	36	2 (5.6)	15 (41.7)	11 (30.6)	2 (5.6)	6 (16.7)
2018	38	1 (2.6)	8 (21.1)	12 (31.6)	8 (21.1)	9 (23.7)
2017	59	<5 (****)	21 (35.6)	13 (22.0)	9 (15.3)	12 (20.3)
2016	47	<5 (****)	19 (40.4)	11 (23.4)	5 (10.6)	8 (17.0)
2015	53	<5 (****)	25 (47.2)	14 (26.4)	6 (11.3)	5 (9.4)
2014	55	<5 (****)	21 (38.2)	18 (32.7)	5 (9.1)	9 (16.4)
2013	46	<5 (****)	18 (39.1)	13 (28.3)	6 (13.0)	5 (10.9)
2012	51	<5 (****)	21 (41.2)	13 (25.5)	11 (21.6)	5 (9.8)
2011	57	5 (8.8)	15 (26.3)	21 (36.8)	9 (15.8)	7 (12.3)
<b>HUBBARD</b>						
2021	114	1 (<1)	37 (32.5)	31 (27.2)	21 (18.4)	24 (21.1)
2020	108	1 (<1)	37 (34.3)	29 (26.9)	19 (17.6)	22 (20.4)
2019	98	2 (2.0)	36 (36.7)	20 (20.4)	16 (16.3)	24 (24.5)
2018	103	1 (1.0)	32 (31.1)	28 (27.2)	21 (20.4)	21 (20.4)
2017	110	5 (4.5)	39 (35.5)	28 (25.5)	14 (12.7)	24 (21.8)
2016	107	5 (4.7)	25 (23.4)	34 (31.8)	15 (14.0)	28 (26.2)
2015	119	<5 (****)	50 (42.0)	28 (23.5)	15 (12.6)	23 (19.3)
2014	114	<5 (****)	57 (50.0)	26 (22.8)	11 (9.6)	19 (16.7)
2013	128	<5 (****)	55 (43.0)	25 (19.5)	22 (17.2)	23 (18.0)
2012	118	<5 (****)	49 (41.5)	33 (28.0)	15 (12.7)	18 (15.3)
2011	101	6 (5.9)	35 (34.7)	28 (27.7)	11 (10.9)	21 (20.8)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>ISANTI</b>						
2021	183	3 (1.6)	50 (27.3)	54 (29.5)	36 (19.7)	40 (21.9)
2020	171	5 (2.9)	49 (28.7)	48 (28.1)	32 (18.7)	37 (21.6)
2019	176	3 (1.7)	43 (24.4)	52 (29.5)	42 (23.9)	36 (20.5)
2018	173	0	64 (37.0)	44 (25.4)	33 (19.1)	32 (18.5)
2017	159	8 (5.0)	54 (34.0)	49 (30.8)	24 (15.1)	24 (15.1)
2016	175	5 (2.9)	50 (28.6)	53 (30.3)	36 (20.6)	31 (17.7)
2015	190	8 (4.2)	83 (43.7)	49 (25.8)	25 (13.2)	25 (13.2)
2014	173	6 (3.5)	65 (37.6)	51 (29.5)	25 (14.5)	26 (15.0)
2013	194	<5 (****)	85 (43.8)	50 (25.8)	28 (14.4)	27 (13.9)
2012	205	9 (4.4)	92 (44.9)	43 (21.0)	27 (13.2)	34 (16.6)
2011	202	9 (4.5)	93 (46.0)	54 (26.7)	19 (9.4)	27 (13.4)
<b>ITASCA</b>						
2021	183	4 (2.2)	50 (27.3)	44 (24.0)	36 (19.7)	49 (26.8)
2020	174	2 (1.1)	55 (31.6)	51 (29.3)	29 (16.7)	37 (21.3)
2019	196	1 (<1)	63 (32.1)	51 (26.0)	35 (17.9)	46 (23.5)
2018	178	6 (3.4)	56 (31.5)	50 (28.1)	25 (14.0)	41 (23.0)
2017	209	9 (4.3)	73 (34.9)	49 (23.4)	35 (16.7)	43 (20.6)
2016	230	<5 (****)	78 (33.9)	51 (22.2)	42 (18.3)	57 (24.8)
2015	219	8 (3.7)	72 (32.9)	53 (24.2)	43 (19.6)	43 (19.6)
2014	224	5 (2.2)	82 (36.6)	53 (23.7)	36 (16.1)	48 (21.4)
2013	214	7 (3.3)	62 (29.0)	57 (26.6)	37 (17.3)	51 (23.8)
2012	244	<5 (****)	75 (30.7)	61 (25.0)	39 (16.0)	65 (26.6)
2011	233	5 (2.1)	70 (30.0)	72 (30.9)	39 (16.7)	47 (20.2)
<b>JACKSON</b>						
2021	34	1 (2.9)	7 (20.6)	9 (26.5)	5 (14.7)	12 (35.3)
2020	36	1 (2.8)	10 (27.8)	11 (30.6)	8 (22.2)	6 (16.7)
2019	44	2 (4.5)	12 (27.3)	11 (25.0)	8 (18.2)	11 (25.0)
2018	28	<5 (****)	9 (****)	<5 (****)	6 (****)	9 (****)
2017	36	<5 (****)	11 (30.6)	8 (22.2)	9 (25.0)	7 (19.4)
2016	39	<5 (****)	7 (17.9)	11 (28.2)	7 (17.9)	13 (33.3)
2015	34	<5 (****)	16 (47.1)	8 (23.5)	<5 (****)	6 (17.6)
2014	42	<5 (****)	17 (40.5)	10 (23.8)	5 (11.9)	9 (21.4)
2013	32	0	14 (43.8)	7 (21.9)	7 (21.9)	<5 (****)
2012	41	<5 (****)	15 (36.6)	14 (34.1)	7 (17.1)	<5 (****)
2011	43	0	18 (41.9)	5 (11.6)	11 (25.6)	9 (20.9)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>KANABEC</b>						
2021	80	0	23 (28.7)	23 (28.7)	12 (15.0)	22 (27.5)
2020	68	2 (2.9)	16 (23.5)	16 (23.5)	18 (26.5)	16 (23.5)
2019	55	1 (1.8)	14 (25.5)	23 (41.8)	9 (16.4)	8 (14.5)
2018	90	<5 (****)	32 (35.6)	20 (22.2)	20 (22.2)	14 (15.6)
2017	79	<5 (****)	31 (39.2)	17 (21.5)	17 (21.5)	13 (16.5)
2016	68	<5 (****)	22 (32.4)	20 (29.4)	9 (13.2)	16 (23.5)
2015	75	<5 (****)	31 (41.3)	17 (22.7)	15 (20.0)	9 (12.0)
2014	67	<5 (****)	20 (29.9)	14 (20.9)	18 (26.9)	11 (16.4)
2013	87	<5 (****)	33 (37.9)	19 (21.8)	17 (19.5)	15 (17.2)
2012	89	<5 (****)	36 (40.4)	16 (18.0)	21 (23.6)	12 (13.5)
2011	57	0	26 (45.6)	18 (31.6)	7 (12.3)	6 (10.5)
<b>KANDIYOHI</b>						
2021	288	4 (1.4)	66 (22.9)	87 (30.2)	55 (19.1)	76 (26.4)
2020	326	10 (3.1)	71 (21.8)	96 (29.4)	74 (22.7)	75 (23.0)
2019	314	10 (3.2)	73 (23.2)	98 (31.2)	81 (25.8)	52 (16.6)
2018	302	9 (3.0)	87 (28.8)	79 (26.2)	65 (21.5)	62 (20.5)
2017	361	5 (1.4)	114 (31.6)	115 (31.9)	68 (18.8)	59 (16.3)
2016	344	9 (2.6)	97 (28.2)	109 (31.7)	65 (18.9)	64 (18.6)
2015	366	12 (3.3)	130 (35.5)	97 (26.5)	65 (17.8)	62 (16.9)
2014	304	7 (2.3)	121 (39.8)	79 (26.0)	57 (18.8)	40 (13.2)
2013	344	<5 (****)	131 (38.1)	106 (30.8)	57 (16.6)	46 (13.4)
2012	296	11 (3.7)	110 (37.2)	78 (26.4)	57 (19.3)	40 (13.5)
2011	303	7 (2.3)	98 (32.3)	85 (28.1)	58 (19.1)	55 (18.2)
<b>KITTSOON</b>						
2021	18	0	5 (****)	8 (****)	2 (****)	3 (****)
2020	10	1 (****)	4 (****)	2 (****)	1 (****)	2 (****)
2019	18	0	7 (****)	2 (****)	3 (****)	6 (****)
2018	20	<5 (****)	7 (****)	<5 (****)	<5 (****)	5 (****)
2017	20	0	12 (****)	<5 (****)	<5 (****)	<5 (****)
2016	10	0	<5 (****)	<5 (****)	<5 (****)	<5 (****)
2015	17	0	8 (****)	6 (****)	<5 (****)	<5 (****)
2014	21	0	6 (****)	6 (****)	5 (****)	<5 (****)
2013	20	0	8 (****)	7 (****)	<5 (****)	<5 (****)
2012	23	<5 (****)	7 (****)	8 (****)	5 (****)	<5 (****)
2011	24	<5 (****)	7 (****)	10 (****)	<5 (****)	<5 (****)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>KOOCHICHING</b>						
2021	44	0	15 (34.1)	6 (13.6)	8 (18.2)	15 (34.1)
2020	36	1 (2.8)	11 (30.6)	7 (19.4)	4 (11.1)	13 (36.1)
2019	41	2 (4.9)	10 (24.4)	13 (31.7)	9 (22.0)	7 (17.1)
2018	46	<5 (****)	14 (30.4)	14 (30.4)	10 (21.7)	7 (15.2)
2017	42	<5 (****)	17 (40.5)	7 (16.7)	8 (19.0)	9 (21.4)
2016	56	<5 (****)	18 (32.1)	17 (30.4)	9 (16.1)	11 (19.6)
2015	48	<5 (****)	16 (33.3)	15 (31.2)	9 (18.8)	5 (10.4)
2014	50	<5 (****)	10 (20.0)	13 (26.0)	8 (16.0)	16 (32.0)
2013	66	0	19 (28.8)	24 (36.4)	10 (15.2)	13 (19.7)
2012	46	<5 (****)	20 (43.5)	12 (26.1)	5 (10.9)	7 (15.2)
2011	57	<5 (****)	18 (31.6)	11 (19.3)	12 (21.1)	15 (26.3)
<b>LAC QUI PARLE</b>						
2021	23	2 (****)	8 (****)	7 (****)	2 (****)	4 (****)
2020	36	4 (11.1)	7 (19.4)	8 (22.2)	10 (27.8)	7 (19.4)
2019	24	0	11 (****)	6 (****)	5 (****)	2 (****)
2018	22	0	5 (****)	<5 (****)	<5 (****)	10 (****)
2017	24	<5 (****)	5 (****)	<5 (****)	<5 (****)	9 (****)
2016	33	<5 (****)	7 (21.2)	8 (24.2)	6 (18.2)	10 (30.3)
2015	15	0	7 (****)	<5 (****)	<5 (****)	<5 (****)
2014	22	0	8 (****)	6 (****)	<5 (****)	6 (****)
2013	33	<5 (****)	10 (30.3)	8 (24.2)	10 (30.3)	<5 (****)
2012	30	0	11 (36.7)	8 (26.7)	6 (20.0)	5 (16.7)
2011	26	<5 (****)	8 (****)	9 (****)	0	7 (****)
<b>LAKE</b>						
2021	34	1 (2.9)	14 (41.2)	7 (20.6)	2 (5.9)	10 (29.4)
2020	45	0	19 (42.2)	10 (22.2)	10 (22.2)	6 (13.3)
2019	35	1 (2.9)	9 (25.7)	14 (40.0)	3 (8.6)	8 (22.9)
2018	34	0	18 (52.9)	8 (23.5)	<5 (****)	5 (14.7)
2017	47	<5 (****)	17 (36.2)	12 (25.5)	10 (21.3)	6 (12.8)
2016	41	<5 (****)	19 (46.3)	7 (17.1)	10 (24.4)	<5 (****)
2015	49	<5 (****)	24 (49.0)	16 (32.7)	<5 (****)	<5 (****)
2014	31	<5 (****)	13 (41.9)	11 (35.5)	<5 (****)	<5 (****)
2013	37	<5 (****)	17 (45.9)	7 (18.9)	7 (18.9)	<5 (****)
2012	42	<5 (****)	13 (31.0)	17 (40.5)	<5 (****)	8 (19.0)
2011	44	0	21 (47.7)	7 (15.9)	10 (22.7)	6 (13.6)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>LAKE OF THE WOODS</b>						
2021	16	0	5 (****)	3 (****)	5 (****)	3 (****)
2020	16	1 (****)	3 (****)	3 (****)	5 (****)	4 (****)
2019	19	0	4 (****)	3 (****)	7 (****)	5 (****)
2018	12	0	<5 (****)	7 (****)	0	<5 (****)
2017	18	0	9 (****)	5 (****)	<5 (****)	<5 (****)
2016	25	0	8 (****)	5 (****)	7 (****)	5 (****)
2015	19	0	5 (****)	11 (****)	<5 (****)	<5 (****)
2014	19	0	8 (****)	5 (****)	5 (****)	<5 (****)
2013	20	0	8 (****)	5 (****)	<5 (****)	<5 (****)
2012	11	0	<5 (****)	5 (****)	<5 (****)	<5 (****)
2011	18	<5 (****)	<5 (****)	6 (****)	5 (****)	<5 (****)
<b>LE SUEUR</b>						
2021	97	4 (4.1)	28 (28.9)	24 (24.7)	20 (20.6)	21 (21.6)
2020	93	1 (1.1)	27 (29.0)	21 (22.6)	15 (16.1)	29 (31.2)
2019	90	2 (2.2)	28 (31.1)	23 (25.6)	24 (26.7)	13 (14.4)
2018	87	<5 (****)	30 (34.5)	19 (21.8)	12 (13.8)	24 (27.6)
2017	126	5 (4.0)	43 (34.1)	26 (20.6)	25 (19.8)	27 (21.4)
2016	116	5 (4.3)	40 (34.5)	28 (24.1)	22 (19.0)	21 (18.1)
2015	121	<5 (****)	41 (33.9)	27 (22.3)	20 (16.5)	31 (25.6)
2014	100	<5 (****)	31 (31.0)	31 (31.0)	21 (21.0)	16 (16.0)
2013	86	<5 (****)	29 (33.7)	21 (24.4)	17 (19.8)	16 (18.6)
2012	99	<5 (****)	33 (33.3)	27 (27.3)	13 (13.1)	24 (24.2)
2011	145	5 (3.4)	44 (30.3)	46 (31.7)	23 (15.9)	27 (18.6)
<b>LINCOLN</b>						
2021	23	2 (****)	4 (****)	6 (****)	4 (****)	7 (****)
2020	20	0	6 (****)	5 (****)	3 (****)	6 (****)
2019	16	1 (****)	5 (****)	2 (****)	6 (****)	2 (****)
2018	19	<5 (****)	<5 (****)	6 (****)	7 (****)	<5 (****)
2017	16	<5 (****)	<5 (****)	6 (****)	<5 (****)	<5 (****)
2016	17	<5 (****)	<5 (****)	<5 (****)	5 (****)	5 (****)
2015	27	0	11 (****)	5 (****)	7 (****)	<5 (****)
2014	24	<5 (****)	5 (****)	9 (****)	6 (****)	<5 (****)
2013	22	<5 (****)	<5 (****)	6 (****)	5 (****)	5 (****)
2012	22	<5 (****)	6 (****)	6 (****)	<5 (****)	8 (****)
2011	22	0	13 (****)	6 (****)	<5 (****)	<5 (****)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>LYON</b>						
2021	145	6 (4.1)	39 (26.9)	40 (27.6)	28 (19.3)	32 (22.1)
2020	173	5 (2.9)	52 (30.1)	52 (30.1)	34 (19.7)	30 (17.3)
2019	173	4 (2.3)	50 (28.9)	49 (28.3)	37 (21.4)	33 (19.1)
2018	198	7 (3.5)	82 (41.4)	51 (25.8)	32 (16.2)	26 (13.1)
2017	188	<5 (****)	62 (33.0)	64 (34.0)	30 (16.0)	28 (14.9)
2016	199	9 (4.5)	55 (27.6)	66 (33.2)	31 (15.6)	38 (19.1)
2015	197	5 (2.5)	79 (40.1)	52 (26.4)	29 (14.7)	32 (16.2)
2014	173	5 (2.9)	67 (38.7)	42 (24.3)	31 (17.9)	28 (16.2)
2013	176	9 (5.1)	64 (36.4)	51 (29.0)	29 (16.5)	23 (13.1)
2012	182	6 (3.3)	69 (37.9)	47 (25.8)	33 (18.1)	27 (14.8)
2011	175	7 (4.0)	60 (34.3)	50 (28.6)	25 (14.3)	33 (18.9)
<b>MAHNOMEN</b>						
2021	51	1 (2.0)	13 (25.5)	14 (27.5)	10 (19.6)	13 (25.5)
2020	54	1 (1.9)	11 (20.4)	14 (25.9)	13 (24.1)	15 (27.8)
2019	73	3 (4.1)	15 (20.5)	22 (30.1)	15 (20.5)	18 (24.7)
2018	64	0	22 (34.4)	25 (39.1)	9 (14.1)	8 (12.5)
2017	69	<5 (****)	25 (36.2)	18 (26.1)	14 (20.3)	10 (14.5)
2016	78	<5 (****)	21 (26.9)	29 (37.2)	13 (16.7)	13 (16.7)
2015	74	5 (6.8)	32 (43.2)	19 (25.7)	7 (9.5)	11 (14.9)
2014	77	<5 (****)	32 (41.6)	20 (26.0)	10 (13.0)	14 (18.2)
2013	72	<5 (****)	30 (41.7)	17 (23.6)	13 (18.1)	11 (15.3)
2012	75	<5 (****)	33 (44.0)	19 (25.3)	11 (14.7)	10 (13.3)
2011	72	<5 (****)	25 (34.7)	15 (20.8)	14 (19.4)	17 (23.6)
<b>MARSHALL</b>						
2021	32	1 (3.1)	8 (25.0)	11 (34.4)	7 (21.9)	5 (15.6)
2020	33	0	13 (39.4)	7 (21.2)	6 (18.2)	7 (21.2)
2019	46	0	9 (19.6)	11 (23.9)	15 (32.6)	11 (23.9)
2018	25	0	7 (****)	7 (****)	5 (****)	6 (****)
2017	41	<5 (****)	13 (31.7)	7 (17.1)	5 (12.2)	13 (31.7)
2016	39	<5 (****)	14 (35.9)	7 (17.9)	9 (23.1)	8 (20.5)
2015	41	0	12 (29.3)	13 (31.7)	8 (19.5)	8 (19.5)
2014	37	0	13 (35.1)	11 (29.7)	8 (21.6)	5 (13.5)
2013	53	<5 (****)	24 (45.3)	10 (18.9)	9 (17.0)	8 (15.1)
2012	39	<5 (****)	18 (46.2)	8 (20.5)	7 (17.9)	5 (12.8)
2011	41	<5 (****)	17 (41.5)	12 (29.3)	6 (14.6)	<5 (****)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>MARTIN</b>						
2021	110	4 (3.6)	26 (23.6)	31 (28.2)	24 (21.8)	25 (22.7)
2020	99	3 (3.0)	27 (27.3)	25 (25.3)	16 (16.2)	28 (28.3)
2019	111	3 (2.7)	42 (37.8)	18 (16.2)	21 (18.9)	27 (24.3)
2018	115	<5 (****)	40 (34.8)	19 (16.5)	24 (20.9)	30 (26.1)
2017	103	5 (4.9)	34 (33.0)	27 (26.2)	15 (14.6)	22 (21.4)
2016	120	6 (5.0)	32 (26.7)	31 (25.8)	19 (15.8)	32 (26.7)
2015	129	<5 (****)	51 (39.5)	33 (25.6)	16 (12.4)	25 (19.4)
2014	107	<5 (****)	42 (39.3)	22 (20.6)	19 (17.8)	20 (18.7)
2013	110	<5 (****)	37 (33.6)	29 (26.4)	22 (20.0)	21 (19.1)
2012	107	<5 (****)	40 (37.4)	33 (30.8)	14 (13.1)	18 (16.8)
2011	112	<5 (****)	40 (35.7)	33 (29.5)	14 (12.5)	22 (19.6)
<b>MCLEOD</b>						
2021	135	0	31 (23.0)	35 (25.9)	23 (17.0)	46 (34.1)
2020	146	3 (2.1)	44 (30.1)	40 (27.4)	32 (21.9)	27 (18.5)
2019	142	2 (1.4)	39 (27.5)	35 (24.6)	35 (24.6)	31 (21.8)
2018	136	<5 (****)	50 (36.8)	30 (22.1)	28 (20.6)	26 (19.1)
2017	122	<5 (****)	32 (26.2)	36 (29.5)	32 (26.2)	20 (16.4)
2016	205	<5 (****)	65 (31.7)	66 (32.2)	38 (18.5)	34 (16.6)
2015	152	<5 (****)	53 (34.9)	40 (26.3)	26 (17.1)	31 (20.4)
2014	169	6 (3.6)	57 (33.7)	51 (30.2)	28 (16.6)	27 (16.0)
2013	164	<5 (****)	58 (35.4)	39 (23.8)	24 (14.6)	41 (25.0)
2012	176	5 (2.8)	53 (30.1)	48 (27.3)	29 (16.5)	41 (23.3)
2011	159	5 (3.1)	47 (29.6)	47 (29.6)	26 (16.4)	34 (21.4)
<b>MEEKER</b>						
2021	101	0	25 (24.8)	23 (22.8)	21 (20.8)	32 (31.7)
2020	101	0	23 (22.8)	22 (21.8)	32 (31.7)	24 (23.8)
2019	104	4 (3.8)	32 (30.8)	31 (29.8)	9 (8.7)	28 (26.9)
2018	106	0	37 (34.9)	21 (19.8)	25 (23.6)	23 (21.7)
2017	109	<5 (****)	43 (39.4)	22 (20.2)	20 (18.3)	22 (20.2)
2016	118	0	40 (33.9)	30 (25.4)	19 (16.1)	29 (24.6)
2015	112	<5 (****)	41 (36.6)	31 (27.7)	15 (13.4)	24 (21.4)
2014	114	<5 (****)	42 (36.8)	31 (27.2)	15 (13.2)	22 (19.3)
2013	120	<5 (****)	46 (38.3)	29 (24.2)	24 (20.0)	20 (16.7)
2012	104	<5 (****)	39 (37.5)	23 (22.1)	19 (18.3)	21 (20.2)
2011	142	<5 (****)	59 (41.5)	26 (18.3)	24 (16.9)	29 (20.4)



Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>MILLE LACS COUNTY</b>						
2021	108	4 (3.7)	26 (24.1)	33 (30.6)	28 (25.9)	17 (15.7)
2020	130	2 (1.5)	30 (23.1)	39 (30.0)	23 (17.7)	36 (27.7)
2019	138	6 (4.3)	42 (30.4)	42 (30.4)	29 (21.0)	19 (13.8)
2018	120	<5 (****)	47 (39.2)	16 (13.3)	27 (22.5)	27 (22.5)
2017	172	6 (3.5)	61 (35.5)	43 (25.0)	39 (22.7)	23 (13.4)
2016	169	<5 (****)	53 (31.4)	51 (30.2)	32 (18.9)	31 (18.3)
2015	149	7 (4.7)	55 (36.9)	36 (24.2)	31 (20.8)	20 (13.4)
2014	149	7 (4.7)	58 (38.9)	33 (22.1)	23 (15.4)	28 (18.8)
2013	153	5 (3.3)	64 (41.8)	35 (22.9)	29 (19.0)	20 (13.1)
2012	198	6 (3.0)	81 (40.9)	45 (22.7)	32 (16.2)	34 (17.2)
2011	158	<5 (****)	52 (32.9)	46 (29.1)	25 (15.8)	32 (20.3)
<b>MORRISON</b>						
2021	133	3 (2.3)	39 (29.3)	29 (21.8)	18 (13.5)	44 (33.1)
2020	118	3 (2.5)	26 (22.0)	38 (32.2)	22 (18.6)	29 (24.6)
2019	144	3 (2.1)	40 (27.8)	34 (23.6)	27 (18.8)	40 (27.8)
2018	116	5 (4.3)	37 (31.9)	21 (18.1)	18 (15.5)	35 (30.2)
2017	131	<5 (****)	46 (35.1)	29 (22.1)	23 (17.6)	31 (23.7)
2016	200	5 (2.5)	62 (31.0)	61 (30.5)	29 (14.5)	43 (21.5)
2015	161	5 (3.1)	52 (32.3)	53 (32.9)	22 (13.7)	29 (18.0)
2014	167	6 (3.6)	62 (37.1)	35 (21.0)	29 (17.4)	35 (21.0)
2013	191	7 (3.7)	72 (37.7)	48 (25.1)	25 (13.1)	39 (20.4)
2012	177	<5 (****)	56 (31.6)	44 (24.9)	29 (16.4)	46 (26.0)
2011	166	<5 (****)	60 (36.1)	41 (24.7)	29 (17.5)	34 (20.5)
<b>MOWER</b>						
2021	268	6 (2.2)	60 (22.4)	81 (30.2)	62 (23.1)	59 (22.0)
2020	283	6 (2.1)	69 (24.4)	89 (31.4)	59 (20.8)	60 (21.2)
2019	302	6 (2.0)	93 (30.8)	88 (29.1)	52 (17.2)	63 (20.9)
2018	256	18 (7.0)	90 (35.2)	64 (25.0)	50 (19.5)	34 (13.3)
2017	265	13 (4.9)	89 (33.6)	64 (24.2)	44 (16.6)	55 (20.8)
2016	288	8 (2.8)	106 (36.8)	83 (28.8)	50 (17.4)	41 (14.2)
2015	260	9 (3.5)	102 (39.2)	72 (27.7)	39 (15.0)	38 (14.6)
2014	272	11 (4.0)	99 (36.4)	78 (28.7)	49 (18.0)	35 (12.9)
2013	264	6 (2.3)	109 (41.3)	61 (23.1)	50 (18.9)	38 (14.4)
2012	267	20 (7.5)	91 (34.1)	67 (25.1)	47 (17.6)	42 (15.7)
2011	252	8 (3.2)	111 (44.0)	75 (29.8)	33 (13.1)	25 (9.9)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>MURRAY</b>						
2021	25	0	5 (****)	14 (****)	3 (****)	3 (****)
2020	27	1 (****)	8 (****)	10 (****)	4 (****)	4 (****)
2019	38	2 (5.3)	11 (28.9)	8 (21.1)	5 (13.2)	12 (31.6)
2018	31	<5 (****)	12 (38.7)	6 (19.4)	<5 (****)	10 (32.3)
2017	40	<5 (****)	16 (40.0)	11 (27.5)	7 (17.5)	<5 (****)
2016	43	<5 (****)	14 (32.6)	9 (20.9)	9 (20.9)	9 (20.9)
2015	30	<5 (****)	<5 (****)	10 (33.3)	6 (20.0)	9 (30.0)
2014	33	<5 (****)	18 (54.5)	6 (18.2)	<5 (****)	<5 (****)
2013	36	<5 (****)	17 (47.2)	6 (16.7)	6 (16.7)	6 (16.7)
2012	39	<5 (****)	20 (51.3)	7 (17.9)	6 (15.4)	<5 (****)
2011	34	<5 (****)	14 (41.2)	10 (29.4)	<5 (****)	5 (14.7)
<b>NICOLLET</b>						
2021	97	3 (3.1)	28 (28.9)	22 (22.7)	16 (16.5)	28 (28.9)
2020	118	2 (1.7)	31 (26.3)	37 (31.4)	23 (19.5)	25 (21.2)
2019	115	1 (<1)	31 (27.0)	42 (36.5)	23 (20.0)	18 (15.7)
2018	111	<5 (****)	35 (31.5)	33 (29.7)	22 (19.8)	20 (18.0)
2017	132	6 (4.5)	57 (43.2)	31 (23.5)	22 (16.7)	16 (12.1)
2016	130	<5 (****)	44 (33.8)	41 (31.5)	18 (13.8)	25 (19.2)
2015	146	6 (4.1)	55 (37.7)	34 (23.3)	27 (18.5)	24 (16.4)
2014	139	<5 (****)	48 (34.5)	38 (27.3)	26 (18.7)	24 (17.3)
2013	132	<5 (****)	66 (50.0)	28 (21.2)	17 (12.9)	18 (13.6)
2012	119	<5 (****)	45 (37.8)	33 (27.7)	19 (16.0)	18 (15.1)
2011	127	<5 (****)	57 (44.9)	29 (22.8)	19 (15.0)	18 (14.2)
<b>NOBLES</b>						
2021	220	0	85 (38.6)	71 (32.3)	47 (21.4)	17 (7.7)
2020	228	2 (<1)	71 (31.1)	94 (41.2)	37 (16.2)	24 (10.5)
2019	225	3 (1.3)	67 (29.8)	74 (32.9)	44 (19.6)	37 (16.4)
2018	261	<5 (****)	106 (40.6)	85 (32.6)	44 (16.9)	23 (8.8)
2017	245	<5 (****)	99 (40.4)	83 (33.9)	39 (15.9)	21 (8.6)
2016	280	13 (4.6)	86 (30.7)	108 (38.6)	52 (18.6)	21 (7.5)
2015	243	5 (2.1)	84 (34.6)	86 (35.4)	44 (18.1)	24 (9.9)
2014	220	5 (2.3)	72 (32.7)	94 (42.7)	30 (13.6)	19 (8.6)
2013	239	7 (2.9)	83 (34.7)	79 (33.1)	44 (18.4)	26 (10.9)
2012	212	6 (2.8)	66 (31.1)	74 (34.9)	37 (17.5)	29 (13.7)
2011	194	7 (3.6)	56 (28.9)	74 (38.1)	35 (18.0)	22 (11.3)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>NORMAN</b>						
2021	21	0	2 (****)	8 (****)	4 (****)	7 (****)
2020	18	2 (****)	1 (****)	4 (****)	3 (****)	8 (****)
2019	40	2 (5.0)	13 (32.5)	8 (20.0)	7 (17.5)	10 (25.0)
2018	36	0	11 (30.6)	7 (19.4)	9 (25.0)	9 (25.0)
2017	46	<5 (****)	11 (23.9)	13 (28.3)	12 (26.1)	9 (19.6)
2016	20	<5 (****)	7 (****)	<5 (****)	<5 (****)	7 (****)
2015	30	0	10 (33.3)	8 (26.7)	<5 (****)	8 (26.7)
2014	35	0	10 (28.6)	9 (25.7)	11 (31.4)	5 (14.3)
2013	30	<5 (****)	8 (26.7)	7 (23.3)	5 (16.7)	9 (30.0)
2012	41	<5 (****)	10 (24.4)	9 (22.0)	8 (19.5)	12 (29.3)
2011	33	<5 (****)	10 (30.3)	<5 (****)	10 (30.3)	10 (30.3)
<b>OLMSTED</b>						
2021	597	12 (2.0)	174 (29.1)	185 (31.0)	109 (18.3)	117 (19.6)
2020	618	20 (3.2)	203 (32.8)	168 (27.2)	111 (18.0)	116 (18.8)
2019	613	24 (3.9)	184 (30.0)	174 (28.4)	119 (19.4)	112 (18.3)
2018	603	23 (3.8)	220 (36.5)	162 (26.9)	104 (17.2)	94 (15.6)
2017	708	34 (4.8)	254 (35.9)	202 (28.5)	103 (14.5)	115 (16.2)
2016	703	29 (4.1)	217 (30.9)	200 (28.4)	141 (20.1)	116 (16.5)
2015	742	35 (4.7)	284 (38.3)	205 (27.6)	116 (15.6)	102 (13.7)
2014	694	25 (3.6)	269 (38.8)	196 (28.2)	108 (15.6)	96 (13.8)
2013	699	26 (3.7)	292 (41.8)	183 (26.2)	106 (15.2)	92 (13.2)
2012	719	21 (2.9)	279 (38.8)	207 (28.8)	110 (15.3)	102 (14.2)
2011	707	23 (3.3)	279 (39.5)	181 (25.6)	127 (18.0)	97 (13.7)
<b>OTTER TAIL</b>						
2021	250	9 (3.6)	70 (28.0)	66 (26.4)	46 (18.4)	59 (23.6)
2020	209	1 (<1)	50 (23.9)	75 (35.9)	38 (18.2)	45 (21.5)
2019	239	3 (1.3)	66 (27.6)	66 (27.6)	55 (23.0)	49 (20.5)
2018	216	16 (7.4)	67 (31.0)	60 (27.8)	32 (14.8)	41 (19.0)
2017	235	7 (3.0)	71 (30.2)	64 (27.2)	48 (20.4)	45 (19.1)
2016	268	6 (2.2)	102 (38.1)	82 (30.6)	38 (14.2)	40 (14.9)
2015	276	<5 (****)	87 (31.5)	77 (27.9)	56 (20.3)	52 (18.8)
2014	267	9 (3.4)	98 (36.7)	77 (28.8)	36 (13.5)	47 (17.6)
2013	255	9 (3.5)	83 (32.5)	78 (30.6)	46 (18.0)	39 (15.3)
2012	291	9 (3.1)	104 (35.7)	84 (28.9)	38 (13.1)	56 (19.2)
2011	261	8 (3.1)	90 (34.5)	78 (29.9)	41 (15.7)	44 (16.9)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>PENNINGTON</b>						
2021	66	1 (1.5)	13 (19.7)	26 (39.4)	12 (18.2)	14 (21.2)
2020	54	0	19 (35.2)	16 (29.6)	6 (11.1)	13 (24.1)
2019	74	1 (1.4)	24 (32.4)	26 (35.1)	9 (12.2)	14 (18.9)
2018	76	6 (7.9)	21 (27.6)	19 (25.0)	10 (13.2)	20 (26.3)
2017	71	<5 (****)	21 (29.6)	20 (28.2)	13 (18.3)	15 (21.1)
2016	73	<5 (****)	19 (26.0)	22 (30.1)	14 (19.2)	16 (21.9)
2015	92	5 (5.4)	35 (38.0)	23 (25.0)	16 (17.4)	13 (14.1)
2014	83	6 (7.2)	30 (36.1)	19 (22.9)	14 (16.9)	14 (16.9)
2013	76	<5 (****)	31 (40.8)	19 (25.0)	14 (18.4)	9 (11.8)
2012	99	<5 (****)	39 (39.4)	26 (26.3)	10 (10.1)	20 (20.2)
2011	102	<5 (****)	36 (35.3)	36 (35.3)	8 (7.8)	19 (18.6)
<b>PINE</b>						
2021	147	3 (2.0)	34 (23.1)	42 (28.6)	34 (23.1)	34 (23.1)
2020	130	6 (4.6)	34 (26.2)	24 (18.5)	24 (18.5)	42 (32.3)
2019	122	3 (2.5)	22 (18.0)	40 (32.8)	22 (18.0)	35 (28.7)
2018	106	<5 (****)	36 (34.0)	22 (20.8)	20 (18.9)	26 (24.5)
2017	140	0	48 (34.3)	38 (27.1)	34 (24.3)	20 (14.3)
2016	147	<5 (****)	49 (33.3)	41 (27.9)	32 (21.8)	23 (15.6)
2015	127	<5 (****)	39 (30.7)	33 (26.0)	27 (21.3)	24 (18.9)
2014	158	<5 (****)	55 (34.8)	39 (24.7)	27 (17.1)	33 (20.9)
2013	145	<5 (****)	51 (35.2)	41 (28.3)	21 (14.5)	28 (19.3)
2012	131	<5 (****)	42 (32.1)	37 (28.2)	18 (13.7)	31 (23.7)
2011	145	<5 (****)	55 (37.9)	31 (21.4)	22 (15.2)	34 (23.4)
<b>PIPESTONE</b>						
2021	45	0	14 (31.1)	16 (35.6)	8 (17.8)	7 (15.6)
2020	42	2 (4.8)	7 (16.7)	13 (31.0)	10 (23.8)	10 (23.8)
2019	73	2 (2.7)	28 (38.4)	15 (20.5)	19 (26.0)	9 (12.3)
2018	62	0	15 (24.2)	20 (32.3)	10 (16.1)	17 (27.4)
2017	72	<5 (****)	19 (26.4)	24 (33.3)	11 (15.3)	17 (23.6)
2016	71	<5 (****)	20 (28.2)	21 (29.6)	13 (18.3)	13 (18.3)
2015	67	<5 (****)	29 (43.3)	10 (14.9)	13 (19.4)	13 (19.4)
2014	51	<5 (****)	15 (29.4)	9 (17.6)	7 (13.7)	19 (37.3)
2013	76	<5 (****)	40 (52.6)	14 (18.4)	14 (18.4)	7 (9.2)
2012	65	<5 (****)	28 (43.1)	15 (23.1)	11 (16.9)	10 (15.4)
2011	51	<5 (****)	20 (39.2)	12 (23.5)	7 (13.7)	10 (19.6)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>POLK</b>						
2021	87	1 (1.1)	22 (25.3)	23 (26.4)	16 (18.4)	25 (28.7)
2020	122	0	30 (24.6)	30 (24.6)	30 (24.6)	32 (26.2)
2019	146	2 (1.4)	45 (30.8)	53 (36.3)	19 (13.0)	27 (18.5)
2018	172	<5 (****)	58 (33.7)	46 (26.7)	28 (16.3)	36 (20.9)
2017	180	5 (2.8)	63 (35.0)	49 (27.2)	35 (19.4)	28 (15.6)
2016	182	<5 (****)	47 (25.8)	55 (30.2)	34 (18.7)	43 (23.6)
2015	157	5 (3.2)	50 (31.8)	39 (24.8)	27 (17.2)	36 (22.9)
2014	160	8 (5.0)	56 (35.0)	37 (23.1)	30 (18.8)	29 (18.1)
2013	161	<5 (****)	52 (32.3)	42 (26.1)	38 (23.6)	25 (15.5)
2012	179	<5 (****)	63 (35.2)	48 (26.8)	36 (20.1)	29 (16.2)
2011	177	5 (2.8)	60 (33.9)	51 (28.8)	28 (15.8)	33 (18.6)
<b>POPE</b>						
2021	50	1 (2.0)	12 (24.0)	15 (30.0)	6 (12.0)	16 (32.0)
2020	35	0	7 (20.0)	12 (34.3)	6 (17.1)	10 (28.6)
2019	36	0	6 (16.7)	13 (36.1)	8 (22.2)	9 (25.0)
2018	41	<5 (****)	13 (31.7)	11 (26.8)	9 (22.0)	7 (17.1)
2017	58	7 (12.1)	24 (41.4)	12 (20.7)	7 (12.1)	8 (13.8)
2016	51	<5 (****)	20 (39.2)	13 (25.5)	6 (11.8)	11 (21.6)
2015	62	<5 (****)	23 (37.1)	17 (27.4)	<5 (****)	14 (22.6)
2014	56	<5 (****)	21 (37.5)	15 (26.8)	10 (17.9)	8 (14.3)
2013	52	<5 (****)	17 (32.7)	12 (23.1)	10 (19.2)	12 (23.1)
2012	66	<5 (****)	24 (36.4)	15 (22.7)	14 (21.2)	12 (18.2)
2011	66	<5 (****)	26 (39.4)	13 (19.7)	12 (18.2)	14 (21.2)
<b>RAMSEY</b>						
2021	3,278	74 (2.3)	1,016 (31.0)	1,000 (30.5)	637 (19.4)	551 (16.8)
2020	3,469	105 (3.0)	1,080 (31.1)	1,077 (31.0)	625 (18.0)	582 (16.8)
2019	3,505	105 (3.0)	1,145 (32.7)	1,068 (30.5)	644 (18.4)	543 (15.5)
2018	3,803	126 (3.3)	1,377 (36.2)	1,119 (29.4)	636 (16.7)	545 (14.3)
2017	3,872	144 (3.7)	1,519 (39.2)	1,085 (28.0)	631 (16.3)	493 (12.7)
2016	4,181	167 (4.0)	1,357 (32.5)	1,285 (30.7)	750 (17.9)	622 (14.9)
2015	4,142	170 (4.1)	1,726 (41.7)	1,147 (27.7)	627 (15.1)	472 (11.4)
2014	3,874	135 (3.5)	1,549 (40.0)	1,139 (29.4)	623 (16.1)	428 (11.0)
2013	3,903	123 (3.2)	1,572 (40.3)	1,189 (30.5)	591 (15.1)	428 (11.0)
2012	3,968	144 (3.6)	1,601 (40.3)	1,150 (29.0)	622 (15.7)	451 (11.4)
2011	3,713	103 (2.8)	1,493 (40.2)	1,072 (28.9)	609 (16.4)	436 (11.7)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>RED LAKE COUNTY</b>						
2021	25	0	9 (****)	4 (****)	7 (****)	5 (****)
2020	25	0	8 (****)	7 (****)	7 (****)	3 (****)
2019	16	0	6 (****)	6 (****)	2 (****)	2 (****)
2018	29	0	8 (****)	9 (****)	<5 (****)	9 (****)
2017	21	<5 (****)	7 (****)	8 (****)	<5 (****)	<5 (****)
2016	25	<5 (****)	9 (****)	5 (****)	<5 (****)	7 (****)
2015	23	0	9 (****)	7 (****)	5 (****)	<5 (****)
2014	25	<5 (****)	9 (****)	5 (****)	<5 (****)	<5 (****)
2013	29	<5 (****)	8 (****)	<5 (****)	10 (****)	5 (****)
2012	43	<5 (****)	16 (37.2)	17 (39.5)	<5 (****)	5 (11.6)
2011	21	<5 (****)	<5 (****)	13 (****)	<5 (****)	<5 (****)
<b>REDWOOD</b>						
2021	77	1 (1.3)	27 (35.1)	19 (24.7)	16 (20.8)	14 (18.2)
2020	81	1 (1.2)	27 (33.3)	19 (23.5)	13 (16.0)	21 (25.9)
2019	63	2 (3.2)	15 (23.8)	18 (28.6)	13 (20.6)	15 (23.8)
2018	74	<5 (****)	28 (37.8)	23 (31.1)	10 (13.5)	10 (13.5)
2017	82	<5 (****)	35 (42.7)	22 (26.8)	7 (8.5)	15 (18.3)
2016	91	<5 (****)	26 (28.6)	19 (20.9)	27 (29.7)	15 (16.5)
2015	77	<5 (****)	26 (33.8)	21 (27.3)	16 (20.8)	13 (16.9)
2014	75	6 (8.0)	19 (25.3)	20 (26.7)	18 (24.0)	12 (16.0)
2013	86	<5 (****)	32 (37.2)	24 (27.9)	13 (15.1)	13 (15.1)
2012	89	<5 (****)	28 (31.5)	28 (31.5)	13 (14.6)	16 (18.0)
2011	94	<5 (****)	25 (26.6)	27 (28.7)	17 (18.1)	21 (22.3)
<b>RENVILLE</b>						
2021	60	0	14 (23.3)	16 (26.7)	10 (16.7)	20 (33.3)
2020	87	0	24 (27.6)	22 (25.3)	24 (27.6)	17 (19.5)
2019	81	0	19 (23.5)	18 (22.2)	16 (19.8)	28 (34.6)
2018	89	<5 (****)	23 (25.8)	35 (39.3)	13 (14.6)	16 (18.0)
2017	89	<5 (****)	35 (39.3)	16 (18.0)	19 (21.3)	18 (20.2)
2016	115	<5 (****)	35 (30.4)	36 (31.3)	20 (17.4)	22 (19.1)
2015	79	<5 (****)	25 (31.6)	24 (30.4)	15 (19.0)	13 (16.5)
2014	77	<5 (****)	27 (35.1)	17 (22.1)	13 (16.9)	18 (23.4)
2013	80	<5 (****)	26 (32.5)	17 (21.2)	14 (17.5)	20 (25.0)
2012	106	6 (5.7)	29 (27.4)	27 (25.5)	20 (18.9)	24 (22.6)
2011	113	<5 (****)	35 (31.0)	30 (26.5)	23 (20.4)	21 (18.6)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>RICE</b>						
2021	275	8 (2.9)	72 (26.2)	75 (27.3)	55 (20.0)	65 (23.6)
2020	274	5 (1.8)	71 (25.9)	82 (29.9)	59 (21.5)	57 (20.8)
2019	290	7 (2.4)	85 (29.3)	97 (33.4)	60 (20.7)	41 (14.1)
2018	310	8 (2.6)	100 (32.3)	101 (32.6)	60 (19.4)	41 (13.2)
2017	319	5 (1.6)	88 (27.6)	98 (30.7)	72 (22.6)	56 (17.6)
2016	354	12 (3.4)	114 (32.2)	109 (30.8)	64 (18.1)	55 (15.5)
2015	301	8 (2.7)	107 (35.5)	92 (30.6)	60 (19.9)	34 (11.3)
2014	288	10 (3.5)	107 (37.2)	75 (26.0)	49 (17.0)	47 (16.3)
2013	300	9 (3.0)	107 (35.7)	88 (29.3)	41 (13.7)	55 (18.3)
2012	362	8 (2.2)	131 (36.2)	108 (29.8)	70 (19.3)	45 (12.4)
2011	339	9 (2.7)	114 (33.6)	109 (32.2)	63 (18.6)	44 (13.0)
<b>ROCK</b>						
2021	17	2 (****)	6 (****)	2 (****)	3 (****)	4 (****)
2020	27	0	8 (****)	8 (****)	7 (****)	4 (****)
2019	25	0	12 (****)	6 (****)	1 (****)	6 (****)
2018	33	<5 (****)	11 (33.3)	<5 (****)	7 (21.2)	9 (27.3)
2017	35	<5 (****)	11 (31.4)	10 (28.6)	10 (28.6)	<5 (****)
2016	46	<5 (****)	16 (34.8)	13 (28.3)	10 (21.7)	6 (13.0)
2015	33	<5 (****)	11 (33.3)	9 (27.3)	7 (21.2)	<5 (****)
2014	39	<5 (****)	15 (38.5)	7 (17.9)	11 (28.2)	5 (12.8)
2013	40	<5 (****)	17 (42.5)	9 (22.5)	7 (17.5)	5 (12.5)
2012	43	<5 (****)	13 (30.2)	12 (27.9)	11 (25.6)	5 (11.6)
2011	35	0	14 (40.0)	8 (22.9)	9 (25.7)	<5 (****)
<b>ROSEAU</b>						
2021	68	0	16 (23.5)	21 (30.9)	17 (25.0)	14 (20.6)
2020	57	1 (1.8)	15 (26.3)	15 (26.3)	10 (17.5)	16 (28.1)
2019	73	1 (1.4)	21 (28.8)	23 (31.5)	17 (23.3)	11 (15.1)
2018	69	<5 (****)	19 (27.5)	19 (27.5)	12 (17.4)	17 (24.6)
2017	98	<5 (****)	43 (43.9)	18 (18.4)	16 (16.3)	19 (19.4)
2016	100	<5 (****)	38 (38.0)	31 (31.0)	16 (16.0)	12 (12.0)
2015	92	<5 (****)	37 (40.2)	21 (22.8)	22 (23.9)	9 (9.8)
2014	82	<5 (****)	22 (26.8)	25 (30.5)	16 (19.5)	16 (19.5)
2013	124	<5 (****)	47 (37.9)	27 (21.8)	30 (24.2)	18 (14.5)
2012	101	<5 (****)	37 (36.6)	27 (26.7)	18 (17.8)	15 (14.9)
2011	99	<5 (****)	31 (31.3)	32 (32.3)	21 (21.2)	13 (13.1)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>SAINT LOUIS</b>						
2021	667	22 (3.3)	198 (29.7)	187 (28.0)	106 (15.9)	154 (23.1)
2020	714	12 (1.7)	223 (31.2)	194 (27.2)	132 (18.5)	153 (21.4)
2019	673	17 (2.5)	206 (30.6)	182 (27.0)	94 (14.0)	174 (25.9)
2018	618	18 (2.9)	217 (35.1)	155 (25.1)	111 (18.0)	117 (18.9)
2017	747	24 (3.2)	261 (34.9)	197 (26.4)	122 (16.3)	143 (19.1)
2016	783	17 (2.2)	265 (33.8)	217 (27.7)	136 (17.4)	148 (18.9)
2015	748	30 (4.0)	306 (40.9)	182 (24.3)	122 (16.3)	108 (14.4)
2014	778	31 (4.0)	310 (39.8)	195 (25.1)	127 (16.3)	115 (14.8)
2013	791	30 (3.8)	325 (41.1)	190 (24.0)	118 (14.9)	128 (16.2)
2012	844	34 (4.0)	355 (42.1)	202 (23.9)	138 (16.4)	115 (13.6)
2011	812	33 (4.1)	327 (40.3)	215 (26.5)	112 (13.8)	125 (15.4)
<b>SCOTT</b>						
2021	376	10 (2.7)	96 (25.5)	120 (31.9)	69 (18.4)	81 (21.5)
2020	422	11 (2.6)	128 (30.3)	131 (31.0)	85 (20.1)	67 (15.9)
2019	368	6 (1.6)	105 (28.5)	109 (29.6)	75 (20.4)	73 (19.8)
2018	352	16 (4.5)	133 (37.8)	96 (27.3)	58 (16.5)	49 (13.9)
2017	382	14 (3.7)	134 (35.1)	114 (29.8)	72 (18.8)	48 (12.6)
2016	447	15 (3.4)	142 (31.8)	132 (29.5)	100 (22.4)	58 (13.0)
2015	399	15 (3.8)	150 (37.6)	125 (31.3)	60 (15.0)	49 (12.3)
2014	370	11 (3.0)	152 (41.1)	109 (29.5)	52 (14.1)	46 (12.4)
2013	360	13 (3.6)	152 (42.2)	83 (23.1)	59 (16.4)	53 (14.7)
2012	418	15 (3.6)	162 (38.8)	121 (28.9)	68 (16.3)	52 (12.4)
2011	383	16 (4.2)	145 (37.9)	121 (31.6)	63 (16.4)	38 (9.9)
<b>SHERBURNE</b>						
2021	320	11 (3.4)	79 (24.7)	94 (29.4)	73 (22.8)	63 (19.7)
2020	312	10 (3.2)	90 (28.8)	95 (30.4)	60 (19.2)	57 (18.3)
2019	316	7 (2.2)	101 (32.0)	87 (27.5)	65 (20.6)	56 (17.7)
2018	279	7 (2.5)	107 (38.4)	60 (21.5)	57 (20.4)	48 (17.2)
2017	285	15 (5.3)	103 (36.1)	88 (30.9)	47 (16.5)	32 (11.2)
2016	366	13 (3.6)	128 (35.0)	93 (25.4)	70 (19.1)	62 (16.9)
2015	339	19 (5.6)	126 (37.2)	87 (25.7)	63 (18.6)	44 (13.0)
2014	276	14 (5.1)	102 (37.0)	80 (29.0)	43 (15.6)	37 (13.4)
2013	307	17 (5.5)	124 (40.4)	84 (27.4)	47 (15.3)	35 (11.4)
2012	312	14 (4.5)	144 (46.2)	82 (26.3)	37 (11.9)	35 (11.2)
2011	336	7 (2.1)	154 (45.8)	73 (21.7)	62 (18.5)	40 (11.9)



Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>SIBLEY</b>						
2021	69	0	24 (34.8)	13 (18.8)	15 (21.7)	17 (24.6)
2020	70	0	14 (20.0)	29 (41.4)	6 (8.6)	21 (30.0)
2019	53	1 (1.9)	10 (18.9)	22 (41.5)	8 (15.1)	12 (22.6)
2018	68	<5 (****)	18 (26.5)	16 (23.5)	16 (23.5)	17 (25.0)
2017	81	<5 (****)	25 (30.9)	19 (23.5)	19 (23.5)	15 (18.5)
2016	78	<5 (****)	13 (16.7)	26 (33.3)	15 (19.2)	22 (28.2)
2015	66	<5 (****)	24 (36.4)	14 (21.2)	13 (19.7)	12 (18.2)
2014	75	<5 (****)	25 (33.3)	21 (28.0)	13 (17.3)	15 (20.0)
2013	69	<5 (****)	26 (37.7)	18 (26.1)	11 (15.9)	12 (17.4)
2012	72	<5 (****)	31 (43.1)	9 (12.5)	14 (19.4)	14 (19.4)
2011	85	<5 (****)	30 (35.3)	20 (23.5)	20 (23.5)	13 (15.3)
<b>STEARNS</b>						
2021	822	26 (3.2)	193 (23.5)	257 (31.3)	186 (22.6)	160 (19.5)
2020	860	25 (2.9)	230 (26.7)	289 (33.6)	160 (18.6)	156 (18.1)
2019	770	27 (3.5)	235 (30.5)	209 (27.1)	165 (21.4)	134 (17.4)
2018	756	23 (3.0)	265 (35.1)	230 (30.4)	135 (17.9)	103 (13.6)
2017	822	21 (2.6)	285 (34.7)	247 (30.0)	153 (18.6)	116 (14.1)
2016	900	40 (4.4)	299 (33.2)	275 (30.6)	178 (19.8)	108 (12.0)
2015	706	24 (3.4)	278 (39.4)	209 (29.6)	103 (14.6)	92 (13.0)
2014	647	14 (2.2)	244 (37.7)	193 (29.8)	112 (17.3)	84 (13.0)
2013	664	24 (3.6)	280 (42.2)	195 (29.4)	88 (13.3)	77 (11.6)
2012	679	18 (2.7)	276 (40.6)	186 (27.4)	120 (17.7)	79 (11.6)
2011	624	16 (2.6)	237 (38.0)	196 (31.4)	104 (16.7)	71 (11.4)
<b>STEELE</b>						
2021	160	3 (1.9)	35 (21.9)	50 (31.2)	30 (18.8)	42 (26.2)
2020	178	3 (1.7)	42 (23.6)	59 (33.1)	32 (18.0)	42 (23.6)
2019	172	6 (3.5)	51 (29.7)	52 (30.2)	35 (20.3)	28 (16.3)
2018	165	7 (4.2)	48 (29.1)	36 (21.8)	32 (19.4)	42 (25.5)
2017	175	9 (5.1)	51 (29.1)	54 (30.9)	27 (15.4)	34 (19.4)
2016	207	5 (2.4)	51 (24.6)	69 (33.3)	26 (12.6)	56 (27.1)
2015	232	9 (3.9)	91 (39.2)	58 (25.0)	41 (17.7)	33 (14.2)
2014	239	11 (4.6)	77 (32.2)	78 (32.6)	40 (16.7)	33 (13.8)
2013	210	5 (2.4)	78 (37.1)	57 (27.1)	32 (15.2)	38 (18.1)
2012	200	10 (5.0)	71 (35.5)	55 (27.5)	33 (16.5)	31 (15.5)
2011	222	<5 (****)	83 (37.4)	61 (27.5)	36 (16.2)	39 (17.6)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>STEVENS</b>						
2021	41	1 (2.4)	9 (22.0)	13 (31.7)	7 (17.1)	11 (26.8)
2020	41	1 (2.4)	7 (17.1)	8 (19.5)	12 (29.3)	13 (31.7)
2019	34	0	7 (20.6)	12 (35.3)	4 (11.8)	11 (32.4)
2018	60	<5 (****)	17 (28.3)	17 (28.3)	7 (11.7)	18 (30.0)
2017	38	0	13 (34.2)	7 (18.4)	10 (26.3)	8 (21.1)
2016	35	0	10 (28.6)	9 (25.7)	6 (17.1)	10 (28.6)
2015	39	<5 (****)	14 (35.9)	12 (30.8)	6 (15.4)	6 (15.4)
2014	44	0	17 (38.6)	10 (22.7)	11 (25.0)	6 (13.6)
2013	54	<5 (****)	18 (33.3)	15 (27.8)	12 (22.2)	6 (11.1)
2012	49	0	23 (46.9)	9 (18.4)	11 (22.4)	6 (12.2)
2011	48	<5 (****)	20 (41.7)	11 (22.9)	7 (14.6)	6 (12.5)
<b>SWIFT</b>						
2021	53	2 (3.8)	10 (18.9)	13 (24.5)	13 (24.5)	15 (28.3)
2020	57	1 (1.8)	13 (22.8)	15 (26.3)	13 (22.8)	15 (26.3)
2019	54	1 (1.9)	12 (22.2)	14 (25.9)	11 (20.4)	16 (29.6)
2018	58	<5 (****)	14 (24.1)	15 (25.9)	14 (24.1)	14 (24.1)
2017	67	<5 (****)	13 (19.4)	21 (31.3)	12 (17.9)	20 (29.9)
2016	52	0	14 (26.9)	18 (34.6)	9 (17.3)	11 (21.2)
2015	63	<5 (****)	18 (28.6)	19 (30.2)	12 (19.0)	13 (20.6)
2014	54	0	22 (40.7)	9 (16.7)	12 (22.2)	11 (20.4)
2013	67	<5 (****)	20 (29.9)	15 (22.4)	13 (19.4)	18 (26.9)
2012	59	0	16 (27.1)	15 (25.4)	13 (22.0)	15 (25.4)
2011	58	0	16 (27.6)	17 (29.3)	16 (27.6)	9 (15.5)
<b>TODD</b>						
2021	141	1 (<1)	31 (22.0)	36 (25.5)	33 (23.4)	40 (28.4)
2020	149	4 (2.7)	49 (32.9)	41 (27.5)	29 (19.5)	26 (17.4)
2019	124	1 (<1)	33 (26.6)	33 (26.6)	33 (26.6)	24 (19.4)
2018	144	2 (1.4)	38 (26.4)	44 (30.6)	18 (12.5)	42 (29.2)
2017	131	<5 (****)	38 (29.0)	38 (29.0)	25 (19.1)	26 (19.8)
2016	167	6 (3.6)	49 (29.3)	41 (24.6)	24 (14.4)	47 (28.1)
2015	131	<5 (****)	36 (27.5)	31 (23.7)	30 (22.9)	31 (23.7)
2014	118	<5 (****)	33 (28.0)	35 (29.7)	17 (14.4)	30 (25.4)
2013	142	<5 (****)	54 (38.0)	35 (24.6)	24 (16.9)	26 (18.3)
2012	168	<5 (****)	59 (35.1)	48 (28.6)	25 (14.9)	32 (19.0)
2011	137	<5 (****)	36 (26.3)	41 (29.9)	28 (20.4)	31 (22.6)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>TRAVERSE</b>						
2021	10	0	2 (****)	4 (****)	3 (****)	1 (****)
2020	13	0	3 (****)	4 (****)	2 (****)	4 (****)
2019	14	0	2 (****)	4 (****)	5 (****)	3 (****)
2018	19	0	<5 (****)	9 (****)	<5 (****)	<5 (****)
2017	13	0	<5 (****)	5 (****)	<5 (****)	<5 (****)
2016	12	0	<5 (****)	5 (****)	<5 (****)	<5 (****)
2015	15	<5 (****)	6 (****)	5 (****)	0	<5 (****)
2014	8	0	5 (****)	<5 (****)	<5 (****)	0
2013	15	0	6 (****)	<5 (****)	<5 (****)	<5 (****)
2012	13	<5 (****)	<5 (****)	8 (****)	<5 (****)	<5 (****)
2011	20	0	9 (****)	9 (****)	<5 (****)	<5 (****)
<b>WABASHA</b>						
2021	62	0	15 (24.2)	16 (25.8)	12 (19.4)	19 (30.6)
2020	75	3 (4.0)	21 (28.0)	18 (24.0)	12 (16.0)	21 (28.0)
2019	63	0	13 (20.6)	20 (31.7)	15 (23.8)	15 (23.8)
2018	57	<5 (****)	23 (40.4)	14 (24.6)	11 (19.3)	6 (10.5)
2017	94	<5 (****)	29 (30.9)	26 (27.7)	15 (16.0)	23 (24.5)
2016	94	<5 (****)	26 (27.7)	28 (29.8)	19 (20.2)	17 (18.1)
2015	87	<5 (****)	37 (42.5)	20 (23.0)	14 (16.1)	14 (16.1)
2014	71	<5 (****)	23 (32.4)	16 (22.5)	15 (21.1)	15 (21.1)
2013	96	<5 (****)	43 (44.8)	16 (16.7)	20 (20.8)	14 (14.6)
2012	82	<5 (****)	27 (32.9)	22 (26.8)	13 (15.9)	18 (22.0)
2011	81	<5 (****)	38 (46.9)	15 (18.5)	15 (18.5)	11 (13.6)
<b>WADENA</b>						
2021	77	2 (2.6)	16 (20.8)	17 (22.1)	18 (23.4)	24 (31.2)
2020	91	3 (3.3)	22 (24.2)	23 (25.3)	24 (26.4)	19 (20.9)
2019	83	2 (2.4)	20 (24.1)	25 (30.1)	19 (22.9)	17 (20.5)
2018	84	2 (2.4)	25 (29.8)	16 (19.0)	20 (23.8)	21 (25.0)
2017	92	<5 (****)	37 (40.2)	23 (25.0)	13 (14.1)	18 (19.6)
2016	103	<5 (****)	24 (23.3)	35 (34.0)	16 (15.5)	26 (25.2)
2015	85	<5 (****)	33 (38.8)	17 (20.0)	16 (18.8)	18 (21.2)
2014	64	<5 (****)	19 (29.7)	12 (18.8)	14 (21.9)	17 (26.6)
2013	70	0	30 (42.9)	14 (20.0)	11 (15.7)	15 (21.4)
2012	78	<5 (****)	30 (38.5)	19 (24.4)	13 (16.7)	15 (19.2)
2011	80	0	32 (40.0)	22 (27.5)	15 (18.8)	11 (13.8)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>WASECA</b>						
2021	83	1 (1.2)	14 (16.9)	27 (32.5)	15 (18.1)	26 (31.3)
2020	77	4 (5.2)	26 (33.8)	19 (24.7)	8 (10.4)	20 (26.0)
2019	83	1 (1.2)	19 (22.9)	21 (25.3)	20 (24.1)	22 (26.5)
2018	106	8 (7.5)	35 (33.0)	24 (22.6)	19 (17.9)	20 (18.9)
2017	86	<5 (****)	22 (25.6)	22 (25.6)	21 (24.4)	20 (23.3)
2016	77	<5 (****)	20 (26.0)	20 (26.0)	17 (22.1)	19 (24.7)
2015	118	5 (4.2)	45 (38.1)	28 (23.7)	23 (19.5)	17 (14.4)
2014	91	<5 (****)	30 (33.0)	26 (28.6)	14 (15.4)	18 (19.8)
2013	85	<5 (****)	29 (34.1)	13 (15.3)	24 (28.2)	18 (21.2)
2012	90	<5 (****)	30 (33.3)	24 (26.7)	14 (15.6)	20 (22.2)
2011	89	<5 (****)	32 (36.0)	20 (22.5)	12 (13.5)	22 (24.7)
<b>WASHINGTON</b>						
2021	606	19 (3.1)	165 (27.2)	173 (28.5)	141 (23.3)	108 (17.8)
2020	632	21 (3.3)	177 (28.0)	179 (28.3)	119 (18.8)	136 (21.5)
2019	530	21 (4.0)	155 (29.2)	159 (30.0)	101 (19.1)	94 (17.7)
2018	550	19 (3.5)	195 (35.5)	148 (26.9)	86 (15.6)	102 (18.5)
2017	557	16 (2.9)	202 (36.3)	173 (31.1)	80 (14.4)	86 (15.4)
2016	672	24 (3.6)	193 (28.7)	197 (29.3)	129 (19.2)	129 (19.2)
2015	582	22 (3.8)	211 (36.3)	169 (29.0)	100 (17.2)	80 (13.7)
2014	527	21 (4.0)	208 (39.5)	144 (27.3)	90 (17.1)	64 (12.1)
2013	601	19 (3.2)	251 (41.8)	148 (24.6)	102 (17.0)	81 (13.5)
2012	648	32 (4.9)	233 (36.0)	195 (30.1)	110 (17.0)	78 (12.0)
2011	643	22 (3.4)	262 (40.7)	166 (25.8)	103 (16.0)	90 (14.0)
<b>WATONWAN</b>						
2021	107	0	22 (20.6)	37 (34.6)	23 (21.5)	25 (23.4)
2020	94	0	27 (28.7)	28 (29.8)	19 (20.2)	20 (21.3)
2019	108	3 (2.8)	36 (33.3)	32 (29.6)	19 (17.6)	18 (16.7)
2018	108	6 (5.6)	22 (20.4)	40 (37.0)	18 (16.7)	22 (20.4)
2017	107	<5 (****)	34 (31.8)	39 (36.4)	20 (18.7)	13 (12.1)
2016	101	<5 (****)	31 (30.7)	37 (36.6)	15 (14.9)	17 (16.8)
2015	101	0	41 (40.6)	21 (20.8)	21 (20.8)	18 (17.8)
2014	94	<5 (****)	40 (42.6)	27 (28.7)	14 (14.9)	12 (12.8)
2013	75	<5 (****)	28 (37.3)	27 (36.0)	12 (16.0)	7 (9.3)
2012	99	<5 (****)	37 (37.4)	34 (34.3)	12 (12.1)	15 (15.2)
2011	91	<5 (****)	39 (42.9)	18 (19.8)	20 (22.0)	12 (13.2)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>WILKIN</b>						
2021	10	0	4 (****)	3 (****)	2 (****)	1 (****)
2020	10	0	3 (****)	2 (****)	2 (****)	3 (****)
2019	20	0	3 (****)	8 (****)	5 (****)	4 (****)
2018	22	0	<5 (****)	6 (****)	7 (****)	5 (****)
2017	41	<5 (****)	12 (29.3)	12 (29.3)	5 (12.2)	11 (26.8)
2016	31	0	11 (35.5)	5 (16.1)	8 (25.8)	7 (22.6)
2015	24	0	11 (****)	<5 (****)	5 (****)	6 (****)
2014	27	0	7 (****)	5 (****)	8 (****)	7 (****)
2013	31	0	13 (41.9)	9 (29.0)	<5 (****)	6 (19.4)
2012	42	0	15 (35.7)	14 (33.3)	6 (14.3)	7 (16.7)
2011	45	0	19 (42.2)	7 (15.6)	12 (26.7)	7 (15.6)
<b>WINONA</b>						
2021	99	6 (6.1)	33 (33.3)	29 (29.3)	13 (13.1)	18 (18.2)
2020	129	8 (6.2)	28 (21.7)	31 (24.0)	26 (20.2)	36 (27.9)
2019	137	2 (1.5)	34 (24.8)	35 (25.5)	21 (15.3)	45 (32.8)
2018	132	6 (4.5)	41 (31.1)	25 (18.9)	28 (21.2)	32 (24.2)
2017	122	<5 (****)	41 (33.6)	27 (22.1)	24 (19.7)	28 (23.0)
2016	177	<5 (****)	59 (33.3)	52 (29.4)	27 (15.3)	38 (21.5)
2015	151	<5 (****)	56 (37.1)	37 (24.5)	28 (18.5)	26 (17.2)
2014	155	6 (3.9)	51 (32.9)	33 (21.3)	30 (19.4)	35 (22.6)
2013	178	<5 (****)	66 (37.1)	54 (30.3)	26 (14.6)	29 (16.3)
2012	177	8 (4.5)	70 (39.5)	49 (27.7)	25 (14.1)	25 (14.1)
2011	190	<5 (****)	72 (37.9)	50 (26.3)	29 (15.3)	35 (18.4)
<b>WRIGHT</b>						
2021	369	8 (2.2)	99 (26.8)	113 (30.6)	70 (19.0)	79 (21.4)
2020	363	10 (2.8)	96 (26.4)	111 (30.6)	79 (21.8)	67 (18.5)
2019	351	12 (3.4)	103 (29.3)	109 (31.1)	47 (13.4)	80 (22.8)
2018	328	12 (3.7)	111 (33.8)	87 (26.5)	47 (14.3)	71 (21.6)
2017	356	10 (2.8)	121 (34.0)	98 (27.5)	63 (17.7)	64 (18.0)
2016	413	17 (4.1)	124 (30.0)	108 (26.2)	80 (19.4)	84 (20.3)
2015	400	19 (4.8)	154 (38.5)	96 (24.0)	72 (18.0)	59 (14.8)
2014	344	13 (3.8)	154 (44.8)	77 (22.4)	36 (10.5)	64 (18.6)
2013	393	20 (5.1)	155 (39.4)	96 (24.4)	50 (12.7)	72 (18.3)
2012	406	14 (3.4)	180 (44.3)	92 (22.7)	52 (12.8)	68 (16.7)
2011	443	20 (4.5)	181 (40.9)	114 (25.7)	64 (14.4)	64 (14.4)

Pre-pregnancy Weight Status by Calendar Year of Delivery and County of Residence in MN WIC  
Minnesota WIC Information System

COUNTY OF RESIDENCE <sup>1</sup>	Total <sup>2</sup>	Underweight <sup>3</sup>	Normal <sup>4</sup>	Overweight <sup>5</sup>	Obese <sup>6</sup>	Very Obese <sup>7</sup>
<b>YELLOW MEDICINE</b>						
2021	55	1 (1.8)	13 (23.6)	19 (34.5)	12 (21.8)	10 (18.2)
2020	44	0	11 (25.0)	12 (27.3)	7 (15.9)	14 (31.8)
2019	42	1 (2.4)	15 (35.7)	7 (16.7)	5 (11.9)	14 (33.3)
2018	40	0	15 (37.5)	11 (27.5)	5 (12.5)	9 (22.5)
2017	50	<5 (****)	21 (42.0)	9 (18.0)	6 (12.0)	11 (22.0)
2016	65	0	17 (26.2)	19 (29.2)	17 (26.2)	12 (18.5)
2015	80	<5 (****)	28 (35.0)	21 (26.2)	14 (17.5)	15 (18.8)
2014	63	<5 (****)	23 (36.5)	13 (20.6)	14 (22.2)	10 (15.9)
2013	47	0	18 (38.3)	10 (21.3)	11 (23.4)	8 (17.0)
2012	82	<5 (****)	30 (36.6)	24 (29.3)	13 (15.9)	14 (17.1)
2011	74	0	24 (32.4)	19 (25.7)	17 (23.0)	14 (18.9)
<b>Count (Percentage of total)</b>						

\*\*\*\* percentages suppressed for denominators <30

Suggested Citation: Minnesota WIC Information System. Pre-pregnancy weight status by calendar year of delivery and county of residence in Minnesota WIC. Minnesota WIC Program: 2022.

For more information contact: Minnesota WIC Program 1 (800) 657-3942

<sup>1</sup> County of residence as of March of the subsequent calendar year.

<sup>2</sup> Total number of participants delivering during calendar year with valid pre-pregnancy weight status information.

<sup>3</sup> BMI <18.5

<sup>4</sup> BMI 18.5 to <25

<sup>5</sup> BMI 25 to <30

<sup>6</sup> BMI 30 to <35

<sup>7</sup> BMI ≥35