

# Metropolitan Health Plan

HEDIS 2011 (Reporting Year 2010)

Data Last Refreshed: 10/24/2011

General Info		Page
	Disclaimers	2

Code	Effectiveness of Care Measures	Page
<b>Prevention and Screening</b>		
ABA	Adult BMI Assessment	3
WCC	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents	4
CIS	Childhood Immunization Status	6
IMA	Immunizations for Adolescents	10
BCS	Breast Cancer Screening	12
CCS	Cervical Cancer Screening	13
COL	Colorectal Cancer Screening	14
CHL	Chlamydia Screening in Women	15
GSO	Glaucoma Screening in Older Adults	17
LSC	Lead Screening in Children	18
COA	Care for Older Adults	19
<b>Respiratory Conditions</b>		
PCE	Pharmacotherapy Management of COPD Exacerbation	20
SPR	Use of Spirometry Testing in the Assessment and Diagnosis of COPD	23
ASM	Use of Appropriate Medications for People with Asthma	24
<b>Cardiovascular</b>		
CMC	Cholesterol Management for Patients with Cardiovascular Conditions	26
CBP	Controlling High Blood Pressure	29
PBH	Persistence of Beta Blocker Treatment After Heart Attack	30
<b>Diabetes</b>		
CDC	Comprehensive Diabetes Care	31
<b>Musculoskeletal</b>		
ART	Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis	36
OMW	Osteoporosis Management in Women Who had a Fracture	37
<b>Behavioral Health</b>		
AMM	Antidepressant Medication Management	38
ADD	Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication	43
FUH	Follow-up After Hospitalization for Mental Illness	45

Code	Effectiveness of Care Measures	Page
<b>Medication Management</b>		
MPM	Annual Monitoring for Patients on Persistent Medications	48
MRP	Medication Reconciliation Post Discharge	53
DDE	Potentially Harmful Drug-Disease Interactions in the Elderly	54
DAE	Use of High Risk Medications in the Elderly	56

Code	Access / Availability of Care Measures	Page
AAP	Adult's Access to Preventive/Ambulatory Health Services	58
CAP	Children's and Adolescents' Access to Primary Care Practitioners	63
IET	Initiation/Engagement of Alcohol & Other Drug Dependence Treatment	65
PPC	Prenatal and Postpartum Care	70

Code	Use of Services Measures	Page
W15	Well Child Visits in the First 15 Months of Life	72
W34	Well Child Visits in the 3rd, 4th, 5th and 6th Years of Life	74
AWC	Adolescent Well-Care Visits	75
AMB	Ambulatory Care	76
IPU	Inpatient Utilization - General Hospital/Acute Care	81
IAD	Identification of Alcohol and Other Drug Services	86
MPT	Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services	91

Code	Health Plan Descriptive Information Measures	Page
BCR	Board Certification	96
ENP	Enrollment by Product Line (Age & Sex)	98

**( this page left blank intentionally )**

# Effectiveness of Care

# Metropolitan Health Plan

## Adult BMI Assessment

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

Data Elements	Commercial	Medicare Advantage	MHCP-MC
Measurement Year		2010	2010
Data Collection Methodology		H	H
Eligible Member Population		26	839
Numerator Events by Admin Data on Eligible Population (before exclusions)		3	35
Current Year's Admin Rate	NR	11.54%	4.17%
Minimum Required Sample Size		26	411
Oversampling Rate		0.00%	5.00%
Final Sample Size (FSS)		26	432
Numerator events by admin data in FSS		3	14
Admin Rate on FSS	NR	11.54%	3.24%
Number of Records Excluded Because of Valid Data Errors		0	0
Number of administrative data records excluded		0	141
Number of medical record data records excluded		0	0
Number of employee/dependent medical records excluded		0	0
Records Added from the Oversample List		0	0
Denominator		26	411
Numerator Events by Admin Data		3	13
Numerator Events by Medical Record		18	307
Reported Rate	NR	NA	77.86%
Lower 95% Confidence Interval	NR	NA	73.72%
Upper 95% Confidence Interval	NR	NA	81.99%

# Effectiveness of Care

# Metropolitan Health Plan

## Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Commercial

Data Elements	BMI Percentile			Counseling for Nutrition				Counseling for Physical Activity				
	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total
Measurement Year												
Data Collection Methodology												
Eligible Member Population												
Numerator events by admin data in eligible population												
Current Year's Administrative Rate		NR	NR	NR		NR	NR	NR		NR	NR	NR
Minimum Required Sample Size												
Oversampling Rate												
Final Sample Size (FSS)												
Numerator events by admin data in FSS												
Admin rate on FSS		NR	NR	NR		NR	NR	NR		NR	NR	NR
Number of Records Excluded Because of Valid Data Errors												
Number of administrative data records excluded												
Number of medical records excluded												
Number of employee/dependent records excluded												
Records Added from the Oversample List												
Denominator												
Numerator Events by Admin Data												
Numerator Events by Medical Record												
Reported Rate		NR	NR	NR		NR	NR	NR		NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR		NR	NR	NR		NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR		NR	NR	NR		NR	NR	NR

Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	BMI Percentile			Counseling for Nutrition				Counseling for Physical Activity				
	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total	General Measure Data	Ages 3-11	Ages 12-17	Total
Measurement Year	2010				2010				2010			
Data Collection Methodology	H				H				H			
Eligible Member Population		2504	1066	3570		2504	1066	3570		2504	1066	3570
Numerator events by admin data in eligible population		116	60	176		179	49	228		0	0	0
Current Year's Administrative Rate		4.63%	5.63%	4.93%		7.15%	4.60%	6.39%		0.00%	0.00%	0.00%
Minimum Required Sample Size	411				411				411			
Oversampling Rate	5.00%				5.00%				5.00%			
Final Sample Size (FSS)	432				432				432			
Numerator events by admin data in FSS		12	6	18		22	3	25		0	0	0
Admin rate on FSS		2.78%	1.39%	4.17%		5.09%	0.69%	5.79%		0.00%	0.00%	0.00%
Number of Records Excluded Because of Valid Data Errors	0				0				0			
Number of administrative data records excluded	27				27				27			
Number of medical records excluded	0				0				0			
Number of employee/dependent records excluded	0				0				0			
Records Added from the Oversample List	0				0				0			
Denominator		298	113	411		298	113	411		298	113	411
Numerator Events by Admin Data		12	6	18		22	3	25		0	0	0
Numerator Events by Medical Record		246	89	335		210	74	284		221	78	299
Reported Rate		86.58%	84.07%	85.89%		77.85%	68.14%	75.18%		74.16%	69.03%	72.75%
Lower 95% Confidence Interval		82.54%	76.88%	82.40%		72.97%	59.11%	70.88%		69.02%	60.06%	68.32%
Upper 95% Confidence Interval		90.62%	91.26%	89.38%		82.73%	77.17%	79.48%		79.30%	77.99%	77.18%

# Effectiveness of Care

# Metropolitan Health Plan

## Childhood Immunization Status

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Commercial

Data Elements	General Measure Data	DTaP	IPV	MMR	HiB	Hepatitis B	VZV	Pneumo-coccal Conjugate	Hepatitis A	Rotavirus	Influenza
Measurement Year											
Data Collection Methodology											
Eligible Member Population											
Numerator events by admin data in eligible population											
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size											
Oversampling Rate											
Final Sample Size (FSS)											
Numerator events by admin data in FSS											
Admin rate on FSS		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors											
Number of administrative data records excluded											
Number of medical data records excluded											
Number of employee/dependent records excluded											
Records Added from the Oversample List											
Denominator											
Numerator Events by administrative Data											
Numerator Events by Medical Record											
Reported Rate		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Commercial

Data Elements	General Measure Data	DTaP	Combo 2	Combo 3	Combo 4	Combo 5	Combo 6	Combo 7	Combo 8	Combo 9	Combo10
Measurement Year											
Data Collection Methodology											
Eligible Member Population											
Numerator events by admin data in eligible population											
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size											
Oversampling Rate											
Final Sample Size (FSS)											
Numerator events by admin data in FSS											
Admin rate on FSS		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors											
Number of administrative data records excluded											
Number of medical data records excluded											
Number of employee/dependent records excluded											
Records Added from the Oversample List											
Denominator											
Numerator Events by administrative Data											
Numerator Events by Medical Record											
Reported Rate		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	DTaP	IPV	MMR	HiB	Hepatitis B	VZV	Pneumo-coccal Conjugate	Hepatitis A	Rotavirus	Influenza
Measurement Year	2010										
Data Collection Methodology	H										
Eligible Member Population	398										
Numerator events by admin data in eligible population		282	315	355	311	259	358	277	104	233	263
Current Year's Administrative Rate		70.85%	79.15%	89.20%	78.14%	65.08%	89.95%	69.60%	26.13%	58.54%	66.08%
Minimum Required Sample Size	398										
Oversampling Rate	0										
Final Sample Size (FSS)	398										
Numerator events by admin data in FSS		282	315	355	311	259	358	277	104	233	263
Admin rate on FSS		70.85%	79.15%	89.20%	78.14%	65.08%	89.95%	69.60%	26.13%	58.54%	66.08%
Number of Records Excluded Because of Valid Data Errors	0										
Number of administrative data records excluded	0										
Number of medical data records excluded	0										
Number of employee/dependent records excluded	0										
Records Added from the Oversample List	0										
Denominator	398										
Numerator Events by administrative Data		282	315	355	311	259	358	277	104	233	263
Numerator Events by Medical Record		65	63	22	59	119	21	70	23	51	15
Reported Rate		87.19%	94.97%	94.72%	92.96%	94.97%	95.23%	87.19%	31.91%	71.36%	69.85%
Lower 95% Confidence Interval		83.78%	92.70%	92.40%	90.33%	92.70%	93.01%	83.78%	27.20%	66.79%	65.21%
Upper 95% Confidence Interval		90.60%	97.25%	97.05%	95.60%	97.25%	97.45%	90.60%	36.61%	75.92%	74.48%



# Effectiveness of Care

# Metropolitan Health Plan

## Childhood Immunization Status

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	DTaP	Combo 2	Combo 3	Combo 4	Combo 5	Combo 6	Combo 7	Combo 8	Combo 9	Combo10
Measurement Year	2010										
Data Collection Methodology	H										
Eligible Member Population	398										
Numerator events by admin data in eligible population		282	204	193	65	157	159	52	59	132	47
Current Year's Administrative Rate		70.85%	51.26%	48.49%	16.33%	39.45%	39.95%	13.07%	14.82%	33.17%	11.81%
Minimum Required Sample Size	398										
Oversampling Rate	0										
Final Sample Size (FSS)	398										
Numerator events by admin data in FSS		282	204	193	65	157	159	52	59	132	47
Admin rate on FSS		70.85%	51.26%	48.49%	16.33%	39.45%	39.95%	13.07%	14.82%	33.17%	11.81%
Number of Records Excluded Because of Valid Data Errors	0										
Number of administrative data records excluded	0										
Number of medical data records excluded	0										
Number of employee/dependent records excluded	0										
Records Added from the Oversample List	0										
Denominator	398										
Numerator Events by administrative Data		282	204	193	65	157	159	52	59	132	47
Numerator Events by Medical Record		65	117	117	51	88	79	39	34	62	27
Reported Rate		87.19%	80.65%	77.89%	29.15%	61.56%	59.80%	22.86%	23.37%	48.74%	18.59%
Lower 95% Confidence Interval		83.78%	76.65%	73.69%	24.56%	56.65%	54.86%	18.61%	19.08%	43.71%	14.65%
Upper 95% Confidence Interval		90.60%	84.66%	82.09%	33.74%	66.46%	64.74%	27.12%	27.65%	53.78%	22.54%

Commercial

Data Elements	General Measure Data	Meningococcal	Tdap	Combo 1
Measurement Year				
Data Collection Methodology				
Eligible Member Population				
Numerator Events by Admin Data on Eligible Population (before exclusions)				
Current Year's Admin Rate		NR	NR	NR
Minimum Required Sample Size				
Oversampling Rate				
Final Sample Size (FSS)				
Numerator events by admin data in FSS				
Admin Rate on FSS		NR	NR	NR
Records Excluded because of Valid Data Errors				
Number of administrative data records excluded				
Number of medical data records excluded				
Number of employee/dependent medical records excluded				
Records Added from the Oversample List				
Denominator				
Numerator Events by Admin Data				
Numerator Events by Medical Record				
Reported Rate		NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR

# Effectiveness of Care

# Metropolitan Health Plan

## Immunizations for Adolescents

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Meningococcal	Tdap	Combo 1
Measurement Year	2010			
Data Collection Methodology	H			
Eligible Member Population	224			
Numerator Events by Admin Data on Eligible Population (before exclusions)		136	158	118
Current Year's Admin Rate		60.71%	70.54%	52.68%
Minimum Required Sample Size	224			
Oversampling Rate	0.00%			
Final Sample Size (FSS)	224			
Numerator events by admin data in FSS		136	158	118
Admin Rate on FSS		60.71%	70.54%	52.68%
Records Excluded because of Valid Data Errors	0			
Number of administrative data records excluded	0			
Number of medical data records excluded	0			
Number of employee/dependent medical records excluded	0			
Records Added from the Oversample List	0			
Denominator	224			
Numerator Events by Admin Data		136	158	118
Numerator Events by Medical Record		23	35	33
Reported Rate		70.98%	86.16%	67.41%
Lower 95% Confidence Interval		64.82%	81.42%	61.05%
Upper 95% Confidence Interval		77.15%	90.91%	73.77%

# Effectiveness of Care

# Metropolitan Health Plan

## Breast Cancer Screening

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

Data Elements	Commercial	Medicare Advantage	MSHO	SNBC	MHCP-MC
Measurement Year		2010	2010	2010	2010
Data Collection Methodology		A	A	A	A
Eligible Member Population		11	34	26	237
Numerator Events by Admin Data		9	18	15	144
Reported Rate	NR	NA	52.94%	NA	60.76%
Lower 95% Confidence Interval	NR	NA	34.69%	NA	54.33%
Upper 95% Confidence Interval	NR	NA	71.19%	NA	67.19%

## Cervical Cancer Screening

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

Data Elements	Commercial	MHCP-MC
Measurement Year		2010
Data Collection Methodology		H
Eligible Member Population		1200
Numerator Events by Admin Data on Eligible Population (before exclusions)		807
Current Year's Admin Rate	NR	67.25%
Minimum Required Sample Size		411
Oversampling Rate		10.00%
Final Sample Size (FSS)		453
Numerator events by admin data in FSS		304
Admin Rate on FSS	NR	67.11%
Records Excluded because of Valid Data Errors		4
Number of administrative data records excluded		11
Number of medical record data records excluded		5
Number of employee/dependent medical records excluded		0
Records Added from the Oversample List		9
Denominator		411
Numerator Events by Admin Data		287
Numerator Events by Medical Record		27
Reported Rate	NR	76.40%
Lower 95% Confidence Interval	NR	72.17%
Upper 95% Confidence Interval	NR	80.63%

# Effectiveness of Care

# Metropolitan Health Plan

## Colorectal Cancer Screening

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

Data Elements	Commercial	Medicare Advantage	MSHO	SNBC
Measurement Year		2010	2010	2010
Data collection methodology (administrative or hybrid)		H	H	H
Eligible population		25	245	24
Number of numerator events by administrative data in eligible population (before exclusions)		5	56	2
Current year's administrative rate (before exclusions)	NR	20.00%	22.86%	8.33%
Minimum required sample size (MRSS) or other sample size		25	245	24
Oversampling rate		0	0.00%	0.00%
Final sample size (FSS)		25	245	24
Number of numerator events by administrative data in FSS		5	56	2
Administrative rate on FSS	NR	20.00%	22.86%	8.33%
Number of original sample records excluded because of valid data errors		0	0	0
Number of administrative data records excluded		0	0	0
Number of medical record data records excluded		0	0	0
Number of employee/dependent medical records excluded		0	0	0
Records added from the oversample list		0	0	0
Denominator		25	245	24
Numerator events by administrative data		5	56	2
Numerator events by medical records		8	63	3
Reported rate	NR	NA	48.57%	NA
Lower 95% confidence interval	NR	NA	42.11%	NA
Upper 95% confidence interval	NR	NA	55.03%	NA

# Effectiveness of Care

# Metropolitan Health Plan

## Chlamydia Screening in Women

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Commercial

Data Elements	General Measure Data	Ages 16-20	Ages 21-24	Total
Measurement Year				
Data Collection Methodology				
Eligible Member Population				NR
Numerator Events by Admin Data				NR
Reported Rate		NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR

# Effectiveness of Care

# Metropolitan Health Plan

## Chlamydia Screening in Women

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Ages 16-20	Ages 21-24	Total
Measurement Year	2010			
Data Collection Methodology	A			
Eligible Member Population		279	153	432
Numerator Events by Admin Data		180	121	301
Reported Rate		64.52%	79.08%	69.68%
Lower 95% Confidence Interval		58.72%	72.31%	65.23%
Upper 95% Confidence Interval		70.31%	85.86%	74.13%



# Effectiveness of Care

# Metropolitan Health Plan

## Glaucoma Screening in Older Adults

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

Data Elements	Medicare Advantage	MSHO
Measurement Year	2010	2010
Data Collection Methodology	A	A
Eligible Member Population	24	585
Numerator Events by Admin Data	19	455
Reported Rate	NA	77.78%
Lower 95% Confidence Interval	NA	74.32%
Upper 95% Confidence Interval	NA	81.23%

## Lead Screening in Children

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

Data Elements	Commercial	MHCP-MC
Measurement Year		2010
Data Collection Methodology		A
Eligible Member Population		398
Numerator Events by Admin Data on Eligible Population (before exclusions)		
Current Year's Admin Rate	NR	NR
Minimum Required Sample Size		
Oversampling Rate		
Final Sample Size (FSS)		
Numerator events by admin data in FSS		
Admin Rate on FSS	NR	NR
Records Excluded because of Valid Data Errors		
Number of administrative data records excluded		
Number of medical record data records excluded		
Number of employee/dependent medical records excluded		
Records Added from the Oversample List		
Denominator		
Numerator Events by Admin Data		357
Numerator Events by Medical Record		
Reported Rate	NR	89.70%
Lower 95% Confidence Interval	NR	86.59%
Upper 95% Confidence Interval	NR	92.81%

# Effectiveness of Care

# Metropolitan Health Plan

## Care for Older Adults

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### MSHO

Data Elements	General Measure Data	Advance Care Planning	Medication Review	Functional Status Assessment	Pain Screening
Measurement Year	2010				
Data Collection Methodology	H				
Eligible Member Population	646				
Numerator Events by Admin Data on Eligible Population (before exclusions)		0	0	0	0
Current Year's Admin Rate		0.00%	0.00%	0.00%	0.00%
Minimum Required Sample Size	411				
Oversampling Rate	5.00%				
Final Sample Size (FSS)	432				
Numerator events by admin data in FSS		0	0	0	0
Admin Rate on FSS		0.00%	0.00%	0.00%	0.00%
Records Excluded because of Valid Data Errors	0				
Number of employee/dependent medical records excluded	0				
Records Added from the Oversample List	0				
Denominator	411				
Numerator Events by Admin Data		0	0	0	0
Numerator Events by Medical Record		181	387	281	257
Reported Rate		44.04%	94.16%	68.37%	62.53%
Lower 95% Confidence Interval		39.12%	91.77%	63.75%	57.73%
Upper 95% Confidence Interval		48.96%	96.55%	72.99%	67.33%

### Medicare Advantage

Data Elements	General Measure Data	Systemic corticosteroid	Bronchodilator
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	0		
Numerator Events by Admin Data		0	0
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

**MSHO**

Data Elements	General Measure Data	Systemic corticosteroid	Bronchodilator
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	19		
Numerator Events by Admin Data		17	18
Reported Rate		NA	NA
Lower 95% Confidence Interval		NA	NA
Upper 95% Confidence Interval		NA	NA

## Pharmacotherapy Management of COPD Exacerbation

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### SNBC

Data Elements	General Measure Data	Systemic corticosteroid	Bronchodilator
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	2		
Numerator Events by Admin Data		1	2
Reported Rate		NA	NA
Lower 95% Confidence Interval		NA	NA
Upper 95% Confidence Interval		NA	NA

# Effectiveness of Care

# Metropolitan Health Plan

## Use of Spirometry Testing in the Assessment and Diagnosis of COPD

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

Data Elements	Medicare Advantage	MSHO	SNBC
Measurement Year	2010	2010	2010
Data Collection Methodology	A	A	A
Eligible Member Population	0	21	0
Numerator Events by Admin Data	0	4	0
Reported Rate	NA	NA	NA
Lower 95% Confidence Interval	NA	NA	NA
Upper 95% Confidence Interval	NA	NA	NA

Commercial

Data Elements	General Measure Data	Ages 5-11	Ages 12-50	Total
Measurement Year				
Data Collection Methodology				
Eligible Member Population				NR
Numerator Events by Admin Data				NR
Reported Rate		NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR



### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Ages 5-11	Ages 12-50	Total
Measurement Year	2010			
Data Collection Methodology	A			
Eligible Member Population		62	94	156
Numerator Events by Admin Data		62	88	150
Reported Rate		100.00%	93.62%	96.15%
Lower 95% Confidence Interval		99.19%	88.14%	92.82%
Upper 95% Confidence Interval		100.00%	99.09%	99.49%

Commercial

Data Elements	General Measure Data	LDL-C screening	LDL-C Level of <100 mg/dL
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data on Eligible Population			
Current Year's Admin Rate		NR	NR
Minimum Required Sample Size			
Oversampling Rate			
Final Sample Size (FSS)			
Numerator events by admin data in FSS			
Admin rate on FSS		NR	NR
Records Excluded because of Valid Data Errors			
Number of employee/dependent medical records excluded			
Records Added from the Oversample List			
Denominator			
Numerator Events by Admin Data			
Numerator Events by Medical Record			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

## Cholesterol Management for Patients with Cardiovascular Conditions

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Medicare Advantage

Data Elements	General Measure Data	LDL-C screening	LDL-C Level of <100 mg/dL
Measurement Year	2010		
Data Collection Methodology	H		
Eligible Member Population	3		
Numerator Events by Admin Data on Eligible Population		2	0
Current Year's Admin Rate		66.67%	0.00%
Minimum Required Sample Size	3		
Oversampling Rate	0.00%		
Final Sample Size (FSS)	3		
Numerator events by admin data in FSS		2	0
Admin rate on FSS		66.67%	0.00%
Records Excluded because of Valid Data Errors	0		
Number of employee/dependent medical records excluded	0		
Records Added from the Oversample List	0		
Denominator	3		
Numerator Events by Admin Data		2	0
Numerator Events by Medical Record		0	1
Reported Rate		NA	NA
Lower 95% Confidence Interval		NA	NA
Upper 95% Confidence Interval		NA	NA

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	LDL-C screening	LDL-C Level of <100 mg/dL
Measurement Year	2010		
Data Collection Methodology	H		
Eligible Member Population	17		
Numerator Events by Admin Data on Eligible Population		10	0
Current Year's Admin Rate		58.82%	0.00%
Minimum Required Sample Size	17		
Oversampling Rate	0.00%		
Final Sample Size (FSS)	17		
Numerator events by admin data in FSS		10	0
Admin rate on FSS		58.82%	0.00%
Records Excluded because of Valid Data Errors	0		
Number of employee/dependent medical records excluded	0		
Records Added from the Oversample List	0		
Denominator	17		
Numerator Events by Admin Data		10	0
Numerator Events by Medical Record		4	10
Reported Rate		NA	NA
Lower 95% Confidence Interval		NA	NA
Upper 95% Confidence Interval		NA	NA

# Effectiveness of Care

# Metropolitan Health Plan

## Controlling High Blood Pressure

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

Data Elements	Commercial	Medicare Advantage	MSHO	SNBC	MHCP-MC
Measurement Year		2010	2010	2010	2010
Data Collection Methodology (Hybrid)		H	H	H	H
Eligible Member Population		18	319	73	246
Numerator Events by Admin Data on Eligible Population (before exclusions)		0	0	0	0
Current Year's Admin Rate	NR	0.00%	0.00%	0.00%	0.00%
Minimum Required Sample Size		17	290	70	231
Oversampling Rate		0.00%	0.00%	0.00%	0.00%
Final Sample Size (FSS)		17	290	70	231
Numerator events by admin data in FSS		0	0	0	0
Admin rate on FSS	NR	0.00%	0.00%	0.00%	0.00%
Records Excluded because of Valid Data Errors		1	3	1	0
Number of records excluded because of false positive diagnoses		0	0	0	0
Number of administrative data records excluded		1	29	3	15
Number of medical record data records excluded		1	2	0	0
Number of employee/dependent medical records excluded		0	0	0	0
Records Added from the OverSample List		0	0	0	0
Denominator		15	285	69	231
Numerator Events by Admin Data		0	0	0	0
Numerator Events by Medical Record		13	194	44	151
Reported Rate	NR	NA	68.07%	63.77%	65.37%
Lower 95% Confidence Interval	NR	NA	62.48%	51.70%	59.02%
Upper 95% Confidence Interval	NR	NA	73.66%	75.83%	71.72%

## Persistence of Beta Blocker Treatment After Heart Attack

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

Data Elements	Commercial	Medicare Advantage	MSHO	SNBC	MHCP-MC
Measurement Year		2010	2010	2010	2010
Data Collection Methodology		A	A	A	A
Eligible Member Population		0	4	0	5
Numerator Events by Admin Data on Eligible Population		0	4	0	4
Reported Rate	NR	NR	NA	NR	NA
Lower 95% Confidence Interval	NR	NR	NA	NR	NA
Upper 95% Confidence Interval	NR	NR	NA	NR	NA

# Effectiveness of Care

# Metropolitan Health Plan

## Comprehensive Diabetes Care

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Commercial

Data Elements	HbA1c Testing	Poor HbA1c Control (>9.0%)	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <130/80 mm Hg
Measurement Year										
Data Collection Methodology										
Eligible Member Population										
Numerator events by admin data in eligible population										
Current Year's Administrative Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size										
Oversampling Rate										
Final Sample Size (FSS)										
Numerator events by admin data in FSS										
Admin rate on FSS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors										
Number of administrative data records excluded										
Number of medical record data records excluded										
Number of employee/dependent medical records excluded										
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List										
Denominator										
Numerator Events by Admin Data										
Numerator Events by Medical Record										
Reported Rate	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Medicare Advantage

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <130/80 mm Hg
Measurement Year	2010	2010		2010	2010	2010	2010	2010	2010	2010
Data Collection Methodology	H	H		H	H	H	H	H	H	H
Eligible Member Population	11	11		11	11	11	11	11	11	11
Numerator events by admin data in eligible population	10	11		0	7	9	0	11	0	0
Current Year's Administrative Rate	90.91%	100.00%	NR	0.00%	63.64%	81.82%	0.00%	100.00%	0.00%	0.00%
Minimum Required Sample Size	11	11		11	11	11	11	11	11	11
Oversampling Rate	0%	0%		0%	0%	0%	0%	0%	0%	0%
Final Sample Size (FSS)	11	11		11	11	11	11	11	11	11
Numerator events by admin data in FSS	8	11		0	7	9	0	11	0	0
Admin rate on FSS	72.73%	100.00%	NR	0.00%	63.64%	81.82%	0.00%	100.00%	0.00%	0.00%
Number of Records Excluded Because of Valid Data Errors	1	1		1	1	1	1	1	1	1
Number of administrative data records excluded	0	0		0	0	0	0	0	0	0
Number of medical record data records excluded	0	0		0	0	0	0	0	0	0
Number of employee/dependent medical records excluded	0	0		0	0	0	0	0	0	0
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List	0	0		0	0	0	0	0	0	0
Denominator	10	10		10	10	10	10	10	10	10
Numerator Events by Admin Data	8	2		0	7	8	0	10	0	0
Numerator Events by Medical Record	2	2		6	0	1	4	0	9	8
Reported Rate	NA	NA	NR	NA	NA	NA	NA	NA	NA	NA
Lower 95% Confidence Interval	NA	NA	NR	NA	NA	NA	NA	NA	NA	NA
Upper 95% Confidence Interval	NA	NA	NR	NA	NA	NA	NA	NA	NA	NA



# Effectiveness of Care

# Metropolitan Health Plan

## Comprehensive Diabetes Care

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### MSHO

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <130/80 mm Hg
Measurement Year	2010	2010		2010	2010	2010	2010	2010	2010	2010
Data Collection Methodology	H	H		H	H	H	H	H	H	H
Eligible Member Population	102	102		102	102	102	102	102	102	102
Numerator events by admin data in eligible population	90	102		0	68	79	0	92	0	0
Current Year's Administrative Rate	88.24%	100.00%	NR	0.00%	66.67%	77.45%	0.00%	90.20%	0.00%	0.00%
Minimum Required Sample Size	101	101		101	101	101	101	101	101	101
Oversampling Rate	0%	0%		0%	0%	0%	0%	0%	0%	0%
Final Sample Size (FSS)	101	101		101	101	101	101	101	101	101
Numerator events by admin data in FSS	89	101		0	68	76	0	92	0	0
Admin rate on FSS	88.12%	100.00%	NR	0.00%	67.33%	75.25%	0.00%	91.09%	0.00%	0.00%
Number of Records Excluded Because of Valid Data Errors	6	6		6	6	6	6	6	6	6
Number of administrative data records excluded	0	0		0	0	0	0	0	0	0
Number of medical record data records excluded	0	0		0	0	0	0	0	0	0
Number of employee/dependent medical records excluded	0	0		0	0	0	0	0	0	0
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List	0	0		0	0	0	0	0	0	0
Denominator	95	95		95	95	95	95	95	95	95
Numerator Events by Admin Data	87	7		0	62	70	0	90	0	0
Numerator Events by Medical Record	3	3		68	10	7	60	1	70	62
Reported Rate	94.74%	10.53%	NR	71.58%	75.79%	81.05%	63.16%	95.79%	73.68%	65.26%
Lower 95% Confidence Interval	89.72%	3.83%	NR	61.98%	66.65%	72.65%	52.93%	91.22%	64.30%	55.16%
Upper 95% Confidence Interval	99.75%	17.22%	NR	81.18%	84.93%	89.46%	73.38%	100.00%	83.07%	75.36%

# Effectiveness of Care

# Metropolitan Health Plan

## Comprehensive Diabetes Care

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### SNBC

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <130/80 mm Hg
Measurement Year	2010	2010		2010	2010	2010	2010	2010	2010	2010
Data Collection Methodology	H	H		H	H	H	H	H	H	H
Eligible Member Population	46	46		46	46	46	46	46	46	46
Numerator events by admin data in eligible population	40	46		0	31	35	0	41	0	0
Current Year's Administrative Rate	86.96%	100.00%	NR	0.00%	67.39%	76.09%	0.00%	89.13%	0.00%	0.00%
Minimum Required Sample Size	46	46		46	46	46	46	46	46	46
Oversampling Rate	0%	0%		0%	0%	0%	0%	0%	0%	0%
Final Sample Size (FSS)	46	46		46	46	46	46	46	46	46
Numerator events by admin data in FSS	37	46		0	31	34	0	41	0	0
Admin rate on FSS	80.43%	100.00%	NR	0.00%	67.39%	73.91%	0.00%	89.13%	0.00%	0.00%
Number of Records Excluded Because of Valid Data Errors	4	4		4	4	4	4	4	4	4
Number of administrative data records excluded	0	0		0	0	0	0	0	0	0
Number of medical record data records excluded	0	0		0	0	0	0	0	0	0
Number of employee/dependent medical records excluded	0	0		0	0	0	0	0	0	0
Number of Administrative required exclusions										
Number of Hybrid required exclusions										
Additional Records Added from the Oversample List	0	0		0	0	0	0	0	0	0
Denominator	42	42		42	42	42	42	42	42	42
Numerator Events by Admin Data	37	3		0	28	31	0	39	0	0
Numerator Events by Medical Record	3	7		26	5	1	21	0	25	21
Reported Rate	95.24%	23.81%	NR	61.90%	78.57%	76.19%	50.00%	92.86%	59.52%	50.00%
Lower 95% Confidence Interval	87.61%	9.74%	NR	46.03%	64.97%	62.12%	33.69%	83.88%	43.49%	33.69%
Upper 95% Confidence Interval	100.00%	37.88%	NR	77.78%	92.17%	90.26%	66.31%	100.00%	75.56%	66.31%

Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	HbA1c Testing	Poor HbA1c Control	Good HbA1c Control (<7.0%)	Adequate HbA1c Control (<8.0%)	Eye Exam	LDL-C Screening	LDL-C Level <100 mg/dL	Monitoring for Diabetic Nephropathy	Blood Pressure <140/90 mm Hg	Blood Pressure <130/80 mm Hg
Measurement Year	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010
Data Collection Methodology	H	H	H	H	H	H	H	H	H	H
Eligible Member Population	188	188	188	188	188	188	188	188	188	188
Numerator events by admin data in eligible population	161	188	0	0	103	135	0	145	0	0
Current Year's Administrative Rate	85.64%	100.00%	0.00%	0.00%	54.79%	71.81%	0.00%	77.13%	0.00%	0.00%
Minimum Required Sample Size	183	183	157	183	183	183	183	183	183	183
Oversampling Rate	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Final Sample Size (FSS)	183	183	157	183	183	183	183	183	183	183
Numerator events by admin data in FSS	155	183	0	0	102	134	0	143	0	0
Admin rate on FSS	84.70%	100.00%	0.00%	0.00%	55.74%	73.22%	0.00%	78.14%	0.00%	0.00%
Number of Records Excluded Because of Valid Data Errors	15	15	15	15	15	15	15	15	15	15
Number of administrative data records excluded	5	5	5	5	5	5	5	5	5	5
Number of medical record data records excluded	0	0	0	0	0	0	0	0	0	0
Number of employee/dependent medical records excluded	0	0	0	0	0	0	0	0	0	0
Number of Administrative required exclusions			18							
Number of Hybrid required exclusions			9							
Additional Records Added from the Oversample List	0	0	0	0	0	0	0	0	0	0
Denominator	168	168	142	168	168	168	168	168	168	168
Numerator Events by Admin Data	152	11	0	0	101	131	0	139	0	0
Numerator Events by Medical Record	5	28	63	96	25	3	74	1	129	94
Reported Rate	93.45%	23.21%	44.37%	57.14%	75.00%	79.76%	44.05%	83.33%	76.79%	55.95%
Lower 95% Confidence Interval	89.41%	16.53%	35.84%	49.36%	68.15%	73.39%	36.24%	77.40%	70.10%	48.15%
Upper 95% Confidence Interval	97.49%	29.90%	52.89%	64.92%	81.85%	86.14%	51.85%	89.27%	83.47%	63.76%

# Effectiveness of Care

# Metropolitan Health Plan

## Disease Modifying Anti-Rheumatic Drug Therapy in Rheumatoid Arthritis

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

Data Elements	Medicare Advantage
Measurement Year	2010
Data Collection Methodology	A
Eligible Member Population	0
Numerator Events by Admin Data	0
Reported Rate	NA
Lower 95% Confidence Interval	NA
Upper 95% Confidence Interval	NA

## Osteoporosis Management in Women Who had a Fracture

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

Data Elements	Medicare Advantage	MSHO
Measurement Year	2010	2010
Data Collection Methodology	A	A
Eligible Member Population	0	19
Numerator Events by Admin Data	0	3
Reported Rate	NA	NA
Lower 95% Confidence Interval	NA	NA
Upper 95% Confidence Interval	NA	NA

Commercial

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

### Medicare Advantage

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	1		
Numerator Events by Admin Data		0	0
Reported Rate		NA	NA
Lower 95% Confidence Interval		NA	NA
Upper 95% Confidence Interval		NA	NA

MSHO

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	7		
Numerator Events by Admin Data		4	4
Reported Rate		NA	NA
Lower 95% Confidence Interval		NA	NA
Upper 95% Confidence Interval		NA	NA



SNBC

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	3		
Numerator Events by Admin Data		1	1
Reported Rate		NA	NA
Lower 95% Confidence Interval		NA	NA
Upper 95% Confidence Interval		NA	NA

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	74		
Numerator Events by Admin Data		35	21
Reported Rate		47.30%	28.38%
Lower 95% Confidence Interval		35.25%	17.43%
Upper 95% Confidence Interval		59.35%	39.33%

# Effectiveness of Care

# Metropolitan Health Plan

## Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Commercial

Data Elements	General Measure Data	Initiation Phase	Continuation and Maintenance Phase
Measurement Year			
Data Collection Methodology			
Eligible Member Population			
Numerator Events by Admin Data			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

# Effectiveness of Care

## Follow-Up Care for Children Prescribed Attention-Deficit/Hyperactivity Disorder (ADHD) Medication

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Initiation Phase	Continuation and Maintenance Phase
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population		54	10
Numerator Events by Admin Data		21	6
Reported Rate		38.89%	NA
Lower 95% Confidence Interval		24.96%	NA
Upper 95% Confidence Interval		52.82%	NA

### Medicare Advantage

Data Elements	General Measure Data	30 Days	7 Days
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	0		
Numerator Events by Admin Data		0	0
Reported Rate		NA	NA
Lower 95% Confidence Interval		NA	NA
Upper 95% Confidence Interval		NA	NA

**MSHO**

Data Elements	General Measure Data	30 Days	7 Days
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	12		
Numerator Events by Admin Data		9	5
Reported Rate		NA	NA
Lower 95% Confidence Interval		NA	NA
Upper 95% Confidence Interval		NA	NA

**SNBC**

Data Elements	General Measure Data	30 Days	7 Days
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	48		
Numerator Events by Admin Data		28	16
Reported Rate		58.33%	33.33%
Lower 95% Confidence Interval		43.34%	18.96%
Upper 95% Confidence Interval		73.32%	47.71%

Commercial

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year						
Data Collection Methodology						
Eligible Member Population						
Numerator Events by Admin Data						
Reported Rate		NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR



### Medicare Advantage

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year	2010					
Data Collection Methodology	A					
Eligible Member Population		17	1	13	1	32
Numerator Events by Admin Data		15	1	12	1	29
Reported Rate		NA	NA	NA	NA	90.63%
Lower 95% Confidence Interval		NA	NA	NA	NA	78.96%
Upper 95% Confidence Interval		NA	NA	NA	NA	100.00%

MSHO

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year	2010					
Data Collection Methodology	A					
Eligible Member Population		318	9	267	32	626
Numerator Events by Admin Data		293	8	250	25	576
Reported Rate		92.14%	NA	93.63%	78.13%	92.01%
Lower 95% Confidence Interval		89.02%	NA	90.52%	62.24%	89.81%
Upper 95% Confidence Interval		95.25%	NA	96.75%	94.01%	94.22%

SNBC

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year	2010					
Data Collection Methodology	A					
Eligible Member Population		50	3	56	10	119
Numerator Events by Admin Data		43	3	52	8	106
Reported Rate		86.00%	NA	92.86%	NA	89.08%
Lower 95% Confidence Interval		75.38%	NA	85.22%	NA	83.05%
Upper 95% Confidence Interval		96.62%	NA	100.00%	NA	95.10%

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Annual Monitoring for Members on				
		ACE Inhibitors or ARBs	Digoxin	Diuretics	Anti-convulsants	Total
Measurement Year	2010					
Data Collection Methodology	A					
Eligible Member Population		142	0	131	12	285
Numerator Events by Admin Data		119	0	107	9	235
Reported Rate		83.80%	NA	81.68%	NA	82.46%
Lower 95% Confidence Interval		77.39%	NA	74.67%	NA	77.86%
Upper 95% Confidence Interval		90.21%	NA	88.69%	NA	87.05%

## Medication Reconciliation Post Discharge

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

Data Elements	MSHO
Measurement Year	2010
Data collection methodology (Administrative or Hybrid)	H
Eligible member population	396
Number of numerator events by administrative data in eligible population (before exclusions)	0
Current year's administrative rate (before exclusions)	0.00%
Minimum required sample size (MRSS) or other sample size	239
Oversampling rate	0%
Final sample size (FSS)	239
Number of numerator events by administrative data in FSS	0
Administrative rate on FSS	0.00%
Number of original sample records excluded because of valid data errors	13
Number of employee/dependent medical records excluded	0
Records added from the oversample list	0
Denominator	226
Numerator events by administrative data	0
Numerator events by medical record	163
Reported rate	72.12%
Lower 95% confidence interval	66.06%
Upper 95% confidence interval	78.19%

### Medicare Advantage

Data Elements	General Measure Data	Drug-Disease Interactions			
		History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents	Dementia + Tricyclic Antidepressants or Anticholinergic Agents	Chronic Renal Failure + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs	Total
Measurement Year	2010				
Data Collection Methodology	A				
Eligible Member Population		0	1	1	2
Numerator Events by Admin Data		0	1	0	1
Reported Rate		NA	NA	NA	NA
Lower 95% Confidence Interval		NA	NA	NA	NA
Upper 95% Confidence Interval		NA	NA	NA	NA

MSHO

Data Elements	General Measure Data	Drug-Disease Interactions			
		History of Falls + Tricyclic Antidepressants, Antipsychotics or Sleep Agents	Dementia + Tricyclic Antidepressants or Anticholinergic Agents	Chronic Renal Failure + Nonaspirin NSAIDs or Cox-2 Selective NSAIDs	Total
Measurement Year	2010				
Data Collection Methodology	A				
Eligible Member Population		10	149	18	177
Numerator Events by Admin Data		3	41	1	45
Reported Rate		NA	27.52%	NA	25.42%
Lower 95% Confidence Interval		NA	20.01%	NA	18.73%
Upper 95% Confidence Interval		NA	35.02%	NA	32.12%

### Medicare Advantage

Data Elements	General Measure Data	At least 1 Prescription	At least 2 Prescriptions
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	35		
Numerator Events by Admin Data		2	0
Reported Rate		5.71%	0.00%
Lower 95% Confidence Interval		0.00%	0.00%
Upper 95% Confidence Interval		14.83%	1.43%



**MSHO**

Data Elements	General Measure Data	At least 1 Prescription	At least 2 Prescriptions
Measurement Year	2010		
Data Collection Methodology	A		
Eligible Member Population	648		
Numerator Events by Admin Data		119	19
Reported Rate		18.36%	2.93%
Lower 95% Confidence Interval		15.31%	1.56%
Upper 95% Confidence Interval		21.42%	4.31%

### Commercial

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year					
Data collection methodology (Administrative only)					
Eligible member population (i.e. members who meet all denominator criteria)					NR
Numerator events by administrative data					NR
Reported rate		NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR

### Medicare Advantage

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year	2010				
Data collection methodology (Administrative only)	A				
Eligible member population (i.e. members who meet all denominator criteria)		2	9	35	46
Numerator events by administrative data		2	9	33	44
Reported rate		NA	NA	94.29%	95.65%
Lower 95% confidence interval		NA	NA	85.17%	88.67%
Upper 95% confidence interval		NA	NA	100.00%	100.00%

**MSHO**

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year	2010				
Data collection methodology (Administrative only)	A				
Eligible member population (i.e. members who meet all denominator criteria)		0	0	648	648
Numerator events by administrative data		0	0	628	628
Reported rate		NA	NA	96.91%	96.91%
Lower 95% confidence interval		NA	NA	95.50%	95.50%
Upper 95% confidence interval		NA	NA	98.32%	98.32%

SNBC

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year	2010				
Data collection methodology (Administrative only)	A				
Eligible member population (i.e. members who meet all denominator criteria)		72	155	3	230
Numerator events by administrative data		69	152	3	224
Reported rate		95.83%	98.06%	NA	97.39%
Lower 95% confidence interval		90.52%	95.57%	NA	95.11%
Upper 95% confidence interval		100.00%	100.00%	NA	99.67%

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+	Total
Measurement Year	2010				
Data collection methodology (Administrative only)	A				
Eligible member population (i.e. members who meet all denominator criteria)		1426	573	1	2000
Numerator events by administrative data		1227	518	1	1746
Reported rate		86.04%	90.40%	NA	87.30%
Lower 95% confidence interval		84.21%	87.90%	NA	85.82%
Upper 95% confidence interval		87.88%	92.90%	NA	88.78%

# Access/Availability of Care

# Metropolitan Health Plan

## Children's and Adolescents' Access to Primary Care Practitioners

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Commercial

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.	12-19 yrs.
Measurement Year					
Data collection methodology (Administrative only)					
Eligible member population					
Numerator events by administrative data					
Reported rate		NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR

# Access/Availability of Care

# Metropolitan Health Plan

## Children's and Adolescents' Access to Primary Care Practitioners

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.	12-19 yrs.
Measurement Year	2010				
Data collection methodology (Administrative only)	A				
Eligible member population		673	1758	930	1045
Numerator events by administrative data		661	1596	868	950
Reported rate		98.22%	90.78%	93.33%	90.91%
Lower 95% confidence interval		97.14%	89.40%	91.68%	89.12%
Upper 95% confidence interval		99.29%	92.17%	94.99%	92.70%



## Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Commercial

Data Elements	General Measure Data	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement Year							
Data collection methodology (Administrative only)							
Eligible member population						NR	
Numerator events by administrative data						NR	NR
Reported rate		NR	NR	NR	NR	NR	NR
Lower 95% confidence interval		NR	NR	NR	NR	NR	NR
Upper 95% confidence interval		NR	NR	NR	NR	NR	NR

# Access/Availability of Care

# Metropolitan Health Plan

## Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Medicare Advantage

Data Elements	General Measure Data	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement Year	2010						
Data collection methodology (Administrative only)	A						
Eligible member population		0		1		1	
Numerator events by administrative data		0	0	1	0	1	0
Reported rate		NA	NA	NA	NA	NA	NA
Lower 95% confidence interval		NA	NA	NA	NA	NA	NA
Upper 95% confidence interval		NA	NA	NA	NA	NA	NA

# Access/Availability of Care

# Metropolitan Health Plan

## Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

MSHO

Data Elements	General Measure Data	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement Year	2010						
Data collection methodology (Administrative only)	A						
Eligible member population		0		20		20	
Numerator events by administrative data		0	0	5	0	5	0
Reported rate		NA	NA	NA	NA	NA	NA
Lower 95% confidence interval		NA	NA	NA	NA	NA	NA
Upper 95% confidence interval		NA	NA	NA	NA	NA	NA

## Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

SNBC

Data Elements	General Measure Data	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement Year	2010						
Data collection methodology (Administrative only)	A						
Eligible member population		0		90		90	
Numerator events by administrative data		0	0	26	4	26	4
Reported rate		NA	NA	28.89%	4.44%	28.89%	4.44%
Lower 95% confidence interval		NA	NA	18.97%	0.00%	18.97%	0.00%
Upper 95% confidence interval		NA	NA	38.81%	9.26%	38.81%	9.26%

# Access/Availability of Care

# Metropolitan Health Plan

## Initiation/Engagement of Alcohol & Other Drug Dependence Treatment

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	13-17 Year Olds		18+ Year Olds		Total	
		Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment	Initiation of AOD Treatment	Engagement of AOD Treatment
Measurement Year	2010						
Data collection methodology (Administrative only)	A						
Eligible member population		34		251		285	
Numerator events by administrative data		9	4	59	16	68	20
Reported rate		26.47%	11.76%	23.51%	6.37%	23.86%	7.02%
Lower 95% confidence interval		10.17%	0.00%	18.06%	3.15%	18.74%	3.88%
Upper 95% confidence interval		42.77%	24.07%	28.95%	9.60%	28.98%	10.16%

## Prenatal and Postpartum Care

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Commercial

Data Elements	Timeliness of Prenatal Care	Postpartum Care
Measurement Year		
Data collection methodology (Administrative or Hybrid)		
Eligible member population		
Number of numerator events by administrative data in eligible population (before exclusions)		
Current year's administrative rate (before exclusions)	NR	NR
Minimum required sample size (MRSS) or other sample size		
Oversampling rate		
Final sample size (FSS)		
Number of numerator events by administrative data in FSS		
Administrative rate on FSS	NR	NR
Number of original sample records excluded because of valid data errors		
Number of employee/dependent medical records excluded		
Records added from the oversample list		
Denominator		
Numerator events by administrative data		
Numerator events by medical record		
Reported rate	NR	NR
Lower 95% confidence interval	NR	NR
Upper 95% confidence interval	NR	NR

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	Timeliness of Prenatal Care	Postpartum Care
Measurement Year	2010	2010
Data collection methodology (Administrative or Hybrid)	A	A
Eligible member population	899	899
Number of numerator events by administrative data in eligible population (before exclusions)		
Current year's administrative rate (before exclusions)	NR	NR
Minimum required sample size (MRSS) or other sample size		
Oversampling rate		
Final sample size (FSS)		
Number of numerator events by administrative data in FSS		
Administrative rate on FSS	NR	NR
Number of original sample records excluded because of valid data errors		
Number of employee/dependent medical records excluded		
Records added from the oversample list		
Denominator		
Numerator events by administrative data	762	641
Numerator events by medical record		
Reported rate	84.76%	71.30%
Lower 95% confidence interval	82.36%	68.29%
Upper 95% confidence interval	87.17%	74.31%

# Use of Services

# Metropolitan Health Plan

## Well Child Visits in the First 15 Months of Life

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Commercial

Data Elements	General Measure Data	Zero Visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Measurement Year								
Data Collection Methodology								
Eligible Member Population								
Numerator events by admin data in eligible population								
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size								
Oversampling Rate								
Final sample size (FSS)								
Numerator events by admin data in FSS								
Administrative rate on FSS		NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors								
Number of employee/dependent medical records excluded								
Additional Records Added from the Oversample List								
Denominator								
Numerator Events by Admin Data								
Numerator Events by Medical Record								
Reported Rate		NR	NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR	NR	NR



## Well Child Visits in the First 15 Months of Life

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Data Elements	General Measure Data	Zero Visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Measurement Year	2010							
Data Collection Methodology	A							
Eligible Member Population	600							
Numerator events by admin data in eligible population								
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size								
Oversampling Rate								
Final sample size (FSS)								
Numerator events by admin data in FSS								
Administrative rate on FSS		NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors								
Number of employee/dependent medical records excluded								
Additional Records Added from the Oversample List								
Denominator								
Numerator Events by Admin Data		7	7	11	24	37	119	395
Numerator Events by Medical Record								
Reported Rate		1.17%	1.17%	1.83%	4.00%	6.17%	19.83%	65.83%
Lower 95% Confidence Interval		0.22%	0.22%	0.68%	2.35%	4.16%	16.56%	61.96%
Upper 95% Confidence Interval		2.11%	2.11%	2.99%	5.65%	8.17%	23.11%	69.71%

# Use of Services

# Metropolitan Health Plan

## Well Child Visits in the 3rd, 4th, 5th and 6th Years of Life

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

Data Elements	Commercial	MHCP-MC
Measurement Year		2010
Data Collection Methodology		A
Eligible Member Population		1425
Numerator events by admin data in eligible population		
Current Year's Admin Rate	NR	NR
Minimum Required Sample Size		
Oversampling Rate		
Final sample size (FSS)		
Numerator events by admin data in FSS		
Administrative rate on FSS	NR	NR
Records Excluded because of Valid Data Errors		
Number of employee/dependent medical records excluded		
Records Added from the Oversample List		
Denominator		
Numerator Events by Admin Data		1095
Numerator Events by Medical Record		
Reported Rate	NR	76.84%
Lower 95% Confidence Interval	NR	74.62%
Upper 95% Confidence Interval	NR	79.07%

# Use of Services

# Metropolitan Health Plan

## Adolescent Well-Care Visits

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

Data Elements	Commercial	MHCP-MC
Measurement Year		2010
Data Collection Methodology		A
Eligible Member Population		1847
Numerator events by admin data in eligible population		
Current Year's Admin Rate	NR	NR
Minimum Required Sample Size		
Oversampling Rate		
Final sample size (FSS)		
Numerator events by admin data in FSS		
Administrative rate on FSS	NR	NR
Records Excluded because of Valid Data Errors		
Number of employee/dependent medical records excluded		
Records Added from the Oversample List		
Denominator		
Numerator Events by Admin Data		816
Numerator Events by Medical Record		
Reported Rate	NR	44.18%
Lower 95% Confidence Interval	NR	41.89%
Upper 95% Confidence Interval	NR	46.47%

# Use of Services

# Metropolitan Health Plan

## Ambulatory Care

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Commercial

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
<b>Total</b>	NR

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1		NR		NR
1-9		NR		NR
10-19		NR		NR
20-44		NR		NR
45-64		NR		NR
65-74		NR		NR
75-84		NR		NR
85+		NR		NR
Unknown				
<b>Total</b>	NR	NR	NR	NR

### Medicare Advantage

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	46
45-64	121
65-74	286
75-84	98
85+	36
Unknown	0
<b>Total</b>	<b>587</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1	0	NA	0	NA
1-9	0	NA	0	NA
10-19	0	NA	0	NA
20-44	18	391.30	1	21.74
45-64	104	859.50	11	90.91
65-74	168	587.41	1	3.50
75-84	56	571.43	8	81.63
85+	16	444.44	1	27.78
Unknown	0		0	
<b>Total</b>	<b>362</b>	<b>616.70</b>	<b>22</b>	<b>37.48</b>

# Use of Services

# Metropolitan Health Plan

## Ambulatory Care

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### MSHO

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	0
45-64	1
65-74	3499
75-84	3804
85+	1334
Unknown	0
<b>Total</b>	<b>8638</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1	0	NA	0	NA
1-9	0	NA	0	NA
10-19	0	NA	0	NA
20-44	0	NA	0	NA
45-64	0	0.00	0	0.00
65-74	3260	931.69	229	65.45
75-84	3214	844.90	180	47.32
85+	945	708.40	52	38.98
Unknown	0		0	
<b>Total</b>	<b>7419</b>	<b>858.88</b>	<b>461</b>	<b>53.37</b>

# Use of Services

# Metropolitan Health Plan

## Ambulatory Care

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### SNBC

Age	Member Months
<1	0
1-9	0
10-19	19
20-44	1523
45-64	2694
65-74	19
75-84	0
85+	0
Unknown	0
<b>Total</b>	<b>4255</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1	0	NA	0	NA
1-9	0	NA	0	NA
10-19	3	157.89	3	157.89
20-44	1167	766.25	353	231.78
45-64	2808	1042.32	528	195.99
65-74	14	736.84	2	105.26
75-84	0	NA	0	NA
85+	0	NA	0	NA
Unknown	0		0	
<b>Total</b>	<b>3992</b>	<b>938.19</b>	<b>886</b>	<b>208.23</b>

# Use of Services

# Metropolitan Health Plan

## Ambulatory Care

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Age	Member Months
<1	14299
1-9	70925
10-19	46661
20-44	45499
45-64	13061
65-74	36
75-84	0
85+	0
Unknown	0
<b>Total</b>	<b>190481</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months
<1	0	0.00	0	0.00
1-9	29695	418.68	5999	84.58
10-19	10983	235.38	1983	42.50
20-44	24146	530.69	4222	92.79
45-64	6577	503.56	748	57.27
65-74	36	1000.00	2	55.56
75-84	0	NA	0	NA
85+	0	NA	0	NA
Unknown	0		0	
<b>Total</b>	<b>71437</b>	<b>375.03</b>	<b>12954</b>	<b>68.01</b>



Commercial

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
<b>Medicine</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
<b>Surgery</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
<b>Maternity</b>					
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR

Medicare Advantage

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	46
45-64	121
65-74	286
75-84	98
85+	36
Unknown	0
<b>Total</b>	<b>587</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	1	21.74	3	65.22	3.00
45-64	6	49.59	42	347.11	7.00
65-74	7	24.48	25	87.41	3.57
75-84	1	10.20	3	30.61	3.00
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>15</b>	<b>25.55</b>	<b>73</b>	<b>124.36</b>	<b>4.87</b>
<b>Medicine</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	1	21.74	3	65.22	3.00
45-64	5	41.32	14	115.70	2.80
65-74	2	6.99	6	20.98	3.00
75-84	0	0.00	0	0.00	NA
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>8</b>	<b>13.63</b>	<b>23</b>	<b>39.18</b>	<b>2.88</b>
<b>Surgery</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	0.00	0	0.00	NA
45-64	1	8.26	28	231.40	28.00
65-74	5	17.48	19	66.43	3.80
75-84	1	10.20	3	30.61	3.00
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>7</b>	<b>11.93</b>	<b>50</b>	<b>85.18</b>	<b>7.14</b>
<b>Maternity</b>					
10-19	0	NA	0	NA	NA
20-44	0	0.00	0	0.00	NA
45-64	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>0</b>	<b>0.00</b>	<b>0</b>	<b>0.00</b>	<b>NA</b>

# Use of Services

# Metropolitan Health Plan

## Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### MSHO

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	0
45-64	1
65-74	3499
75-84	3804
85+	1334
Unknown	0
<b>Total</b>	<b>8638</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	0.00	0	0.00	NA
65-74	122	34.87	578	165.19	4.74
75-84	133	34.96	724	190.33	5.44
85+	59	44.23	243	182.16	4.12
Unknown	0		0		NA
<b>Total</b>	<b>314</b>	<b>36.35</b>	<b>1545</b>	<b>178.86</b>	<b>4.92</b>
<b>Medicine</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	0.00	0	0.00	NA
65-74	106	30.29	502	143.47	4.74
75-84	112	29.44	576	151.42	5.14
85+	54	40.48	221	165.67	4.09
Unknown	0		0		NA
<b>Total</b>	<b>272</b>	<b>31.49</b>	<b>1299</b>	<b>150.38</b>	<b>4.78</b>
<b>Surgery</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	0.00	0	0.00	NA
65-74	16	4.57	76	21.72	4.75
75-84	21	5.52	148	38.91	7.05
85+	5	3.75	22	16.49	4.40
Unknown	0		0		NA
<b>Total</b>	<b>42</b>	<b>4.86</b>	<b>246</b>	<b>28.48</b>	<b>5.86</b>
<b>Maternity</b>					
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>0</b>	<b>0.00</b>	<b>0</b>	<b>0.00</b>	<b>NA</b>

# Use of Services

# Metropolitan Health Plan

## Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### SNBC

Age	Member Months
<1	0
1-9	0
10-19	19
20-44	1523
45-64	2694
65-74	19
75-84	0
85+	0
Unknown	0
<b>Total</b>	<b>4255</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	0.00	0	0.00	NA
20-44	36	23.64	104	68.29	2.89
45-64	81	30.07	427	158.50	5.27
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
<b>Total</b>	<b>117</b>	<b>27.50</b>	<b>531</b>	<b>124.79</b>	<b>4.54</b>
<b>Medicine</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	0.00	0	0.00	NA
20-44	19	12.48	50	32.83	2.63
45-64	58	21.53	312	115.81	5.38
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
<b>Total</b>	<b>77</b>	<b>18.10</b>	<b>362</b>	<b>85.08</b>	<b>4.70</b>
<b>Surgery</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	0.00	0	0.00	NA
20-44	13	8.54	46	30.20	3.54
45-64	23	8.54	115	42.69	5.00
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
<b>Total</b>	<b>36</b>	<b>8.46</b>	<b>161</b>	<b>37.84</b>	<b>4.47</b>
<b>Maternity</b>					
10-19	0	0.00	0	0.00	NA
20-44	4	2.63	8	5.25	2.00
45-64	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>4</b>	<b>0.94</b>	<b>8</b>	<b>1.89</b>	<b>2.00</b>

Minnesota Health Care Programs - Managed Care (MHCP-MC)

Age	Member Months
<1	14299
1-9	70925
10-19	46661
20-44	45499
45-64	13061
65-74	36
75-84	0
85+	0
Unknown	0
<b>Total</b>	<b>190481</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	144	10.07	697	48.74	4.84
1-9	116	1.64	316	4.46	2.72
10-19	226	4.84	657	14.08	2.91
20-44	1121	24.64	3098	68.09	2.76
45-64	128	9.80	494	37.82	3.86
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
<b>Total</b>	<b>1735</b>	<b>9.11</b>	<b>5262</b>	<b>27.62</b>	<b>3.03</b>
<b>Medicine</b>					
<1	132	9.23	427	29.86	3.23
1-9	84	1.18	222	3.13	2.64
10-19	43	0.92	88	1.89	2.05
20-44	93	2.04	291	6.40	3.13
45-64	82	6.28	258	19.75	3.15
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
<b>Total</b>	<b>434</b>	<b>2.28</b>	<b>1286</b>	<b>6.75</b>	<b>2.96</b>
<b>Surgery</b>					
<1	12	0.84	270	18.88	22.50
1-9	31	0.44	92	1.30	2.97
10-19	27	0.58	128	2.74	4.74
20-44	83	1.82	343	7.54	4.13
45-64	43	3.29	230	17.61	5.35
65-74	0	0.00	0	0.00	NA
75-84	0	NA	0	NA	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
<b>Total</b>	<b>196</b>	<b>1.03</b>	<b>1063</b>	<b>5.58</b>	<b>5.42</b>
<b>Maternity</b>					
10-19	156	3.34	441	9.45	2.83
20-44	945	20.77	2464	54.16	2.61
45-64	3	0.23	6	0.46	2.00
Unknown	0		0		NA
<b>Total</b>	<b>1104</b>	<b>10.49</b>	<b>2911</b>	<b>27.67</b>	<b>2.64</b>

# Use of Services

# Metropolitan Health Plan

## Identification of Alcohol and Other Drug Services

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Commercial

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-24			NR			NR			NR			NR
25-34			NR			NR			NR			NR
35-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
18-24	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
25-34	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
35-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
<b>Total</b>	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR

# Use of Services

# Metropolitan Health Plan

## Identification of Alcohol and Other Drug Services

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Medicare Advantage

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-24	3	0	3	3	0	3	3	0	3	3	0	3
25-34	7	0	7	7	0	7	7	0	7	7	0	7
35-64	44	113	157	44	113	157	44	113	157	44	113	157
65+	169	251	420	169	251	420	169	251	420	169	251	420
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>223</b>	<b>364</b>	<b>587</b>	<b>223</b>	<b>364</b>	<b>587</b>	<b>223</b>	<b>364</b>	<b>587</b>	<b>223</b>	<b>364</b>	<b>587</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
13-17	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
18-24	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
25-34	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
35-64	M	1	27.27%	1	27.27%	0	0.00%	1	27.27%
	F	1	10.62%	1	10.62%	0	0.00%	1	10.62%
	<b>Total</b>	<b>2</b>	<b>15.29%</b>	<b>2</b>	<b>15.29%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>15.29%</b>
65+	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>1</b>	<b>5.38%</b>	<b>1</b>	<b>5.38%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>5.38%</b>
	<b>F</b>	<b>1</b>	<b>3.30%</b>	<b>1</b>	<b>3.30%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>3.30%</b>
	<b>Total</b>	<b>2</b>	<b>4.09%</b>	<b>2</b>	<b>4.09%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>4.09%</b>

# Use of Services

# Metropolitan Health Plan

## Identification of Alcohol and Other Drug Services

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

MSHO

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-24	0	0	0	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0	0	0	0
35-64	1	0	1	1	0	1	1	0	1	1	0	1
65+	3212	5425	8637	3212	5425	8637	3212	5425	8637	3212	5425	8637
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>3213</b>	<b>5425</b>	<b>8638</b>	<b>3213</b>	<b>5425</b>	<b>8638</b>	<b>3213</b>	<b>5425</b>	<b>8638</b>	<b>3213</b>	<b>5425</b>	<b>8638</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
13-17	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
18-24	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
25-34	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
35-64	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
65+	M	26	9.71%	12	4.48%	0	0.00%	25	9.34%
	F	15	3.32%	5	1.11%	0	0.00%	15	3.32%
	<b>Total</b>	<b>41</b>	<b>5.70%</b>	<b>17</b>	<b>2.36%</b>	<b>0</b>	<b>0.00%</b>	<b>40</b>	<b>5.56%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>26</b>	<b>9.71%</b>	<b>12</b>	<b>4.48%</b>	<b>0</b>	<b>0.00%</b>	<b>25</b>	<b>9.34%</b>
	<b>F</b>	<b>15</b>	<b>3.32%</b>	<b>5</b>	<b>1.11%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>	<b>3.32%</b>
	<b>Total</b>	<b>41</b>	<b>5.70%</b>	<b>17</b>	<b>2.36%</b>	<b>0</b>	<b>0.00%</b>	<b>40</b>	<b>5.56%</b>



# Use of Services

# Metropolitan Health Plan

## Identification of Alcohol and Other Drug Services

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

SNBC

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-24	116	91	207	116	91	207	116	91	207	116	91	207
25-34	199	176	375	199	176	375	199	176	375	199	176	375
35-64	2012	1642	3654	2012	1642	3654	2012	1642	3654	2012	1642	3654
65+	1	18	19	1	18	19	1	18	19	1	18	19
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>2328</b>	<b>1927</b>	<b>4255</b>	<b>2328</b>	<b>1927</b>	<b>4255</b>	<b>2328</b>	<b>1927</b>	<b>4255</b>	<b>2328</b>	<b>1927</b>	<b>4255</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
13-17	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
18-24	M	4	41.38%	1	10.34%	0	0.00%	4	41.38%
	F	1	13.19%	0	0.00%	1	13.19%	1	13.19%
	<b>Total</b>	<b>5</b>	<b>28.99%</b>	<b>1</b>	<b>5.80%</b>	<b>1</b>	<b>5.80%</b>	<b>5</b>	<b>28.99%</b>
25-34	M	14	84.42%	7	42.21%	1	6.03%	13	78.39%
	F	7	47.73%	2	13.64%	2	13.64%	7	47.73%
	<b>Total</b>	<b>21</b>	<b>67.20%</b>	<b>9</b>	<b>28.80%</b>	<b>3</b>	<b>9.60%</b>	<b>20</b>	<b>64.00%</b>
35-64	M	116	69.18%	33	19.68%	6	3.58%	115	68.59%
	F	72	52.62%	19	13.89%	6	4.38%	69	50.43%
	<b>Total</b>	<b>188</b>	<b>61.74%</b>	<b>52</b>	<b>17.08%</b>	<b>12</b>	<b>3.94%</b>	<b>184</b>	<b>60.43%</b>
65+	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	1	66.67%	0	0.00%	0	0.00%	1	66.67%
	<b>Total</b>	<b>1</b>	<b>63.16%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>63.16%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>134</b>	<b>69.07%</b>	<b>41</b>	<b>21.13%</b>	<b>7</b>	<b>3.61%</b>	<b>132</b>	<b>68.04%</b>
	<b>F</b>	<b>81</b>	<b>50.44%</b>	<b>21</b>	<b>13.08%</b>	<b>9</b>	<b>5.60%</b>	<b>78</b>	<b>48.57%</b>
	<b>Total</b>	<b>215</b>	<b>60.63%</b>	<b>62</b>	<b>17.49%</b>	<b>16</b>	<b>4.51%</b>	<b>210</b>	<b>59.22%</b>

# Use of Services

# Metropolitan Health Plan

## Identification of Alcohol and Other Drug Services

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	51116	50964	102080	51116	50964	102080	51116	50964	102080	51116	50964	102080
13-17	10724	11358	22082	10724	11358	22082	10724	11358	22082	10724	11358	22082
18-24	7029	13511	20540	7029	13511	20540	7029	13511	20540	7029	13511	20540
25-34	5465	14430	19895	5465	14430	19895	5465	14430	19895	5465	14430	19895
35-64	10111	15737	25848	10111	15737	25848	10111	15737	25848	10111	15737	25848
65+	16	20	36	16	20	36	16	20	36	16	20	36
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>84461</b>	<b>106020</b>	<b>190481</b>	<b>84461</b>	<b>106020</b>	<b>190481</b>	<b>84461</b>	<b>106020</b>	<b>190481</b>	<b>84461</b>	<b>106020</b>	<b>190481</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	3	0.07%	0	0.00%	0	0.00%	3	0.07%
	F	3	0.07%	1	0.02%	0	0.00%	3	0.07%
	<b>Total</b>	<b>6</b>	<b>0.07%</b>	<b>1</b>	<b>0.01%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>0.07%</b>
13-17	M	40	4.48%	7	0.78%	2	0.22%	40	4.48%
	F	32	3.38%	7	0.74%	1	0.11%	32	3.38%
	<b>Total</b>	<b>72</b>	<b>3.91%</b>	<b>14</b>	<b>0.76%</b>	<b>3</b>	<b>0.16%</b>	<b>72</b>	<b>3.91%</b>
18-24	M	94	16.05%	11	1.88%	2	0.34%	93	15.88%
	F	79	7.02%	13	1.15%	1	0.09%	76	6.75%
	<b>Total</b>	<b>173</b>	<b>10.11%</b>	<b>24</b>	<b>1.40%</b>	<b>3</b>	<b>0.18%</b>	<b>169</b>	<b>9.87%</b>
25-34	M	107	23.49%	10	2.20%	1	0.22%	104	22.84%
	F	105	8.73%	22	1.83%	2	0.17%	101	8.40%
	<b>Total</b>	<b>212</b>	<b>12.79%</b>	<b>32</b>	<b>1.93%</b>	<b>3</b>	<b>0.18%</b>	<b>205</b>	<b>12.36%</b>
35-64	M	198	23.50%	27	3.20%	2	0.24%	196	23.26%
	F	157	11.97%	30	2.29%	7	0.53%	153	11.67%
	<b>Total</b>	<b>355</b>	<b>16.48%</b>	<b>57</b>	<b>2.65%</b>	<b>9</b>	<b>0.42%</b>	<b>349</b>	<b>16.20%</b>
65+	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>442</b>	<b>6.28%</b>	<b>55</b>	<b>0.78%</b>	<b>7</b>	<b>0.10%</b>	<b>436</b>	<b>6.19%</b>
	<b>F</b>	<b>376</b>	<b>4.26%</b>	<b>73</b>	<b>0.83%</b>	<b>11</b>	<b>0.12%</b>	<b>365</b>	<b>4.13%</b>
	<b>Total</b>	<b>818</b>	<b>5.15%</b>	<b>128</b>	<b>0.81%</b>	<b>18</b>	<b>0.11%</b>	<b>801</b>	<b>5.05%</b>

# Use of Services

# Metropolitan Health Plan

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

Commercial

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
13-17	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
18-64	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
65+	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
Unknown	M		NR		NR		NR		NR
	F		NR		NR		NR		NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR
<b>Total</b>	M	NR	NR	NR	NR	NR	NR	NR	NR
	F	NR	NR	NR	NR	NR	NR	NR	NR
	<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR

# Use of Services

# Metropolitan Health Plan

## Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Medicare Advantage

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-64	54	113	167	54	113	167	54	113	167	54	113	167
65+	169	251	420	169	251	420	169	251	420	169	251	420
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>223</b>	<b>364</b>	<b>587</b>	<b>223</b>	<b>364</b>	<b>587</b>	<b>223</b>	<b>364</b>	<b>587</b>	<b>223</b>	<b>364</b>	<b>587</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
13-17	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
18-64	M	3	66.67%	0	0.00%	0	0.00%	3	66.67%
	F	3	31.86%	0	0.00%	0	0.00%	3	31.86%
	<b>Total</b>	<b>6</b>	<b>43.11%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>43.11%</b>
65+	M	1	7.10%	0	0.00%	0	0.00%	1	7.10%
	F	1	4.78%	0	0.00%	0	0.00%	1	4.78%
	<b>Total</b>	<b>2</b>	<b>5.71%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>5.71%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>4</b>	<b>21.52%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>21.52%</b>
	<b>F</b>	<b>4</b>	<b>13.19%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>13.19%</b>
	<b>Total</b>	<b>8</b>	<b>16.35%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	<b>16.35%</b>

# Use of Services

# Metropolitan Health Plan

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

MSHO

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-64	1	0	1	1	0	1	1	0	1	1	0	1
65+	3212	5425	8637	3212	5425	8637	3212	5425	8637	3212	5425	8637
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>3213</b>	<b>5425</b>	<b>8638</b>	<b>3213</b>	<b>5425</b>	<b>8638</b>	<b>3213</b>	<b>5425</b>	<b>8638</b>	<b>3213</b>	<b>5425</b>	<b>8638</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
13-17	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
18-64	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
65+	M	48	17.93%	4	1.49%	0	0.00%	48	17.93%
	F	79	17.47%	5	1.11%	5	1.11%	78	17.25%
	<b>Total</b>	<b>127</b>	<b>17.65%</b>	<b>9</b>	<b>1.25%</b>	<b>5</b>	<b>0.69%</b>	<b>126</b>	<b>17.51%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>48</b>	<b>17.93%</b>	<b>4</b>	<b>1.49%</b>	<b>0</b>	<b>0.00%</b>	<b>48</b>	<b>17.93%</b>
	<b>F</b>	<b>79</b>	<b>17.47%</b>	<b>5</b>	<b>1.11%</b>	<b>5</b>	<b>1.11%</b>	<b>78</b>	<b>17.25%</b>
	<b>Total</b>	<b>127</b>	<b>17.64%</b>	<b>9</b>	<b>1.25%</b>	<b>5</b>	<b>0.69%</b>	<b>126</b>	<b>17.50%</b>

# Use of Services

# Metropolitan Health Plan

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

SNBC

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-64	2327	1909	4236	2327	1909	4236	2327	1909	4236	2327	1909	4236
65+	1	18	19	1	18	19	1	18	19	1	18	19
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>2328</b>	<b>1927</b>	<b>4255</b>	<b>2328</b>	<b>1927</b>	<b>4255</b>	<b>2328</b>	<b>1927</b>	<b>4255</b>	<b>2328</b>	<b>1927</b>	<b>4255</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
13-17	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
18-64	M	173	89.21%	23	11.86%	12	6.19%	172	88.70%
	F	137	86.12%	16	10.06%	17	10.69%	137	86.12%
	<b>Total</b>	<b>310</b>	<b>87.82%</b>	<b>39</b>	<b>11.05%</b>	<b>29</b>	<b>8.22%</b>	<b>309</b>	<b>87.54%</b>
65+	M	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	F	1	66.67%	0	0.00%	0	0.00%	1	66.67%
	<b>Total</b>	<b>1</b>	<b>63.16%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>63.16%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>173</b>	<b>89.18%</b>	<b>23</b>	<b>11.86%</b>	<b>12</b>	<b>6.19%</b>	<b>172</b>	<b>88.66%</b>
	<b>F</b>	<b>138</b>	<b>85.94%</b>	<b>16</b>	<b>9.96%</b>	<b>17</b>	<b>10.59%</b>	<b>138</b>	<b>85.94%</b>
	<b>Total</b>	<b>311</b>	<b>87.71%</b>	<b>39</b>	<b>11.00%</b>	<b>29</b>	<b>8.18%</b>	<b>310</b>	<b>87.43%</b>

# Use of Services

# Metropolitan Health Plan

Mental Health Utilization - % of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

## Minnesota Health Care Programs - Managed Care(MHCP-MC)

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Intensive Outpatient/Partial Hospitalization)			Member Months (Outpatient/ED)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	51116	50964	102080	51116	50964	102080	51116	50964	102080	51116	50964	102080
13-17	10724	11358	22082	10724	11358	22082	10724	11358	22082	10724	11358	22082
18-64	22605	43678	66283	22605	43678	66283	22605	43678	66283	22605	43678	66283
65+	16	20	36	16	20	36	16	20	36	16	20	36
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>84461</b>	<b>106020</b>	<b>190481</b>	<b>84461</b>	<b>106020</b>	<b>190481</b>	<b>84461</b>	<b>106020</b>	<b>190481</b>	<b>84461</b>	<b>106020</b>	<b>190481</b>

Age	Sex	Any Services		Inpatient		Intensive Outpatient/Partial Hospitalization		Outpatient/ED	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
0-12	M	337	7.91%	6	0.14%	14	0.33%	337	7.91%
	F	240	5.65%	2	0.05%	8	0.19%	240	5.65%
	<b>Total</b>	<b>577</b>	<b>6.78%</b>	<b>8</b>	<b>0.09%</b>	<b>22</b>	<b>0.26%</b>	<b>577</b>	<b>6.78%</b>
13-17	M	147	16.45%	9	1.01%	8	0.90%	147	16.45%
	F	171	18.07%	12	1.27%	16	1.69%	170	17.96%
	<b>Total</b>	<b>318</b>	<b>17.28%</b>	<b>21</b>	<b>1.14%</b>	<b>24</b>	<b>1.30%</b>	<b>317</b>	<b>17.23%</b>
18-64	M	401	21.29%	23	1.22%	18	0.96%	399	21.18%
	F	837	23.00%	39	1.07%	45	1.24%	836	22.97%
	<b>Total</b>	<b>1238</b>	<b>22.41%</b>	<b>62</b>	<b>1.12%</b>	<b>63</b>	<b>1.14%</b>	<b>1235</b>	<b>22.36%</b>
65+	M	1	75.00%	0	0.00%	0	0.00%	1	75.00%
	F	0	0.00%	0	0.00%	0	0.00%	0	0.00%
	<b>Total</b>	<b>1</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>33.33%</b>
Unknown	M	0	NA	0	NA	0	NA	0	NA
	F	0	NA	0	NA	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>886</b>	<b>12.59%</b>	<b>38</b>	<b>0.54%</b>	<b>40</b>	<b>0.57%</b>	<b>884</b>	<b>12.56%</b>
	<b>F</b>	<b>1248</b>	<b>14.13%</b>	<b>53</b>	<b>0.60%</b>	<b>69</b>	<b>0.78%</b>	<b>1246</b>	<b>14.10%</b>
	<b>Total</b>	<b>2134</b>	<b>13.44%</b>	<b>91</b>	<b>0.57%</b>	<b>109</b>	<b>0.69%</b>	<b>2130</b>	<b>13.42%</b>

# Health Plan Descriptive Information

# Metropolitan Health Plan

## Board Certification

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### MSHO

Type of Physician	Number of Physicians in Each Practice Area	Active Board Certification	
		Number	Percent
Family Medicine	1164	751	64.52%
Internal Medicine	548	402	73.36%
Geriatricians	37	15	40.54%
Other practitioner Specialists	1579	1148	72.70%



# Health Plan Descriptive Information

# Metropolitan Health Plan

## Board Certification

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### SNBC

Type of Physician	Number of Physicians in Each Practice Area	Active Board Certification	
		Number	Percent
Family Medicine	1164	751	64.52%
Internal Medicine	548	402	73.36%
Geriatricians	37	15	40.54%
Other practitioner Specialists	1579	1148	72.70%

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Commercial

	Member Months		
	Male	Female	Total
<1			NR
1-4			NR
5-9			NR
10-14			NR
15-17			NR
18-19			NR
<b>0-19 Subtotal</b>	NR	NR	NR
<b>0-19 Subtotal: %</b>	NR	NR	NR
20-24			NR
25-29			NR
30-34			NR
35-39			NR
40-44			NR
<b>20-44 Subtotal</b>	NR	NR	NR
<b>20-44 Subtotal: %</b>	NR	NR	NR
45-49			NR
50-54			NR
55-59			NR
60-64			NR
<b>45-64 Subtotal</b>	NR	NR	NR
<b>45-64 Subtotal: %</b>	NR	NR	NR
65-69			NR
70-74			NR
75-79			NR
80-84			NR
85-89			NR
>=90			NR
<b>&gt;=65 Subtotal</b>	NR	NR	NR
<b>&gt;=65 Subtotal: %</b>	NR	NR	NR
<b>Age Unknown</b>			NR
<b>Total</b>	NR	NR	NR

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Medicare Advantage

	Member Months		
	Male	Female	Total
<1	0	0	0
1-4	0	0	0
5-9	0	0	0
10-14	0	0	0
15-17	0	0	0
18-19	0	0	0
<b>0-19 Subtotal</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>0-19 Subtotal: %</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>
20-24	3	0	3
25-29	7	0	7
30-34	0	0	0
35-39	24	0	24
40-44	0	12	12
<b>20-44 Subtotal</b>	<b>34</b>	<b>12</b>	<b>46</b>
<b>20-44 Subtotal: %</b>	<b>15.25%</b>	<b>3.30%</b>	<b>7.84%</b>
45-49	12	12	24
50-54	0	12	12
55-59	1	33	34
60-64	7	44	51
<b>45-64 Subtotal</b>	<b>20</b>	<b>101</b>	<b>121</b>
<b>45-64 Subtotal: %</b>	<b>8.97%</b>	<b>27.75%</b>	<b>20.61%</b>
65-69	59	104	163
70-74	60	63	123
75-79	26	26	52
80-84	12	34	46
85-89	12	24	36
>=90	0	0	0
<b>&gt;=65 Subtotal</b>	<b>169</b>	<b>251</b>	<b>420</b>
<b>&gt;=65 Subtotal: %</b>	<b>75.78%</b>	<b>68.96%</b>	<b>71.55%</b>
<b>Age Unknown</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Total</b>	<b>223</b>	<b>364</b>	<b>587</b>

# Health Plan Descriptive Information

# Metropolitan Health Plan

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

MSHO

	Member Months		
	Male	Female	Total
<1	0	0	0
1-4	0	0	0
5-9	0	0	0
10-14	0	0	0
15-17	0	0	0
18-19	0	0	0
<b>0-19 Subtotal</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>0-19 Subtotal: %</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>
20-24	0	0	0
25-29	0	0	0
30-34	0	0	0
35-39	0	0	0
40-44	0	0	0
<b>20-44 Subtotal</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>20-44 Subtotal: %</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>
45-49	0	0	0
50-54	0	0	0
55-59	0	0	0
60-64	1	0	1
<b>45-64 Subtotal</b>	<b>1</b>	<b>0</b>	<b>1</b>
<b>45-64 Subtotal: %</b>	<b>0.03%</b>	<b>0.00%</b>	<b>0.01%</b>
65-69	493	682	1175
70-74	1082	1242	2324
75-79	772	1284	2056
80-84	555	1193	1748
85-89	244	562	806
>=90	66	462	528
<b>&gt;=65 Subtotal</b>	<b>3212</b>	<b>5425</b>	<b>8637</b>
<b>&gt;=65 Subtotal: %</b>	<b>99.97%</b>	<b>100.00%</b>	<b>99.99%</b>
<b>Age Unknown</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Total</b>	<b>3213</b>	<b>5425</b>	<b>8638</b>

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### SNBC

	Member Months		
	Male	Female	Total
<1	0	0	0
1-4	0	0	0
5-9	0	0	0
10-14	0	0	0
15-17	0	0	0
18-19	14	5	19
<b>0-19 Subtotal</b>	<b>14</b>	<b>5</b>	<b>19</b>
<b>0-19 Subtotal: %</b>	<b>0.60%</b>	<b>0.26%</b>	<b>0.45%</b>
20-24	102	86	188
25-29	65	87	152
30-34	134	89	223
35-39	156	196	352
40-44	268	340	608
<b>20-44 Subtotal</b>	<b>725</b>	<b>798</b>	<b>1523</b>
<b>20-44 Subtotal: %</b>	<b>31.14%</b>	<b>41.41%</b>	<b>35.79%</b>
45-49	490	333	823
50-54	439	441	880
55-59	416	255	671
60-64	243	77	320
<b>45-64 Subtotal</b>	<b>1588</b>	<b>1106</b>	<b>2694</b>
<b>45-64 Subtotal: %</b>	<b>68.21%</b>	<b>57.39%</b>	<b>63.31%</b>
65-69	1	18	19
70-74	0	0	0
75-79	0	0	0
80-84	0	0	0
85-89	0	0	0
>=90	0	0	0
<b>&gt;=65 Subtotal</b>	<b>1</b>	<b>18</b>	<b>19</b>
<b>&gt;=65 Subtotal: %</b>	<b>0.04%</b>	<b>0.93%</b>	<b>0.45%</b>
<b>Age Unknown</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Total</b>	<b>2328</b>	<b>1927</b>	<b>4255</b>

# Health Plan Descriptive Information

# Metropolitan Health Plan

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Oct 24, 2011 9:01 AM

### Minnesota Health Care Programs - Managed Care (MHCP-MC)

	Member Months		
	Male	Female	Total
<1	7060	7239	14299
1-4	18808	18120	36928
5-9	17108	16889	33997
10-14	12716	13481	26197
15-17	6148	6593	12741
18-19	3172	4551	7723
<b>0-19 Subtotal</b>	<b>65012</b>	<b>66873</b>	<b>131885</b>
<b>0-19 Subtotal: %</b>	<b>76.97%</b>	<b>63.08%</b>	<b>69.24%</b>
20-24	3857	8960	12817
25-29	3176	8144	11320
30-34	2289	6286	8575
35-39	2036	4722	6758
40-44	2378	3651	6029
<b>20-44 Subtotal</b>	<b>13736</b>	<b>31763</b>	<b>45499</b>
<b>20-44 Subtotal: %</b>	<b>16.26%</b>	<b>29.96%</b>	<b>23.89%</b>
45-49	1990	2813	4803
50-54	1801	2268	4069
55-59	1142	1384	2526
60-64	764	899	1663
<b>45-64 Subtotal</b>	<b>5697</b>	<b>7364</b>	<b>13061</b>
<b>45-64 Subtotal: %</b>	<b>6.75%</b>	<b>6.95%</b>	<b>6.86%</b>
65-69	15	5	20
70-74	1	15	16
75-79	0	0	0
80-84	0	0	0
85-89	0	0	0
>=90	0	0	0
<b>&gt;=65 Subtotal</b>	<b>16</b>	<b>20</b>	<b>36</b>
<b>&gt;=65 Subtotal: %</b>	<b>0.02%</b>	<b>0.02%</b>	<b>0.02%</b>
<b>Age Unknown</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Total</b>	<b>84461</b>	<b>106020</b>	<b>190481</b>