



*Protecting, Maintaining and Improving the Health of All Minnesotans*

Electronically delivered

December 10, 2020

Administrator  
Guardian Angels Care Center  
400 Evans Avenue  
Elk River, MN 55330

RE: CCN: 245012  
Cycle Start Date: November 25, 2020

Dear Administrator:

On November 25, 2020, a survey was completed at your facility by the Minnesota Departments of Health to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs.

We are pleased to inform you that this survey resulted in no deficiencies being issued.

The CMS-2567 is being electronically delivered.

Feel free to contact me if you have questions.

Sincerely,

A handwritten signature in black ink, appearing to read 'Douglas Larson'.

Douglas Larson, Enforcement Specialist  
Minnesota Department of Health  
Licensing and Certification Program  
Program Assurance Unit  
Health Regulation Division  
Telephone: 651-201-4118 Fax: 651-215-9697  
Email: doug.larson@state.mn.us

cc: Licensing and Certification File

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/10/2020  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>245012</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>C</b> <b>11/25/2020</b>
NAME OF PROVIDER OR SUPPLIER  <b>GUARDIAN ANGELS CARE CENTER</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>400 EVANS AVENUE</b> <b>ELK RIVER, MN 55330</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
E 000	Initial Comments  A COVID-19 Focused Infection Control survey was conducted 11/24/20-11/25/20 at your facility by the Minnesota Department of Health to determine compliance with Emergency Preparedness regulations § 483.73(b)(6). The facility was in full compliance.  Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form.  Although no plan of correction is requires, it is required that the facility acknowledge receipt of the electronic documents.	E 000			
F 000	INITIAL COMMENTS  On 11/24/20-11/25/20, an abbreviated survey was completed at your facility by the Minnesota Department of Health to determine if your facility was in compliance with requirements of 42 CFR Part 483, Subpart B, and Requirements for Long Term Care Facilities.  The following complaints were found to be:  SUBSTANTIATED: H5012043C and H5012044C. However, NO deficiencies were cited due to actions implemented by the facility prior to survey.  In addition, a COVID-19 Focused Infection Control survey was conducted 11/24/20-11/25/20 at your facility by the Minnesota Department of Health to determine compliance with §483.80 Infection Control. The facility was in full	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/10/2020  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>245012</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>C</b> <b>11/25/2020</b>
NAME OF PROVIDER OR SUPPLIER  <b>GUARDIAN ANGELS CARE CENTER</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>400 EVANS AVENUE</b> <b>ELK RIVER, MN 55330</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	Continued From page 1 compliance.  The facility is enrolled in ePOC and therefore a signature is not required at the bottom of the first page of the CMS-2567 form.  Although no plan of correction is required, it is required that the facility acknowledge receipt of the electronic documents.	F 000			



*Protecting, Maintaining and Improving the Health of All Minnesotans*

Electronically delivered  
December 10, 2020

Administrator  
Guardian Angels Care Center  
400 Evans Avenue  
Elk River, MN 55330

Re: Event ID: HKRH11

Dear Administrator:

The above facility survey was completed on November 25, 2020 for the purpose of assessing compliance with Minnesota Department of Health Nursing Home Rules. At the time of the survey, the survey team from the Minnesota Department of Health - Health Regulation Division noted no violations of these rules promulgated under Minnesota Stat. section 144.653 and/or Minnesota Stat. Section 144A.10.

Electronically posted is the Minnesota Department of Health order form stating that no violations were noted at the time of this survey. The Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Please disregard the heading of the fourth column which states, "Provider's Plan of Correction." This applies to Federal deficiencies only. There is no requirement to submit a Plan of Correction.

Please feel free to call me with any questions.

Sincerely,

A handwritten signature in black ink, appearing to read 'Douglas Larson'.

Douglas Larson, Enforcement Specialist  
Minnesota Department of Health  
Licensing and Certification Program  
Program Assurance Unit  
Health Regulation Division  
Telephone: 651-201-4118 Fax: 651-215-9697  
Email: doug.larson@state.mn.us

cc: Licensing and Certification File

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>00611</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>C</b> <b>11/25/2020</b>
--	--	---	---

NAME OF PROVIDER OR SUPPLIER  <b>GUARDIAN ANGELS CARE CENTER</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>400 EVANS AVENUE ELK RIVER, MN 55330</b>
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
--------------------	--	---------------	---	--------------------

2 000	<p>Initial Comments</p> <p>*****ATTENTION*****</p> <p><b>NH LICENSING CORRECTION ORDER</b></p> <p>In accordance with Minnesota Statute, section 144A.10, this correction order has been issued pursuant to a survey. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a fine for each violation not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.</p> <p>Determination of whether a violation has been corrected requires compliance with all requirements of the rule provided at the tag number and MN Rule number indicated below. When a rule contains several items, failure to comply with any of the items will be considered lack of compliance. Lack of compliance upon re-inspection with any item of multi-part rule will result in the assessment of a fine even if the item that was violated during the initial inspection was corrected.</p> <p>You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.</p> <p>INITIAL COMMENTS: On 11/24/20-11/25/20, an abbreviated survey was conducted to determine compliance with State Licensure. Your facility was found to be IN compliance with the MN State Licensure.</p> <p>The following complaint were found to be SUBSTANTIATED: H5012043C and</p>	2 000		
-------	--	-------	--	--

Minnesota Department of Health  
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>00611</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>C</b> <b>11/25/2020</b>
--	--	---	---

NAME OF PROVIDER OR SUPPLIER  <b>GUARDIAN ANGELS CARE CENTER</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>400 EVANS AVENUE ELK RIVER, MN 55330</b>
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	Continued From page 1  H5012044C, however NO licensing orders were issued.  The facility is enrolled in ePOC and therefore a signature is not required at the bottom of the first page of the state form. Although no plan of correction is required, it is required that the facility acknowledge receipt of the electronic document.	2 000		