



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically delivered
June 7, 2019

Administrator
Maplewood Care Center
1900 Sherren Avenue
Maplewood, MN 55109

RE: Project Number H5276117C, H5276112C, H5276113C, H5276114C, H5276115C and H5276116C

Dear Administrator:

On May 31, 2019, the Minnesota Department of Health, completed a Post Certification Revisit (PCR) by review of your plan of correction to verify that your facility had achieved and maintained compliance. Based on our visit, we have determined that your facility has achieved substantial compliance; therefore no remedies will be imposed.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions.

Sincerely,

A handwritten signature in black ink that reads 'Kamala Fiske-Downing'.

Kamala Fiske-Downing
Licensing and Certification Program
Minnesota Department of Health
P.O. Box 64900
St. Paul, MN 55164-0900
Telephone: (651) 201-4112 Fax: (651) 215-9697
Email: Kamala.Fiske-Downing@state.mn.us



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically delivered

May 8, 2019

Administrator
Maplewood Care Center
1900 Sherren Avenue
Maplewood, MN 55109

RE: Project Numbers H5276117C, H5276112C, H5276113C, H5276114C, H5276115C and H5276116C

Dear Administrator:

On April 24, 2019, an abbreviated standard survey was completed at your facility by the Minnesota Departments of Health and Public Safety, to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs.

This survey found the most serious deficiencies in your facility to be a pattern of deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level E), as evidenced by the electronically attached CMS-2567 whereby corrections are required.

OPPORTUNITY TO CORRECT - DATE OF CORRECTION

The date by which the deficiencies must be corrected to avoid imposition of remedies is June 3, 2019.

ELECTRONIC PLAN OF CORRECTION (ePoC)

Within **ten (10) calendar days** after your receipt of this notice, you must submit an acceptable plan of correction (ePOC) for the deficiencies cited. An acceptable ePOC will serve as your allegation of compliance. Upon receipt of an acceptable ePOC, we will authorize a revisit to your facility to determine if substantial compliance has been achieved.

To be acceptable, a provider's ePOC must include the following:

- How corrective action will be accomplished for those residents found to have been affected by the deficient practice.
- How the facility will identify other residents having the potential to be affected by the same deficient practice.
- What measures will be put into place, or systemic changes made, to ensure that the deficient practice will not recur.
- How the facility will monitor its corrective actions to ensure that the deficient practice is being

corrected and will not recur.

- The date that each deficiency will be corrected.
- An electronic acknowledgement signature and date by an official facility representative.

The state agency may, in lieu of a revisit, determine correction and compliance by accepting the facility's ePoC if the ePoC is reasonable, addresses the problem and provides evidence that the corrective action has occurred.

If an acceptable ePoC is not received within 10 calendar days from the receipt of this letter, we will recommend to the CMS Region V Office that one or more of the following remedies be imposed:

- Discretionary denial of payment for new Medicare and Medicaid admissions (42 CFR 88.417 (a));
- Civil money penalty (42 CFR 488.430 through 488.444).

Failure to submit an acceptable ePoC could also result in the termination of your facility's Medicare and/or Medicaid agreement (488.456(b)).

DEPARTMENT CONTACT

Questions regarding this letter and all documents submitted as a response to the resident care deficiencies (those preceded by an "F" tag), i.e., the plan of correction should be directed to:

Susie Haben, Unit Supervisor
Metro A Survey Team
Licensing and Certification Program
Health Regulation Division
Minnesota Department of Health
85 East Seventh Place, Suite 220
P.O. Box 64900
Saint Paul, Minnesota 55164-0900
Email: susie.haben@state.mn.us
Phone: (651) 201-3794
Fax: (651) 215-9697

PRESUMPTION OF COMPLIANCE - CREDIBLE ALLEGATION OF COMPLIANCE

The facility's ePoC will serve as your allegation of compliance upon the Department's acceptance. In order for your allegation of compliance to be acceptable to the Department, the ePoC must meet the criteria listed in the plan of correction section above. You will be notified by the Minnesota Department of Health, Licensing and Certification Program staff and/or the Department of Public Safety, State Fire Marshal Division staff, if your ePoC for the respective deficiencies (if any) is acceptable.

VERIFICATION OF SUBSTANTIAL COMPLIANCE

Upon receipt of an acceptable ePoC, a Post Certification Revisit (PCR), of your facility will be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification.

If substantial compliance has been achieved, certification of your facility in the Medicare and/or Medicaid program(s) will be continued and remedies will not be imposed. Compliance is certified as of the latest correction date on the approved ePoC, unless it is determined that either correction actually occurred between the latest correction date on the ePoC and the date of the first revisit, or correction occurred sooner than the latest correction date on the ePoC.

FAILURE TO ACHIEVE SUBSTANTIAL COMPLIANCE BY THE THIRD OR SIXTH MONTH AFTER THE LAST DAY OF THE SURVEY

If substantial compliance with the regulations is not verified by July 24, 2019 (three months after the identification of noncompliance), the CMS Region V Office must deny payment for new admissions as mandated by the Social Security Act (the Act) at Sections 1819(h)(2)(D) and 1919(h)(2)(C) and Federal regulations at 42 CFR Section 488.417(b).

In addition, if substantial compliance with the regulations is not verified by October 24, 2019 (six months after the identification of noncompliance) your provider agreement will be terminated. This action is mandated by the Social Security Act at Sections 1819(h)(2)(C) and 1919(h)(3)(D) and Federal regulations at 42 CFR Sections 488.412 and 488.456.

Please note that this notice does not constitute formal notice of imposition of alternative remedies or termination of your provider agreement. Should the Centers for Medicare & Medicaid Services determine that termination or any other remedy is warranted, it will provide you with a separate formal notification of that determination.

INFORMAL DISPUTE RESOLUTION (IDR) / INDEPENDENT INFORMAL DISPUTE RESOLUTION (IIDR)

In accordance with 42 CFR 488.331, you have one opportunity to question cited deficiencies through an informal dispute resolution process. You are required to send your written request, along with the specific deficiencies being disputed, and an explanation of why you are disputing those deficiencies, to:

Nursing Home Informal Dispute Process
Minnesota Department of Health
Health Regulation Division
P.O. Box 64900
St. Paul, Minnesota 55164-0900

This request must be sent within the same ten days you have for submitting an ePoC for the cited deficiencies. All requests for an IDR or IIDR of federal deficiencies must be submitted via the web at:

Maplewood Care Center

May 8, 2019

Page 4

https://mdhprovidercontent.web.health.state.mn.us/ltc_idr.cfm

You must notify MDH at this website of your request for an IDR or IIDR within the 10 calendar day period allotted for submitting an acceptable electronic plan of correction. A copy of the Department's informal dispute resolution policies are posted on the MDH Information Bulletin website at:

https://www.health.state.mn.us/facilities/regulation/infobulletins/ib04_8.html

Please note that the failure to complete the informal dispute resolution process will not delay the dates specified for compliance or the imposition of remedies.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions.

Sincerely,



Kamala Fiske-Downing
Licensing and Certification Program
Minnesota Department of Health
P.O. Box 64900
St. Paul, MN 55164-0900
Telephone: (651) 201-4112 Fax: (651) 215-9697
Email: Kamala.Fiske-Downing@state.mn.us

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/28/2020
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245276	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 04/24/2019
NAME OF PROVIDER OR SUPPLIER MAPLEWOOD CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 1900 SHERREN AVENUE MAPLEWOOD, MN 55109		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	<p>INITIAL COMMENTS</p> <p>On April 22, 23, and 24, 2019 an unannounced abbreviated survey was completed at your facility to conduct complaint investigations. Your facility was found to be not in compliance with 42 CFR Part 483, Requirements for Long Term Care Facilities.</p> <p>The following complaint was found to be substantiated:</p> <p>H5276117C. Deficiency issued at F921.</p> <p>The following complaints found to be substantiated with no deficiencies cited: H5276112C, H5276113C, H5276114C, H5276115C and H5276116C.</p> <p>The facility's plan of correction (POC) will serve as your allegation of compliance upon the Department's acceptance. Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form. Your electronic submission of the POC will be used as verification of compliance.</p> <p>Upon receipt of an acceptable electronic POC, an on-site revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification.</p>	F 000			
F 921 SS=E	<p>Safe/Functional/Sanitary/Comfortable Environ CFR(s): 483.90(i)</p> <p>§483.90(i) Other Environmental Conditions The facility must provide a safe, functional,</p>	F 921		5/31/19	

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

05/17/2019

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245276	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 04/24/2019
NAME OF PROVIDER OR SUPPLIER MAPLEWOOD CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 1900 SHERREN AVENUE MAPLEWOOD, MN 55109		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 921	<p>Continued From page 1</p> <p>sanitary, and comfortable environment for residents, staff and the public. This REQUIREMENT is not met as evidenced by:</p> <p>Based on observation and interview, the facility failed to ensure the environment was maintained in a safe, clean and home like environment for 122 of 122 residents who resided at the facility.</p> <p>Interview with R5 on 4/24/19, at 11:00 a.m., R5 voiced concerns regarding the cleanliness of the building.</p> <p>A tour of the facility was conducted with the Director of Environmental services on 4/24/19, at 2:50 p.m. through 3:30 p.m. The following environmental areas were in need of attention for both the common areas and residents rooms. The Director of Environmental Services confirmed the findings.</p> <p>Every residents's room, and spa rooms on all three floors had sticky debris in the corner of the room behind the door. The areas varied from 1 inch by 3 inches to 3 inches by 12 inches. The Director of Environmental Services indicated "We need to do a better job behind all doors."</p>	F 921	<p>It is the policy of Maplewood Care Center to provide a safe, functional, sanitary, and comfortable environment for residents, staff, and the public. For all resident rooms and spa rooms on all three floors the floor area behind the doors were cleaned.</p> <p>A root cause analysis was completed regarding this concern and found audits were not being completed to ensure rooms and spas were appropriately cleaned.</p> <p>Based on the root cause analysis, policy and procedures for cleaning resident rooms, common areas was reviewed with housekeeping staff. Competency education will be provided to new housekeepers during orientation and ongoing education for current staff.</p> <p>Environmental rounds that includes specific audits will be conducted and actions taken to address issues on all three floors weekly. The results will be reported to the QAPI Committee and the Committee's recommendations for further action will be followed.</p> <p>The Executive Director will be responsible for correction.</p> <p>Date of Compliance: May 31, 2019</p>		

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/28/2020
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245276	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 04/24/2019
NAME OF PROVIDER OR SUPPLIER MAPLEWOOD CARE CENTER		STREET ADDRESS, CITY, STATE, ZIP CODE 1900 SHERREN AVENUE MAPLEWOOD, MN 55109		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

May 8, 2019

Administrator
Maplewood Care Center
1900 Sherren Avenue
Maplewood, MN 55109

Re: State Nursing Home Licensing Orders - Complaint Numbers H5276117C, H5276112C, H5276113C, H5276114C, H5276115C and H5276116C

Dear Administrator:

A complaint investigation was completed on April 24, 2019. At the time of the investigation, the surveyor assessed compliance with Minnesota Department of Health Nursing Home Rules. The surveyor from the Minnesota Department of Health, noted one or more violations of these rules. These state licensing orders are issued in accordance with Minnesota Statute section 144.653 and/or Minnesota Statute Section 144A.10. If, upon reinspection, it is found that the violations cited herein are not corrected, a civil fine for each deficiency not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.

To assist in complying with the licensing order(s), a "suggested method of correction" has been added. This provision is being suggested as one method that you can follow to correct the cited violation. Please remember that this provision is only a suggestion and you are not required to follow it. Failure to follow the suggested method will not result in the issuance of a penalty assessment. You are reminded, however, that regardless of the method used, correction of the violation within the established time frame is required. The "suggested method of correction" is for your information and assistance only.

The State licensing orders are delineated on the Minnesota Department of Health order form. The Minnesota Department of Health is documenting the state licensing orders using federal software. Tag numbers have been assigned to Minnesota state statutes/rules for nursing homes. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute/rule number and the corresponding text of the state statute/rule out of compliance is listed in the "Summary Statement of Deficiencies" column and replaces the "To Comply" portion of the correction order. This column also includes the findings that are in violation of the state statute after the statement, "This Rule is not met as evidenced by." Following investigator's findings are the Suggested Method of Correction and the Time Period For Correction.

Maplewood Care Center
May 8, 2019
Page 2

PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES, "PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE.

THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES/RULES.

When all licensing orders are corrected, the form should be signed and returned electronically to:

Susie Haben, Unit Supervisor
Metro A Survey Team
Licensing and Certification Program
Health Regulation Division
Minnesota Department of Health
85 East Seventh Place, Suite 220
P.O. Box 64900
Saint Paul, Minnesota 55164-0900
Email: susie.haben@state.mn.us
Phone: (651) 201-3794
Fax: (651) 215-9697

You may request a hearing on any assessments that result from non-compliance with these licensing orders by providing a written request to the Department within 15 days of receipt of a notice of assessment for non-compliance.

Please note it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Sincerely,



Kamala Fiske-Downing
Licensing and Certification Program
Minnesota Department of Health
P.O. Box 64900
St. Paul, MN 55164-0900
Telephone: (651) 201-4112 Fax: (651) 215-9697
Email: Kamala.Fiske-Downing@state.mn.us

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00520	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED C 04/24/2019
--	--	---	---

NAME OF PROVIDER OR SUPPLIER MAPLEWOOD CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 1900 SHERREN AVENUE MAPLEWOOD, MN 55109
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	<p>Initial Comments</p> <p>*****ATTENTION*****</p> <p>NH LICENSING CORRECTION ORDER</p> <p>In accordance with Minnesota Statute, section 144A.10, this correction order has been issued pursuant to a survey. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a fine for each violation not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.</p> <p>Determination of whether a violation has been corrected requires compliance with all requirements of the rule provided at the tag number and MN Rule number indicated below. When a rule contains several items, failure to comply with any of the items will be considered lack of compliance. Lack of compliance upon re-inspection with any item of multi-part rule will result in the assessment of a fine even if the item that was violated during the initial inspection was corrected.</p> <p>You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.</p> <p>INITIAL COMMENTS: On 4/22/19 through 4/24/19, surveyors of this Department's staff visited the above provider and the the facility was found NOT IN COMPLIANCE.</p> <p>The following complaint investigation was conducted to investigate complaint H5276117C. Order issued at 4658.1415 Subp 2 1685.</p>	2 000		

Minnesota Department of Health LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE Electronically Signed	TITLE	(X6) DATE 05/17/19
--	-------	------------------------------

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00520	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED C 04/24/2019
--	--	---	---

NAME OF PROVIDER OR SUPPLIER MAPLEWOOD CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 1900 SHERREN AVENUE MAPLEWOOD, MN 55109
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	Continued From page 1 The following complaints found to be substantiated with no orders cited: H5276112C, H5276113C, H5276114C, H5276115C and H5276116C. You have agreed to participate in the electronic receipt of State licensure orders consistent with the Minnesota Department of Health Informational Bulletin 14-01, available at http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm .	2 000		
21685	MN Rule 4658.1415 Subp. 2 Plant Housekeeping, Operation, & Maintenance Subp. 2. Physical plant. The physical plant, including walls, floors, ceilings, all furnishings, systems, and equipment must be kept in a continuous state of good repair and operation with regard to the health, comfort, safety, and well-being of the residents according to a written routine maintenance and repair program. This MN Requirement is not met as evidenced by: Based on observation and interview, the facility failed to ensure the environment was maintained in a safe, clean and home like environment for 122 of 122 residents who resided at the facility. Interview with R5 on 4/24/19, at 11:00 a.m., R5 voiced concerns regarding the cleanliness of the building. A tour of the facility was conducted with the Director of Environmental services on 4/24/19, at	21685	Corrected.	5/31/19

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00520	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED C 04/24/2019
--	--	---	---

NAME OF PROVIDER OR SUPPLIER MAPLEWOOD CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 1900 SHERREN AVENUE MAPLEWOOD, MN 55109
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
21685	<p>Continued From page 2</p> <p>2:50 p.m. through 3:30 p.m. The following environmental areas were in need of attention for both the common areas and residents rooms. The Director of Environmental Services confirmed the findings.</p> <p>Every residents's room, and spa rooms on all three floors had sticky debris in the corner of the room behind the door. The areas varied from 1 inch by 3 inches to 3 inches by 12 inches. The Director of Environmental Services indicated "We need to do a better job behind all doors."</p>	21685		