Vaccine Storage Temperature Log (Celsius)

- Check and document temperatures every day site is open. Complete this log with:
 - ✓ Time of day and initials of the staff person recording the temperatures.
- ✓ Minimum (lowest) temperature and maximum (highest) temperature once a day, in the morning before using the vaccine.
- ✓ Current temperature, twice a day.
- Mark "X" in the box with the current temperature.
- If the temperature is too warm or too cold, write the actual temperature in the shaded box, do not use "X."
- ✓ Write "closed" for days when the site is not open.

Location of unit:	_Month/Year:
Site name:	PIN:

- Take immediate action on any out of range temperatures, including minimum and maximum temperatures.
- ✓ **Stop** using vaccine and and mark it "Do Not Use." Note: If the vaccine has gotten too warm or too cold, you will not be able to distinguish viable from nonviable vaccine by looking at it.
- ✓ **Document** the details of the temperature excursion.
- ✓ **Contact** manufacturers and MDH for guidance.
- ✓ Correct the problem.
- Review readings weekly for out-of-range temperatures or temperature trends.
- Keep monthly temperature logs for three years with your vaccine records.

Days 1-15

Day of Mo	nth	Exar	nple		1	2	2	3	3	4	4	į	5	(6	7	7	8	3	9	9	1	0	1	1	1	2	1	3	1	4	1	5
Time		am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm
of day		800	3 ¹⁵																														
Staff Initi	ials	SK	JM																														

Min/Max	6°/8°	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
9° or warmer								Too warn	n!							
8°																
7°	X X															
6°																
5°																
4°																
3°																
2°																
1° or colder								Too cold								

Freezer - Store vaccine at -15°C or colder ► Aim for -18°C

Min/Max	-16° / -15°	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
-14° or warmer								Too warn	n!							
-15°																
-16°	X X															
-17°																
OTHER																
-50° or colder								Too cold	!							

Vaccine Storage Temperature Log (Celsius)

- Check and document temperatures every day site is open. Complete this log with:
 - ✓ Time of day and initials of the staff person recording the temperatures.
 - ✓ Minimum (lowest) temperature and maximum (highest) temperature once a day, in the morning before using the vaccine.
 - ✓ Current temperature, twice a day.
 - Mark "X" in the box with the current temperature.
 - If the temperature is too warm or too cold, write the actual temperature in the shaded box, do not use "X."
 - ✓ Write "closed" for days when the site is not open.

Location of unit:	Month/Year:	
Site name:	PIN:	

- Take immediate action on any out of range temperatures, including minimum and maximum temperatures.
- √ Stop using vaccine and and mark it "Do Not Use."

 Note: If the vaccine has gotten too warm or too cold, you will not be able to distinguish viable from nonviable vaccine by looking at it.
- ✓ **Document** the details of the temperature excursion.
- ✓ **Contact** manufacturers and MDH for guidance.
- ✓ Correct the problem.
- Review readings weekly for out-of-range temperatures or temperature trends.
- Keep monthly temperature logs for three years with your vaccine records.

Days 16-31

[Day of Month	1	6	17		18		19	20		21	.	2	,	2	~	2	4	,	25	26		2	7	2		2		3	0	3	
	Time	am	pm	am pı	n	am	pm	am pm	am	pm	am į	pm	am	pm	am	pm	am	pm	am	pm	am	pm										
	of day																															
	or day																															
C	taff Initials																															
Stall illitials								l :																						1 1		

Min/Max	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
9° or warmer								Too warm!								
8°																
7°																
6°																
5°																
4°																
3°																
2°																
1° or colder								Too cold!								

Freezer - Store vaccine at -15°C or colder ► Aim for -18°C

Min/Max	1	1	1	1	1	1	1	1 1	1	1	1	1	1	1	1
-14° or warmer								Too warm!							
-15°															
-16°															
-17°															
OTHER															
-50° or colder								Too cold!							

Time to reorder Vaccine Storage Temperature Logs

Mail: Minnesota Department of Health

Immunization Program

P.O. Box 64975

St. Paul, MN 55164-0975

Phone: 1-800-657-3970 or 651-201-5503

Fax: 1-800-311-9194

Agency		
Address		
City	State	Zip
Phone	Contact name	

Amount	Limit	Vaccine Storage Temperature Log	ID#
	no limit	Celsius, 24 logs/pad	ID# 52503
	no limit	Fahrenheit, 24 logs/pad	ID# 52504

- Logs are free of charge
- Vaccine Storage Temperature Logs are also available to download from the web at www.health.state.mn.us/immunize

