

Environmental Monitoring Report

2020 DATA - JULY 1, 2021

Environmental Monitoring Report

Minnesota Department of Health Radioactive Materials Unit PO Box 64975 St. Paul, MN 55164-0975 651-201-4400 health.ram@state.mn.us www.health.state.mn.us

To obtain this information in a different format, call: 651-201-4400.

Contents

Program Summary	1
Air Monitoring	2
Data Analysis	2
Surface Water Monitoring	3
Data Analysis	3
Milk Monitoring	3
Data Analysis	4
Ambient Gamma Radiation Monitoring	4
Data Analysis	4
Well Water and Community Water Monitoring	4
Data Analysis	5
Precipitation Monitoring	5
Data Analysis	5
Program Modifications	6
Sampling Sites/OSLD Locations	6
Image 1: Monticello Environmental Sampling Sites	6
Image 2: Prairie Island Environmental Sampling Sites	7
Image 3: Monticello Area OSLD Locations	8
Image 4: Prairie Island Area OSLD Locations	9
Tables	10
Table 1: Sample Summary for 2020	10
Table 2: 2020 Air Sampling Results for Monticello Nuclear Generating Plant	10
Table 3: 2020 Air Sampling Result for Prairie Island Nuclear Generating Plant	11
Table 4: 2020 Air Sampling Results for St. Paul	13
Table 5: 2020 Surface Water Results for Monticello Nuclear Generating Plant	15
Table 6: 2020 Surface Water Results for Prairie Island Nuclear Generating Plant	16
Table 7: 2020 Milk Analysis Results for Monticello Nuclear Generating Plant	16
Table 8: 2020 Milk Analysis Results for Prairie Island Nuclear Generating Plant	17
Table 9: 2020 OSLD Results for Monticello Nuclear Generating Plant	18
Table 10: 2020 OSLD Results for Prairie Island Nuclear Generating Plant	18
Table 11: 2020 Well Water Analysis Results - City of Welch	19

Table 12: 2020 Community Water Analysis Results - City of Welch	. 19
Table 13: 2020 Precipitation Water Results for St. Paul	. 19

The Minnesota Department of Health (MDH) maintains an environmental monitoring program for radioactivity around the two nuclear power generating plants in the state. The program is designed to provide an independent evaluation of the impact of the nuclear power generating plants to the environment and the public over a period of time. Data collected is used to verify compliance with appropriate standards, provide the public with reliable data regarding the environmental impact of the nuclear power generating plants, and establish trends. Annual reports are generated and available for public review. Sample data not included in the annual reports is available through the MDH Public Health Lab.

Monitoring for radioactivity began in Minnesota in response to nuclear weapons testing. A baseline for certain radionuclides has been established and current environmental monitoring continues to validate the natural background levels in Minnesota. Throughout the years, the Minnesota Department of Health environmental monitoring program has transformed. Careful analysis of potential risks and data collected has led MDH to make alterations in its sampling program from time to time. Some collection points and sample mediums have been discontinued while others added.

The major components of the Minnesota Department of Health environmental monitoring program are sample collection, data analysis, and interpretation. Around the Monticello Nuclear generating plant and the Prairie Island Nuclear generating plant samples that are collected include: air, surface water, and milk. Ambient gamma radiation doses are monitored through the use of optically stimulated luminescence dosimeters. Well water and community water samples are collected near the Prairie Island plant only.

Besides those samplings, from 1995 to June of 2015 MDH received data from two pressurized ion chambers (PIC) located at the Prairie Island Nuclear generating plant near the Independent Spent Fuel Storage Installation (ISFSI). Data from the PICs was transmitted to a computer. Every fifteen minutes a modem would relay the data, via phone line, to an MDH computer. The system also conveyed alarm messages to MDH staff members if the radiation levels were significantly high or communication between the PIC and the computer was disrupted.

In the fall of 2008 Monticello began storing spent fuel in its own on site ISFSI. This ISFSI is monitored using an automatic switching, two Geiger-Mueller-tube based dose rate monitor called the Data Radiation Monitor (DRM). The DRM continuously measures gamma radiation dose rates. Readings are taken approximately every four seconds and transmitted via radio waves to a base computer. MDH connects to the base computer and receives dose rate readings. Alarm messages are sent if communication is disrupted, or radiation levels are exceeded.

In June of 2015, the two ion chambers located at the Prairie Island Generating Plant ISFSI were replaced with two DRMs. The system is modeled after the Monticello ISFSI monitors.

This year the COVID-19 Public Health Emergency had a minor impact on the environmental monitoring program. Public and residential areas were not available for taking samples on some sampling days. As a result, there were fewer community water and well water samples taken in 2020.

Program Summary

In 2020, no sample results within the current environmental monitoring program areas were found to exceed any federal or state standards or guidelines.

Air Monitoring

Continuous air monitoring allows the Minnesota Department of Health to determine the level of radioactive contamination that could expose the public through inhalation. Air sampler particulate filters and cartridges are collected weekly or every other week and analyzed for radioactive particulates in the air.

In 2020, air samples were collected from three locations in Minnesota: one at each of the nuclear power generating plants and one in downtown St. Paul. The air samplers at the nuclear power generating plants are located downwind of the plant based on predominant wind directions.

The location of the Prairie Island air sampler is near Lock and Dam No. 3, downstream from the Prairie Island Nuclear Generating Plant. The air sampler at Monticello is located near the Monticello Xcel Training Center, downstream from the Monticello Nuclear Power Generating Plant.

The St. Paul air sampler is located on the roof of the Freeman Building at 625 Robert Street North in St. Paul and is used as a standard for comparison.

Air sampler locations are shown in <u>Image 1</u> Monticello Sampling Sites and <u>Image 2</u> Prairie Island Sampling Sites.

Air sample results for gross alpha, gross beta, and naturally occurring Beryllium-7 and Potassium-40 are shown in <u>Table 2</u> Air Sampling Results for Monticello Nuclear Generating Plant, <u>Table 3</u> Air Sampling Results for Prairie Island Nuclear Generating Plant, and <u>Table 4</u> Air Sampling Results for St. Paul.

Data Analysis

Data collected from the Prairie Island and Monticello air samplers are compared to data from the St. Paul sampler, historical data, U.S. Environmental Protection Agency (EPA) standards, and MDH Radioactive Material Rules, Chapter 4731.2750. Specific isotopes of interest are examined using the limits indicated in MDH Chapter 4731 designating concentrations such that a dose limit of 50 mrems per year is not exceeded for each isotope.

The majority of data for these radioisotopes are below MDH Public Health Lab's (PHL) detection levels. In instances where the detection levels exceeded the Chapter 4731 concentrations or established standards, review of the gross alpha and gross beta values were considered. It is understood that the gross alpha or gross beta values represent the maximum value any individual alpha or beta emitter could indicate. Gross alpha levels were below 0.0115 pCi/m3 at all locations. Gross beta levels were below 0.0434 pCi/m3 at all locations.

Whenever applicable, naturally occurring Beryllium-7 and Potassium-40 are tracked as a means of quality control for accuracy of lab data. It is expected that these levels will remain somewhat constant throughout time.

All air sample results for 2020 were within the EPA and MDH standards and guidelines.

Surface Water Monitoring

Since surface water is the drinking water source for many cities in the state, MDH samples the river water downstream from both power plants. The results are compared to the EPA Safe Drinking Water Standards and MDH Chapter 4731.2750 for compliance. They are also measured against the historical data for changes that may have occurred due to releases from the power plant.

Water sample locations are shown in <u>Image 1</u> Monticello Sampling Sites and <u>Image 2</u> Prairie Island Sampling Sites.

Water sample results for gross alpha, gross beta, and select radionuclides of interest are shown in <u>Table 5</u> Surface Water Results for Monticello Nuclear Generating Plant, and <u>Table 6</u> Surface Water Results for Prairie Island Nuclear Generating Plant.

Data Analysis

The EPA Safe Drinking Water Act (SDWA) is often the most restrictive limit for these samples. The radiological component of the SDWA limits gross alpha particles to 15 pCi/L (including combined Radium 226 and Radium 228 at 5 pCi/L), tritium to 20,000 pCi/L, and beta/photon emitters to doses equivalent to 4 mrem per year. Gross alpha values for 2020 were below 9.3 pCi/L at both locations. Tritium values were at or below 371 pCi/L at both locations.

The SWDA limits the total body or critical organ dose from a single beta/photon emitter to 4 mrems. Concentrations for 168 beta/photon emitters that will deliver a total body or critical organ dose of 4 mrems are compared to the isotopic analysis in the MDH samples. The majority of data for these radioisotopes falls below MDH Public Health Lab's (PHL) detection levels. In instances where the detection levels exceed the SDWA levels, review of the gross beta values were considered, since the gross beta value represents the maximum value any individual beta emitter could be.

All surface water sample results for 2020 were within the EPA and MDH standards and guidelines.

Milk Monitoring

Milk samples are collected monthly from a farm located near each power plant. Radiation contamination that may have been deposited in the fields and consumed by cows would be concentrated and forwarded to the milk. Since there are no standards for milk, except for emergency situations, sample analysis is compared to the EPA Safe Drinking Water Standards and MDH Chapter 4731.2750. Samples are also compared to historical data and reviewed for trends.

Milk sampling locations are shown in Image 1 for the Monticello Sampling Site and Image 2 for the Prairie Island Sampling Site. Milk sample results for select radionuclides of interest are shown in Table 7 Milk Analysis Results for Monticello Nuclear power generating plant and Table 8 Milk Analysis Results for Prairie Island Nuclear power generating plant.

Data Analysis

MDH recognizes that the EPA Safe Drinking Water Act (SDWA) is often a more restrictive limit for these samples because there are no specific standards for milk samples. However, by meeting these standards MDH continues to ensure that public health and safety is maintained. Due to the physical properties of milk, analyzing for gross alpha and gross beta values is difficult and highly unreliable; therefore, these results are not available.

The SWDA limits the total body or critical organ dose from a single beta/photon emitter to 4 mrems. Concentrations for 168 beta/photon emitters that will deliver a total body or critical organ dose of 4 mrems are compared to the isotopic analysis in the MDH samples. Again, the majority of data for these radioisotopes are below MDH Public Health Lab's (PHL) detection levels. In instances where the detection levels exceed the SDWA levels, review of past air sample results were considered. It should be noted that if a release were to occur, before it would be observed in milk samples it would most likely be detected in air samples.

All milk sample results for 2020 were within the EPA and MDH standards and guidelines.

Ambient Gamma Radiation Monitoring

Ambient gamma radiation levels are measured around the power plants by using optically stimulated luminescence dosimeters (OSLDs). MDH has placed OSLDs beyond the plant's boundaries to estimate the dose received by a member of the public if they were to be at that location continuously throughout the monitoring period. OSLDs are changed and analyzed quarterly. In 2006, MDH transferred the analysis of the dosimeters from an internal evaluation to Mirion Technologies (formerly Global Dosimetry), a processor approved by the National Voluntary Laboratory Accreditation Program. These results are compared to control readings, historical data, and MDH regulatory limits.

OSLD locations are shown in <u>Image 3</u> Monticello Area OSLD Locations and <u>Image 4</u> Prairie Island Area OSLD Locations.

Ambient Gamma radiation level results are shown in <u>Table 9</u> OSLD Results for Monticello Nuclear Generating Plant and <u>Table 10</u> OSLD Results for Prairie Island Nuclear Generating Plant.

Data Analysis

Mirion Technologies results from the field OSLDs are compared to the control readings. Control badges are kept in St. Paul for the monitoring period so that control readings indicate background radiation levels.

All OSLD results for 2020 were within MDH regulatory limits to members of the public.

Well Water and Community Water Monitoring

Well water is periodically reviewed since radioactivity may seep through the soil and enter the water table. The collection point was selected to be a private farm located close to the Prairie Island nuclear power plant. Community Water samples are collected at Prairie Island as part of the EPA RADNET system. MDH also collects a sample to represent the community water supply at Prairie Island. These samples are collected quarterly and again compared to the EPA Safe Drinking Water Standards, MDH Chapter 4731.2750, and historical data.

Well water sample location is shown in Image 2 Prairie Island Sampling Sites. Community water samples are collected from the Dakota Station at Prairie Island. Well water sample results for gross alpha, gross beta, and select radionuclides of interest are shown in Table 11 Well Water Analysis Results. Community Water sample results are shown in Table 11 Community Water Analysis Results.

Data Analysis

Well water and community water data are analyzed similar to surface water. The EPA Safe Drinking Water Act (SDWA) is often the most restrictive limit for these samples. The radiological component of the SDWA limits gross alpha particles to 15 pCi/L (including combined Radium 226 and Radium 228 at 5 pCi/L), tritium to 20,000 pCi/L, and beta/photon emitters to doses equivalent to 4 mrem per year. Gross alpha values for 2020 were at or below 3.4 pCi/L and Tritium values were below 350 pCi/L.

The SWDA limits the total body or critical organ dose from a single beta/photon emitter to 4 mrems. Concentrations for 168 beta/photon emitters that will deliver a total body or critical organ dose of 4 mrems are compared to the isotopic analysis in the MDH samples. In instances where the detection levels exceed the SDWA levels, review of the gross beta values were considered, since the gross beta value represents the maximum value any individual beta emitter could be.

All well water and community water sample results for 2020 were within the EPA and MDH standards and guidelines.

Precipitation Monitoring

As part of the EPA RADNET program, MDH also collects precipitation samples at the air sampling location in St. Paul. These samples are collected when enough precipitation is in the collection bucket to fill an analysis container. Samples are split, one going to EPA RADNET and one to MDH PHL. Data collected is compared to the EPA Safe Drinking Water Standards, MDH Chapter 4731.2750 and historical data.

Precipitation sample results for gross alpha, gross beta, and select radionuclides of interest are shown in <u>Table 13</u> Precipitation Water Results for St. Paul.

Data Analysis

Precipitation data is analyzed similar to surface water. The EPA Safe Drinking Water Act (SDWA) is often the most restrictive limit for these samples. The radiological component of the SDWA limits gross alpha particles to 15 pCi/L (including combined Radium 226 and Radium 228 at 5 pCi/L), tritium to 20,000 pCi/L, and beta/photon emitters to doses

equivalent to 4 mrem per year. Gross alpha values for 2020 were below 3.0 pCi/L. and Tritium values were below 350 pCi/L.

The SWDA limits the total body or critical organ dose from a single beta/photon emitter to 4 mrems. Concentrations for 168 beta/photon emitters that will deliver a total body or critical organ dose of 4 mrems are compared to the isotopic analysis in the MDH samples. In instances where the detection levels exceed the SDWA levels, review of the gross beta values were considered, since the gross beta value represents the maximum value any individual beta emitter could be.

All precipitation sample results for 2020 were within the EPA and MDH standards and guidelines.

Program Modifications

There were no significant program modifications in 2020.

Sampling Sites/OSLD Locations

Image 1: Monticello Environmental Sampling Sites




Image 2: Prairie Island Environmental Sampling Sites




Image 3: Monticello Area OSLD Locations





Image 4: Prairie Island Area OSLD Locations



Tables

Table 1: Sample Summary for 2020

Sample Type	Sample Type Collection and Frequency		Analyses Performed
Air	C, W & BW	105	GA, GB, GI, Sr, I
Surface Water	Surface Water G, Q 8		GA, GB, GI, Sr, H
Well Water G, Q		2	GA, GB, GI, Sr, H
Community Water	Community Water G, Q		GA, GB, GI, Sr, H
Milk	Milk G, M		GI, Sr, I
OSLD	OSLD C, Q		Direct exposure
Precipitation	С	17	GA, GB, GI, Sr, H

Collection type: C = continuous; G = grab

Frequency: W = weekly; M = monthly; Q = quarterly; A = annually; BW = bi-weekly

Analyses performed: GA = gross alpha; GB = gross beta; GI = gamma isotopic; Sr = strontium; I = iodine; H =

tritium

Table 2: 2020 Air Sampling Results for Monticello Nuclear Generating Plant

Date Collected	Date Collected Gross Alpha Gross Beta		Be-7	K-40
01/13/20	0.00173	0.00906	<300	<6.0
01/27/20	0.00265	0.0221 <300		<6.0
02/11/20	0.00315	0.00315 0.0165 <300		<6.0
02/25/20	0.00290 0.0205 <300		<6.0	
03/09/20	0.00161	0.0153 <300		<6.0
03/24/20	0.00512	0.00512		<6.0
04/07/20	0.00218 0.0165 <300		<300	<6.0

Date Collected	Gross Alpha	Gross Beta	Be-7	K-40
04/21/20	0.00303	0.0189	0.0189 <300	
05/05/20	0.00232	0.0126	<300	<6.0
05/19/20	0.00116	0.0146	<300	<6.0
06/03/20	0.00169	0.0127	<300	<6.0
06/16/20	0.00137	0.0145	<300	<6.0
06/30/20	0.00192	0.0144	<300	<6.0
07/14/20	0.00146	0.0176	<300	<6.0
07/28/20	0.00100	0.0121	<300	<6.0
08/11/20	0.00146	0.0159	<300	<6.0
08/25/20	0.00150	0.0176	<300	<6.0
09/09/20	0.00216	0.0150	<300	<6.0
09/22/20	0.00169	0.0177	<300	<6.0
10/06/20	0.00173	0.0196	<300	<6.0
10/23/20	0.00162	0.0189	<300	<6.0
11/03/20	0.0168	0.0457	<300	<6.0
11/17/20	0.00320	0.0355	<300	<6.0
12/01/20	0.00174	0.0288	<300	<6.0
12/16/20	0.00166	0.0270	<300	<6.0
12/29/20	0.00205	0.0268	<300 <6.0	

Table 3: 2020 Air Sampling Result for Prairie Island Nuclear Generating Plant

Date Collected	Gross Alpha	Gross Beta	Be-7	K-40
01/07/20	0.00605 0.0306		<300	<6.0
01/21/20	0.00345	0.0302	<300	<6.0
02/04/20	0.00499	0.0214	<300	<6.0
02/18/20	0.00301	0.0189	<300	<6.0
03/03/20	0.00266	0.0225	<300	<6.0
03/17/20	0.00367	0.0355	<300	<6.0
03/31/20	0.00248	0.0192	<300	<6.0
04/14/20	0.00178	0.0186	<300	<6.0
04/28//20	0.00176	0.0177	<300	<6.0
05/12/20	0.00143	0.0106	<300	<6.0
05/26/20	0.00074	0.0121	<300	<6.0
06/11/20	0.00130	0.0148	<300	<6.0
06/23/20	0.00201	0.0153	<300	<6.0
07/07/20	0.00214	0.0206	<300	<6.0
07/21/20	0.00362	0.0172	<300	<6.0
08/04/20	0.00067	0.0112	<300	<6.0
08/18/20	0.00124	0.0209	<300	<6.0
09/01/20	0.00191	0.0285	<300	<6.0
09/15/20	0.00113	0.0147	<300	<6.0
09/29/20	0.00171	0.0266	<300	<6.0
10/13/20	0.00239	0.0163	<300	<6.0
10/27/20	0.00456	0.0216	<300	<6.0

Date Collected	Gross Alpha	Gross Beta	Be-7	K-40
11/12/20	0.00348	0.0373	<300	<6.0
11/23/20	0.00224	0.0325	<300	<6.0
12/01/20	0.00126	0.0240	<300	<6.0
12/16/20	0.00210	0.0312	<300	<6.0
12/29/20	0.00220	0.0296	<300	<6.0

Table 4: 2020 Air Sampling Results for St. Paul

Date Collected	Gross Alpha	Gross Beta	Be-7	K-40
01/02/20	0.00648	0.0337	<300	<6.0
01/07/20	0.00196	0.0119	<300	<6.0
01/13/20	0.00644	0.0434	<300	<6.0
01/21/20	0.00372	0.0313	<300	<6.0
01/27/20	27/20 <0.00097 <0.00150		<300	<6.0
02/04/20	0.00237 0.0123 <300		<300	<6.0
02/11/20	0.00317 0.0185		<300	<6.0
02/18/20	0.00355 0.0198 <300		<300	<6.0
02/25/20	0.00271	0.0249	<300	<6.0
03/03/20	0.00146	0.0169	<300	<6.0
03/09/20	<0.00106	0.0116	<300	<6.0
03/17/20	0.00068	0.00835	<300	<6.0
03/24/20	03/24/20 0.00694 0.0238		<300	<6.0
03/31/20	0.00199	0.0164	<300	<6.0

Date Collected	Gross Alpha	Gross Beta	Be-7	K-40
04/07/20	0.00205	0.0163	<300	<6.0
04/14/20	0.00152	0.0180	<300	<6.0
04/21/20	0.00248	0.0175	<300	<6.0
04/28/20	0.00151	0.0151	<300	<6.0
05/05/20	0.00150	0.00633	<300	<6.0
05/12/20	0.00167	0.0121	<300	<6.0
05/19/20	<0.00114	0.00177	<300	<6.0
05/26/20	<0.00105	0.00993	<300	<6.0
06/03/20	0.00193	0.0126	<300	<6.0
06/11/20	0.00113	0.0146	<300	<6.0
06/16/20	<0.00161	0.00251	<300	<6.0
06/23/20	0.00247	0.0149	<300	<6.0
07/07/20	0.00210	0.0213	<300	<6.0
07/14/20	<0.00086	0.0157	<300	<6.0
07/21/20	0.00392	0.0176	<300	<6.0
07/28/20	<0.00108	0.0120	<300	<6.0
08/04/20	<0.00089	0.00869	<300	<6.0
08/10/20	0.00141	0.0201	<300	<6.0
08/17/20	<0.00088	0.0161	<300	<6.0
08/25/20	0.00176	0.0215	<300	<6.0
09/01/20	<0.00105	0.0234	<300	<6.0
09/08/20	0.00150	0.0112	<300	<6.0

Date Collected	Gross Alpha Gross Beta Be-7		Be-7	K-40
09/14/20	0.00125	0.00750	<300	<6.0
09/21/20	0.00153	0.0216	<300	<6.0
09/29/20	0.002206	0.0308	<300	<6.0
10/05/20	<0.00119	0.0113	<300	<6.0
10/13/20	0.00132	0.0223	<300	<6.0
10/19/20	< 0.00108	0.0131	<300	<6.0
10/26/20	0.00166	0.0173	<300	<6.0
11/03/20	0.0115	0.0385	<300	<6.0
11/12/20	0.00327	0.0394	<300	<6.0
11/16/20	<0.00179	0.0275	<300	<6.0
11/24/20	0.00151	0.0289	<300	<6.0
11/30/20	<0.00121	0.0208	<300	<6.0
12/09/20	0.00111	0.0320	<300	<6.0
12/16/20	<0.00106	0.0168	<300 <6.0	
12/22/20	0.00311	0.0392	<300 <6.0	
12/29/20	0.00151	0.0178	<300	<6.0

Table 5: 2020 Surface Water Results for Monticello Nuclear Generating Plant

Date Collected	Gross Alpha	Gross Beta	Tritium	Sr-89 ¹	Sr-90 ¹	K-40
01/13/20	<3.0	<4.0	<350	<2.0	<2.0	<40
04/07/20	<3.0	<4.0	<350	<2.0	<2.0	<40

Date Collected	Gross Alpha	Gross Beta	Tritium	Sr-89 ¹	Sr-90 ¹	K-40
07/14/20	<3.0	<4.0	<350	<2.0	<2.0	<40
10/06/20	<3.0	<4.0	371	<2.0	<2.0	<40

 $^{^{1}}$ Sr-89 and Sr-90 were below the required detection limit of 2 pCi/L (§ 141.25)

Table 6: 2020 Surface Water Results for Prairie Island Nuclear Generating Plant

Results and Detection Limits in pCi/L

Date Collected	Gross Alpha	Gross Beta	Tritium	Sr-89 ¹	Sr-90 ¹	K-40
01/21/20	<3.0	<4.0	<350	<2.0	<2.0	<40
04/28/20	9.3	7.1	<350	<2.0	<2.0	<40
07/07/20	4.2	7.0	<350	<2.0	<2.0	<40
10/13/20	<3.0	<4.0	<350	<2.0	<2.0	<40

 $^{^{1}}$ Sr-89 and Sr-90 were below the required detection limit of 2 pCi/L (§ 141.25)

Table 7: 2020 Milk Analysis Results for Monticello Nuclear Generating Plant

Date Collected	Sr-89 ¹	Sr-90 ¹	K-40
01/13/20	<2.0	<2.0	1340
02/11/20	<2.0	<2.0	1830
03/09/20	<2.0	<2.0	1590
04/07/20	<2.0	<2.0	1560
05/05/20	<2.0	<2.0	1390
06/03/20	<2.0	<2.0	1560
07/14/20	<2.0	<2.0	1530

Date Collected	Sr-89 ¹	Sr-90 ¹	K-40
08/11/20	<2.0	<2.0	1500
09/09/20	<2.0	<2.0	1650
10/06/20	<2.0	<2.0	1510
11/03/20	<2.0	<2.0	1500
12/01/20	<2.0	<2.0	1460

 $^{^{1}\}mbox{Sr-89}$ and Sr-90 were below the required detection limit of 2 pCi/L (§ 141.25)

Table 8: 2020 Milk Analysis Results for Prairie Island Nuclear Generating Plant

Date Collected	Sr-89 ¹	Sr-90 ¹	K-40
01/07/20	<2.0	<2.0	1420
02/04/20	<2.0	<2.0	1790
03/03/20	<2.0	<2.0	1360
04/14/20	<2.0	<2.0	1480
05/12/20	<2.0	<2.0	1490
06/11/20	<2.0	<2.0	1580
07/21/20	<2.0	<2.0	1500
08/04/20	<2.0	<2.0	1500
09/15/20	<2.0	<2.0	1450
10/27/20	<2.0	<2.0	1530
11/12/20	<2.0	<2.0	1530
12/01/20	<2.0	<2.0	1560

 $^{^{1}}$ Sr-89 and Sr-90 were below the required detection limit of 2 pCi/L (§ 141.25)

Table 9: 2020 OSLD Results for Monticello Nuclear Generating Plant

Results in mrem

Location	Number on Image 3	1st Qtr	2nd Qtr	3rd Qtr	4th Qtr	Average
Control						
City Office	1	*	*	*	*	*
CR75 Acacia	2	*	*	*	*	*
CR75 120 St Bridge	3	*	*	*	*	*
XCEL Training Center	4	*	*	*	*	*
East Pole 433	5	*	*	*	*	*
North Pole 485	6	*	*	*	*	*
Olson Farm	7	*	*	*	*	*
CR 50/CR11	8	*	*	*	*	*
CR 75 - Monticello	10	*	*	*	*	*
River Street	9	*	*	*	*	*

Table 10: 2020 OSLD Results for Prairie Island Nuclear Generating Plant

Results in mrem

Location	Number on Image 4	1st Qtr	2nd Qtr	3rd Qtr	4th Qtr	Average
Control						
Sturgeon Lake Rd	1	*	*	*	*	*
Lock & Dam 3	2	*	*	*	*	*
Suter Farm	3	*	*	*	*	*

Location	Number on Image 4	1st Qtr	2nd Qtr	3rd Qtr	4th Qtr	Average
ISFSI Wakonade	4	11	*	*	*	2.75
Tower	5	*	*	*	*	*
Gustafson Farm	6	*	*	*	*	*
Red Wing	7	*	*	*	*	*
Training Center	8	*	*	*	*	*

^{*}Dosimeter reading is a below minimum threshold in which an actual reading can be measured with statistical accuracy.

Table 11: 2020 Well Water Analysis Results - City of Welch

Results and Detection Limits in pCi/L

Date Collected	Gross Alpha	Gross Beta	Tritium	K-40
02/04/20	<3.0	<4.0	<350	<40
08/04/20	<3.0	<4.0	<350	<40

Table 12: 2020 Community Water Analysis Results - City of Welch

Results and Detection Limits in pCi/L

Date Collected	Gross Alpha	Gross Beta	Tritium	K-40
01/07/20	3.4	5.2	<350	<40
07/07/20	<3.0	5.4	<350	<40
11/12/20	11/12/20 <3.0		<350	<40

Table 13: 2020 Precipitation Water Results for St. Paul

Date Collected	Gross Alpha	Gross Beta	Tritium	Sr-89 ¹	Sr-90 ¹	K-40
01/07/20	<3.0	< 4.0	<350	<2.0	<2.0	<40.0

Date Collected	Gross Alpha	Gross Beta	Tritium	Sr-89 ¹	Sr-90 ¹	K-40
03/24/20	<3.0	< 4.0	<350	<2.0	<2.0	<40.0
03/31/20	<3.0	< 4.0	<350	<2.0	<2.0	<40.0
05/05/20	<3.0	< 4.0	<350	<2.0	<2.0	<40.0
05/19/20	<3.0	< 4.0	<350	<2.0	<2.0	<40.0
05/27/20	<3.0	< 4.0	<350	<2.0	<2.0	<40.0
06/11/20	<3.0	< 4.0	<350	<2.0	<2.0	<40.0
06/23/20	<3.0	< 4.0	<350	<2.0	<2.0	<40.0
06/30/20	<3.0	< 4.0	<350	<2.0	<2.0	<40.0
07/21/20	<3.0	< 4.0	<350	<2.0	<2.0	<40.0
07/28/20	<3.0	< 4.0	<350	<2.0	<2.0	<40.0
08/10/20	<3.0	< 4.0	<350	<2.0	<2.0	<40.0
08/17/20	<3.0	< 4.0	<350	<2.0	<2.0	<40.0
09/01/20	<3.0	4.6	<350	<2.0	<2.0	<40.0
10/13/20	<3.0	< 4.0	<350	<2.0	<2.0	<40.0
10/27/20	<3.0	< 4.0	<350	<2.0	<2.0	<40.0
11/12/20	<3.0	4.9	<350	<2.0	<2.0	<40.0

 $^{^{1}}$ Sr-89 and Sr-90 were below the required detection limit of 2 pCi/L (§ 141.25)